



CompTIA

Exam Questions 220-1001

CompTIA A+ Certification Exam: Core 1

NEW QUESTION 1

A technician was called to check an unexpected clicking noise on a desktop that has become more frequent every time a video editing application is loaded. The system fans have been replaced, but the clicking noise remains. Diagnostics have been run on the video card. Which of the following should the technician do FIRST?

- A. Replace the hard drive.
- B. Replace the video card.
- C. Do a System Restore.
- D. Perform a full data backup.
- E. Scan the system for viruses.

Answer: D

NEW QUESTION 2

A technician is setting up a laptop and projector for a presentation. When plugging in the projector, it mirrors the desktop screen from the laptop but everything appears distorted and compressed. Which of the following should the technician do to correct the appearance of the image on the projector?

- A. Update the laptop graphics driver
- B. Change the scaling options.
- C. Change the desktop resolution
- D. Replace the video cable.
- E. Utilize a USB VGA graphics adapter
- F. Adjust the keystone settings on the projector

Answer: C

NEW QUESTION 3

Which of the following channels would commonly be used on an 802.11 wireless network?

- A. 6
- B. 17
- C. 802
- D. 8080

Answer: A

NEW QUESTION 4

The feature that allows users to store files in cloud-based when necessary, but can be removed when space is freed up, is known as:

- A. on-demand
- B. resource pool
- C. synchronization application
- D. shared resources

Answer: A

NEW QUESTION 5

After setting up a DHCP server and a DNS server, a technician would like to centralize all of the events generated by the two servers so they can be viewed in one dashboard. Which of the following is a data source used to populate the dashboard?

- A. Netstat
- B. Host file
- C. Perfmon
- D. Syslog

Answer: B

NEW QUESTION 6

Which of the following devices can be used to connect multiple devices within a broadcasting to every network port?

- A. Unmanaged switch
- B. Hub
- C. Firewall
- D. Cable modem

Answer: A

NEW QUESTION 7

A user sets up a cable modem at home and connects the modem to the ISP at the cable company. Which of the following network types does this connection describe?

- A. WAN
- B. LAN
- C. PAN
- D. MAN

Answer: A

NEW QUESTION 8

An office has a network that has all computers connected to two switches. The switches are connected with a fiber cable. The computers and switches are all located in the same building. Which of the following network types does this describe?

- A. WAN
- B. PAN
- C. LAN
- D. MAN

Answer: C

NEW QUESTION 9

The graphics has an issue with printing certain files. The printer does not print the complete image on larger files. A technician verifies the network speed of the printer is set to 1GB and that regular text files print without issue. Which of the following is the MOST likely cause of this problem?

- A. The printer needs more RAM
- B. The print server is timing out
- C. The users are not printing in post-script mode
- D. The printer network connection is set to half duplex

Answer: A

NEW QUESTION 10

Ann, a user, needs to attend several day-long conferences and wants to ensure her mobile device will have enough power for these events. She is concerned about wall outlet availability at the conferences and needs to continuously use her device for important updates. Which of the following should a technician recommend to BEST accommodate Ann's needs?

- A. Wireless charging pad
- B. Built-in battery case
- C. Extra charging cords
- D. Airplane mode

Answer: A

NEW QUESTION 10

A technician is troubleshooting a laptop/projector combination that is displaying artifacts on the screen. When a different laptop is connected to the projector, the image appears to be correct but is very dim. Which of the following steps should the technician take to address these issues? (Choose two.)

- A. Update the video drivers on the laptop.
- B. Increase the projector contrast.
- C. Replace the original laptop.
- D. Change the aspect ratio on the projector.
- E. Replace the bulb in the projector.
- F. Modify the laptop's display resolution.

Answer: BD

NEW QUESTION 14

A user received the following error message while trying to access a shared drive: Network Path was Not Found. Which of the following should be performed to resolve the issue? (Select TWO).

- A. Set the NIC to full duplex.
- B. Disable the local firewall.
- C. Reset the TCP/IP stack.
- D. Disable the Ethernet adapter.
- E. Use static IP addressing instead of DHCP.
- F. Flush the DNS cache.

Answer: CF

NEW QUESTION 15

A user reports being unable to print to a network-based all-in-one printer. The issue consistently appears after power outages Which of the following should a technician perform to resolve the issue?

- A. Run Windows Update on the user's machine.
- B. Disable the firewall on the user's machine.
- C. Set a static IP address on the printer
- D. Reinstall the printer with vendor-provided drivers

Answer: C

NEW QUESTION 20

A technician wants to set up a virtual machine in a public cloud environment. Which of the following cloud models should the technician use?

- A. IaaS
- B. SaaS
- C. PaaS
- D. DBaaS

Answer: A

NEW QUESTION 21

An administrator has configured a server to host virtualized instances. The requirements of each VM must be able to scale automatically depending on peak and off-peak usage. Which of the following terms BEST describes this type of cloud concept?

- A. Over provisioning
- B. Measured pooling
- C. Resources pooling
- D. Rapid elasticity

Answer: A

NEW QUESTION 24

Which of the following connector types is used to terminate household telephone cabling?

- A. RG-6
- B. RJ-11
- C. RJ-45
- D. RG-59

Answer: B

NEW QUESTION 28

A user reports a laserjet printer is not printing properly. A technician prints a test page and notices the toner is smeared on the page. The technician confirms the toner cartridge is installed correctly and the paper in the tray is the right size. Which of the following printer components is the MOST likely cause of the problem?

- A. Fuser
- B. Roller
- C. Memory
- D. Toner

Answer: A

NEW QUESTION 33

A bank employee contacts the help desk for assistance with setting up a new computer. Which of the following peripherals will the technician MOST likely install alongside the device? (Select TWO)

- A. Magnetic reader
- B. Signature pad
- C. Flatbed scanner
- D. Web camera
- E. External storage drive

Answer: AD

NEW QUESTION 37

Some users are unable to access the Internet from their workstations. A technician runs the ipconfig command on one of the workstations and sees the following:

```
IPv4 address 192.168.1.27
Subnet mask 255.255.255.0
Default gateway 192.168.1.1
```

The technician pings 8.8.8.8 and gets no response. Next, the technician pings 192.168.1.1 and gets no response. The technician is able to successfully ping an adjacent workstation but cannot ping the print server on the floor below. Which of the following is the MOST likely cause of the Internet connectivity issue in the office?

- A. There is a problem with a router in the office
- B. There is a problem with a DNS server in the office
- C. The users are not getting correct IP addresses from the DHCP server
- D. The wireless access point in the area is down

Answer: A

NEW QUESTION 38

A customer accidentally drops a laptop while it is charging. The next day, the customer notices the laptop will not turn on and calls a technician to investigate. The technician confirms the laptop will not turn on and calls a technician to investigate. The technician confirms the laptop will not turn on even though it is connected to the power adapter.

Which of the following components is the MOST likely cause of this behavior?

- A. Power adapter
- B. Battery
- C. DC jack
- D. Hard drive

Answer: C

NEW QUESTION 43

A user is experiencing issues synchronizing a smartphone. The user is able to connect to individual services, but each requires a different password. Which of the following needs to be configured to allow the user to access web services securely with a unique password?

- A. SIM
- B. SMB
- C. SSL
- D. SSO

Answer: D

NEW QUESTION 48

Several computers are having network connectivity issues. Two of the computers are wired and are not having any issues. The technician verifies that none of the computers having issues have been assigned a static IP. Which of the following should the technician check NEXT?

- A. Check the closest AP for the area.
- B. Check each wireless adapter switch
- C. Check the group's network switch.
- D. Check the DHCP server.

Answer: D

NEW QUESTION 51

Which of the following adapters may suffer signal degradation or data loss due to conversion?

- A. DVI to HDMI
- B. HDMI to DisplayPort
- C. USB to Ethernet
- D. DVI-D to VGA

Answer: D

NEW QUESTION 55

A customer's laptop display has suddenly become very dim. The image of the display can only be seen with a bright, external light, as adjusting the brightness/contracts controls does not cause much change. Which of the following components MOST likely needs to be replaced?

- A. LCD panel
- B. Inverter
- C. Video card
- D. Digitizer

Answer: B

NEW QUESTION 57

A user is having a problem with printing a specific document type. The network printer OCP shows that the printer is online with no errors. Other users are not having the same issue. The user sends the document to another printer and the document prints. Which of the following should a technician do FIRST in troubleshooting the problem?

- A. Stop and restart the PC print spooler service.
- B. Verify the user is sending the document to the correct printer queue.
- C. Have each user send the same document to the correct printer queue.
- D. Stop and restart the print server queues, and then have the user resend the document.

Answer: B

NEW QUESTION 62

A technician wants the number of virtual machines hosting a web application in the public cloud environment to scale based on real-time traffic on the website. Which of the following should the technician configure?

- A. Resource pooling
- B. Rapid elasticity
- C. Measured service
- D. High availability

Answer: B

NEW QUESTION 66

A printer stops working in the billing department and cannot be repaired. A new printer has been ordered and a technician is tasked with allowing other users to print to the billing manager's printer until the new printer arrives. The manager's printer is currently used via USB connection, and there are no network jacks available for use.

Which of the following is the BEST way for the technician to allow access to the printer?

- A. Create a share on the manager's computer and give the users rights to the share.
- B. Install the printer on the users' desktops and point it to the IP address of the manager's computer.
- C. Purchase a wireless printer so the users can access the printer via network.
- D. Provide flash drives to the users so they can transfer data to the manager's computer for printing.

Answer: C

NEW QUESTION 67

A technician is troubleshooting a Windows CAD workstation that is running slow. The computer uses RAID 10 and has dual GPU cards. The user states that the same application runs faster on an identical workstation.

Which of the following should the technician perform FIRST to troubleshoot the problem?

- A. Replace the write cache battery.
- B. Check the event log any cache issues.
- C. Clear the RAID configuration file and restart the PC.
- D. Replace the RAID controller write cache module.

Answer: B

NEW QUESTION 71

A technician is upgrading a user's smartphone and wants to move all of the applications and contact information quickly to the new device.

Which of the following connection types would work BEST to do this?

- A. NFC
- B. IR
- C. OTG
- D. Bluetooth

Answer: A

NEW QUESTION 72

Which of the following connector types is MOST appropriate to use to connect a SOHO cable modem to the ISP?

- A. DB-9
- B. RJ-45
- C. RG-59
- D. RS-232

Answer: C

NEW QUESTION 73

The ability for new computers to be automatically connected to the network is provided by the:

- A. DHCP server
- B. DNS server
- C. proxy server
- D. TACACS server

Answer: A

NEW QUESTION 74

A customer contacts the help desk stating a laptop does not remain charged for more than 30 minutes and will not charge more than 15%. Which of the following components are the MOST likely causes the issue? (Select three.)

- A. LCD power inverter
- B. AC adapter
- C. Battery
- D. Processor
- E. VGA card
- F. Motherboard
- G. Backlit keyboard
- H. Wireless antenna

Answer: ACF

NEW QUESTION 77

Which of the following devices would enable a VLAN user to communicate with a user in another VLAN?

- A. Router
- B. Access point
- C. Repeater

D. Bridge

Answer: A

NEW QUESTION 82

A systems administrator wants to take advantage of the benefits of the major cloud providers while retaining some data and services in the local datacenter. Which of the following types of cloud model should the administrator consider?

- A. Public
- B. Private
- C. Hybrid
- D. Community

Answer: C

NEW QUESTION 86

Which of the following cloud computing concepts allows scalable services to be provided to the client?

- A. On-demand
- B. Metered
- C. Rapid elasticity
- D. Resource pooling

Answer: C

NEW QUESTION 90

A server administrator set up a VM to be used in a lab setting. A technician is setting up thin-client computers to access this VM. Which of the following tasks are required to complete the project? (Choose three.)

- A. Connect the device to a printer.
- B. Install the operating system.
- C. Install a USB keyboard and mouse.
- D. Connect the device to the network.
- E. Install the latest system updates.
- F. Install the latest device drivers.
- G. Connect the device to a monitor.
- H. Install the necessary applications.

Answer: DEH

NEW QUESTION 93

Which of the following would provide power to an access point?

- A. POE injector
- B. Switch
- C. Repeater
- D. Modern

Answer: A

NEW QUESTION 96

Which of the following connects a PC to its default gateway?

- A. NIC
- B. Switch
- C. Router
- D. Cable modem

Answer: B

NEW QUESTION 101

A technician is configuring a high-performance workstation. The technician needs to choose storage for the boot drive with the highest performance possible. Which of the following drive types BEST meets this requirement?

- A. MicroSD
- B. 15K rpm
- C. NVMe
- D. USB flash

Answer: C

NEW QUESTION 106

A technician is setting up a printer for a small office that does not have an RJ-45 jack. The users' computers are all in the same workgroup and are connected physically to the same network switch. The technician needs to make sure all users can print to the new printer through the switch. Which of the following should the technician configure?

- A. Shared printer
- B. Print server
- C. Bluetooth printing
- D. Cloud printing

Answer: A

NEW QUESTION 109

Which of the following BEST describes the purpose of an IPv4 subnet mask?

- A. It defines where network and host bits exist
- B. It is used to find the default gateway on a LAN
- C. It gives users the ability to send and receive data.
- D. It allows the ability, when needed, to bridge subnets.

Answer: A

NEW QUESTION 113

Which of the following networking protocols would be BEST track packages through a sorting facility?

- A. RFID
- B. NFC
- C. Bluetooth
- D. Zigbee

Answer: D

NEW QUESTION 115

Which of the following resource types would be BEST suited to saving photographs from a mobile device with limited onboard storage?

- A. Cloud file services
- B. Virtual desktop
- C. Off-site email
- D. Resource pooling

Answer: A

NEW QUESTION 120

Which of the following is the MOST likely cause for a network PC to have an APIPA address?

- A. DHCP failure
- B. DNS resolution
- C. Duplicate IP address
- D. Cleared ARP cache

Answer: A

NEW QUESTION 125

A technician is setting up a Windows mobile device for a user who had trouble reading text on a previous device, especially at night. Which of the following adjustments would be MOST appropriate?

- A. Use the magnifier.
- B. Increase the resolution.
- C. Use haptic feedback.
- D. Utilize text-to-speech.

Answer: A

NEW QUESTION 128

A SOHO user wants a multifunction device to be set up for the office printer. Additionally, scanning and fax capability must be set up for office employees only. Guest WiFi access will open.

Which of the following configuration changes will BEST meet the user's request? (Choose two.)

- A. Enable user authentication.
- B. Disable remote printing.
- C. Configure the print server.
- D. Enable cloud settings.
- E. Disable the wireless network.
- F. Connect to a wired network.

Answer: AC

NEW QUESTION 130

During an inspection, it was found that data racks were not properly grounded. To pass the inspection and address a growing concern to protect data cabling and equipment, a technician must make sure all racks are properly grounded.

Which of the following tools should the technician use to verify this has been completed?

- A. Multimeter
- B. Cable tester
- C. Tone generator
- D. Voltmeter

Answer: A

NEW QUESTION 135

In a virtual environment, which of the following allows all the VMs to have RAM allocated for use?

- A. Resource pooling
- B. Measured service
- C. Virtual application streaming
- D. Synchronization

Answer: A

NEW QUESTION 140

A technician is building a CAD workstation for a user who will be saving files remotely.

Which of the following components are MOST important to include when configuring the system? (Choose two.)

- A. Gigabit NIC
- B. Graphics card
- C. Liquid cooling unit
- D. HDD size
- E. RAM

Answer: BE

NEW QUESTION 144

Whenever a user's machine is turned on, a black screen appears prompting the user for an administrative password. The technician has no such password on file for this machine.

Which of the following steps should the technician take to resolve this issue?

- A. Press and hold the CPU power button for five seconds, and then power back on.
- B. Disconnect and reconnect the internal hard drive.
- C. Remove the CMOS battery and reinsert it after ten seconds.
- D. Remove the motherboard and place it back into the machine after ten minutes.

Answer: C

NEW QUESTION 149

An end user reports a printer error that states "Replace filament". With which of the following types of printer is the end user MOST likely having problems?

- A. ink jet
- B. Laser
- C. 3-D
- D. Thermal

Answer: C

NEW QUESTION 154

A technician is ordering a new motherboard and processors for a company email server. When reviewing the vendor licensing agreement, the technician sees that there is a flat per-socket licensing fee.

Which of the following motherboard/processor combinations should the technician order get the BEST performance while minimizing licensing fees?

- A. A dual-processor motherboard with six hyper threaded cores each.
- B. A single-processor motherboard with hyper threaded eight cores.
- C. A dual-processor motherboard with eight overclocked cores each.
- D. A single-processor motherboard with ten overclocked cores.

Answer: D

NEW QUESTION 156

Ann, a user, reports that after setting up a new WAP in her kitchen she is experiencing intermittent connectivity issues. Which of the following should a technician check FIRST?

- A. Channels
- B. Frequency
- C. Antenna power level
- D. SSID

Answer: A

NEW QUESTION 157

A technician is replacing an older video card with a new high-end video card in a workstation. The installation was successful, the new card seated properly, and power is connected. However, upon booting, the computer now emits several beeps and will not boot, but shows no error messages. Which of the following is MOST likely the cause of this issue?

- A. The BIOS is out-of-date
- B. There is not enough PSU output
- C. There is an onboard RAM mismatch
- D. GPU is overlocked
- E. The firmware is out-of-date

Answer: B

NEW QUESTION 161

Following a recent malware infection, a user is unable to access network shares from the local server. A technician verifies the device is able to connect to the Internet and the hosted email provider off-site. The technician also confirms the local server is online. Additionally, a malware scanner reports the user's computer is clean. Which of the following is the best NEXT step to troubleshoot the issue?

- A. Verify the DNS servers are configured properly on the device.
- B. Assign a static IP address on the wired network connection
- C. Run a speed test on the network to check for slow transfer speeds
- D. Confirm the network connection is not using a link-local address
- E. Replace the Ethernet cable as it is causing limited connectivity

Answer: C

NEW QUESTION 162

A user printed several documents to a shared network copier and noticed that they have very faint color density. A technician investigates the issue and verifies that the printer had a maintenance kit installed recently. Which of the following next steps will MOST likely resolve the issue? (Select two.)

- A. Replace the toner cartridges
- B. Replace the fuser module
- C. Clean the paper tray rollers
- D. Adjust the printer settings
- E. Replace the developer
- F. Empty the waste toner bottles

Answer: AC

NEW QUESTION 167

An administrator is configuring a virtualization workstation that will host several mission-critical VMs for the human resources department. The workstation will be required to support multiple users at once, and large amounts of data will be accessed daily. Which of the following components will BEST meet these requirements? (Select THREE).

- A. Quad-core CPU
- B. Solid-state drives
- C. Additional RAM
- D. Redundant PSUs
- E. RAID 0 array
- F. High-end GPU
- G. RAID 6 array

Answer: ACG

NEW QUESTION 172

A technician is troubleshooting what appears to be a RAM issue on a PC. Which of the following symptoms would indicate if this is a RAM issue?

- A. POST code beeps
- B. Distended capacitors
- C. Continuous reboots
- D. Wrong BIOS time

Answer: C

NEW QUESTION 173

Joe, a user, recently purchased a new multifunction printer and attempted to install it himself. He informed a technician that the printer is on his list of printers, but he is unable to print. The technician sees that the printer is listed as a generic printer under Devices and Printers. Which of the following should the technician do NEXT?

- A. Reboot the computer into safe mode and try to print a test page
- B. Download the correct drivers from the manufacturer's website and install them
- C. Unplug the USB cable from the printer and try another USB slot on the PC
- D. Set the printer as the default within the device properties

Answer: B

NEW QUESTION 174

A user is connected to a docking station with an optical drive and is trying to back up personal files to removable media, but is encountering write errors. Which of the following is MOST likely cause of the errors?

- A. The disk has already been finalized
- B. The files are encrypted
- C. There is a corrupt file on the hard drive
- D. The files are not compatible with the type of disk used

Answer: A

NEW QUESTION 178

A projector's image begins to flicker during a presentation. The laptop display does not produce this issue. When a technician changes the resolution on the laptop, the issue persists. Which of the following is the NEXT step the technician should take?

- A. Check the connectivity of the VGA cable.
- B. Check the connectivity of the power cable.
- C. Change the aspect ratio on the laptop.
- D. Change the settings of the projector.

Answer: A

NEW QUESTION 180

A user reports that a laptop is not connecting to the corporate wireless network. A technician confirms a with a smartphone that the corporate wireless network is available and can be accessed. the technician observes that the Ethernet connection to the corporate network is working. The technician disconnects the Ethernet cable.

Which of the following should the technician do NEXT to troubleshoot this problem?

- A. Confirm that the laptop wireless card is turned on.
- B. Confirm that the laptop is in range for the access point.
- C. Confirm that the correct wireless network is selected.
- D. Confirm the user's network login ID and password.

Answer: A

NEW QUESTION 185

An associate is seeking advice on which device to purchase for a friend who is a business owner. The friend needs the ability to chat activity while keeping in contact with the home office.

Which of the following would be the BEST recommendation?

- A. Smart watch
- B. Fitness monitor
- C. Global positioning sensor
- D. Portable hotspot

Answer: A

NEW QUESTION 187

A systems administrator is configuring a server to host several virtual machines. The administrator configures the server and is ready to begin provisioning the virtual machines.

Which of the following features should the administrator utilize to complete the task?

- A. Hypervisor
- B. Disk management
- C. Terminal services
- D. Device Manager
- E. Virtual LAN

Answer: A

NEW QUESTION 189

An ISP has notified a SOHO user of a usage increase on the user's network. The user is concerned the WiFi network is being utilized by unauthorized users. Which of the following would minimize the unauthorized use of the WiFi network?

- A. Implement MAC filtering
- B. Enable NAT
- C. Create a network DMZ
- D. Upgrade the encryption standards

Answer: A

NEW QUESTION 194

A technician is hired to install network cable in a crawl space running the length of a hallway. To do so without a fire code violation, which of the following types of cable should the technician run?

- A. Plenum
- B. Fiber
- C. Shielded

D. Coaxial

Answer: A

NEW QUESTION 196

Joe, a user, sets up an IMAP connection on his smartphone to connect to webmail. Joe is able to view email, but he receives an error message when trying to send a message. When viewing the mail client's configuration, Joe sees a valid SMTP server and port. Which of the following should Joe check NEXT to resolve the issue?

- A. Configure the email account as a POP3 connection
- B. Ensure the SSL/TLS option is being used
- C. Check that the account password is still valid
- D. Make sure the smartphone is not in airplane mode

Answer: A

NEW QUESTION 199

The network administrator has changed the IP address of ComputerA from 192.168.1.20 to 10.10.10.20 and now jane, a user, is unable to connect to file shares on ComputerA from ComputerB using the computer name.

INSTRUCTIONS

Using the available tools, resolve the connectivity issues. After troubleshooting the issue, verify a successful connection.

If at any time you would like to bring back the initial state of the simulation? please click the Reset All button.

```
-----  
--- Welcome to Computer A -----  
-----  
  
c: > |
```

```
Reply from 10.10.10.10.30: bytes=32 time=13ms TTL=52
Reply from 10.10.10.10.30: bytes=32 time=13ms TTL=52

Ping statistics for 10.10.10.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 13ms, Maximum = 13ms, Average = 13ms

c:\> ?
    % Invalid input detected, query help for valid commands.
c:\> help

    ipconfig
    nslookup
    ping
    tracert

    help

c:\> nslookup
    % Invalid input detected, query help for valid commands.
c:\> nslookup
    % Invalid input detected, query help for valid commands.
c:\> help

    ipconfig
    nslookup
    ping
    tracert
    help

c:\>
```

```
-----
--- Welcome to Computer B -----
-----

c:\>
```

```

-----
c:\> ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix . . . . . : local.net
    IPv4 Address . . . . . : 10.10.10.30
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 10.10.10.1

c:\> ping 10.10.10.20

Pinging 10.10.10.20 with 32 bytes of data:
Reply from 10.10.10.20: bytes=32 time=13ms TTL=52

Ping statistics for 10.10.10.20:
    Packets: Sent = 4, Received = 4, Loat = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 13ms, Maximum = 13ms, Average = 13ms

c:\> nslookup
    * Invalid input detected, query help for valid commands.
c:\>
computerB

```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

We need to flush the DNS to have the new IP address assigned to the same computer name. Use the ipconfig/flushdns command.

NEW QUESTION 202

A technician was asked to virtualize four existing PCs before decommissioning them. The resulting VMs are imported into a new VM workstation running a hypervisor on top of an OS Three of the VMs are running property, but the entire system locks up when trying to start the fourth VM. Which of the following should the technician have reviewed prior to creating the VMs to prevent this from occurring? (Select TWO)

- A. Hypervisor requirements
- B. Storage requirements
- C. Resource requirements
- D. Network requirements
- E. Backup requirements
- F. Security requirements

Answer: AF

NEW QUESTION 207

The cloud model that represents a company maintaining some data in on-premise storage and some data in cloud-based storage is known as:

- A. hybrid
- B. private
- C. public
- D. community

Answer: A

NEW QUESTION 208

A client has three locations within city limits that need to be networked. Vendor network requirements for all three locations are a minimum of 1GB. Which of the following are the types of networks that will MOST likely be used for internal office and office-to-office networking? (Choose two.)

- A. MAN
- B. LAN
- C. WAN
- D. PAN
- E. SAN
- F. WLAN

Answer: AB

NEW QUESTION 213

A company offers several out-of-the-box computer configurations to its clients. A client requests several new computers for its newest location, which will be used by guests to check in upon arrival and fill out contact information. Which of the following configurations would BEST fit this customer's needs?

- A. Touch-screen kiosk
- B. Thick client
- C. CAD workstation
- D. Virtualized host computer

Answer: A

NEW QUESTION 214

A technician is setting up RAID 5 on a server that needs to be highly available. Which of the following is the BEST option to use for the array?

- A. Hot spare drives
- B. Large capacity drives
- C. Hot swappable drives
- D. Solid state drives

Answer: D

NEW QUESTION 216

A user states the department laser printer continues to display a paper jam error message despite the jam being cleared. Which of the following should a technician do to troubleshoot this problem?

- A. Check the paper path for blocked sensors
- B. Replace the duplex assembly
- C. Run the printer's internal diagnostics
- D. Verify the pickup rollers are in working order

Answer: A

NEW QUESTION 220

A user purchases a wireless printer and sets it up in an office. The user installs all necessary software for the printer on the computer and connects the printer to the guest wireless network. However, when the user attempts to print to the printer, nothing happens. Which of the following will resolve the issue?

- A. Set up the user's computer to act as a print server.
- B. Configure the printer to use the Internet printing protocol.
- C. Ensure the user's computer is set to DHCP.
- D. Connect the printer to the company wireless network.

Answer: D

NEW QUESTION 221

A technician is setting up a VM for use in testing software deployments. The VM is offline, but the hypervisor is not. Which of the following settings should the technician change to resolve this issue?

- A. Virtual security
- B. Virtual storage
- C. Virtual CPU
- D. Virtual switch
- E. Virtual RAM

Answer: C

NEW QUESTION 225

A user connects a laptop to a docking station but is unable to see an image on the external monitor. The user tests the docking station USB ports, and they are working fine. Which of the following should be done NEXT?

- A. Check for firmware updates
- B. Configure extended display mode
- C. Replace the external monitor
- D. Adjust the laptop's BIOS settings

Answer: B

NEW QUESTION 227

Company management wants to give users the ability to work from home during periods of bad weather. Which of the following would enable the workforce to do this?

- A. NAT
- B. VLAN
- C. VPN
- D. HIPS

Answer: C

NEW QUESTION 228

A company has very strict rules regarding proprietary information leaving the premises. All computers host proprietary information. A technician is called to repair a computer on-site at the company's corporate office. The technician identifies the troubleshooting steps to create a plan of action. The technician determines the computer needs to be taken off-site for repair.

Which of the following should the technician do NEXT?

- A. Check corporate policies for guidance.
- B. Get authorization from the manager.
- C. Delete proprietary data before leaving the building.
- D. Remove the HDD and send the device for repair.

Answer: A

NEW QUESTION 229

A technician needs to call a user's cellular provider to troubleshoot a network speed issue with the user's mobile device. Which of the following technologies is the technician troubleshooting?

- A. Long-term evolution
- B. Near-field communication
- C. Radio frequency ID
- D. Z-wave

Answer: A

NEW QUESTION 232

Users report they have to select the output tray at the printer, even though the correct tray is selected in the print dialog. Which of the following should a technician perform FIRST to attempt to solve the problem?

- A. Check the user's account for the correct printing privileges.
- B. Reinstall the driver on the print server.
- C. Update the firmware on the commercial office printer.
- D. Run Windows Update on the affected computers.

Answer: B

NEW QUESTION 236

A technician has been informed that multiple users are receiving duplicate IP address warnings on their workstations, and they are unable to browse the Internet. Which of the following server types should the technician log in to in order to resolve the problem?

- A. DNS server
- B. DHCP server.
- C. Proxy server
- D. RADIUS server

Answer: B

NEW QUESTION 238

A user notices a laser printer is picking up multiple sheets of paper from one of its paper trays. The problem started last week and has gotten worse. Which of the following is MOST likely the cause of this problem?

- A. Separation pad
- B. Feed roller
- C. Registration roller
- D. Duplex assembly

Answer: A

NEW QUESTION 243

The corporate office has mandated that all documents must be electronically signed and encrypted with a certificate in order to be stored on the network. The IT department has been asked to ensure the proper file format is used to accomplish this task. Which of the following would satisfy the requirement?

- A. Print to PDF
- B. Print to file
- C. Print to image
- D. Print to XPS

Answer: A

NEW QUESTION 245

A technician is troubleshooting a flickering screen on a laptop. After reseating the video cable and replacing the whole screen, the flickering issue remains the same. Which of the following steps should the technician take to try to isolate and fix the screen flickering issue prior to replacing the screen? (Select TWO).

- A. Update all device drivers on the computer
- B. Uninstall video-related programs, even the ones not running
- C. Update chipset and video drivers
- D. Configure the laptop to work on a high-performance state
- E. Flash the GPU RAM
- F. Check the behavior on an external monitor

Answer: AD

NEW QUESTION 249

A technician is talking to end users about the specifications for an upgraded application server. The users of the application report that there cannot be any unscheduled downtime or data loss. Additionally, they would like the performance of the application to improve over the previous server in any way possible. The previous server was running RAID 5.

Which of the following RAID solutions should be implemented in this scenario?

- A. RAID 0
- B. RAID 2
- C. RAID 6
- D. RAID 10

Answer: D

NEW QUESTION 253

A customer asks a technician to help set up a specialized computing system for video editing.

Which of the following should the technician install on the workstation to BEST meet the customer's specifications? (Choose two.)

- A. SSD
- B. Dual monitors
- C. Gigabit NIC
- D. Hypervisor
- E. Docking station
- F. NAS

Answer: AB

NEW QUESTION 254

Which of the following cloud computing concepts facilitates automated server deployment?

- A. NaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: B

NEW QUESTION 256

Which of the following is designed to function BEST in harsh lighting conditions?

- A. Large tablet
- B. E-reader
- C. Smart watch
- D. Virtual reality headset

Answer: D

NEW QUESTION 259

A technician is replacing a broken screen on a new company laptop but does not have repair information from the vendor.

Which of the following is the BEST way to proceed?

- A. Document and label the cable and screw locations.
- B. Replace the screen with a non-OEM.
- C. Update the firmware on the device before repairing it.
- D. Wait for the vendor to provide more information.

Answer: A

NEW QUESTION 264

A company is concerned about security of sensitive data on a laptop a user frequently takes off-site Which of the following enables hardware encryption to secure user data?

- A. BIOS password
- B. Hibernation mode
- C. Trusted Platform Module
- D. Screen-saver lock

Answer: C

NEW QUESTION 268

A user reports being unable to browse the Internet. A technician believes the cause of the issue is related to DNS. Which of the following should the technician perform NEXT?

- A. Test the theory by attempting to browse to a website's known IP address.
- B. Implement preventive measures by manually assigning a DNS server to the PC.
- C. Identify the problem by running the command `ipconfig /flushdns`.
- D. Document the findings in the organization's local knowledge base.

Answer: A

NEW QUESTION 270

A small business owner with a limited budget wants to host a company website and ERP applications in the cloud. Which of the following would be the BEST cloud model to accomplish this task?

- A. DaaS
- B. IaaS
- C. PaaS
- D. SaaS

Answer: C

NEW QUESTION 271

An end user reports a Windows based PC just had a BSOD. The PC rebooted, and the user is now logged back in and working without any issues. Which of the following should a technician check FIRST to begin troubleshooting?

- A. Hard drive S.M.A.R.
- B. data
- C. Event Viewer
- D. Device Manager
- E. BIOS settings
- F. Performance Monitor

Answer: B

NEW QUESTION 273

A user calls the help desk stating a laptop is performing slowly and the hard drive activity lights are blinking continuously. A technician checks for enough hard drive space, disables antivirus and indexing services, and runs a full-system diagnostics check, which returns no failure. Which of the following should the technician do NEXT?

- A. Install a new hard drive
- B. Check for hard-drive firmware updates
- C. Replace the hard drive with a solid state drive
- D. Configure the laptop in high-performance mode
- E. Change the boot order in the system BIOS

Answer: B

NEW QUESTION 274

A technician is configuring a new web server and must have over 10TB of fault-tolerant storage, while minimizing the number of failure points. The applications on the server also require the highest performance available. Which of the following configurations would the technician MOST likely select?

- A. RAID 0 with 1500rpm 15TB drives
- B. RAID 1 with 1000rpm 8TB drives
- C. RAID 5 with 7200rpm 5TB drives
- D. RAID 10 with 5400rpm 6TB drives

Answer: D

NEW QUESTION 275

A network administrator has discovered an amber indicator light on one of the redundant PSUs of a production server that went offline. Which of the following is the FIRST step in troubleshooting this issue?

- A. Check the connectivity of the power cable.
- B. Check the battery backup system
- C. Check the power settings of the server.
- D. Check the fans of the server

Answer: B

NEW QUESTION 279

A user reports that printing on heavy cardstock paper results in the image smearing if touched. When printing on plain paper, the problem does not occur. Which of the following would be the NEXT troubleshooting step to perform?

- A. Increase the fuser temperature.
- B. Change the paper feed rate.
- C. Clean the transfer roller.
- D. Replace the toner cartridge.

Answer: A

NEW QUESTION 282

A technician needs to give users the ability to transfer files between mobile devices. The technician teaches the staff how to use a file transfer method in which the devices need to be in close proximity with line-of-sight access to each other. Which of the following technologies is the technician teaching to the staff?

- A. IR
- B. Bluetooth
- C. Tethering
- D. NFC

Answer: A

NEW QUESTION 286

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

220-1001 Practice Exam Features:

- * 220-1001 Questions and Answers Updated Frequently
- * 220-1001 Practice Questions Verified by Expert Senior Certified Staff
- * 220-1001 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 220-1001 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 220-1001 Practice Test Here](#)