


JN0-106 Dumps

Junos - Associate (JNCIA-Junos)

<https://www.certleader.com/JN0-106-dumps.html>



NEW QUESTION 1

Which two statements about route preference in Junos are correct? (Choose two.)

- A. Both direct and static routes have the same preference.
- B. Both direct and local routes have the same preference.
- C. Both OSPF internal and OSPF AS external routes have the same preference.
- D. Both EBGP and IBGP routes have the same preference.

Answer: BD

NEW QUESTION 2

Click the Exhibit button.

```
[edit firewall filter test]
term 1 {
    from {
        source-address {
            10.0.0.0/8;
        }
    }
    then {
        log;
        next term;
    }
}
term 2 {
    then {
        reject;
    }
}
}
```

How is traffic, sourced from 10.0.0.0/8, treated by the firewall filter shown in the exhibit?

- A. logged and discarded
- B. logged and accepted
- C. logged with no further action
- D. logged and rejected

Answer: D

NEW QUESTION 3

Which command would you use to gracefully power off a Junos device?

- A. request system reboot
- B. shutdown now
- C. request system logout

D. request system halt

Answer: D

NEW QUESTION 4

Which two statements describe rollback configuration behavior in Junos OS? (Choose two.)

- A. Rollback configurations are applied automatically after a commit confirmed timeout.
- B. Rollback 0 always refers to the factory default configuration.
- C. Rollback files are stored automatically after each commit.
- D. Up to 100 rollback configurations are maintained by default.

Answer: AC

NEW QUESTION 5

Referring to the exhibit, which command would be used to view the IP subnet addresses associated with prefix-list DIRECT-IP?

Click the Exhibit button.

```
ge-0/0/0 {
  unit 0 {
    family inet {
      address 192.168.0.1/24;
    }
  }
}
xe-0/1/0 {
  unit 0 {
    family inet {
      address 192.168.1.1/24;
    }
  }
}
xe-0/1/1 {
  unit 0 {
    family inet {
      address 10.0.0.1/8;
    }
  }
}
xe-0/1/2 {
  unit 0 {
    family inet {
      address 10.1.0.1/16;
    }
  }
}
policy-options {
  prefix-list DIRECT-IP {
    apply-path "interfaces <xe-*> unit <*> family inet address <*>";
  }
}
firewall {
  family inet {
    filter Export-Direct
      term 1 {
        from {
          prefix-list {
            DIRECT-IP;
          }
        }
        then accept;
      }
      term 2 {
        then {
          reject;
        }
      }
    }
  }
}
```

- A. show policy-options prefix-list DIRECT-IP
- B. show configuration policy-options prefix-list DIRECT-IP
- C. show configuration policy-options prefix-list DIRECT-IP | display inheritance
- D. show configuration policy-options prefix-list DIRECT-IP apply-path

Answer: C

NEW QUESTION 6

Which two statements are examples of exception traffic? (Choose two.)

- A. An IP packet with the Router Alert option set in the IP options field.
- B. SSH traffic to the local Junos OS device.
- C. An IP packet that has the IP precedence CoS bits of 111 in the ToS field.
- D. SSH traffic to a remote server on the Internet.

Answer: AB

NEW QUESTION 7

What is the purpose of an ARP packet?

- A. to determine the MPLS label of a given IP address
- B. to determine the IP address of a given URL
- C. to determine the MAC address of a given IP address
- D. to determine the IP address of a given MAC address

Answer: C

NEW QUESTION 8

Which two characteristics describe Junos OS software? (Choose two.)

- A. Junos OS is a monolithic code base.
- B. Junos OS supports automation features.
- C. Junos OS runs only on routers.
- D. Junos OS uses a modular architecture with independent processes.

Answer: BD

NEW QUESTION 9

Exhibit:

```
user@router> show route table inet.0
inet.0: 8 destinations, 8 routes (8 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
0.0.0.0/0          *[Static/5] 2d 05:30:15
                   > to 203.0.113.1 via ge-0/0/0
10.0.0.0/8         *[Static/5] 1d 10:20:30
                   > to 192.168.1.1 via ge-0/0/1
10.50.0.0/16       *[OSPF/10] 08:15:22
                   > to 192.168.1.10 via ge-0/0/1
10.50.10.0/24      *[BGP/170] 02:45:10
                   > to 192.168.1.20 via ge-0/0/2
```

Referring to the exhibit, which route will be selected for a packet destined to IP address 10.50.10.55?

- A. Route 0.0.0.0/0 will be selected using next hop 203.0.113.1 because the default route matches all destinations and has been active the longest.
- B. Route 10.50.0.0/16 will be selected using next hop 192.168.1.10 because OSPF has a better preference value than BGP.
- C. Route 10.50.10.0/24 will be selected using next hop 192.168.1.20 because it has the longest prefix match for the destination address.
- D. Route 10.0.0.0/8 will be selected using next hop 192.168.1.1 because it was learned from the static routing protocol which has the lowest preference value.

Answer: C

NEW QUESTION 10

You must view the forwarding table on your Junos device to troubleshoot a packet forwarding issue. In this scenario, which command would display the forwarding table?

- A. show route table
- B. show route forwarding-table
- C. show ip forwarding
- D. show forwarding-options

Answer: B

NEW QUESTION 10

What does the Junos CLI prompt indicate when it ends with a hash symbol (#)?

- A. The user is in operational mode.
- B. The user is in configuration mode.

- C. The user is in shell mode.
- D. The user is in recovery mode

Answer: B

NEW QUESTION 15

Your team alerts you that users connected to ge-0/0/5 are experiencing intermittent slowness. You log in to the switch and want to see live, real-time traffic updates for that interface to determine whether the link is being over-utilized. Which monitoring command should you use in this scenario?

- A. show chassis hardware
- B. monitor interface ge-0/0/5
- C. show interfaces terse
- D. show interfaces ge-0/0/5 extensive

Answer: B

NEW QUESTION 18

You want to redeploy a Junos device by clearing the existing configuration and resetting it to factory defaults. In this scenario, which command would help to accomplish this task?

- A. show system storage
- B. request system storage cleanup dry-run
- C. request system zeroize
- D. request system storage cleanup

Answer: C

NEW QUESTION 21

Which statement about collision domains and broadcast domains is correct?

- A. A router separates collision domains but forwards all broadcast traffic between its interfaces.
- B. VLANs on a switch reduce collision domains but have no effect on broadcast domains.
- C. A switch creates a separate collision domain for each port, but all ports remain in the same broadcast domain by default.
- D. Broadcast domains are only relevant in IPv4 networks and are not used in IPv6 networks.

Answer: C

NEW QUESTION 26

Which command is used to view real-time traffic statistics for all interfaces?

- A. show interfaces extensive
- B. monitor interface traffic
- C. monitor traffic interface all
- D. show interfaces statistics

Answer: B

NEW QUESTION 28

You must add a large hierarchical configuration to your Junos device. You also want to completely replace the existing candidate configuration with a new configuration file. Which command would allow you to accomplish these tasks?

- A. load merge terminal
- B. load override terminal
- C. load factory default
- D. load set terminal

Answer: B

NEW QUESTION 31

Which two statements are true about the firewall filter configuration shown in the exhibit? (Choose two.)

```
[edit firewall]
user@router# show
family inet {
    filter mgmt_fill {
        term t1 {
            from {
                destination-port ssh;
            }
            then count c1;
        }
        term t2 {
            then accept;
        }
    }
}
[edit interfaces]
user@router# show
me0 {
    unit 0 {
        family inet {
            filter {
                mgmt_fill;
            }
        }
    }
}
```

- A. It applies the filter to a physical interface.
- B. It counts the number of SSH packets that egress from the source SSH interface.
- C. It evaluates SSH packets egressing from the management interface.
- D. It sends filtered data to a syslog file.

Answer: AC

NEW QUESTION 34

You are using the factory default configuration on a new Juniper router. You must successfully commit the configuration and activate the device. Which component must be configured before Junos OS will allow you to accomplish this task?

- A. a system hostname
- B. a root-authentication password
- C. at least one logical interface with family inet enabled
- D. a management IP address on the fxp0 interface

Answer: B

NEW QUESTION 35

Exhibit:

 Exhibit

```
family inet {
  filter Packet-Filter {
    term 1 {
      from {
        source-address {
          192.168.1.1/32;
        }
        destination-address {
          8.8.8.8/32;
        }
        protocol tcp;
      }
      then accept;
    }
    term 2 {
      from {
        source-address {
          192.168.2.0/24;
        }
        destination-address {
          8.8.8.8/32;
        }
        protocol udp;
        port domain;
      }
    }
  }
}
```

Referring to the exhibit, with firewall filter Packet-Filter attached to an interface, if traffic is sent from 192.168.1.1 to 8.8.8.8 for a UDP DNS query, what will happen to the traffic?

- A. The traffic will match term 1 and be forwarded.
- B. The traffic will match the default last term and be forwarded.
- C. The traffic will match the default last term and be discarded.
- D. The traffic will match term 3 and be forwarded.

Answer: C

NEW QUESTION 40

What are two fiber-optic connector types? (Choose two.)

- A. LC
- B. RJ-45
- C. SC
- D. BNC

Answer: AC

NEW QUESTION 44

Which Junos tool should you use to identify the path that packets take through the network to a destination?

- A. monitor interface traffic
- B. traceroute
- C. SNMP
- D. ping

Answer: B

NEW QUESTION 48

Exhibit:

Route	Next Hop
10.0.0.0/24	192.168.0.1
10.0.0.0/26	192.168.1.1
10.0.0.8/27	192.168.2.1
10.0.0.4/30	192.168.3.1

Referring to the exhibit, what is the next hop for IP address 10.0.0.9?

- A. 192.168.2.1
- B. 192.168.1.1
- C. 192.168.3.1
- D. 192.168.0.1

Answer: A

NEW QUESTION 49

Which two statements accurately describe the relationship between the routing table and the forwarding table on a Junos device? (Choose two.)

- A. The routing table resides in the data plane for fast lookups.
- B. The routing table selects the best route based on routing information.
- C. The forwarding table is built from the routing table.
- D. The routing table is built from the forwarding table.

Answer: BC

NEW QUESTION 51

An administrator wants to set up a remote user authentication service for the many users that access a Juniper security device. In this scenario, what are two supported authentication protocols? (Choose two.)

- A. RADIUS
- B. TACACS+
- C. SHA
- D. IPsec

Answer: AB

NEW QUESTION 54

Which two tasks should be performed when creating a new user account on a Junos device? (Choose two.)

- A. Assign the user to a login class.
- B. Enable SSH for the user explicitly.
- C. Configure a password for the user.
- D. Configure the user to bypass authentication.

Answer: AC

NEW QUESTION 55

Which statement accurately describes the Junos candidate configuration?

- A. It is a backup configuration stored in the rollback archive.
- B. It is the active configuration currently running on the device.
- C. It is a temporary configuration that becomes active only after a reboot.
- D. It is a configuration that stores proposed changes before they are committed.

Answer: D

NEW QUESTION 58

You are configuring a new router and want to ensure that you can recover from future misconfigurations. In this scenario, what should you do after completing the initial configuration?

- A. Update the firmware on the router.
- B. Save the configuration as rollback 0.
- C. Create a rescue configuration.

D. Enable automatic rollback after 10 minutes.

Answer: C

NEW QUESTION 59

Which statement describes the primary purpose of a routing policy in Junos OS?

- A. It controls which routes are accepted or advertised by a routing protocol
- B. It determines the physical interface used for forwarding traffic
- C. It sets the maximum number of routes in the routing table
- D. It enables automatic rollback of routing changes.

Answer: A

NEW QUESTION 60

What are two functions of the Routing Engine? (Choose two.)

- A. It evaluates firewall filters for transit traffic.
- B. It runs Junos OS.
- C. It processes all management traffic.
- D. It processes transit traffic.

Answer: BC

NEW QUESTION 63

What is the primary purpose of an IPv6 link-local address?

- A. to provide Layer 2 connectivity
- B. to assign a unique address for multicast traffic
- C. to enable communication between devices on the same segment
- D. to replace the default gateway in IPv6 networks

Answer: C

NEW QUESTION 67

Which statement about class of service (CoS) in a network is correct?

- A. CoS encrypts traffic to secure data across the network.
- B. CoS prioritizes certain types of traffic during congestion.
- C. CoS assigns IP addresses dynamically to optimize routing.
- D. CoS prevents broadcast storms by segmenting VLANs.

Answer: B

NEW QUESTION 70

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JN0-106 Exam with Our Prep Materials Via below:

<https://www.certleader.com/JN0-106-dumps.html>