

## MLS-C01 Dumps

### AWS Certified Machine Learning - Specialty

<https://www.certleader.com/MLS-C01-dumps.html>



#### NEW QUESTION 1

A Machine Learning Specialist at a company sensitive to security is preparing a dataset for model training. The dataset is stored in Amazon S3 and contains Personally Identifiable Information (PII). The dataset:

\* Must be accessible from a VPC only.

\* Must not traverse the public internet. How can these requirements be satisfied?

- A. Create a VPC endpoint and apply a bucket access policy that restricts access to the given VPC endpoint and the VPC.
- B. Create a VPC endpoint and apply a bucket access policy that allows access from the given VPC endpoint and an Amazon EC2 instance.
- C. Create a VPC endpoint and use Network Access Control Lists (NACLs) to allow traffic between only the given VPC endpoint and an Amazon EC2 instance.
- D. Create a VPC endpoint and use security groups to restrict access to the given VPC endpoint and an Amazon EC2 instance.

**Answer: B**

#### NEW QUESTION 2

A Machine Learning Specialist built an image classification deep learning model. However the Specialist ran into an overfitting problem in which the training and testing accuracies were 99% and 75% respectively.

How should the Specialist address this issue and what is the reason behind it?

- A. The learning rate should be increased because the optimization process was trapped at a local minimum.
- B. The dropout rate at the flatten layer should be increased because the model is not generalized enough.
- C. The dimensionality of dense layer next to the flatten layer should be increased because the model is not complex enough.
- D. The epoch number should be increased because the optimization process was terminated before it reached the global minimum.

**Answer: D**

#### NEW QUESTION 3

A Machine Learning Specialist is implementing a full Bayesian network on a dataset that describes public transit in New York City. One of the random variables is discrete, and represents the number of minutes New Yorkers wait for a bus given that the buses cycle every 10 minutes, with a mean of 3 minutes.

Which prior probability distribution should the ML Specialist use for this variable?

- A. Poisson distribution ,
- B. Uniform distribution
- C. Normal distribution
- D. Binomial distribution

**Answer: D**

#### NEW QUESTION 4

A Machine Learning Specialist needs to move and transform data in preparation for training. Some of the data needs to be processed in near-real time and other data can be moved hourly. There are existing Amazon EMR MapReduce jobs to clean and feature engineering to perform on the data.

Which of the following services can feed data to the MapReduce jobs? (Select TWO)

- A. AWS DMS
- B. Amazon Kinesis
- C. AWS Data Pipeline
- D. Amazon Athena
- E. Amazon ES

**Answer: BD**

#### NEW QUESTION 5

A Data Science team is designing a dataset repository where it will store a large amount of training data commonly used in its machine learning models. As Data Scientists may create an arbitrary number of new datasets every day, the solution has to scale automatically and be cost-effective. Also, it must be possible to explore the data using SQL.

Which storage scheme is MOST adapted to this scenario?

- A. Store datasets as files in Amazon S3.
- B. Store datasets as files in an Amazon EBS volume attached to an Amazon EC2 instance.
- C. Store datasets as tables in a multi-node Amazon Redshift cluster.
- D. Store datasets as global tables in Amazon DynamoDB.

**Answer: A**

#### NEW QUESTION 6

A city wants to monitor its air quality to address the consequences of air pollution. A Machine Learning Specialist needs to forecast the air quality in parts per million of contaminants for the next 2 days in the city. As this is a prototype, only daily data from the last year is available.

Which model is MOST likely to provide the best results in Amazon SageMaker?

- A. Use the Amazon SageMaker k-Nearest-Neighbors (kNN) algorithm on the single time series consisting of the full year of data with a predictor\_type of regressor.
- B. Use Amazon SageMaker Random Cut Forest (RCF) on the single time series consisting of the full year of data.
- C. Use the Amazon SageMaker Linear Learner algorithm on the single time series consisting of the full year of data with a predictor\_type of regressor.
- D. Use the Amazon SageMaker Linear Learner algorithm on the single time series consisting of the full year of data with a predictor\_type of classifier.

**Answer: C**

**NEW QUESTION 7**

A Machine Learning Specialist wants to determine the appropriate SageMakerVariant Invocations Per Instance setting for an endpoint automatic scaling configuration. The Specialist has performed a load test on a single instance and determined that peak requests per second (RPS) without service degradation is about 20 RPS. As this is the first deployment, the Specialist intends to set the invocation safety factor to 0.5. Based on the stated parameters and given that the invocations per instance setting is measured on a per-minute basis, what should the Specialist set as the SageMakerVariantInvocationsPerInstance setting?

- A. 10
- B. 30
- C. 600
- D. 2,400

**Answer: C**

**NEW QUESTION 8**

An Machine Learning Specialist discover the following statistics while experimenting on a model.

Experiment 1  
Baseline model  
Train error = 5%  
Test error = 16%

Experiment 2  
The Specialist added more layers and neurons to the model and received the following results:  
Train error = 5.2%  
Test error = 15.7%

Experiment 3  
The Specialist reverted back to the original number of neurons from Experiment 1 and implemented regularization in the neural network, which yielded the following results:  
Train error = 4.7%  
Test error = 9.5%

What can the Specialist learn from the experiments?

- A. The model in Experiment 1 had a high variance error that was reduced in Experiment 3 by regularization. Experiment 2 shows that there is minimal bias error in Experiment 1.
- B. The model in Experiment 1 had a high bias error that was reduced in Experiment 3 by regularization. Experiment 2 shows that there is minimal variance error in Experiment 1.
- C. The model in Experiment 1 had a high bias error and a high variance error that were reduced in Experiment 3 by regularization. Experiment 2 shows that high bias cannot be reduced by increasing layers and neurons in the model.
- D. The model in Experiment 1 had a high random noise error that was reduced in Experiment 3 by regularization. Experiment 2 shows that random noise cannot be reduced by increasing layers and neurons in the model.

**Answer: C**

**NEW QUESTION 9**

A Machine Learning Specialist is developing a recommendation engine for a photography blog. Given a picture, the recommendation engine should show a picture that captures similar objects. The Specialist would like to create a numerical representation feature to perform nearest-neighbor searches. What actions would allow the Specialist to get relevant numerical representations?

- A. Reduce image resolution and use reduced resolution pixel values as features.
- B. Use Amazon Mechanical Turk to label image content and create a one-hot representation indicating the presence of specific labels.
- C. Run images through a neural network pre-trained on ImageNet, and collect the feature vectors from the penultimate layer.
- D. Average colors by channel to obtain three-dimensional representations of images.

**Answer: A**

**NEW QUESTION 10**


A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image.
- B. Build the Docker container to be NVIDIA-Docker compatible.
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker CreateTrainingJob request body.

**Answer: A**

**NEW QUESTION 10**

The displayed graph is from a forecasting model for testing a time series.



Considering the graph only, which conclusion should a Machine Learning Specialist make about the behavior of the model?

- A. The model predicts both the trend and the seasonality well.
- B. The model predicts the trend well, but not the seasonality.
- C. The model predicts the seasonality well, but not the trend.
- D. The model does not predict the trend or the seasonality well.

**Answer:** D

**NEW QUESTION 11**

A Machine Learning Specialist is designing a system for improving sales for a company. The objective is to use the large amount of information the company has on users' behavior and product preferences to predict which products users would like based on the users' similarity to other users. What should the Specialist do to meet this objective?

- A. Build a content-based filtering recommendation engine with Apache Spark ML on Amazon EMR.
- B. Build a collaborative filtering recommendation engine with Apache Spark ML on Amazon EMR.
- C. Build a model-based filtering recommendation engine with Apache Spark ML on Amazon EMR.
- D. Build a combinative filtering recommendation engine with Apache Spark ML on Amazon EMR.

**Answer:** B

**Explanation:**

Many developers want to implement the famous Amazon model that was used to power the "People who bought this also bought these items" feature on Amazon.com. This model is based on a method called Collaborative Filtering. It takes items such as movies, books, and products that were rated highly by a set of users and recommending them to other users who also gave them high ratings. This method works well in domains where explicit ratings or implicit user actions can be gathered and analyzed.

**NEW QUESTION 14**

A large mobile network operating company is building a machine learning model to predict customers who are likely to unsubscribe from the service. The company plans to offer an incentive for these customers as the cost of churn is far greater than the cost of the incentive. The model produces the following confusion matrix after evaluating on a test dataset of 100 customers: Based on the model evaluation results, why is this a viable model for production?

n = 100	PREDICTED CHURN	
	Yes	No
ACTUAL Churn Yes	10	4
Actual No	10	76

- A. The model is 86% accurate and the cost incurred by the company as a result of false negatives is less than the false positives.
- B. The precision of the model is 86%, which is less than the accuracy of the model.
- C. The model is 86% accurate and the cost incurred by the company as a result of false positives is less than the false negatives.
- D. The precision of the model is 86%, which is greater than the accuracy of the model.

**Answer:** B

**NEW QUESTION 19**

Which of the following metrics should a Machine Learning Specialist generally use to compare/evaluate machine learning classification models against each other?

- A. Recall
- B. Misclassification rate
- C. Mean absolute percentage error (MAPE)
- D. Area Under the ROC Curve (AUC)

**Answer:** A

**NEW QUESTION 20**

A company is running a machine learning prediction service that generates 100 TB of predictions every day. A Machine Learning Specialist must generate a visualization of the daily precision-recall curve from the predictions, and forward a read-only version to the Business team. Which solution requires the LEAST coding effort?

- A. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3 Give the Business team read-only access to S3
- B. Generate daily precision-recall data in Amazon QuickSight, and publish the results in a dashboard shared with the Business team
- C. Run a daily Amazon EMR workflow to generate precision-recall data, and save the results in Amazon S3 Visualize the arrays in Amazon QuickSight, and publish them in a dashboard shared with the Business team
- D. Generate daily precision-recall data in Amazon ES, and publish the results in a dashboard shared with the Business team.

**Answer: C**

#### NEW QUESTION 21

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs What does the Specialist need to do1?

- A. Bundle the NVIDIA drivers with the Docker image
- B. Build the Docker container to be NVIDIA-Docker compatible
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker Create TrainingJob request body

**Answer: A**

#### NEW QUESTION 23

An office security agency conducted a successful pilot using 100 cameras installed at key locations within the main office. Images from the cameras were uploaded to Amazon S3 and tagged using Amazon Rekognition, and the results were stored in Amazon ES. The agency is now looking to expand the pilot into a full production system using thousands of video cameras in its office locations globally. The goal is to identify activities performed by non-employees in real time. Which solution should the agency consider?

- A. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a uniqueAmazon Kinesis Video Streams video strea
- B. On each stream, use Amazon Rekognition Video and createa stream processor to detect faces from a collection of known employees, and alert when non-employees are detected.
- C. Use a proxy server at each local office and for each camera, and stream the RTSP feed to a uniqueAmazon Kinesis Video Streams video strea
- D. On each stream, use Amazon Rekognition Image to detectfaces from a collection of known employees and alert when non-employees are detected.
- E. Install AWS DeepLens cameras and use the DeepLens\_Kinesis\_Video module to stream video to Amazon Kinesis Video Streams for each camer
- F. On each stream, use Amazon Rekognition Video and create a stream processor to detect faces from a collection on each stream, and alert when nonemployees are detected.
- G. Install AWS DeepLens cameras and use the DeepLens\_Kinesis\_Video module to stream video to Amazon Kinesis Video Streams for each camer
- H. On each stream, run an AWS Lambda function to capture image fragments and then call Amazon Rekognition Image to detect faces from a collection of known employees, and alert when non-employees are detected.

**Answer: D**

#### NEW QUESTION 28

A Machine Learning Specialist is using Apache Spark for pre-processing training data As part of the Spark pipeline, the Specialist wants to use Amazon SageMaker for training a model and hosting it Which of the following would the Specialist do to integrate the Spark application with SageMaker? (Select THREE )

- A. Download the AWS SDK for the Spark environment
- B. Install the SageMaker Spark library in the Spark environment.
- C. Use the appropriate estimator from the SageMaker Spark Library to train a model.
- D. Compress the training data into a ZIP file and upload it to a pre-defined Amazon S3 bucket.
- E. Use the sageMakerMode
- F. transform method to get inferences from the model hosted in SageMaker
- G. Convert the DataFrame object to a CSV file, and use the CSV file as input for obtaining inferences from SageMaker.

**Answer: DEF**

#### NEW QUESTION 30

A Machine Learning Specialist is building a logistic regression model that will predict whether or not a person will order a pizza. The Specialist is trying to build the optimal model with an ideal classification threshold.

What model evaluation technique should the Specialist use to understand how different classification thresholds will impact the model's performance?

- A. Receiver operating characteristic (ROC) curve
- B. Misclassification rate
- C. Root Mean Square Error (RM&)
- D. L1 norm

**Answer: A**

#### NEW QUESTION 33

A retail chain has been ingesting purchasing records from its network of 20,000 stores to Amazon S3 using Amazon Kinesis Data Firehose To support training an improved machine learning model, training records will require new but simple transformations, and some attributes will be combined The model needs to be retrained daily

Given the large number of stores and the legacy data ingestion, which change will require the LEAST amount of development effort?

- A. Require that the stores to switch to capturing their data locally on AWS Storage Gateway for loading into Amazon S3 then use AWS Glue to do the transformation
- B. Deploy an Amazon EMR cluster running Apache Spark with the transformation logic, and have the cluster run each day on the accumulating records in Amazon S3, outputting new/transformed records to Amazon S3
- C. Spin up a fleet of Amazon EC2 instances with the transformation logic, have them transform the data records accumulating on Amazon S3, and output the transformed records to Amazon S3.

D. Insert an Amazon Kinesis Data Analytics stream downstream of the Kinesis Data Firehose stream that transforms raw record attributes into simple transformed values using SQL.

**Answer: D**

**NEW QUESTION 37**

A manufacturing company has structured and unstructured data stored in an Amazon S3 bucket. A Machine Learning Specialist wants to use SQL to run queries on this data.

Which solution requires the LEAST effort to be able to query this data?

- A. Use AWS Data Pipeline to transform the data and Amazon RDS to run queries.
- B. Use AWS Glue to catalogue the data and Amazon Athena to run queries.
- C. Use AWS Batch to run ETL on the data and Amazon Aurora to run the queries.
- D. Use AWS Lambda to transform the data and Amazon Kinesis Data Analytics to run queries.

**Answer: B**

**NEW QUESTION 39**

A Machine Learning Specialist has completed a proof of concept for a company using a small data sample and now the Specialist is ready to implement an end-to-end solution in AWS using Amazon SageMaker. The historical training data is stored in Amazon RDS.

Which approach should the Specialist use for training a model using that data?

- A. Write a direct connection to the SQL database within the notebook and pull data in.
- B. Push the data from Microsoft SQL Server to Amazon S3 using an AWS Data Pipeline and provide the S3 location within the notebook.
- C. Move the data to Amazon DynamoDB and set up a connection to DynamoDB within the notebook to pull data in.
- D. Move the data to Amazon ElastiCache using AWS DMS and set up a connection within the notebook to pull data in for fast access.

**Answer: B**

**NEW QUESTION 44**

A Data Scientist is developing a machine learning model to classify whether a financial transaction is fraudulent. The labeled data available for training consists of 100,000 non-fraudulent observations and 1,000 fraudulent observations.

The Data Scientist applies the XGBoost algorithm to the data, resulting in the following confusion matrix when the trained model is applied to a previously unseen validation dataset. The accuracy of the model is 99.1%, but the Data Scientist has been asked to reduce the number of false negatives.

Predicted	0	1
Actual	0 99,966	34
	1	877   123

Which combination of steps should the Data Scientist take to reduce the number of false positive predictions by the model? (Select TWO.)

- A. Change the XGBoost eval\_metric parameter to optimize based on rmse instead of error.
- B. Increase the XGBoost scale\_pos\_weight parameter to adjust the balance of positive and negative weights.
- C. Increase the XGBoost max\_depth parameter because the model is currently underfitting the data.
- D. Change the XGBoost eval\_metric parameter to optimize based on AUC instead of error.
- E. Decrease the XGBoost max\_depth parameter because the model is currently overfitting the data.

**Answer: DE**

**NEW QUESTION 47**

A Data Scientist is working on an application that performs sentiment analysis. The validation accuracy is poor and the Data Scientist thinks that the cause may be a rich vocabulary and a low average frequency of words in the dataset.

Which tool should be used to improve the validation accuracy?

- A. Amazon Comprehend syntax analysts and entity detection
- B. Amazon SageMaker BlazingText allow mode
- C. Natural Language Toolkit (NLTK) stemming and stop word removal
- D. Scikit-learn term frequency-inverse document frequency (TF-IDF) vectorizers

**Answer: D**

**NEW QUESTION 52**

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

**Answer: A**

**NEW QUESTION 53**

A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker. The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant.

Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test"?

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

**Answer: B**

#### NEW QUESTION 55

A financial services company is building a robust serverless data lake on Amazon S3. The data lake should be flexible and meet the following requirements:

- \* Support querying old and new data on Amazon S3 through Amazon Athena and Amazon Redshift Spectrum.
- \* Support event-driven ETL pipelines.
- \* Provide a quick and easy way to understand metadata. Which approach meets these requirements?

- A. Use an AWS Glue crawler to crawl S3 data, an AWS Lambda function to trigger an AWS Glue ETL job, and an AWS Glue Data catalog to search and discover metadata.
- B. Use an AWS Glue crawler to crawl S3 data, an AWS Lambda function to trigger an AWS Batch job, and an external Apache Hive metastore to search and discover metadata.
- C. Use an AWS Glue crawler to crawl S3 data, an Amazon CloudWatch alarm to trigger an AWS Batch job, and an AWS Glue Data Catalog to search and discover metadata.
- D. Use an AWS Glue crawler to crawl S3 data, an Amazon CloudWatch alarm to trigger an AWS Glue ETL job, and an external Apache Hive metastore to search and discover metadata.

**Answer: B**

#### NEW QUESTION 58

A manufacturing company asks its Machine Learning Specialist to develop a model that classifies defective parts into one of eight defect types. The company has provided roughly 100,000 images per defect type for training. During the initial training of the image classification model, the Specialist notices that the validation accuracy is 80%, while the training accuracy is 90%. It is known that human-level performance for this type of image classification is around 90%. What should the Specialist consider to fix this issue?

- A. A longer training time
- B. Making the network larger
- C. Using a different optimizer
- D. Using some form of regularization

**Answer: D**

#### NEW QUESTION 63

A company is observing low accuracy while training on the default built-in image classification algorithm in Amazon SageMaker. The Data Science team wants to use an Inception neural network architecture instead of a ResNet architecture. Which of the following will accomplish this? (Select TWO.)

- A. Customize the built-in image classification algorithm to use Inception and use this for model training.
- B. Create a support case with the SageMaker team to change the default image classification algorithm to Inception.
- C. Bundle a Docker container with TensorFlow Estimator loaded with an Inception network and use this for model training.
- D. Use custom code in Amazon SageMaker with TensorFlow Estimator to load the model with an Inception network and use this for model training.
- E. Download and apt-get install the inception network code into an Amazon EC2 instance and use this instance as a Jupyter notebook in Amazon SageMaker.

**Answer: AD**

#### NEW QUESTION 68

A Machine Learning Specialist trained a regression model, but the first iteration needs optimizing. The Specialist needs to understand whether the model is more frequently overestimating or underestimating the target.

What option can the Specialist use to determine whether it is overestimating or underestimating the target value?

- A. Root Mean Square Error (RMSE)
- B. Residual plots
- C. Area under the curve
- D. Confusion matrix

**Answer: C**

#### NEW QUESTION 70

A Machine Learning Specialist is configuring Amazon SageMaker so multiple Data Scientists can access notebooks, train models, and deploy endpoints. To ensure the best operational performance, the Specialist needs to be able to track how often the Scientists are deploying models, GPU and CPU utilization on the deployed SageMaker endpoints, and all errors that are generated when an endpoint is invoked.

Which services are integrated with Amazon SageMaker to track this information? (Select TWO.)

- A. AWS CloudTrail
- B. AWS Health
- C. AWS Trusted Advisor
- D. Amazon CloudWatch
- E. AWS Config

**Answer:** AD

**NEW QUESTION 72**

During mini-batch training of a neural network for a classification problem, a Data Scientist notices that training accuracy oscillates. What is the MOST likely cause of this issue?

- A. The class distribution in the dataset is imbalanced
- B. Dataset shuffling is disabled
- C. The batch size is too big
- D. The learning rate is very high

**Answer:** D

**NEW QUESTION 74**

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

**Answer:** C

**NEW QUESTION 76**

A Machine Learning Specialist is working with a large cybersecurity company that manages security events in real time for companies around the world. The cybersecurity company wants to design a solution that will allow it to use machine learning to score malicious events as anomalies on the data as it is being ingested. The company also wants to be able to save the results in its data lake for later processing and analysis.

What is the MOST efficient way to accomplish these tasks?

- A. Ingest the data using Amazon Kinesis Data Firehose, and use Amazon Kinesis Data Analytics Random Cut Forest (RCF) for anomaly detection. Then use Kinesis Data Firehose to stream the results to Amazon S3.
- B. Ingest the data into Apache Spark Streaming using Amazon EMR.
- C. and use Spark MLlib with k-means to perform anomaly detection. Then store the results in an Apache Hadoop Distributed File System (HDFS) using Amazon EMR with a replication factor of three as the data lake.
- D. Ingest the data and store it in Amazon S3. Use AWS Batch along with the AWS Deep Learning AMIs to train a k-means model using TensorFlow on the data in Amazon S3.
- E. Ingest the data and store it in Amazon S3. Have an AWS Glue job that is triggered on demand transform the new data. Then use the built-in Random Cut Forest (RCF) model within Amazon SageMaker to detect anomalies in the data.

**Answer:** B

**NEW QUESTION 78**

IT leadership wants to transition a company's existing machine learning data storage environment to AWS as a temporary ad hoc solution. The company currently uses a custom software process that heavily leverages SQL as a query language and exclusively stores generated CSV documents for machine learning. The ideal state for the company would be a solution that allows it to continue to use the current workforce of SQL experts. The solution must also support the storage of CSV and JSON files, and be able to query over semi-structured data. The following are high priorities for the company:

- Solution simplicity
- Fast development time
- Low cost
- High flexibility

What technologies meet the company's requirements?

- A. Amazon S3 and Amazon Athena
- B. Amazon Redshift and AWS Glue
- C. Amazon DynamoDB and DynamoDB Accelerator (DAX)
- D. Amazon RDS and Amazon ES

**Answer:** B

**NEW QUESTION 79**

A manufacturing company has a large set of labeled historical sales data. The manufacturer would like to predict how many units of a particular part should be produced each quarter. Which machine learning approach should be used to solve this problem?

- A. Logistic regression
- B. Random Cut Forest (RCF)
- C. Principal component analysis (PCA)
- D. Linear regression

**Answer:** B

**NEW QUESTION 81**

A Machine Learning Specialist is training a model to identify the make and model of vehicles in images. The Specialist wants to use transfer learning and an existing model trained on images of general objects. The Specialist collated a large custom dataset of pictures containing different vehicle makes and models.

- A. Initialize the model with random weights in all layers including the last fully connected layer
- B. Initialize the model with pre-trained weights in all layers and replace the last fully connected layer.
- C. Initialize the model with random weights in all layers and replace the last fully connected layer
- D. Initialize the model with pre-trained weights in all layers including the last fully connected layer

**Answer: B**

**NEW QUESTION 86**

A Data Engineer needs to build a model using a dataset containing customer credit card information.

How can the Data Engineer ensure the data remains encrypted and the credit card information is secure? Use a custom encryption algorithm to encrypt the data and store the data on an Amazon SageMaker instance in a VPC. Use the SageMaker DeepAR algorithm to randomize the credit card numbers.

- A. Use an IAM policy to encrypt the data on the Amazon S3 bucket and Amazon Kinesis to automatically discard credit card numbers and insert fake credit card numbers.
- B. Use an Amazon SageMaker launch configuration to encrypt the data once it is copied to the SageMaker instance in a VP
- C. Use the SageMaker principal component analysis (PCA) algorithm to reduce the length of the credit card numbers.
- D. Use AWS KMS to encrypt the data on Amazon S3

**Answer: C**

**NEW QUESTION 91**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your MLS-C01 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/MLS-C01-dumps.html>