

AZ-303 Dumps

Microsoft Azure Architect Technologies (beta)

<https://www.certleader.com/AZ-303-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to identify the storage requirements for Contoso.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Contoso requires a storage account that supports Blob storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure Table storage.	<input type="radio"/>	<input type="radio"/>
Contoso requires a storage account that supports Azure File Storage.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Contoso is moving the existing product blueprint files to Azure Blob storage.

Use unmanaged standard storage for the hard disks of the virtual machines. We use Page Blobs for these. Box 2: No

Box 3: No

NEW QUESTION 2

- (Exam Topic 1)

You need to implement a backup solution for App1 after the application is moved. What should you create first?

- A. a recovery plan
- B. an Azure Backup Server
- C. a backup policy
- D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines. Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups.

References: <https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal>

NEW QUESTION 3

- (Exam Topic 1)

You need to move the blueprint files to Azure. What should you do?

- A. Generate a shared access signature (SAS). Map a drive, and then copy the files by using File Explorer.
- B. Use the Azure Import/Export service.
- C. Generate an access key.
- D. Map a drive, and then copy the files by using File Explorer.
- E. Use Azure Storage Explorer to copy the files.

Answer: D

Explanation:

Azure Storage Explorer is a free tool from Microsoft that allows you to work with Azure Storage data on Windows, macOS, and Linux. You can use it to upload and download data from Azure blob storage.

Scenario:

Planned Changes include: move the existing product blueprint files to Azure Blob storage. Technical Requirements include: Copy the blueprint files to Azure over the Internet. References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-data-to-azure-blob-us>

NEW QUESTION 4

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the users shown in the following table.

Name	Member of
User1	Domain Admins
User2	Domain Users
User3	ADSyncAdmins
User4	Account Operators

You plan to install Azure AD Connect and enable SSO.

You need to specify which user to use to enable SSO. The solution must use the principle of least privilege. Which user should you specify?


- A. User4
- B. User1
- C. User3
- D. User2

Answer: C

NEW QUESTION 5

- (Exam Topic 2)

You have Azure Storage accounts as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

You can use [answer choice] for Azure Table Storage.

- storageaccount1 only
- storageaccount2 only
- storageaccount3 only
- storageaccount1 and storageaccount2 only
- storageaccount2 and storageaccount3 only

You can use [answer choice] for Azure Blob storage.

- storageaccount3 only
- storageaccount2 and storageaccount3 only
- storageaccount1 and storageaccount3 only
- all the storage accounts

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note: The three different storage account options are: General-purpose v2 (GPv2) accounts, General-purpose v1 (GPv1) accounts, and Blob storage accounts.

- > General-purpose v2 (GPv2) accounts are storage accounts that support all of the latest features for blobs, files, queues, and tables.
- > Blob storage accounts support all the same block blob features as GPv2, but are limited to supporting only block blobs.
- > General-purpose v1 (GPv1) accounts provide access to all Azure Storage services, but may not have the latest features or the lowest per gigabyte pricing.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-options>

NEW QUESTION 6

- (Exam Topic 2)

You have an Azure SQL database named Db1 that runs on an Azure SQL server named SQLserver1. You need to ensure that you can use the query editor on the Azure portal to query Db1.

What should you do?

- A. Modify the Advanced Data Security settings of Db1

- B. Configure the Firewalls and virtual networks settings for SQLserver1
- C. Copy the ADO.NET connection string of Db1 and paste the string to the query editor
- D. Approve private endpoint connections for SQLserver1

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-connect-query-portal>

NEW QUESTION 7

- (Exam Topic 2)

You have an Azure Resource Manager template for a virtual machine named Template1. Template1 has the following parameters section.

```
"parameters": {
  "adminUsername": {
    "type": "string"
  },
  "adminPassword": {
    "type": "securestring"
  },
  "dnsLabelPrefix": {
    "type": "string"
  },
  "windowsOSVersion": {
    "type": "string",
    "defaultValue": "2016-Datacenter",
    "allowedValues": [
      "2016-Datacenter",
      "2019-Datacenter"
    ]
  },
  "location": {
    "type": "String",
    "allowedValues": [
      "eastus",
      "centralus",
      "westus" ]
  }
},
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
When you deploy Template1, you are prompted for a resource group.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for the Windows operating system version.	<input type="radio"/>	<input type="radio"/>
When you deploy Template1, you are prompted for a location.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
The Resource group is not specified.
Box 2: No
The default value for the operating system is Windows 2016 Datacenter.
Box 3: Yes
Location is no default value. References:
<https://docs.microsoft.com/bs-latn-ba/azure/virtual-machines/windows/ps-template>

NEW QUESTION 8

- (Exam Topic 2)

You create a new Azure subscription. You create a resource group named RG1. In RG1, you create the resources shown in the following table.

Name	Type
VNET1	Virtual network
VM1	Virtual machine
GWSN1	Gateway subnet
VPNGW1	Virtual network gateway

You need to configure an encrypted tunnel between your on-premises network and VNET1. Which two additional resources should you create in Azure? Each correct answer presents part of the solution.

- A. a point-to-site configuration
- B. a local network gateway
- C. a VNet-to-VNet connection
- D. a VPN gateway
- E. a site-to-site connection

Answer: DE

Explanation:

A Site-to-Site VPN gateway connection is used to connect your on-premises network to an Azure virtual network over an IPsec/IKE (IKEv1 or IKEv2) VPN tunnel. This type of connection requires a VPN device, a local network gateway, located on-premises that has an externally facing public IP address assigned to it. Finally, create a Site-to-Site VPN connection between your virtual network gateway and your on-premises VPN device.

References:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-howto-site-to-site-resource-manager-portal>

NEW QUESTION 9

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

```
{
  "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {
    "name": {
      "type": "String"
    },
    "location": {
      "defaultValue": "westus",
      "type": "String"
    }
  },
  "variables": {
    "location": "[resourceGroup().location]"
  },
  "resources": [
    {
      "type": "Microsoft.Network/publicIPAddresses",
      "apiVersion": "2019-11-01",
      "name": "[parameters('name')]",
      "location": "[variables('location')]",
      "sku": {
        "name": "Basic"
      },
      "properties": {
        "publicIPAddressVersion": "IPv4",
        "publicIPAllocationMethod": "Dynamic",
        "idleTimeoutInMinutes": 4,
        "ipTags": []
      }
    }
  ]
}
```

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

Resource group	Name	Location
RG1	IP1	westus
RG1	IP2	westus
RG2	IP1	westus
RG2	IP3	westus

What is the result of the deployment? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

NEW QUESTION 10

- (Exam Topic 2)

You have 10 Azure virtual machines on a subnet named Subnet1. Subnet1 is on a virtual network named VNet1.

You plan to deploy a public Azure Standard Load Balancer named LB1 to the same Azure region as the 10 virtual machines.

You need to ensure that traffic from all the virtual machines to the internet flows through LB1. The solution must prevent the virtual machines from being accessible on the internet.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add health probes to LB1.
- B. Add the network interfaces of the virtual machines to the backend pool of LB1.
- C. Add an inbound rule to LB1.
- D. Add an outbound rule to LB1.
- E. Associate a network security group (NSG) to Subnet1.
- F. Associate a user-defined route to Subnet1.

Answer: ABD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/tutorial-load-balancer-standard-manage-portal2>

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

Create availability set X

*Name
AS1

*Subscription
Azure Pass

*Resource group
RG1

Create new

*Location
West Europe

Fault domains
2

Update domains
3

Use managed disks
No(Classic) Yes(Aligned)

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

During planned maintenance, at least [answer choice] virtual machines will be available.

4
5
6
8

To add another virtual machines to AS1, the virtual machines must be added to [answer choice].

any region and the RG1 resource group
the West Europe region and any resource group
the West Europe region and the RG1 resource group

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group

References:
<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 11

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that the Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

- > Conduct access reviews to ensure users still need roles
- References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 16

- (Exam Topic 2)

You network contains an Active Directory domain named adatum.com and an Azure Active Directory (Azure AD) tenant named adatum.onmicrosoft.com. Adatum.com contains the user accounts in the following table.

Name	Member of
User1	Domain Admins
User2	Schema Admins
User3	Incoming Forest Trust Builders
User4	Replicator
User5	Enterprise Admins

Adatum.onmicrosoft.com contains the user accounts in the following table.

Name	Role
UserA	Global administrator
UserB	User administrator
UserC	Security administrator
UserD	Service administrator

You need to implement Azure AD Connect. The solution must follow the principle of least privilege. Which user accounts should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Adatum.com:

User1
User2
User3
User4
User5

Adatum.onmicrosoft.com:

UserA
UserB
UserC
UserD

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User5

In Express settings, the installation wizard asks for the following: AD DS Enterprise Administrator credentials

Azure AD Global Administrator credentials

The AD DS Enterprise Admin account is used to configure your on-premises Active Directory. These credentials are only used during the installation and are not used after the installation has completed. The Enterprise Admin, not the Domain Admin should make sure the permissions in Active Directory can be set in all domains. Box 2: UserA

Azure AD Global Admin credentials are only used during the installation and are not used after the installation has completed. It is used to create the Azure AD Connector account used for synchronizing changes to Azure AD. The account also enables sync as a feature in Azure AD.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/connect/active-directory-aadconnect-accounts-permissio>

NEW QUESTION 19

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From the Azure portal, you configure an authentication method policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).

Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 23

- (Exam Topic 2)

Your company has an office in Seattle.

You have an Azure subscription that contains a virtual network named VNET1. You create a site-to-site VPN between the Seattle office and VNET1.

VNET1 contains the subnets shown in the following table.

Name	IP address space
Subnet1	10.1.1.0/24
GatewaySubnet	10.1.200.0/28

You need to redirect all Internet-bound traffic from Subnet1 to the Seattle office. What should you create?

- A. a route for Subnet1 That uses the virtual network gateway as the next hop
- B. a route for GatewaySubnet that uses the virtual network gateway as the next hop
- C. a route for GatewaySubnet that uses the local network gateway as the next hop
- D. a route for Subnet1 that uses The local network gateway as the next hop

Answer: B

Explanation:

A route with the 0.0.0.0/0 address prefix instructs Azure how to route traffic destined for an IP address that is not within the address prefix of any other route in a subnet's route table. When a subnet is created, Azure creates a default route to the 0.0.0.0/0 address prefix, with the Internet next hop type. We need to create a custom route in Azure to use a virtual network gateway in the Seattle office as the next hop.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 24

- (Exam Topic 2)

Your company has the groups shown in the following table.

Group	Number of members
Managers	10
Sales	100
Development	15

The company has an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com.

An administrator named Admin1 attempts to enable Enterprise State Roaming for all the users in the Managers group.

Admin1 reports that the options for Enterprise State Roaming are unavailable from Azure AD. You verify that Admin1 is assigned the Global administrator role.

You need to ensure that Admin1 can enable Enterprise State Roaming. What should you do?

- A. Enforce Azure Multi-Factor Authentication (MFA) for Admin1.
- B. Purchase an Azure AD Premium P1 license for each user in the Managers group.
- C. Assign an Azure AD Privileged Identity Management (PIM) role to Admin1.
- D. Purchase an Azure Rights Management (Azure RMS) license for each user in the Managers group.

Answer: B

Explanation:

Enterprise State Roaming is available to any organization with an Azure AD Premium or Enterprise Mobility + Security (EMS) license.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/devices/enterprise-state-roaming-enable>

NEW QUESTION 25

- (Exam Topic 2)

You have an Azure subscription that contains the Azure SQL servers shown in the following table.

Name	Region	In resource group
Sql1	West US	RG1
Sql2	West US	RG1

The subscription contains the elastic pool shown in the following table.

Name	On Azure SQL server
Pool1	Sql1
Pool2	Sql1
Pool3	Sql2

The subscription contains the Azure SQL databases shown in the following table.

Name	On Azure SQL server	Pool
DB1	Sql1	Pool1
DB2	Sql1	Pool2
DB3	Sql1	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
DB1 can be removed from Pool1 and added to Pool2.	<input type="radio"/>	<input type="radio"/>
DB2 can be removed from Pool2 and added to Pool3.	<input type="radio"/>	<input type="radio"/>
DB3 can be added to Pool1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Note: You cannot add databases from different servers into the same pool
 Box 1: Yes
 Pool2 contains DB2 but DB1 and DB2 are on Sql1. DB1 can thus be added to Pool2.
 Box 2: Yes
 Pool3 is empty.
 Box 3: Yes
 Pool1 contains DB1 but DB3 and DB1 are on Sql1. DB3 can thus be added to Pool1.
 References:
<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-elastic-pool>

NEW QUESTION 26

- (Exam Topic 2)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Contains
storagecontoso1	A blob service and a table service
storagecontoso2	A blob service and a file service
storagecontoso3	A queue service
storagecontoso4	A file service and a queue service
storagecontoso5	A table service


You enable Azure Advanced Threat Protection (ATP) for all the storage accounts. You need to identify which storage accounts will generate Azure ATP alerts. Which two storage accounts should you identify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. storagecontoso1
- B. storagecontoso2
- C. storagecontoso3
- D. storagecontoso4
- E. storaaecontoso5

Answer: AB

Explanation:

Advanced threat protection for Azure Storage is currently available only for Blob Storage.



<https://docs.microsoft.com/en-us/azure/storage/common/storage-advanced-threat-protection?tabs=azure-portal>

NEW QUESTION 29

- (Exam Topic 2)

Your company has a virtualization environment that contains the virtualization hosts shown in the following table.

Name	Hypervisor	Guest
Server1	VMware	VM1, VM2, VM3
Server2	Hyper-V	VMA, VMB, VMC

The virtual machines are configured as shown in the following table.

Name	Generation	Memory	Operating system (OS)	OS disk	Data disk
VM1	Not applicable	4 GB	Windows Server 2016	200 GB	800 GB
VM2	Not applicable	12 GB	Red Hat Enterprise Linux 7.2	3 TB	200 GB
VM3	Not applicable	32 GB	Windows Server 2012 R2	200 GB	1 TB
VMA	1	8 GB	Windows Server 2012	100 GB	2 TB
VMB	1	16 GB	Red Hat Enterprise Linux 7.2	150 GB	3 TB
VMC	2	24 GB	Windows Server 2016	500 GB	6 TB

All the virtual machines use basic disks. VM1 is protected by using BitLocker Drive Encryption (BitLocker). You plan to migrate the virtual machines to Azure by using Azure Site Recovery.

You need to identify which virtual machines can be migrated.

Which virtual machines should you identify for each server? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The virtual machines that can be migrated from Server1.

- VM1 only
- VM2 only
- VM3 only
- VM1 and VM2 only
- VM1 and VM3 only
- VM1, VM2, and VM3

The virtual machines that can be migrated from Server2.

- VMA only
- VMB only
- VMC only
- VMA and VMB only
- VMA and VMC only
- VMA, VMB, and VMC

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The virtual machines that can be migrated from Server1.

- VM1 only
- VM2 only
- VM3 only
- VM1 and VM2 only
- VM1 and VM3 only
- VM1, VM2, and VM3

The virtual machines that can be migrated from Server2.

- VMA only
- VMB only
- VMC only
- VMA and VMB only
- VMA and VMC only
- VMA, VMB, and VMC

NEW QUESTION 30

- (Exam Topic 2)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Kind	Performance tier	Replication	Location
storage1	StorageV2	Premium	Locally-redundant storage (LRS)	East US
storage2	Storage	Standard	Geo-redundant storage (GRS)	UK West
storage3	BlobStorage	Standard	Locally-redundant storage (LRS)	North Europe

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
storage1 can host Azure file shares.	<input type="radio"/>	<input type="radio"/>
There are six copies of the data in storage2.	<input type="radio"/>	<input type="radio"/>
storage3 can be converted to a GRS account.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
storage1 can host Azure file shares.	<input type="radio"/>	<input checked="" type="radio"/>
There are six copies of the data in storage2.	<input checked="" type="radio"/>	<input type="radio"/>
storage3 can be converted to a GRS account.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 33

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a member server named Server1. You have the accounts shown in the following table.

Name	Member of
CONTOSO\User1	Domain Admins
CONTOSO\User2	Domain Users
CONTOSO\User3	Enterprise Admin
SERVER1\User4	Users

You are installing Azure AD Connect on Server1. You need to specify the account for Azure AD Connect synchronization. The solution must use the principle of least privilege. Which account should you specify?

- A. CONTOSO\User2
- B. SERVER1\User4
- C. CONTOSO\User1
- D. CONTOSO\User3

Answer: A

Explanation:

The default Domain User permissions are sufficient Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-accounts-permissions>

NEW QUESTION 37

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
- B. 6
- C. 1
- D. 2

Answer: A

NEW QUESTION 38

- (Exam Topic 2)

You are implementing authentication for applications in your company. You plan to implement self-service password reset (SSPR) and multifactor authentication (MFA) in Azure Active Directory (Azure AD).

You need to select authentication mechanisms that can be used for both MFA and SSPR.

Which two authentication methods should you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Short Message Service (SMS) messages
- B. Authentication app
- C. Email addresses
- D. Security questions
- E. App passwords

Answer: AB

Explanation:


References:
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

NEW QUESTION 39

- (Exam Topic 2)

You have an Azure subscription.

You have an on-premises virtual machine named VM1. The settings for VM1 are shown in the exhibit. (Click the Exhibit tab.)



You need to ensure that you can use the disks attached to VM1 as a template for Azure virtual machines. What should you modify on VM1?

- A. the hard drive
- B. Integration Services
- C. the memory
- D. the network adapters
- E. the processor

Answer: A

Explanation:

From the exhibit we see that the disk is in the VHDX format.

Before you upload a Windows virtual machines (VM) from on-premises to Microsoft Azure, you must prepare the virtual hard disk (VHD or VHDX). Azure supports only generation 1 VMs that are in the VHD file format and have a fixed sized disk. The maximum size allowed for the VHD is 1,023 GB. You can convert a generation 1 VM from the VHDX file system to VHD and from a dynamically expanding disk to fixed-sized.

References:

[https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image?toc=azure virtual-machines windows toc.json](https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image?toc=azure%20virtual-machines%20windows%20toc.json)

NEW QUESTION 43

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins.

You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription.

What should you do?

- A. From Azure AD, configure the User settings.
- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 45

- (Exam Topic 2)

You plan to deploy an Azure virtual machine named VM1 by using an Azure Resource Manager template. You need to complete the template.

What should you include in the template? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
{
  "type": "Microsoft.Compute/virtualMachines",
  "apiVersion": "2018-10-01",
  "name": "VM1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Storage/storageAccounts/', variables('Name3'))]",
    "[resourceId(

```

Microsoft.Network/publicIPAddresses/
Microsoft.Network/virtualNetworks/
Microsoft.Network/networkInterfaces/
Microsoft.Network/virtualNetworks/subnets
Microsoft.Storage/storageAccounts/

```
{
  "type": "Microsoft.Network/networkInterfaces",
  "apiVersion": "2018-11-01",
  "name": "NIC1",
  "location": "[parameters('location')]",
  "dependsOn": [
    "[resourceId('Microsoft.Network/publicIPAddresses/', variables('Name1'))]",
    "[resourceId(

```

Microsoft.Network/publicIPAddresses/
Microsoft.Network/virtualNetworks/
Microsoft.Network/networkInterfaces/
Microsoft.Network/virtualNetworks/subnets
Microsoft.Storage/storageAccounts/

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Within your template, the dependsOn element enables you to define one resource as a dependent on one or more resources. Its value can be a comma-separated list of resource names.

Box 1: 'Microsoft.Network/networkInterfaces'

This resource is a virtual machine. It depends on two other resources: Microsoft.Storage/storageAccounts Microsoft.Network/networkInterfaces

Box 2: 'Microsoft.Network/virtualNetworks/'

The dependsOn element enables you to define one resource as a dependent on one or more resources. The resource depends on two other resources: Microsoft.Network/publicIPAddresses Microsoft.Network/virtualNetworks

```

"resources": [
  {
  },
  {
  },
  {
  },
  {
  },
  {
    "type": "Microsoft.Network/networkInterfaces",
    "name": "[variables('nicName')]",
    "location": "[parameters('location')]",
    "apiVersion": "2018-08-01",
    "dependsOn": [
      "[resourceId('Microsoft.Network/publicIPAddresses/', variables('publicIPAddressName'))]",
      "[resourceId('Microsoft.Network/virtualNetworks/', variables('virtualNetworkName'))]"
    ],
    "properties": {
      "ipConfigurations": [
        {
          "name": "ipconfig1",
          "properties": {
            "privateIPAllocationMethod": "Dynamic",
            "publicIPAddress": {
              "id": "[resourceId('Microsoft.Network/publicIPAddresses', variables('publicIPAddressName'))]"
            },
            "subnet": {
              "id": "[variables('subnetRef')]"
            }
          }
        }
      ]
    }
  }
]

```

References:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-manager-tutorial-create-templates-with>

NEW QUESTION 47

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

- Conduct access reviews to ensure users still need roles

References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 51

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User1 and User3 only.

The Owner Role lets you manage everything, including access to resources.

The Network Contributor role lets you manage networks, but not access to them. Box 2: User1

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 52

- (Exam Topic 2)

You create the Azure resources shown in the following table.

Name	Resource type
VM1	Virtual machine
VM2	Virtual machine
Managed1	Managed identity
Managed2	Managed identity

You attempt to add a role assignment to a resource group as shown in the following exhibit.

Add role assignment

Role: Reader

Assign access to: Azure AD user, group, or service principal

Select: VM

VM1

Selected members:
No members selected. Search for and add one or more members you want to assign to the role for this resource.

[Learn more about RBAC](#)

What should you do to ensure that you can assign VM2 the Reader role for the resource group?


- A. Modify the Reader role at the subscription level.
- B. Configure just in time (JIT) VM access on VM2.
- C. Configure Access control (IAM) on VM2.
- D. Assign a managed identity to VM2.

Answer: D

NEW QUESTION 57

- (Exam Topic 2)

You have a hierarchy of management groups and Azure subscriptions as shown in the following table.



You create the Azure resources shown in the following table.

Name	Type	Created in
RG1	Resource group	Subscription1
RG2	Resource group	Subscription2
VM2	Virtual machine	RG2

You assign roles to users as shown in the following table.

User name	Role	On resource
User1	Contributor	ManagementGroup1
User2	Contributor	ManagementGroup2
User3	Reader	Tenant Root Group

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Statements	Yes	No
You can remove User1 from the Contributor role for RG1.	<input type="radio"/>	<input type="radio"/>
User2 can delete VM2.	<input type="radio"/>	<input type="radio"/>
You can add User3 as a Contributor for RG1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You can remove User1 from the Contributor role for RG1.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can delete VM2.	<input checked="" type="radio"/>	<input type="radio"/>
You can add User3 as a Contributor for RG1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 61

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

`COPY File1.txt C:/Folder1/`

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image but the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 65

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that contains a group named Group1. You need to enable multi-factor authentication (MFA) for the users in Group1 only.

Solution: From Multi-Factor Authentication, you select Bulk update, and you provide a CSV file that contains the members of Group1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

We should use a Conditional Access policy.

Note: There are two ways to secure user sign-in events by requiring multi-factor authentication in Azure AD. The first, and preferred, option is to set up a Conditional Access policy that requires multi-factor authentication under certain conditions. The second option is to enable each user for Azure Multi-Factor Authentication. When users are enabled individually, they perform multi-factor authentication each time they sign in (with some exceptions, such as when they sign in from trusted IP addresses or when the remembered devices feature is turned on).

Enabling Azure Multi-Factor Authentication using Conditional Access policies is the recommended approach. Changing user states is no longer recommended unless your licenses don't include Conditional Access as it requires users to perform MFA every time they sign in.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-userstates>

NEW QUESTION 67

- (Exam Topic 2)

You create a container image named Image1 on a developer workstation.

You plan to create an Azure Web App for Containers named WebAppContainer that will use Image1. You need to upload Image1 to Azure. The solution must ensure that WebAppContainer can use Image1. To which storage type should you upload Image1?

- A. Azure Container Registry
- B. an Azure Storage account that contains a blob container
- C. an Azure Storage account that contains a file share
- D. Azure Container Instances

Answer: A

Explanation:

Configure registry credentials in web app.

App Service needs information about your registry and image to pull the private image. In the Azure portal, go to Container settings from the web app and update the Image source, Registry and save.

References:

<https://docs.microsoft.com/en-us/azure/devops/pipelines/targets/webapp-on-container-linux>

NEW QUESTION 71

- (Exam Topic 2)

You have the virtual machines shown in the following table.

Name	Operating system	Connected to
VM1	Red Hat Enterprise Linux 7.7	VNET1
VM2	Windows Server 2019	VNET2
VM3	Windows Server 2019	VNET3

You deploy an Azure bastion named Bastion1 to VNET1.

To which virtual machines can you connect by using Bastion1?

- A. VM1 only
- B. VM1 and VM2 only
- C. VM2 and VM3 only
- D. VM1, VM2, and VM3

Answer: C

NEW QUESTION 74

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

COPY File1.txt /Folder1/
You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Copy is the correct command to copy a file to the container image. References:
https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 76

- (Exam Topic 2)


You have an Azure subscription that contains a resource group named RG1. RG1 contains multiple resources. You need to trigger an alert when the resources in RG1 consume \$1,000 USD. What should you do?

- A. From Cost Management + Billing, add a cloud connector.
- B. From the subscription, create an event subscription.
- C. From Cost Management + Billing create a budget.
- D. From RG1, create an event subscription.

Answer: C

Explanation:

Create budgets to manage costs and create alerts that automatically notify you and your stakeholders of spending anomalies and overspending. To set it up, go to the Azure Portal, select 'Cost Management + Billing' -> 'Cost Management' -> 'Go to Cost Management'.



Note: Cost alerts are automatically generated based when Azure resources are consumed. Alerts show all active cost management and billing alerts together in one place. When your consumption reaches a given threshold, alerts are generated by Cost Management. There are three types of cost alerts: budget alerts, credit alerts, and department spending quota alerts.

Reference:
<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/getting-started>

NEW QUESTION 77

- (Exam Topic 2)

You have an application named App1 that does not support Azure Active Directory (Azure AD) authentication. You need to ensure that App1 can send messages to an Azure Service Bus queue. The solution must prevent App1 from listening to the queue. What should you do?

- A. Modify the locks of the Queue
- B. Configure Access control (IAM) for the Service Bus
- C. Configure Access control (IAM) for the queue.
- D. Add a shared access policy to the queue

Answer: D

Explanation:

There are two ways to authenticate and authorize access to Azure Service Bus resources: Azure Activity Directory (Azure AD) and Shared Access Signatures (SAS).

Each Service Bus namespace and each Service Bus entity has a Shared Access Authorization policy made up of rules.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-authentication-and-authorization> <https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-sas>

NEW QUESTION 78

- (Exam Topic 2)

You create the following Azure role definition.

```
{
  "Name": "Role1",
  "Id": "80808080-8080-8080-8080-808080808080",
  "IsCustom": false,
  "Description": "",
  "Actions": [
    "Microsoft.Storage/*/read",
    "Microsoft.Network/*/read",
    "Microsoft.Compute/virtualMachines/start/action",
    "Microsoft.Compute/virtualMachines/restart/action",
    "Microsoft.Authorization/*/read"],
  "NotActions": [ ],
  "DataActions": [ ],
  "NotDataActions": [ ],
  "AssignableScopes": [ ]
}
```

You need to create Role1 by using the role definition.

Which two values should you modify before you create Role1? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. AssignableScopes
- B. Description
- C. DataActions
- D. IsCustom
- E. Id

Answer: AD

Explanation:

Part of example: "IsCustom": true,
"AssignableScopes": ["/subscriptions/{subscriptionId1}", "/subscriptions/{subscriptionId2}",
"/subscriptions/{subscriptionId3}"

The following shows what a custom role looks like as displayed in JSON format. This custom role can be used for monitoring and restarting virtual machines.

```
{
  "Name": "Virtual Machine Operator",
  "Id": "88888888-8888-8888-8888-888888888888",
  "IsCustom": true,
  "Description": "Can monitor and restart virtual machines.", "Actions": [
    "Microsoft.Storage/*/read", "Microsoft.Network/*/read", "Microsoft.Compute/*/read", "Microsoft.Compute/virtualMachines/start/action",
    "Microsoft.Compute/virtualMachines/restart/action", "Microsoft.Authorization/*/read", "Microsoft.ResourceHealth/availabilityStatuses/read",
    "Microsoft.Resources/subscriptions/resourceGroups/read", "Microsoft.Insights/alertRules/*", "Microsoft.Insights/diagnosticSettings/*", "Microsoft.Support/*"
  ],
  "NotActions": [],
  "DataActions": [], "NotDataActions": [], "AssignableScopes": [ "/subscriptions/{subscriptionId1}",
  "/subscriptions/{subscriptionId2}", "/subscriptions/{subscriptionId3}"
  ]
}
```

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/custom-roles>

NEW QUESTION 79

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear in the review screen.

You have an Azure Active Directory {Azure AD} tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin 1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned The User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com. .

Solution: You assign the Global administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

- > Conduct access reviews to ensure users still need roles
- References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>


NEW QUESTION 83

- (Exam Topic 2)

You have a web server app named App1 that is hosted in three Azure regions. You plan to use Azure Traffic Manager to distribute traffic optimally for App1.

You need to enable Real User Measurements to monitor the network latency data for App1. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select Generate key

You can configure your web pages to send Real User Measurements to Traffic Manager by obtaining a Real User Measurements (RUM) key and embedding the generated code to web page.

Obtain a Real User Measurements key

The measurements you take and send to Traffic Manager from your client application are identified by the service using a unique string, called the Real User Measurements (RUM) Key. You can get a RUM key using the Azure portal, a REST API, or by using the PowerShell or Azure CLI.

To obtain the RUM Key using Azure portal:

- > From a browser, sign in to the Azure portal. If you don't already have an account, you can sign up for a free one-month trial.
- > In the portal's search bar, search for the Traffic Manager profile name that you want to modify, and then click the Traffic Manager profile in the results that the displayed.
- > In the Traffic Manager profile blade, click Real User Measurements under Settings.
- > Click Generate Key to create a new RUM Key.

Box 2: Embed the Traffic Manager JavaScript code snippet. Embed the code to an HTML web page

After you have obtained the RUM key, the next step is to embed this copied JavaScript into an HTML page that your end users visit.

This example shows how to update an HTML page to add this script. You can use this guidance to adapt it to your HTML source management workflow.

- > Open the HTML page in a text editor
- > Paste the JavaScript code you had copied in the earlier step to the BODY section of the HTML (the copied code is on line 8 & 9, see figure 3).

```

1 <HTML>
2 <HEAD>
3 <TITLE>Webpage powered by Azure</TITLE>
4 </HEAD>
5 <BODY BGCOLOR="FFFFFF">
6 <H1>Welcome</H1>
7 <P> <B>Hello!</B>
8 <script src="//www.atmrum.net/rum.js"></script>
9 <script>rum.start("0123456789abcdef0123456789abcdff");</script>
10 </BODY>
11 </HTML>

```

Reference:
<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-create-rum-web-pages>

NEW QUESTION 87

- (Exam Topic 2)

You have two Azure SQL Database managed instances in different Azure regions. You plan to configure the managed instances in an instance failover group. What should you configure before you can add the managed instances to the instance failover group?

- A. Azure Private Link that has endpoints on two virtual networks
- B. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

Answer: D

Explanation:

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication. You create the two VPN gateways and connect them.

➤ Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=az>

NEW QUESTION 88

- (Exam Topic 2)

You are developing an Azure Web App. You configure TLS mutual authentication for the web app. You need to validate the client certificate in the web app. To answer, select the appropriate options in the answer area.

Property	Value
Client certificate location	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">HTTP request header</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">Client cookie</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">HTTP message body</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">URL query string</div> </div>
Encoding type	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">HTML</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">URL</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">Unicode</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; padding: 2px 5px;">Base64</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Property	Value
Client certificate location	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;"> ▼ </div> <div style="padding: 2px;"> <p>HTTP request header</p> <p>Client cookie</p> <p>HTTP message body</p> <p>URL query string</p> </div> </div>
Encoding type	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;"> ▼ </div> <div style="padding: 2px;"> <p>HTML</p> <p>URL</p> <p>Unicode</p> <p>Base64</p> </div> </div>

NEW QUESTION 91

- (Exam Topic 2)

A company plans to use third-party application software to perform complex data analysis processes. The software will use up to 500 identical virtual machines (VMs) based on an Azure Marketplace VM image.

You need to design the infrastructure for the third-party application server. The solution must meet the following requirements:

- The number of VMs that are running at any given point in time must change when the user workload changes.
- When a new version of the application is available in Azure Marketplace it must be deployed without causing application downtime.
- Use VM scale sets.
- Minimize the need for ongoing maintenance.

Which two technologies should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. single storage account
- B. autoscale
- C. single placement group
- D. managed disks

Answer: BD

Explanation:

Introduction to Azure managed disks

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/managed-disks-overview> "Using managed disks, you can create up to 50,000 VM disks of a type in a subscription per region, allowing you to create thousands of VMs in a single subscription. This feature also further increases the scalability of virtual machine scale sets by allowing you to create up to 1,000 VMs in a virtual machine scale set using a Marketplace image."

NEW QUESTION 94

- (Exam Topic 2)

You have an Azure Resource Manager template named Template1 in the library as shown in the following exhibit.

ARM Template

template1



```

1  {
2    "$schema": "https://schema.management.azure.com/
schemas/2015-01-01/deploymentTemplate.json#",
3    "contentVersion": "1.0.0.0",
4    "parameters": {},
5    "resources": [
6      {
7        "apiVersion": "2016-01-01",
8        "type": "Microsoft.Storage/storageAccounts",
9        "name": "[concat(copyIndex(), 'storage',
uniqueString(resourceGroup().id))]",
10       "location": "[resourceGroup().location]",
11       "sku": {
12         "name": "Premium_LRS"
13       },
14       "kind": "Storage",
15       "properties": {},
16       "copy": {
17         "name": "storagecopy",
18         "count": 3,
19         "mode": "Serial",
20         "batchSize": 1
21       }
22     }
23   ]
24 }
25
26

```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

During the deployment of Template1, you can specify **[answer choice]**.

▼
the number of resources to deploy
the name of the resources to deploy
the resource group to which to deploy the resources
the permissions for the resources that will be deployed

Template1 deploys **[answer choice]**.

▼
a single storage account in one resource group
three storage accounts in one resource group
three resource groups that each has one storage account
three resource groups that each has three storage accounts

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/template-syntax>

NEW QUESTION 95

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Address space
VNET1	Virtual network	10.1.1.0/24
Subnet1	Subnet	10.1.1.0/24
VM1	Virtual machine	Not applicable

Subnet1 is on VNET1. VM1 connects to Subnet1.

You plan to create a virtual network gateway on VNET1.

You need to prepare the environment for the planned virtual network gateway.

What are two ways to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a subnet named GatewaySubnet on VNET1.
- B. Delete Subnet1.
- C. Modify the address space used by Subnet1.
- D. Modify the address space used by VNET1
- E. Create a local network gateway.

Answer: AD

NEW QUESTION 96

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

Copy-Item File1.txt C:\Folder1\File1.txt You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy-Item is not supported. Copy is the correct command to copy a file to the container image. References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 98

- (Exam Topic 2)

You have Azure virtual machines deployed to three Azure regions. Each region contains a single virtual network that has four virtual machines on the same subnet. Each virtual machine runs an application named App1. App1 is accessible by using HTTPS. Currently, the virtual machines are inaccessible from the internet.

You need to use Azure Front Door to load balance requests for App1 across all the virtual machines. Which additional Azure service should you provision?

- A. a public Azure Load Balancer
- B. Azure Traffic Manager
- C. an internal Azure Load Balancer
- D. Azure Private Link

Answer: A

NEW QUESTION 100

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-303 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-303-dumps.html>