



Oracle

Exam Questions 1z0-1042

Oracle Cloud Platform Application Integration 2019 Associate

NEW QUESTION 1

Which three are scenarios where Managed File Transfer (MFT) is a valid approach?

- A. Oracle MFT can be used in conjunction with Oracle Integration Cloud (OIC) to push files for processing by OIC.
- B. Many SaaS applications still use files as a means for sharing data, so MFT capabilities are still very important.
- C. File adapters remove the need to ever have to use MFT.
- D. In integration scenarios where it is important to use either compression and/or encryption in the transfer process.
- E. File Transfer is an old, outdated method of sharing information and should not be used.

Answer: ABD

NEW QUESTION 2

Which two actions can be repositioned in integration with Oracle Integration Cloud (OIC)?

- A. Function Call
- B. Switch
- C. Stage File with Read File in Segments
- D. Stage File

Answer: AB

NEW QUESTION 3

Which two are ways the Oracle Internet of Things (IoT) Cloud Service environment can be accessed?

- A. using SOAP Interface
- B. using REST Interface
- C. Using a desktop client
- D. using Web Browser

Answer: BD

NEW QUESTION 4

Which feature flag lifecycle stage includes OIC features that you can request from Oracle to be disabled within your OIC instance environment?

- A. Internal Only
- B. General Availability
- C. Feature Controlled
- D. Feature Controlled General Availability

Answer: C

NEW QUESTION 5

Oracle JCA (J2EE Connector Architecture) Adapters simplify how applications connect to each other. Which three technology adapters are supported in Oracle's Service-Oriented Architecture (SOA) Cloud Service?

- A. Oracle JCA Adapter for Sockets
- B. Oracle EBS Application Adapter
- C. Oracle JCA Adapter for Files/FTP
- D. Oracle JCSA Adapter for JMS

Answer: ACD

Explanation:

https://docs.oracle.com/cd/E28280_01/integration.1111/e10231/intro.htm#TKADP112

NEW QUESTION 6

You receive a status code: 502 Proxy Error. Which is a possible event cause for this error?

- A. when the proxy setup is incorrect
- B. while registering a large number of devices using the Batch Registration feature under the Devices menu
- C. while adding proxy for an enterprise application device
- D. while the proxy server is not responding to the request

Answer: B

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

NEW QUESTION 7

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules

- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbc/components-oracle-soa-cloud-service.html>

NEW QUESTION 8

Which is a required prerequisites for API Platform Cloud Services?

- A. Storage Cloud Service and Compute Cloud Service
- B. Integration Cloud Service
- C. Database Cloud Service (DBCS) and Storage Cloud Service
- D. Java Cloud Service (JCS) and Database Cloud Service (DBCS)

Answer: ABD

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud-um/apfad/you-begin-oracle-api-platform-cloud-service>

NEW QUESTION 9

Which four are states that a device can be in throughout its lifecycle?

- A. Activated
- B. Decommissioned
- C. Disabled
- D. Saved
- E. Deactivated
- F. Registered

Answer: ABEF

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 10

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

Answer: CD

Explanation:

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

NEW QUESTION 10

What are two possible reasons for a Gateway not getting started?

- A. The IoT Service may be down.
- B. The provisioning file may contain correct Activation ID and Activation Secret.
- C. There is an invalid certificate.
- D. The provisioning file may contain incorrect Activation ID and incorrect Activation Secret.

Answer: AD

NEW QUESTION 12

What is the default value for Command Notification Timeout?

- A. 5 seconds
- B. 2 seconds
- C. 10 seconds
- D. 1 second

Answer: A

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-command-notification-timeout-value.html>

NEW QUESTION 16

Which three options are available for Business rule conflict resolution in Process Cloud Service?

- A. No Conflict

- B. Skip
- C. Override
- D. Escalate
- E. Conflict

Answer: ACE

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/editing-rule-and-decision-table-properties.html>

NEW QUESTION 20

Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Node Service Account
- B. Deploy API
- C. View all Details
- D. Deploy to Gateway

Answer: A

NEW QUESTION 21

You want to configure SOA Cloud Service instance to allow for a cluster of three WebLogic server instances. Which is a valid consideration when configuring the Load Balancer within your SOA instance?

- A. Load balancer configuration may only be configured after the SOA instance cluster has been provisioned.
- B. Each load balancer node will share the same public IP address utilizing virtual routing redundancy protocol (VRRP).
- C. A SOA instance can include up to three load balancer virtual machine nodes.
- D. Oracle Traffic Director (OTD) is the only available implementation option.

Answer: A

NEW QUESTION 26

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. GetLookupValue
- B. FindLookupValue
- C. LookupValue
- D. SearchLookupValue

Answer: C

NEW QUESTION 30

Which two statements about lookup are correct?

- A. Create a lookup to map values between application.
- B. Lookups are deployed as part of integration activation.
- C. Changes made to lookups already used in active integrations take effect immediately.
- D. You cannot clone a copy of an existing lookup.

Answer: AC

Explanation:

https://docs.oracle.com/cloud-machine/latest/intcs_gs/ICSUG/GUID-084B7E40-542A-4CDD-A1B0-282B1DA <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/managing-lookups.html#GUID-93229925>

NEW QUESTION 31

What task can NOT be performed on Business Types View?

- A. Create business exceptions
- B. Create business objects
- C. Business rules
- D. Import business objects
- E. Create enum objects

Answer: C

NEW QUESTION 33

Which is NOT an activity that an Application Developer (API Consumer) can perform in the Developer Portal in Integration API Platform Cloud Service?

- A. Learn about APIs
- B. Subscribe to a plan
- C. Create an API
- D. Test an API
- E. Create Application
- F. Monitor performance

Answer: F

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfdv/typical-workflow-consuming-apis.html#GUID-0>

NEW QUESTION 37

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. Manage API
- C. Entitle API
- D. View all Details and Deploy API

Answer: A

NEW QUESTION 42

What fields are used to define static or dynamic list of values in web forms in Process Cloud Service?

- A. Links, Email and Message Fields
- B. Checklists, Radio button or Select controls
- C. Date, Time and Number Fields
- D. Text Input and Area Fields

Answer: B

Explanation:

To configure static and dynamic list of values (for checklist, radio button and select controls):

- From the Basic Palette, drag and drop a checklist, radio button or select control onto the canvas.
- Select the control and configure its static list of values on the Properties pane General tab.
- In the Option Values field, enter a label to display for each option. field, enter an internal value for each option.
- Specify a default value from the option values available in the Default Value field.
- Select an option in the Autofocus loads. field to make that option the selected option when the form loads.
- Optionally, configure dynamic list of values for the checklist, radio button or select control. There are two options to configure dynamic list of values.
- Specify that the control's options should come from a list of value data attributes defined in the Data definition pane.
- Click From Data.
- Select the list of values options source from available attributes in the Options List field.
- Specify a default value from the options available in the Default Value field.
- Select an option in the Autofocus form loads. field to make that option the selected option when the form loads.
- Specify that the control's options should come from a REST connector created for the application.
- Click Connector.
- Specify the connector settings in the Connector, Resource and Operation fields and map response settings. See Populating Controls Using REST Calls.
- Select an option in the Autofocus form loads. field to make that option the selected option when the form loads.
- Click Preview to try out using the control.

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced-controls.html#GUID-0A790FE5>

NEW QUESTION 46

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not real.
- F. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

Answer:

BCD

NEW QUESTION 50

Which schema is used for defining the field structure of an analytic object?

- A. Apache Avro schema
- B. XSD schema
- C. Database schema
- D. XSL Schema

Answer: A

Explanation:

Using Schemas to Define the Fields of Analytics Objects You can import an Apache Avro schema file to define the field structure of your analytics object.

To import a schema file, your analytics object must not have any fields defined.

The namespace and object name in your schema file must match the name of the analytics object that you created.



After you create your analytics object, click Import Schema.

The file browser dialog box appears.



Select a valid Avro schema file from your computer and click Open.

For more information about Avro schemas, see Apache Avro.

The field structure defined in the schema file appears in the Fields section.



Click Save.

The field structure defined in your Avro schema file is imported to your analytics object. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/using-schemas-define-fields-analytics-objects.html>

NEW QUESTION 55

Which three are types of certificates that can be imported from Settings?

- A. Identity Certificate
- B. Multi Domain SSL Certificate
- C. Trust Certificate
- D. Message Protection Certificate
- E. Unified Communications Certificate

Answer: ACD

NEW QUESTION 56

Which three background colors are displayed for autocomplete in Process Cloud Service?

- A. Blue for complex binding names (their children may contain valid binding names)
- B. Red for invalid binding names
- C. Green for valid binding names
- D. Orange for unmatched binding names

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/binding-form-data-controls.html#GUID-CECD2F13-1> The background colors displayed for the autocomplete options are:



Green for valid binding names



Red for invalid binding names



Blue for complex binding names (their children may contain valid binding names)

If a control isn't linked to an attribute or if a control is linked to an invalid attribute, an error message is displayed in the Binding

field and an error icon is displayed in the canvas. When a control doesn't have a valid

binding, any value entered into the control in runtime is not passed on to the form payload.

NEW QUESTION 61

Which expression can you use to schedule integration runs?

- A. a XPATH
- B. an iCal
- C. a JavaScript
- D. a XSLT

Answer: B

Explanation:

https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.

NEW QUESTION 65

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs

- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

Answer: A

Explanation:

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic.

Developers can also import external APIs and use them in their application. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

NEW QUESTION 69

What policy is required to be in an API if that API is to be used under a Plan?

- A. Application Rate Limiting
- B. Basic Auth
- C. Key Validation
- D. Interface Filtering

Answer: C

NEW QUESTION 72

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

- A. Batch Analytics Processors
- B. Natural Analytics Processors
- C. Static Analytics Processors
- D. streaming Analytics Processors

Answer: AD

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html> he type of analytics processor to use depends on the nature of your data:

➤ Streaming Analytics Processors

Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data.

See Creating Streaming Analytics Processors.

➤ Batch Analytics Processors

Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources. Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

NEW QUESTION 73

Which two are ways Business Rules can be modeled in Process Cloud Service (PCS)?

- A. using Oracle Business Rules Editor
- B. using OIC Rule Editor
- C. using BPM Rule Editor
- D. using Decision Model Editor

Answer: AD

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-rules.html>

NEW QUESTION 78

What two tasks can a user with the Application Developer role perform?

- A. Subscribe to a Plan.
- B. Deploy to a Gateway.
- C. Create an API.
- D. Create an Application.

Answer: CD

Explanation:

https://docs.oracle.com/cd/A58617_01/server.804/a58241/ch2.htm

NEW QUESTION 83

Which is NOT a valid service provided by Oracle Enterprise Scheduler Service (ESS)?

- A. running Java, PL/SQL, and binary script jobs
- B. invoking jobs on external On-Prem and SaaS applications as scheduled on the Oracle Enterprise Scheduler
- C. configurable to allow or restrict running multiple job requests associated with a single job definition concurrently
- D. distributing job-request processing across a grid of application servers

E. invoking jobs on external On-Prem and SaaS applications as scheduled on the those Schedulers

Answer: B

NEW QUESTION 86

Which three are ways enterprise applications can interact with Oracle Internet of Things (IoT) Cloud Service?

- A. send commands/messages
- B. insert/update/delete data
- C. subscribe to data
- D. query data
- E. subscribe to commands/messages

Answer: ABD

NEW QUESTION 89

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

- A. a user with the Designer Role
- B. the same user who has edited the connection
- C. any user
- D. a user with the Administrator Role

Answer: BD

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-085410> Unlocking a Connection

When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited.

To unlock the connection:

➤ Log in again as the same user who was editing the connection when the browser crashed, then log out. For example, if you were logged in as icsdeveloper when the browser crashed, log in again as icsdeveloper, and log out. This action unlocks the connection.

or

➤ Log in as a user with the Administrators role.

➤ On the Oracle Integration Cloud Service home page, click Cthoennections diagram.

➤ For the connection that is locked, click the menu at the far right, then selUecntlock.

NEW QUESTION 91

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1z0-1042 Practice Exam Features:

- * 1z0-1042 Questions and Answers Updated Frequently
- * 1z0-1042 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-1042 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-1042 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-1042 Practice Test Here](#)