

300-710 Dumps

Securing Networks with Cisco Firepower (SNCF)

<https://www.certleader.com/300-710-dumps.html>



NEW QUESTION 1

Which two deployment types support high availability? (Choose two.)

- A. transparent
- B. routed
- C. clustered
- D. intra-chassis multi-instance
- E. virtual appliance in public cloud

Answer: AB

NEW QUESTION 2

Which protocol establishes network redundancy in a switched Firepower device deployment?

- A. STP
- B. HSRP
- C. GLBP
- D. VRRP

Answer: A

NEW QUESTION 3

Which policy rule is included in the deployment of a local DMZ during the initial deployment of a Cisco NGFW through the Cisco FMC GUI?

- A. a default DMZ policy for which only a user can change the IP addresses.
- B. deny ip any
- C. no policy rule is included
- D. permit ip any

Answer: C

NEW QUESTION 4

Which two OSPF routing features are configured in Cisco FMC and propagated to Cisco FTD? (Choose two.)

- A. OSPFv2 with IPv6 capabilities
- B. virtual links
- C. SHA authentication to OSPF packets
- D. area boundary router type 1 LSA filtering
- E. MD5 authentication to OSPF packets

Answer: BD

NEW QUESTION 5

What is the disadvantage of setting up a site-to-site VPN in a clustered-units environment?

- A. VPN connections can be re-established only if the failed master unit recovers.
- B. Smart License is required to maintain VPN connections simultaneously across all cluster units.
- C. VPN connections must be re-established when a new master unit is elected.
- D. Only established VPN connections are maintained when a new master unit is elected.

Answer: C

NEW QUESTION 6

Which command is run on an FTD unit to associate the unit to an FMC manager that is at IP address 10.0.0.10, and that has the registration key Cisco123?

- A. configure manager local 10.0.0.10 Cisco123
- B. configure manager add Cisco123 10.0.0.10
- C. configure manager local Cisco123 10.0.0.10
- D. configure manager add 10.0.0.10 Cisco123

Answer: D

NEW QUESTION 7

Which two routing options are valid with Cisco Firepower Threat Defense? (Choose two.)

- A. BGPv6
- B. ECMP with up to three equal cost paths across multiple interfaces
- C. ECMP with up to three equal cost paths across a single interface
- D. BGPv4 in transparent firewall mode
- E. BGPv4 with nonstop forwarding

Answer: AC

NEW QUESTION 8

Which object type supports object overrides?

- A. time range
- B. security group tag
- C. network object
- D. DNS server group

Answer: C

NEW QUESTION 9

Which Firepower feature allows users to configure bridges in routed mode and enables devices to perform Layer 2 switching between interfaces?

- A. FlexConfig
- B. BDI
- C. SGT
- D. IRB

Answer: D

NEW QUESTION 10

Which two types of objects are reusable and supported by Cisco FMC? (Choose two.)

- A. dynamic key mapping objects that help link HTTP and HTTPS GET requests to Layer 7 application protocols.
- B. reputation-based objects that represent Security Intelligence feeds and lists, application filters based on category and reputation, and file lists
- C. network-based objects that represent IP address and networks, port/protocols pairs, VLAN tags, security zones, and origin/destination country
- D. network-based objects that represent FQDN mappings and networks, port/protocol pairs, VXLAN tags, security zones and origin/destination country
- E. reputation-based objects, such as URL categories

Answer: BC

NEW QUESTION 10

Which command should be used on the Cisco FTD CLI to capture all the packets that hit an interface?

- A. configure coredump packet-engine enable
- B. capture-traffic
- C. capture
- D. capture WORD

Answer: B

NEW QUESTION 13

DRAG DROP

Drag and drop the steps to restore an automatic device registration failure on the standby Cisco FMC from the left into the correct order on the right. Not all options are used.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 18

Which command-line mode is supported from the Cisco Firepower Management Center CLI?

- A. privileged
- B. user
- C. configuration
- D. admin

Answer: C

NEW QUESTION 22

When do you need the file-size command option during troubleshooting with packet capture?

- A. when capture packets are less than 16 MB
- B. when capture packets are restricted from the secondary memory
- C. when capture packets exceed 10 GB
- D. when capture packets exceed 32 MB

Answer: D

NEW QUESTION 23

Within Cisco Firepower Management Center, where does a user add or modify widgets?

- A. dashboard
- B. reporting
- C. context explorer
- D. summary tool

Answer: A

NEW QUESTION 27

Which Cisco Advanced Malware Protection for Endpoints policy is used only for monitoring endpoint actively?

- A. Windows domain controller
- B. audit
- C. triage
- D. protection

Answer: B

NEW QUESTION 32

Which two remediation options are available when Cisco FMC is integrated with Cisco ISE? (Choose two.)

- A. dynamic null route configured
- B. DHCP pool disablement
- C. quarantine
- D. port shutdown
- E. host shutdown

Answer: CD

NEW QUESTION 35

What is the maximum SHA level of filtering that Threat Intelligence Director supports?

- A. SHA-1024
- B. SHA-4096
- C. SHA-512
- D. SHA-256

Answer: D

NEW QUESTION 39

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-710 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-710-dumps.html>