

HP

Exam Questions HPE0-V14

Building HPE Hybrid IT Solutions



NEW QUESTION 1

- (Exam Topic 1)

Refer to the exhibit.

Qty	Product#	Product Description
1	868703-B21	HPE ProLiant DL380Gen10 8SFF Configure-to-order Server
1	868703-B21 B19	HPE DL380 Gen10 8SFF CTO Server
1	826860-L21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) FIO Processor Kit
1	826860-B21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) Processor Kit
12	815100-B21	HPE 32GB (1x32GB) Dual Rank x4 DDR4-2666 CAS-19-19-19 Registered Smart Memory Kit
2	870757-B21	HPE 600GB SAS 12G Enterprise 15K SFF(2.5in) SC 3yr Wty Digitally Signed Firmware HDD
2	727055-B21	HPE Ethernet 10Gb 2-port 562SFP+ Adapter
1	P01366-B21	HPE 96W SmartStorage Battery (up to 20 Devices) with 145mm Cable Kit
1	804331-B21	HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular Controller
2	865408-B21	HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
1	BD505A	HPE iLO Advanced 1-server License umep 3yr Support on iLO Licensed Features
1	P8B31A	HPE OneView w/o iLO including 3yr 24x7 Support 1-server FIO LTU
1	733660-B21	HPE 2U Small Form Factor Easy Install Rail Kit

A customer needs a server with four 10Gb network adapters. They need it to be configured for the best possible network throughput. Given the BOM in the exhibit, what do you need to add to this server to meet the customer requirement?

- A. Workload Accelerator
- B. SSD Drives
- C. Smart Storage Hybrid Capacitor
- D. Secondary Riser Kit

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

Match each characteristic to the correct storage type.

Answer Area

	<input type="checkbox"/>	maximum 2 processors
<input type="checkbox"/> DL	<input type="checkbox"/>	maximum 4 processors
<input type="checkbox"/> ML	<input type="checkbox"/>	rack optimized
	<input type="checkbox"/>	tower or rack

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	<input checked="" type="checkbox"/> DL	maximum 2 processors
<input checked="" type="checkbox"/> DL	<input checked="" type="checkbox"/> ML	maximum 4 processors
<input checked="" type="checkbox"/> ML	<input checked="" type="checkbox"/> DL	rack optimized
	<input checked="" type="checkbox"/> ML	tower or rack

NEW QUESTION 3

- (Exam Topic 1)

What should you configure to limit the scope of broadcast domains in an Ethernet network?

- A. Trunks
- B. VSAN
- C. Static ARP
- D. VLAN

Answer: D

NEW QUESTION 4

- (Exam Topic 1)

A customer is considering an upgrade of their networking infrastructure with HPE FlexFabric 5940 series switch. Match the fan tray option with the airflow direction.

Answer Area

Front to back		HPE 58x0AF Power-to-Port Airflow Fan Tray
Back to front		HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front		HPE X711 Port-to-Power Airflow High Volume Fan Tray
Back to front		HPE X712 Power-to-Port Airflow High Volume Fan Tray

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Back to front		HPE 58x0AF Power-to-Port Airflow Fan Tray
Front to back		HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front		HPE X711 Port-to-Power Airflow High Volume Fan Tray
Back to front		HPE X712 Power-to-Port Airflow High Volume Fan Tray

NEW QUESTION 5

- (Exam Topic 1)

What is the correct cable type to use when connecting a pair of switches using Long Range (LR) Transceivers?

- A. Direct Attach Cable (DAC)
- B. Twin-Ax
- C. Single Mode Fiber
- D. Multi-mode Fiber

Answer: C

Explanation:

Single-mode uses a single relatively straight beam of light, transmitted directly through a core of glass (or occasionally plastic) that's usually 50 microns across. Single-mode accommodates large power levels, and is almost exclusively used for Long Range (LR) applications.

NEW QUESTION 6

- (Exam Topic 1)

A customer has two HPE ProLiant Gen10 servers. They both require firmware installation. Which HPE tool should you recommend for performing this task?

- A. OneView Advanced
- B. iLO Amplifier Pack

- C. Smart Update Manager
- D. OneView Standard

Answer: C

NEW QUESTION 7

- (Exam Topic 1)

Match each adapter to its characteristic.

Answer Area

Adapter	Characteristic
FlexLOM	provide RAID configuration using disks internal to the server
FlexFabric	allow choice of network interface on the motherboard
Smart Array	connect to native Fibre Channel SAN with a PCIe adapter
HBA	connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Adapter	Characteristic
FlexLOM	Smart Array provide RAID configuration using disks internal to the server
FlexFabric	FlexLOM allow choice of network interface on the motherboard
Smart Array	HBA connect to native Fibre Channel SAN with a PCIe adapter
HBA	FlexFabric connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

NEW QUESTION 8

- (Exam Topic 1)

Match each characteristic to the correct storage type.

Answer Area

DAS		Allows access to volumes over FCP and iSCSI protocols
NAS		Ability to share file-based storage across an Ethernet network
Storage Array		Allows shared block level access over a network
		JBOD storage connected to one server using SAS

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

DAS	Storage Array	Allows access to volumes over FCP and iSCSI protocols
NAS	NAS	Ability to share file-based storage across an Ethernet network
Storage Array	Storage Array	Allows shared block level access over a network
DAS		JBOD storage connected to one server using SAS

NEW QUESTION 9

- (Exam Topic 1)

Match each characteristic to the appropriate RAID level.

Answer Area

RAID level

Characteristic

Raid0		double parity striped across all disks
Raid1		if one disk fails, all data is lost
Raid5		requires a minimum of 3 disk drives
Raid6		requires 50% of raw capacity for fault protection

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

RAID level

Characteristic

Raid0	Raid6	double parity striped across all disks
Raid1	Raid0	if one disk fails, all data is lost
Raid5	Raid5	requires a minimum of 3 disk drives
Raid6	Raid1	requires 50% of raw capacity for fault protection

NEW QUESTION 10

- (Exam Topic 1)

Which HPE solution brings together CPU, Memory, and Disk with an unpredictable workload into a single management infrastructure?

- A. dHCI
- B. SimpliVity
- C. Nimble
- D. Primera

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

A security client needs a surveillance solution to support 239 Cameras. They expect to generate 2PB of data and require a 10Gb network infrastructure in a single rack.

Which solution should you recommend to meet the customer requirements?

- A. HPE Moonshot
- B. HPE MSA
- C. HPE Apollo Servers
- D. HPE SimpliVity 380

Answer: C

NEW QUESTION 15

- (Exam Topic 1)

A retail company recently implemented a Video surveillance solution. They now need an MSA storage solution with 100TB capacity. They want to be able to add more disk capacity if needed.

Which HPE tool can help you choose a storage solution, determine the total usable capacity, and create a BOM?

- A. HPE SPOCK
- B. HPE NinjaSTARS
- C. HPE Storage Sizing Tool
- D. HPE One Config Advanced

Answer: A

NEW QUESTION 20

- (Exam Topic 1)

Which backup targets are available from an HPE StoreOnce backup system? (Choose two.)

- A. VTL
- B. Catalyst
- C. NVMe
- D. S3
- E. iSCSI

Answer: AB

NEW QUESTION 22

- (Exam Topic 1)

A customer just purchased a ProLiant 300 series Gen10 server and wants to install the latest version of Windows.

Which feature of this server will assist the customer with the initial Windows installation?


- A. HPE SSA Diagnostics
- B. HPE SmartStart
- C. Smart Storage Administrator
- D. Intelligent Provisioning

Answer: D

NEW QUESTION 23

- (Exam Topic 1)


You need to review a warning on a Nimble storage array. Click on the menu option that displays this information.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 26

- (Exam Topic 1)

Refer to the exhibit.

Processor Option Kits (Required Processor)
2nd Generation Intel Xeon-Platinum
 HPE DL380 Gen10 Intel Xeon-Platinum 8280M (2.7GHz/28-core/205W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8280L (2.7GHz/28-core/205W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8280 (2.7GHz/28-core/205W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8276M (2.2GHz/28-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8276L (2.2GHz/28-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8276 (2.2GHz/28-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8270 (2.7GHz/26-core/205W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8268 (2.9GHz/24-core/205W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8260Y (2.4GHz/24-20-16-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8260M (2.4GHz/24-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8260L (2.4GHz/24-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8260 (2.4GHz/24-core/165W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8256 (3.8GHz/4-core/105W) FIO Processor Kit
NOTE: Ships with Performance Heatsink
 HPE DL380 Gen10 Intel Xeon-Platinum 8253 (2.2GHz/16-core/125W) FIO Processor Kit
1st Generation Intel Xeon-Platinum
 HPE DL380 Gen10 Intel Xeon-Platinum 8180M (2.5GHz/28-core/205W) FIO Processor Kit

A customer has two HPE ProLiant DL380 Gen10 servers running as an Oracle cluster. They are trying to reduce licensing costs and want to move to the best processor available from the list to minimize licensing costs while still providing a high level of performance for the Oracle database. Which DL380 Gen10 processor would you recommend?

- A. Intel Xeon-Platinum 8280M
- B. Intel Xeon-Platinum 8280
- C. Intel Xeon-Platinum 8256
- D. Intel Xeon-Platinum 8253

Answer: D

NEW QUESTION 27

- (Exam Topic 1)

What is a feature of the MSA 1050 that will help your Storage Customer better utilize storage resources?

- A. block, file, and object access
- B. Triple+ parity RAID
- C. Automated Tiering
- D. 99.9999% guaranteed availability

Answer: C

NEW QUESTION 30

- (Exam Topic 1)

What is an access port on an Ethernet switch?

- A. A port that carries FCP frames inside the network
- B. A port that carries multiple VLANs
- C. A port that is connected to an FCF
- D. A port that carries untagged frames inside the network

Answer: D

NEW QUESTION 31

- (Exam Topic 1)

A customer has requested that you provide them with an architecture and bill-of-materials for a stack of top-of-rack switches. The customer has 34 HPE DL360 servers in the rack, each with four 1GBASE-T Ethernet ports which need to be connected to the network. The customer is upgrading 50% of the 1GBASE-T Ethernet ports on the servers to 10GBASE-T Ethernet ports and needs the switching to support the upgraded servers. They are opposed to a chassis switch, and want to keep their number of managed devices on the network to a minimum. Which architecture meets the customer requirements?

- A. One VSX stack of four Aruba 8320 48-port 1/10GBASE-T switches
- B. Two IRF stacks of two HPE 5710 48-port 1/10GBASE-T switches
- C. One IRF stack of four HPE 5710 48-port 1/10GBASE-T switches
- D. Two VSX stacks of two Aruba 8320 48-port 1/10GBASE-T switches

Answer: A

NEW QUESTION 35

- (Exam Topic 2)

You are installing additional components to a server.

Which HPE resource provides Quickspecs that verify the compatibility of the server hardware with the server?

- A. iQuote Universal
- B. Smart Selling tool
- C. Product Bulletin
- D. SPOCK

Answer: C

NEW QUESTION 38

- (Exam Topic 2)

A customer has a small branch office that requires a tower-based server solution. The customer runs office-based applications and wants lights-out management capability.

Which HPE server family meets the customer's needs?

- A. ProLiant ML
- B. ProLiant DL
- C. ProLiant BL
- D. ProLiant MicroServer

Answer: A

NEW QUESTION 41

- (Exam Topic 2)

A customer is building out their rack of servers and storage systems. They need a high-performance network with a simple centralized management capability and deep buffer support for iSCSI. They expect high growth in their virtualization environment.

Which solution will best meet the customer's needs?

- A. Aruba
- B. Altoline
- C. Arista
- D. FlexFabric

Answer: D

NEW QUESTION 46

- (Exam Topic 2)

Match each workload profile description with the corresponding profile. (Select all that apply.)

Profile		Description
Mission Critical	<input type="checkbox"/>	Maximizes processor speed
Transactional Application Processing	<input type="checkbox"/>	Large number of database operations
General Peak Frequency Compute	<input type="checkbox"/>	Trades performance for reliability

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Missing Critical - Large number of database operations

Transactional Application Processing - Trades performance for reliability

General Peak Frequency Compute - Maximize processor speed

NEW QUESTION 48

- (Exam Topic 2)

A customer needs to create a large RAID set for archive storage on large-capacity drives. Which RAID level is recommended for this customer?

- A. RAID 0
- B. RAID 5+0
- C. RAID 1+0
- D. RAID 6

Answer: D

NEW QUESTION 52

- (Exam Topic 2)

A customer needs a video archive repository initially starting at 30TB internal storage. The repository is expected to grow at 20% annually and should have a lifespan of 3 years.

Which HPE ProLiant server solution meets the customer's requirements?

- A. HPE ProLiant DL560 Gen10 with LFF SAS drives
- B. HPE ProLiant DL380 Gen10 with LFF SAS drives
- C. HPE ProLiant ML110 with SFF SAS drives
- D. HPE ProLiant DL560 Gen9 with SFF SAS drives

Answer: B

NEW QUESTION 54

- (Exam Topic 2)

You are creating an internal array on an HPE ProLiant server. What can you do to maximize the storage space efficiency?

- A. Populate drive bays with the smallest-capacity drive first.
- B. Install drives that have the same capacity.
- C. Match the device numbers for the drives with their bay numbers.
- D. Populate drive bays with the largest-capacity drive first.

Answer: B

NEW QUESTION 55

- (Exam Topic 2)

A fast-growing customer with a NAS-based storage solution is evaluating Fibre Channel storage for their VMware environment.

How would this customer benefit from adding 16 Gb Fibre Channel storage to their environment? (Choose two.)

- A. increased performance
- B. simplified connectivity
- C. increased simplicity
- D. reduced latency
- E. simplified administration

Answer: AD

NEW QUESTION 57

- (Exam Topic 2)

A customer needs to enable HPE Proactive Care and automated case creation for server hardware failures in their OneView environment.

Which step do you need to complete in OneView to accomplish these tasks?

- A. Enable remote support from the Settings page.
- B. Apply the OneView Advanced monitoring license.
- C. Add the hosts to the managed devices group.
- D. Configure proactive scan reports.

Answer: A

NEW QUESTION 62

- (Exam Topic 2)

A customer has an application that consumes 500 GB storage and requires an RTO and PRO of 15 minutes.

Which backup and recovery technology enables the customer to meet their requirements in the most cost-effective manner?

- A. offsite tape backup
- B. remote storage replication
- C. log shipping
- D. disk-to-disk appliance

Answer: D

NEW QUESTION 65

- (Exam Topic 2)

A customer requires a high level of network bandwidth and reliability. You are installing a pair of HPE switches that can provide redundancy with multiple connections between them for high availability and faster throughput.

Which technology should you configure on the switches to enable the capability the customer requires?

- A. Rapid Spanning Tree Protocol (RSTP)
- B. Virtual Extensible Local Area Network (VxLAN)
- C. Multichassis Link Aggregation (MLAG)
- D. Multiple Spanning Tree Protocol (MSTP)

Answer: C

NEW QUESTION 70

- (Exam Topic 2)

A company needs a solution that provides SMB and NFS file shares. The solution must have a built-in data backup to Microsoft Azure. Which HPE solution meets the customer's needs?

- A. StoreOnce 3520
- B. StoreEasy 1000
- C. StoreOnce VSA
- D. StoreVirtual VSA

Answer: B

NEW QUESTION 73

- (Exam Topic 2)

A customer needs a solution that will maintain data availability in their campus location. They require a multi-node system that can sustain multiple failures, including a full building outage.

Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreVirtual
- C. StoreEasy
- D. MSA

Answer: D

NEW QUESTION 75

- (Exam Topic 2)

You are troubleshooting an HPE Proliant ML350 Gen server. You determine that the active ROM is corrupt and the system has not automatically switched to the redundant ROM. You need to manually switch the ROM.

What should you do?

- A. Select the backup ROM in the BIOS.
- B. Reset the iLO controller
- C. Change the position of the system maintenance switch options.
- D. Move the system maintenance jumper to pins one and two.

Answer: C

NEW QUESTION 76

- (Exam Topic 2)

A customer needs to support both network and storage traffic on their network, which includes Ethernet, iSCSi, and Fibre Channel devices. The customer is concerned about the large amount of cables coming from the various cards inserted in their rack servers, as well as the operational costs in their data center. Which component addresses these issues?

- A. Converged network adapter
- B. Dual-port 10 GbE FlexLOM
- C. Dynamic Smart Array controller
- D. Fibre Channel host bus adapter

Answer: A

NEW QUESTION 80

- (Exam Topic 2)

A customer needs to share files cost-effectively among their Microsoft Windows server over a local network. Which storage solution meets this requirement?

- A. Storage Area Network (SAN)
- B. Network File System (NFS)
- C. Direct Attached Storage (DAS)
- D. Network Attached Storage (NAS)

Answer: D

NEW QUESTION 82

- (Exam Topic 2)

You are working in a data center with multiple servers and need to update the iLO 5 user names and passwords on a regular basis.

Which tool enables you to streamline and automate this process?

- A. Central Management Console
- B. iLO Amplifier Pack
- C. Agentless Management
- D. RESTful API

Answer: B

NEW QUESTION 85

- (Exam Topic 2)

A customer needs to centralize their backup environment for their branch office. They plan to use HPE StoreOnce with catalyst

What should they implement within their backups software to minimize the network load on the remote site?

- A. source-side deduplication
- B. target-side deduplication
- C. thin provisioning
- D. native compression

Answer: A

NEW QUESTION 87

- (Exam Topic 2)

Match the HPE Tool with its use case. Select all that apply.

HPE Tool	Use Case	
Single Point of Connectivity Knowledge (SPOCK)	Estimate the power and cooling requirements and weight for a rack of equipment.	<input type="checkbox"/>
One Config Advanced (OCA)	Check compatibility of storage components.	<input type="checkbox"/>
Products & Solutions Now (PSNow)	Download a technical presentation for a DL380 Gen10.	<input type="checkbox"/>
Ninja Stars		
iQuote		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

One Config Advanced (OCA) - Estimate the power and cooling requirements and weight for a rack of equipment

Single Point of Connectivity Knowledge (SPOCK) - Check compatibility of storage components
 Products and solutions Now (PSNow) - Download a technical presentation for a DL380 Gen10

NEW QUESTION 89

- (Exam Topic 2)

You are installing an HPE ProLiant server that has a shared network port for iLO and NIC teaming. You need to ensure that you can still access iLO after configuring the NIC team.

Which teaming technology should you configure?

- A. round robin
- B. switch-assisted load balancing
- C. receive load balancing
- D. network fault tolerance

Answer: D

NEW QUESTION 92

- (Exam Topic 2)

You are creating a logical array on an HPE ProLiant server. The customer asks you to use drives with different capacities in a single array. What should you explain to this customer?

- A. Using drives with different capacities in a single array increases the chance of disk failure
- B. The extra capacity of the larger drives will not be utilized
- C. The process to create the array will fail, and the server will not boot
- D. The RAID level will be set at RAID 0 automatically

Answer: B

NEW QUESTION 93

- (Exam Topic 2)

You are installing an HPE ProLiant server in a rack at a customer site. The customer's facility is in a high-voltage utility service area, and they want to be certain that the power supply is supported.

Which ProLiant feature addresses the customer's concern?

- A. ProLiant servers can be configured for 380 – 400V AC in low-line and high-line utility service areas.

- B. ProLiant servers support 240 V DC power supplies because components in a direct current line are less prone to failure.
- C. Rack-mountable HPE servers ship with 110 V DC power supplies because direct current is less expensive for a low-line utility service over short distances.
- D. ProLiant servers include auto-sensing power supplies with a power input range of 100-240 VAC, so they can be used globally.

Answer: D

NEW QUESTION 94

- (Exam Topic 2)

A customer requires an entry-level, all-flash system with predictable performance at the lowest possible price. They have performance-sensitive workloads that require speed and efficiency.

Which HPE storage system needs the customer's requirements?

- A. Nimble CS1000
- B. Nimble SFA
- C. Nimble AF1000
- D. Nimble AF5000

Answer: B

NEW QUESTION 96

- (Exam Topic 2)

A customer reports that their new iSCSI MSA 2052 has failed. You find that the MSA is up and running, but the servers cannot mount their LUNs.

Which troubleshooting steps should you prioritize? (Choose two.)

- A. Use Smart Storage Administrator (SSA) to view the STATS report on the MSA
- B. Use NIC teaming utility to validate the iSCSI initiator configuration
- C. Use remote console to check the switch port configuration
- D. Use remote console to validate the WWNs on the MSA
- E. Use remote console to ensure correct MSA port configuration

Answer: CE

NEW QUESTION 98

- (Exam Topic 2)

A customer requires 12 Gb local storage for their VMware boot volumes, which require high-performance read cycles to enable the operating system to boot quickly.

Which drive type provides the most appropriate size and most cost-effective way to meet this requirement?

- A. Mixed-use SSD
- B. Flash media drive
- C. SATA nearline
- D. SAS midline

Answer: B

NEW QUESTION 99

- (Exam Topic 2)

A customer wants to safeguard their server firmware and asks you about the HPE ProLiant Gen10 features that provide this level of security.

Which Gen10 feature best addresses the customer's concern?

- A. The Secure Boot feature in Gen10 servers checks the signature of the firmware drivers and other files to ensure that the firmware is trusted by the operating system.
- B. Gen10 servers use silicon root of trust to validate and detect corrupted firmware, and authentication to block unauthorized updates.
- C. Gen10 servers support data encryption at rest, which uses cryptography on the database housing the data and on the physical storage where the databases are stored.
- D. The Trusted Platform Module (TPM) in Gen10 servers protects firmware by using public and private key encryption.

Answer: B

NEW QUESTION 103

- (Exam Topic 2)

Which HPE service level offers customers special parts handling and access to onsite service 24x7, including HPE holidays?

- A. Proactive Care 24x7
- B. Proactive Care 24x7 with CTR
- C. Foundation Care 24x7 with DMR
- D. Foundation Care 24x7

Answer: D

NEW QUESTION 105

- (Exam Topic 2)

You are designing a system for a customer that runs an OLTP application. The customer has SAN based storage. They need to accelerate application performance. Which HPE ProLiant Gen10 feature set will address this customer's needs?

- A. intelligent system tuning
- B. intelligent provisioning

- C. CNSA suite
- D. scalable persistent memory

Answer: A

NEW QUESTION 109

- (Exam Topic 2)

A customer requires a recovery strategy that provides multiple rollback points during the day for their Microsoft SQL database. The customer needs to be able to recover data instantly.

Which method meets this requirement?

- A. offsite log shipping
- B. tape copy
- C. storage replication
- D. snapshot

Answer: D

NEW QUESTION 114

- (Exam Topic 2)

You are installing a HPE MSA storage system and need to connect the power cooling module (PCM). What should you do to ensure power redundancy?

- A. Ensure that a physical service processor is properly connected to each PCM
- B. Verify that each cooling fan is cabled to a separate controller
- C. Connect each PCM within a shelf to a different power distribution unit (PDU)
- D. Connect redundant power cords from the PCM controller to independent power supplies

Answer: C

NEW QUESTION 117

- (Exam Topic 2)

You are working on a server, and you notice that the blue UID light on the server is flashing slowly. What does this indicate?

- A. The host server is in standby mode
- B. The system is being managed remotely
- C. The host has rebooted and is performing POST actions
- D. The system is experiencing power issues

Answer: B

NEW QUESTION 118

- (Exam Topic 2)

A customer plans to back up a file server that holds 2 TB of data. The customer wants to upgrade their network infrastructure to support backup and to implement a datacenter network solution.

Which solutions would HPE recommend to meet the customer needs? (Choose two.)

- A. FlexFabric 5900
- B. StoreEasy 1450
- C. StoreVirtual VSA
- D. Aruba 2900
- E. StoreOnce 3100

Answer: AE

NEW QUESTION 121

- (Exam Topic 2)

While troubleshooting a HPE ProLiant Gen10 rack-mount server, you determine that the current and backup system ROMs are corrupt.

What should be the next step to fix the server?

- A. Restore the system firmware from a USB drive
- B. Restore the system firmware from a UEFI shell prompt
- C. Replace the CMOS battery
- D. Restore the system firmware from the iLO repository
- E. Replace the system board

Answer: E

NEW QUESTION 125

- (Exam Topic 2)

A customer needs Layer 2 switches that provide basic functionality. In the future, this customer might need to use the switches' CLI to configure VLAN and STP features.

Which category of the switches does meet the customer's needs?

- A. unmanaged
- B. managed
- C. VLAN-based
- D. software distributed switch

Answer: B

NEW QUESTION 126

- (Exam Topic 2)

A customer needs to deploy an application on a newly-installed HPE ProLiant server, but they report that the server is not online. They call you for remote support. The IP address on the production network cannot be reached. You are evaluating the probable root causes of this issue. According to the troubleshooting methodology, what are next two steps? (Select two)

- A. Remote console into the ToR switch to check the server's port configuration.
- B. Log in to iLO to see if the server hardware and NIC are online and configured correctly.
- C. Use OneView to see if the server firmware is up-to-date
- D. Run insight Diagnostics on the Server
- E. Use Microsoft Remote Desktop or VNC to check the server's NIC and IP address configuration

Answer: BD

NEW QUESTION 129

- (Exam Topic 2)

You are installing an HPE StoreOnce backup system in a customer's environment. They need a simple and cost-effective method to centralize and automate the backup of multiple servers (file, virtualization, database). They also need the ability to integrate with an existing third-party backup software. How must you configure the StoreOnce system to meet the customer's requirements?

- A. block device
- B. replication target
- C. NDMP target
- D. VTL device

Answer: D

NEW QUESTION 131

- (Exam Topic 2)

You are designing a system for a customer that has a contract with a government agency. The contract requires the highest level of security algorithms possible. Which HPE ProLiant Gen10 feature set will address this customer's needs?

- A. CNSA mode
- B. FIPS 140-2 mode
- C. high security mode
- D. production mode

Answer: A

NEW QUESTION 135

- (Exam Topic 2)

When should you use the HPE Switch Selector?

- A. when you need to list the price information of the switches
- B. when you need to select a switch VLAN configuration
- C. when you need to compare features between multiple switches
- D. when you need to perform a competitive analysis between vendors

Answer: C

NEW QUESTION 137

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE0-V14 Practice Exam Features:

- * HPE0-V14 Questions and Answers Updated Frequently
- * HPE0-V14 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-V14 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-V14 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-V14 Practice Test Here](#)