

# Microsoft

## Exam Questions AZ-120

Planning and Administering Microsoft Azure for SAP Workloads



### NEW QUESTION 1

- (Exam Topic 1)

You need to recommend a solution to reduce the cost of the SAP non-production landscapes after the migration. What should you include in the recommendation?

- A. Deallocate virtual machines when not in use.
- B. Migrate the SQL Server databases to Azure SQL Data Warehouse.
- C. Configure scaling of Azure App Service.
- D. Deploy non-production landscapes to Azure DevTest Labs.

**Answer: D**

#### Explanation:

Relevant use cases Dev/test environments for SAP workloads on Azure.

Noncritical SAP nonproduction workloads (such as sandbox, development, test, and quality assurance). Noncritical SAP business workloads.

References:

<https://docs.microsoft.com/en-us/azure/architecture/example-scenario/apps/sap-dev-test>

### NEW QUESTION 2

- (Exam Topic 1)

You need to ensure that you can receive technical support to meet the technical requirements. What should you deploy to Azure?

- A. SAP Landscape Management (LaMa)
- B. SAP Gateway
- C. SAP Web Dispatcher
- D. SAPRouter

**Answer: A**

#### Explanation:

Scenario: Ensure that SAP can provide technical support for all the SAP landscapes deployed to Azure. References:

<https://blogs.sap.com/2019/07/22/sap-landscape-management-on-microsoft-azure-part-1/>

### NEW QUESTION 3

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Azure Enhanced Monitoring Extension for SAP stores performance data in an Azure Storage account.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a SUSE Linux Enterprise Server 12 (SLES 12) server by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>
You can enable the Azure Enhanced Monitoring Extension for SAP on a server that runs Windows Server 2016 by running the Set-AzVMAEMExtension cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

Box 1: Yes

The SAP Azure Enhanced Monitoring Extension builds on top of the Azure Diagnostic extension, which stores its data in an Azure Storage account that you specify.

Box 2: Yes

The Set-AzVMAEMExtension cmdlet updates the configuration of a virtual machine to enable or update the support for monitoring for SAP systems that are installed on the virtual machine. The cmdlet installs the Azure Enhanced Monitoring (AEM) extension that collects the performance data and makes it discoverable for the SAP system.

The -OSType specifies the OS. Either Windows or Linux.

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/diagnostics-extension-overview> <https://docs.microsoft.com/en-us/powershell/module/az.compute/set-azvmaemextension>

### NEW QUESTION 4

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/data volume.	<input type="radio"/>	<input type="radio"/>
SAP HANA certification for M-Series Azure virtual machines requires that Write Accelerator be enabled on the /hana/log volume.	<input type="radio"/>	<input type="radio"/>
To enable Write Accelerator, you must use Azure Premium managed disks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

Box 2: Yes

The minimum SAP HANA certified conditions for the different storage types are:

Azure Premium SSD - /hana/log is required to be cached with Azure Write Accelerator. The /hana/data volume could be placed on Premium SSD without Azure Write Accelerator or on Ultra disk

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/hana-vm-operations-storage>

**NEW QUESTION 5**

- (Exam Topic 2)

You have an Azure subscription.

Your company has an SAP environment that runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA. The environment has a primary site and a disaster recovery site. Disaster recovery is based on SAP HANA system replication. The SAP ERP environment is 4 TB and has a projected growth of 5% per month. The company has an uptime Service Level Agreement (SLA) of 99.99%, a maximum recovery time objective (RTO) of four hours, and a recovery point objective (RPO) of 10 minutes.

You plan to migrate to Azure.

You need to design an SAP landscape for the company. Which options meet the company's requirements?

- A. Azure virtual machines and SLES for SAP application serversSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for high availability anddisaster recovery  
 B. ASCS/ERS and SLES clustering that uses the Pacemaker fence agent SAP application servers deployed to an Azure Availability ZoneSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery  
 C. SAP application instances deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery  
 D. ASCS/ERS and SLES clustering that uses the Azure fence agent SAP application servers deployed to an Azure Availability SetSAP HANA on Azure (Large Instances) that uses SAP HANA system replication for database high availability and disaster recovery

**Answer:** B

**Explanation:**

With Availability Zones, Azure offers industry best 99.99% VM uptime SLA. References:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-faqs>

**NEW QUESTION 6**

- (Exam Topic 2)

You have a n SAP environment on Azure.

Your on-premises network uses a 1-Gbps ExpressRoute circuit to connect to Azure Private peering is enabled on the circuit. The default route (0.0.0.0/0) from the on-premises network is advertised

You need to resolve the issue without modifying the ExpressRoute circuit. The solution must minimize administrative effort. What should you do?

- A. Create a user-defined route tint redirects traffic to the Blob storage.  
 B. Create an application security group.  
 C. Change the backup solution to use a third-party software that can write to the Blob storage.  
 D. Enable virtual network service endpoints.

**Answer:** A

**NEW QUESTION 7**

- (Exam Topic 2)

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP. You implement Azure Availability Zones that have the following components:

- \* Redundant SAP application servers
- \* ASCS/ERS instances that use a failover cluster
- \* Database high availability that has a primary instance and a secondary instance

You need to validate the load distribution to the application servers. What should you use?

- A. SAP Solution Manager
- B. Azure Monitor
- C. SAPControl
- D. SAP Web Dispatcher

Answer: D

Explanation:

Load balancers. These are used to distribute traffic to virtual machines in the application-tier subnet. For high availability, use the built-in SAP Web Dispatcher, Azure Load Balancer, or network appliances, depending on the traffic type (such as HTTP or SAPGUI) or the required network services, such as Secure Sockets Layer (SSL) termination.  
Reference:  
<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

NEW QUESTION 8

- (Exam Topic 2)  
You are integrating SAP HANA and Azure Active Directory (Azure AD).  
For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.


Statements	Yes	No
SAP HANA supports SAML authentication for single-sign on (SSO).	<input type="radio"/>	<input type="radio"/>
SAP HANA supports OAuth2 authentication for single-sign on (SSO).	<input type="radio"/>	<input type="radio"/>
You can use Azure role-based access control (RBAC) to provide users with the ability to sign in to SAP HANA.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes  
To configure Azure AD single sign-on with SAP HANA, perform the following steps:  
\*1. In the Azure portal, on the SAP HANA application integration page, select Single sign-on.  
\*2. On the Select a Single sign-on method dialog, select SAML/WS-Fed mode to enable single sign-on.



Box 2: No  
Box 3: No  
Key security considerations for deploying SAP on Azure References:  
<https://docs.microsoft.com/en-us/azure/active-directory/saas-apps/saphana-tutorial>

NEW QUESTION 9

- (Exam Topic 2)  
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.



Statements	Yes	No
Oracle Real Application Clusters (RAC) can be used to provide high availability of SAP databases on Azure.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs Windows Server 2016.	<input type="radio"/>	<input type="radio"/>
You can host SAP databases on Azure by using Oracle on a virtual machine that runs SUSE Linux Enterprise Server 12 (SLES 12).	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Box 2: Yes

Oracle Database 12c Release 2 (12.2) is certified on Microsoft Windows Server 2016 (Standard, Datacenter, and Essentials Editions), which includes support for the database client, server, and Oracle Real Application Clusters.

Organizations can run SAP applications with Oracle databases on the same code base on Unix, Linux, and Windows operating systems.

Box 3: Yes References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/oracle/oracle-overview> <https://docs.oracle.com/en/database/oracle/oracle-database/12.2/ntdbn/index.html#>

**NEW QUESTION 10**

- (Exam Topic 2)

You are planning the Azure network infrastructure for an SAP environment.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	<input type="radio"/>	<input type="radio"/>
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	<input type="radio"/>	<input type="radio"/>
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Box 2: No

A design that's not supported is the segregation of the SAP application layer and the DBMS layer into different Azure virtual networks that aren't peered with each other. We recommend that you segregate the SAP application layer and DBMS layer by using subnets within an Azure virtual network instead of by using different Azure virtual networks.

Box 3: Yes

Be aware that network traffic between two peered Azure virtual networks is subject to transfer costs. Huge data volume that consists of many terabytes is exchanged between the SAP application layer and the DBMS layer. You can accumulate substantial costs if the SAP application layer and DBMS layer are segregated between two peered Azure virtual networks.

References:

[https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms\\_guide\\_general](https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general)

**NEW QUESTION 10**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You deploy SAP HANA on Azure (Large Instances). You need to back up the SAP HANA database to Azure.  
Solution: You use a third-party tool that uses backint to back up the SAP HANA database to Azure storage. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

References:  
<https://docs.microsoft.com/en-us/azure/backup/sap-hana-db-about>  
<https://docs.microsoft.com/en-us/azure/backup/backup-azure-sap-hana-database#configure-backup>

**NEW QUESTION 15**

- (Exam Topic 2)

Your company has a an on-premises SAP environment.  
Recently, the company split into two companies named Litware, inc and Contoso.Ltd. Litware retained the SAP environment.  
Litware plans to export data that is relevant only to Contoso. The export will be 1.5 TB. Contoso build a new SAP environment on Azure.  
You need to recommend a solution for Litware to make the data available to Contoso in Azure. The solution must meet the following requirements: Minimize the impact on the network. Minimize the administrative effort for Litware.  
What should you include in the recommendation.

- A. Azure Migrate
- B. Azure Databox
- C. Azure Site Recovery
- D. Azure import/Export service

**Answer: C**

**NEW QUESTION 18**

- (Exam Topic 2)

You migrate an SAP environment to Azure.  
You need to inspect all the outbound traffic from the SAP application servers to the Internet. Which two Azure resources should you use? Each correct answer presents part of the solution. Network Performance Monitor

- A. Azure Firewall
- B. Azure Traffic Manager
- C. Azure Load Balancer NAT rules
- D. Azure user-defined routes
- E. a web application firewall (WAF) for Azure Application Gateway

**Answer: BE**

**NEW QUESTION 20**

- (Exam Topic 2)

You have an on-premises SAP environment.  
Backups are performed by using tape backups. There are SO TB of backups.  
A Windows file server has BMP images of checks used by SAP Finance. There are 9 IB of images.  
You need to recommend a method to migrate the images and the tape backups to Azure. The solution must maintain continuous replication of the images.  
What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Tape backups: ☐ AzCopy ☐ Azure Data Box Edge ☐ Azure Databox ☐ Azure Storage Explorer


File server: ☐ AzCopy ☐ Azure Data Box Edge ☐ Azure Databox ☐ Azure Storage Explorer

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**



**NEW QUESTION 24**

- (Exam Topic 2)

You deploy an SAP environment on Azure.

Your company has a Service Level Agreement (SLA) of 99.99% for SAP. You implement Azure Availability Zones that have the following components: Redundant SAP application servers

ASCS/ERS instances that use a failover cluster

Database high availability that has a primary instance and a secondary instance You need to validate the high availability configuration of the ASCS/ERS cluster.

What should you use?

- A. SAP Web Dispatcher
- B. Azure Traffic Manager
- C. SAPControl
- D. SAP Solution Manager

**Answer: B**

**Explanation:**

C: You can use SAPControl to start or stop an SAP system from the command line. References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/sap/sap-netweaver>

**NEW QUESTION 27**

- (Exam Topic 2)

A company named Contoso, Ltd. has users across the globe. Contoso is evaluating whether to migrate SAP to Azure.

The SAP environment runs on SUSE Linux Enterprise Server (SLES) servers and SAP HANA databases. The Suite on HANA database is 4 TB.

You need to recommend a migration solution to migrate SAP application servers and the SAP HANA databases. The solution must minimize downtime.

Which migration solutions should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**SAP application servers:**

	▼
AzCopy	
Azure Site Recovery	
SAP HANA system replication	
System Copy for SAP Systems	

**SAP HANA databases:**

	▼
AzCopy	
Azure Site Recovery	
SAP HANA system replication	
System Copy for SAP Systems	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Azure Site Recovery

Microsoft Azure Site Recovery (ASR) now supports SUSE Linux Enterprise Server 11 SP3/SP4 and SUSE Linux Enterprise Server 12 SP1/SP2/SP3. This is great for customers that are planning to migrate systems to Microsoft Azure or customers who need to have a business continuity strategy for their Azure deployments.

Azure Site Recovery enables SUSE customers to migrate their non-Azure virtual machines or physical servers to Microsoft Azure virtual machines.

Box 2: System Copy for SAP Systems

In order to migrate an existing SAP HANA system into Azure, a SAP homogeneous system copy can be performed.

Reference: [https://www.suse.com/c/asr\\_supports\\_suse/](https://www.suse.com/c/asr_supports_suse/) <https://www.netapp.com/us/media/tr-4746.pdf>

**NEW QUESTION 29**

- (Exam Topic 2)

You plan to migrate an SAP ERP Central Component (SAP ECC) production system to Azure. You are reviewing the SAP EarlyWatch Alert report for the system.

You need to recommend sizes for the Azure virtual machines that will host the system.  
Which two sections of the report should you review? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. Hardware Capacity
- B. Patch Levels under SAP Software Configuration
- C. Hardware Configuration under Landscape
- D. Database and ABAP Load Optimization
- E. Data Volume Management

**Answer:** AD

**Explanation:**

It is important to note that there are 2 types of data collected for Hardware Capacity. Performance Data - e.g. CPU and Memory utilization data. Hardware Capacity data shown in the EWA is measuring CPU and Memory utilization data. This is known as Performance Data. Configuration Data - e.g. OS information, CPU type. It is also collecting system information about the host such as hardware manufacturer, CPU type etc. This is known as Configuration Data.

**NEW QUESTION 30**

- (Exam Topic 2)

A customer enterprise SAP environment plans to migrate to Azure. The environment uses servers that runs Windows Server 2016 and Microsoft SQL Server. The environment is critical and requires a comprehensive business continuity and disaster recovery (BCDRJ strategy that minimizes the recovery point objective (RPO) and the recovery time objective (RTO). The customer wants a resilient environment that has a secondary site that is at least 250 Kilometers away. You need to recommend a solution for the customer. Which two solutions should you recommend? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. an internal load balancer to route Internet traffic
- B. warm standby virtual machines in Azure Availability Zones.
- C. warm standby virtual machines in paired regions
- D. Warm standby virtual machine an Azure Availability Set that uses geo-redundant storage (GRS)
- E. Azure Traffic Manager to route incoming traffic.

**Answer:** CD

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/sap-hana-availability-one-region>

**NEW QUESTION 32**

- (Exam Topic 2)

You plan to migrate an SAP HANA instance to Azure.  
You need to gather CPU metrics from the last 24 hours from the instance. Solution: You use Monitoring from the SAP HANA Cockpit.  
Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

The SAP HANA cockpit provides a single point of access to a range of SAP HANA administration and monitoring tasks. It is used to monitor and ensure the overall health of the system.

The HANA Monitoring dashboard also visualizes key HANA Metrics of SAP HANA system. Reference:

<https://developers.sap.com/tutorials/dt-monitoring-hana-part1.html> <https://help.sap.com/viewer/afa922439b204e9caf22c78b6b69e4f2/2.10.0.0/en-US>

<https://www.hanatutorials.com/p/hana-monitoring-dashboard.html>

**NEW QUESTION 34**

- (Exam Topic 2)

You are validating an SAP HANA on Azure (Large Instances) deployment.  
You need to ensure that sapconf is installed and the kernel parameters are set appropriately for the active profile.  
How should you complete the commands? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.



Values

sap-ase

sap-bobj

sapconf

sap-hana

sap-netweaver

saptune

tuned

Answer Area

osprompt> more /etc/sysconfig/Value

osprompt> more /usr/lib/tuned/Value/tuned.conf

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Box 1: sapconf  
The configuration is split into two parts:  
/etc/sysconfig/sapconf  
/usr/lib/tuned//tuned.conf  
Box 2: tuned References:  
<https://www.suse.com/c/sapconf-a-way-to-prepare-a-sles-system-for-sap-workload-part-2/>

NEW QUESTION 39

- (Exam Topic 2)  
You have an SAP environment on Azure.  
You use Azure Site Recovery to protect an SAP production landscape.  
You need to validate whether you can recover the landscape in the event of a failure. The solution must minimize the impact on the landscape.  
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Validate the SAP production landscape

Create a virtual network that has the same subnets as the SAP production landscape

Create a network security group (NSG) that restricts traffic to the primary region

Shut down production virtual machines

Select **Test failover** from the Recovery Plans blade

Add a public IP address to a management server in the disaster recovery region

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a virtual network...  
We recommended that for test failover, you choose a network that's isolated from the production recovery site network specific in the Compute and Network settings for each VM. By default, when you create an Azure virtual network, it is isolated from other networks. The test network should mimic your production network:  
The test network should have same number of subnets as your production network. Subnets should have the same names.  
The test network should use the same IP address range. Step 2: Add a public IP address...  
Because Site Recovery does not replicate the cloud witness, we recommend that you deploy the cloud witness in the disaster recovery region.  
Step 3: Shut down production virtual machines  
Make sure that the primary VM is shut down when you run the test failover. Otherwise there will be two VMs with the same identity, running in the same network at the same time. This can lead to unexpected consequences.  
Step 4: Select Test failover from the Recovery Plans blade References:  
<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-test-failover-to-azure>

NEW QUESTION 41

- (Exam Topic 2)  
for each of the following statements, select Yes if the statement is true. Otherwise. select No.  
NOTE: Each correct selection is worth one point.

Answer Area			
Statements		Yes	No
When configuring an Azure virtual machine, the Azure Enhanced Monitoring features are required to monitor SAP application performance.		<input type="radio"/>	<input type="radio"/>
To successfully start an Azure virtual machine that contains SAP, you must have Azure Enhanced Monitoring installed.		<input type="radio"/>	<input type="radio"/>
If you deploy SAP by using the Azure Resource Manager templates for SAP, Azure Enhanced Monitoring is installed automatically.		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area			
Statements		Yes	No
When configuring an Azure virtual machine, the Azure Enhanced Monitoring features are required to monitor SAP application performance.		<input type="radio"/>	<input type="radio"/>
To successfully start an Azure virtual machine that contains SAP, you must have Azure Enhanced Monitoring installed.		<input type="radio"/>	<input type="radio"/>
If you deploy SAP by using the Azure Resource Manager templates for SAP, Azure Enhanced Monitoring is installed automatically.		<input type="radio"/>	<input type="radio"/>

NEW QUESTION 46

- (Exam Topic 2)  
Your on-premises network contains SAP and non-SAP applications.  
You have JAVA-based SAP systems that use SPNEGO for single-sign on (SSO) authentication. Your external portal uses multi-factor authentication (MFA) to authenticate users.  
You plan to extend the on-premises authentication features to Azure and to migrate the SAP applications to Azure.  
For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Need AD FS for MFA. See box 3.

Note: Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications using the same passwords. This feature is an alternative to Azure AD Password Hash Synchronization (see Box 2).

Box 2: Yes

Password hash synchronization is one of the sign-in methods used to accomplish hybrid identity. Azure AD Connect synchronizes a hash, of the hash, of a users password from an on-premises Active Directory instance to a cloud-based Azure AD instance.

Password hash synchronization is an extension to the directory synchronization feature implemented by Azure AD Connect sync. You can use this feature to sign in to Azure AD services like Office 365. You sign in to the service by using the same password you use to sign in to your on-premises Active Directory instance.

Box 3: Yes

If your organization is federated with Azure AD, you can use Azure Multi-Factor Authentication to secure AD FS resources, both on-premises and in the cloud.

Azure MFA enables you to eliminate passwords and provide a more secure way to authenticate.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-phs>

<https://docs.microsoft.com/en-us/windows-server/identity/ad-fs/operations/configure-ad-fs-and-azure-mfa>

#### **NEW QUESTION 47**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### AZ-120 Practice Exam Features:

- \* AZ-120 Questions and Answers Updated Frequently
- \* AZ-120 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-120 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* AZ-120 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The AZ-120 Practice Test Here](#)**