





# Oracle

## Exam Questions 1z0-900

Java EE 7 Application Developer

#### NEW QUESTION 1

You have a set up min-max planning at the subinventory level with the following to source item AS12312 for Organization: M1:

-  Source Type: Organization
-  Organization: M1

What type of supply request will be generated?

- A. Movement request
- B. Internal Requisition
- C. Purchase Requisition
- D. None; this is an invalid setup
- E. Intraorganization transfer order

**Answer:** E

#### NEW QUESTION 2

You need to load on-hand balances for go live. Which template should be used for this?

- A. InventoryBalanceImportTemplate.xlsm
- B. InventoryReservationImportTemplate.xlsm
- C. InventoryTransactionImportTemplate.xlsm
- D. InventoryOnHandBalanceTemplate.xlsm
- E. InventoryMiscellaneousTrxTemplate.xlsm

**Answer:** C

#### NEW QUESTION 3

Which class do you use to handle an incoming JSON Message as a stream?

- A. JsonReader
- B. JsonObjectBuilder
- C. JsonParser
- D. JsonObject

**Answer:** A

#### NEW QUESTION 4

Identify the availability type that is applicable for the item quantities maintained in a unit of measure different from the primary unit of measure and is available for various transactions.

- A. Available
- B. Secondary Available Quantity
- C. Reserved
- D. Secondary On-hand Quantity
- E. On Hand

**Answer:** B

#### NEW QUESTION 5



Which two options constitute the rights and responsibilities of a legal Entity?

- A. Account for themselves to regulations, taxation authorities, and owners according to rules specified in the relevant legislation
- B. Facilitate resource allocation
- C. Manage warehouses
- D. Create opportunities for new business
- E. Own property

**Answer:** AE

#### NEW QUESTION 6

The physical inventory process is carried out for a particular inventory organization with the following parameters:

-  Negative quantity Tolerance Percentage is set to 10%
-  Approval Type = 'Always'

The system says that there are 100 on band, but you only counted 95. What will happen?

- A. The setup is invalid; it will give an error message.
- B. Because the 95 is within the 10% tolerance, it will post without approval.
- C. The system will ask a user to recount before posting.
- D. An approval will be required before posting.

**Answer:** B

#### NEW QUESTION 7

Given the code fragments:

```
@Stateless
public class HRService {
    @PersistenceContext(unitName="HRApp-PU")
    private Employee findEmployee(String badgeId) {
        return entityManager.find(Employee.class, badgeId);
    }
    public void updateEmployee(Employee emp) {
        //add code here
    }
}

@WebServlet(name="HR", urlPatterns={"/hr"})
public class HRServlet extends HttpServlet {
    @EJB
    private HRService hrService;
    public void doGet(HttpServletRequest req, HttpServletResponse res)
        throws ServletException, IOException {

        String badgeId = req.getParameter("badge");
        String name = req.getParameter("name");
        Employee emp = hrService.findEmployee(badgeId);
        emp.setName(name);
        hrService.updateEmployee(emp);
    }
}
```

What code should you add to the body of the updateEmployee method in order to save pending changes to the database?

- A. entityManager.merge(emp);
- B. Context
- C. Ctx = new InitialContext(); UserTransaction utx = (UserTransaction)ctx.lookup("java:comp/UserTransaction"); utx.begin(); entityManager.merge(emp); utx.c  
entityManager.lock(emp); EntityManager.merge(emp);
- D. entityManager.getTransaction().begin(); entityManager.merge(emp); entityManager.getTransaction().comm

**Answer:** B

#### NEW QUESTION 8

Your customer has defined three business units: two of the them require the same set of receivables payment terms whereas the third needs a separate set of receivables payment terms.

How will you receive this requirement?

- A. Define one data set with common payment terms and exclude the payment terms feature from the third business unit.
- B. Define one reference data set and modify the business unit security.
- C. Define two reference data sets, assign the first set to the two business units which will share the same payment terms and second set to the business unit which need separate payment terms.
- D. Define three reference data sets and assign each data set to each business unit.

**Answer:** C

#### NEW QUESTION 9

Given:

```
1:    @Stateless
2:    public class AlarmManager {
3:        @Resource
4:        private TimerService timerService;
5:        public void createAlarm(Date alarmDate) {
6:            Alarm myAlarm = new Alarm();
7:            TimerConfig config = new TimerConfig();
8:            config.setInfo(myAlarm.getId());
9:
10:       }
11:       @Timeout
12:       public void handleTimeout(Timer myTimer) {
13:           int alarmId = {int}myTimer.getInfo();
14:           showAlarmMessage(alarmId);
15:       }
16:   }
```

You are creating an Alarm management system. When you create a new alarm, you want it to create an alert that is triggered once at the specified time. Which method should you call on Line 9 to create the timer?

- A. timerService.createCalendarTimer(alarmDate, config);
- B. timerService.createSingleActionTimer(alarmDate, config);
- C. timerService.createIntervalTimer(alarmDate, -1, config);
- D. timerService.createTimer(alarmDate, -1, config);

**Answer: D**

#### NEW QUESTION 10

You defined an Inventory Organization that is meant to track the contract manufacturing process outsourced to a supplier. Where do you mention that this Inventory Organization is meant for one particular supplier?

- A. Manage Inventory Organization Locations
- B. Manage Subinventories
- C. Manage Inventory Organizations
- D. Manage Contract Manufacturing Relationships
- E. Manage Item Organizations

**Answer: C**

#### NEW QUESTION 10

Given:

```
@Path("Employees")
@Produces({MediaType.APPLICATION_JSON})
public class EmployeesResource {
    @Inject
    private EmployeeManager em;
    @GET
    public List<Employee> findAll() {
        return em.findAllEmployees();
    }
}
```

What will be the response to a HEAD request?

- A. The findAll() method will be called and the employee list will be returned.
- B. The findAll() method will be called and no employees will be returned.
- C. No method will be invoked and no error will be returned.
- D. No method will be invoked and a 404 error will be returned.

**Answer: C**

#### NEW QUESTION 15

You have a high value item that you want to audit on an unscheduled basis to deter pilfering. Which method would you use to do this?

- A. ABC Count
- B. Physical Inventory Count
- C. Automated Cycle Count
- D. Manual Cycle Count
- E. Blind Inventory Count

**Answer: D**

#### NEW QUESTION 16

What is true about Message-Driven Beans (MDBs)?

- A. MDBs can participate in transactions.
- B. MDBs are invoked synchronously.
- C. Each MDBs can process messages only from a single client.
- D. MDBs retain data caches between client calls.

**Answer:** A

#### NEW QUESTION 21

Your customer wants to transfer material from facility A to facility B. They are using the interorganization transfer to perform the transaction in the system. Their requirement is “whenever material is transferred from their facility A to facility B, facility B needs to pay 5% additional amount to the current item cost”. Which task must be set up to accomplish this requirement?

- A. Manage Interorganization Markup
- B. Manage Transfer Pricing Rules
- C. Manage Cost Plus Pricing
- D. Manage Cost Organization Relationships
- E. Manage Organization Relationships

**Answer:** D

#### NEW QUESTION 22

Your organization is using min-max planning to replenish stock and the planning parameters are set at item organization level with a default subinventory.

Item: A, Min Qty: 25, Max Qty: 150 and Current Level: 20

The item above is purchased from a supplier. Although there is subinventory on hand, the subinventory is below the minimum required level. This should trigger a Min-Max report entry, but the requisition is not generated. Why?

- A. Fixed lot multiplier is not set.
- B. No value has been set for the “Min-Max Replenishment Reorder Approval” profile.
- C. Min-Max planning can be performed at the Organization level.
- D. Rounding the Reorder Quantity is disabled.
- E. Item is not defined in Manage Item Subinventories.

**Answer:** E

#### NEW QUESTION 27

Given the code fragment:

```
@Resource(lookup = "java:comp/DefaultJMSConnectionFactory")
private ConnectionFactory cf;
@Resource(lookup = "jms/MyTopic")
private Topic topic;
public void action() {
    try (JMSContext ctx =
        cf.createContext(JMSContext.SESSION_TRANSACTED);) {
        JMSConsumer c1 = ctx.createConsumer(topic, "(grade > 50)");
        JMSConsumer c2 = ctx.createConsumer(topic, "(grade <= 50)");
    }
}
```

How are transactions managed?

- A. through a single shared transaction across the connection factory
- B. through a separate transaction per JMS Consumer
- C. through a single transaction for the entire JMS Topic
- D. through a single shared transaction in the JMS Context

**Answer:** D

#### NEW QUESTION 31

Given the code fragment:

```
<servlet-mapping>
    <servlet-name>firstServlet</servlet-name>
    <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>secondServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>thirdServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>
```



When the context root is requested `http://host:port/context`, how does the container resolve this mapping?

- A. `thirdServlet` handles the request.
- B. `firstServlet` handles the request.
- C. The container throws an error at startup.
- D. `secondServlet` handles the request.

**Answer:** C

#### NEW QUESTION 34

Which statement is true about the WS-Security standard?

- A. It is a Java EE standard for protecting SOAP services.
- B. It relies on HTTP security mechanism to protect SOAP messages in transit.
- C. It provides message-level security.
- D. It defines protocol-specific ways of protecting SOAP messages.

**Answer:** C

#### NEW QUESTION 35

Given the code fragment:

```
1. JAXBContext jc = JAXBContext.newInstance( "com.oracle.foo" );
2. Unmarshaller u = jc.createUnmarshaller();
3.
4. InputStream in = new FileInputStream("fooStuff.xml");
5. Object o = u.unmarshal ( in );
```

Which method should be used on line 3 to enable default validation mechanism?

- A. `u.setProperty(String, Object)`
- B. `u.setProperty(Schema)`
- C. `u.setEventHandler(ValidationEventHandler)`
- D. `u.setAdapter(XmlAdapter)`

**Answer:** D

#### NEW QUESTION 36

Your supplier sent you stock against a consigned agreement. You transferred the stock to owned and generated a consumption advice. An invoice was raised by the supplier and the payment made. A few days after using some of the quantities of the stock, you realized that some of the stock sent by the supplier is not of suitable quality and you need to send the stock back. What is the process of returning the material?

- A. You have to cancel the invoice and send the material back without changing the ownership.
- B. Return the material and create a debit memo for the supplier.
- C. You cannot return consigned items that are invoiced and paid.
- D. Treat the material as scrap.
- E. You have to transfer the ownership of item and perform the return transaction.

**Answer:** B

#### NEW QUESTION 38

Given the code fragment from a Facelet page:

```
<ui:composition xmlns="http://www.w3.org/1999/xhtml"
    xmlns:h="http://xmlns.jcp.org/jsf/html"
    xmlns:pt="http://xmlns.jcp.org/jsf/passthrough"
    xmlns:f="http://xmlns.jcp.org/jsf/core"
    xmlns:jsf="http://xmlns.jcp.org/jsf"
    xmlns:ui="http://java.sun.com/jsf/facelets">
    <h:form id="searchForm">
        <!-- Line 1 -->
        <h:commandButton value="Search"
            action="#{searchMB.search}"/>
    </h:form>
</ui:composition>
```

On Line 1, you are asked to insert a search box that displays the text "Search Here" via a placeholder.

Assume `searchMB` is a valid Managed Bean.

Which two options enable you to create a search box with a placeholder attribute on Line 1? (Choose two.)

- A. `<h:inputText value="#{searchMB.query}"><f:param name="placeholder" value="Search Here"/></h:inputText>`
- B. `<h:inputText value="#{searchMB.query}" placeholder="Search here"/>`
- C. `<input jsf:id="search" placeholder="Search here" jsf:value="#{searchMB.query}"></input>`
- D. `<h:inputText pt:placeholder="Search Here" value="#{searchMB.query}"/>`
- E. `<input id="search" jsf:placeholder="Search Here" value="#{searchMB.query}"></input>`

**Answer:** CE

#### NEW QUESTION 41

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

**Answer:** D

#### NEW QUESTION 46

Given the set of navigation rules:

```
<navigation-rule>
  <from-view-id>list-widgets</from-view-id>
  <navigation-case>
    <from-outcome>add</from-outcome>
    <to-view-id>add-widget</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>*</from-view-id>
  <navigation-case>
    <from-outcome>home</from-outcome>
    <to-view-id>home</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>logout</from-outcome>
    <to-view-id>goodbye</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>home</from-view-id>
  <navigation-case>
    <from-outcome>dashboard</from-outcome>
    <to-view-id>dashboard</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>list</from-outcome>
    <to-view-id>list-widgets</to-view-id>
  </navigation-case>
</navigation-rule>
```

Which two define a valid flow of view IDs through the application? (Choose two.)

- A. home > goodbye > list-widgets
- B. dashboard > home > add-widget > list-widgets
- C. list-widgets > add-widget > home > dashboard > home
- D. home > list-widgets > add-widget > goodbye

**Answer:** CD

#### NEW QUESTION 50

You face a supply request exception due to some reason. You realize that you need to make some changes to the Manage Supply Request Exceptions page. Which action will you perform?

- A. The supply request cannot be update
- B. The only way is to resolve the error in the source application and resubmit the request.
- C. The supply request can be updated using a third-party application only.
- D. Update the supply request and submit i
- E. The errors will be resolved automatically.
- F. Update the supply request and make sure errors are resolved before resubmitting it.

**Answer:** A

#### NEW QUESTION 52

Given the JPQL code fragment:

Select pub.title, pub.author, pub.pages FROM Publisher pub

Which two clauses do you add to this JPQL query to retrieve only those books with between 500 and 750 total pages? (Choose two.)

- A. WHERE MIN(pages) >= 500 AND MAX(pages) <= 750
- B. WHERE pub.pages <= 500 OR pub.pages >= 750

- C. WHERE pub.pages BETWEEN 500 AND 750
- D. WHERE pub.pages <= 500 AND pub.pages >=750

**Answer:** AB

#### NEW QUESTION 57

You have orders that were due for shipping last week, but as for now they have not been shipped. Which dashboard should you check at the end of the day to determine which orders have been shipped?

- A. Past Due Shipments
- B. Orders Completed in Full
- C. Past Due, Completed Today
- D. Due Today, Not Completed
- E. Past Due, Not Completed

**Answer:** B

#### NEW QUESTION 60

Which action invokes supply chain orchestration and transfer of data to supply chain orchestration Interface tables?

- A. creating Purchase Order Receipt
- B. running a scheduled process called "Create Transactions"
- C. running Min-Max Planning
- D. creating a new Inventory Organization for execution of supply chain orchestration

**Answer:** C

#### NEW QUESTION 64

Identify three statements that are true about reservations in back-to-back processing.

- A. Partial fulfillment of reservations is supported.
- B. Changes to reservation in Oracle Logistics Cloud leads to exceptions, which are displayed in the Supply Chain Orchestration work area.
- C. Reservations cannot be created for back-to-back On Hand supply orders.
- D. One reservation is created for a demand and supply.
- E. Reservation supplies that can be reserved are Purchase Orders, Transfer Orders, Work Orders, and On Hand inventory.

**Answer:** BDE

#### NEW QUESTION 67

Which three applications originate a buy request that is received by supply chain orchestration?

- A. Purchasing
- B. Inventory
- C. Order Management
- D. Planning
- E. Self Service Procurement
- F. Accounts Payable

**Answer:** BCD

#### NEW QUESTION 68

Identify two valid WebSocket message types for which you can register handlers. (Choose two.)

- A. Error Message
- B. Binary Message
- C. Pong Message
- D. Ping Message

**Answer:** BC

#### NEW QUESTION 71

Which type allows you to share servlet attributes across your entire web application?

- A. ServletContext
- B. HttpSession
- C. ServletRequest
- D. ServletConfig

**Answer:** A

#### NEW QUESTION 76

Given:



```
public class AppException extends Exception {}
```

```
@Stateless
public class CustomerService {
    @TransactionAttribute(TransactionAttributeType.REQUIRED)
    public boolean addCustomer(int id, String name throws AppException {
        // assume database insert operation succeeds
        Customer c = insertIntoDB(id, name);
        if(id < 20) {
            throw new AppException();
        }
    }
}
```

If an exception is thrown inside the if block, what effect will it have on the transaction?

- A. The transaction will be committed.
- B. The transaction will be suspended.
- C. The transaction will be rolled back.

**Answer: C**

#### NEW QUESTION 79

Give the code fragment:

```
1: @Stateless
2:
3: public class Warehouse {
4:     public void sendConfirmation(String msg) {}
5:     public String reserve(Product pro) {}
6: }
7:
```

And the code fragment:

```
8: @Stateless
9:
10: public class Shop {
11:     @EJB private Warehouse war;
12:
13:     public void purchase(Product pro) {
14:         String confirmationCode = war.reserve(pro);
15:         war.sendConfirmation(confirmationCode);
16:     }
17: }
```

The sendConfirmation() and reserve() methods should be executed in the same transactional context. Which transaction attributes do you ensure this?

- A. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRES\_NEW) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.MANDATORY) at line 12
- B. No additional annotations are required.
- C. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRED) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES\_NEW) at line 12
- D. Add annotations: @TransactionAttribute (TransactionAttributeType.MANDATORY) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES\_NEW) at line 12

**Answer: D**

#### NEW QUESTION 84

Your client wants the purchasers to be able to run the min-max for items under their control and then manage the POs created out of these. Which parameters can they use to be able to do this?

- A. Planning Level
- B. Sort by
- C. From Item to Item
- D. From Buyer to Buyer
- E. From Planner to Planner

**Answer: C**

#### NEW QUESTION 87

Given the code fragment:

```
public class Bean {  
}  
  
@SessionScoped  
public class Service {  
    @Inject  
    private Bean bean;  
}
```

Assuming this bean is used only in the code fragment above, how long will the injected Bean instance be available?

- A. for the lifetime of the enterprise application
- B. for the lifetime of the request
- C. for the lifetime of the session
- D. for the lifetime of the Service object

**Answer:** D

#### NEW QUESTION 91

Given the code fragments:

```
//line 1  
public class ContactId implements Serializable {  
    private String countryCode;  
    private String phoneNumber;  
    // remaining implementation  
}
```

```
@Entity  
//line 2  
public class Contact implements Serializable {  
    @NotNull  
    @Id  
    protected String countryCode;  
    @NotNull  
    @Id  
    protected String phoneNumber;  
    // remaining implementation  
}
```

Which action completes this composite primary key implementation?

- A. Add @IdClass annotation at line 1.
- B. Add @Embeddable annotation at line 1 and replace both @Id annotations with @EmbeddedId annotations.
- C. Add @IdClass(ContactId.class) annotation at line 2.
- D. Add @Embeddable annotation at line 1 and @EmbeddedId(ContactId.class) at line 2.

**Answer:** D

#### NEW QUESTION 96

In Supply Chain Orchestration, Automated Change Management performs which two functions?

- A. change to need by dates of a purchase order
- B. splitting of a sales order
- C. changing the ship method on a sales order
- D. change to item attributes
- E. changing the supplier on a purchase order

**Answer:** AB

#### NEW QUESTION 97

Which statement is true about Java methods that are exposed as Web Service operations by using JAX-WS API?

- A. The @WebResult annotation must exist.
- B. Method parameters and return types must be JAXB compatible.
- C. Method parameters must be declared by using @WebParam.
- D. The @WebMethod annotation must exist.

**Answer:** D

#### NEW QUESTION 100

You created two filters for your web application by using the @WebFilter annotation, one for authorization and the other for narrowing results by the provided search criteria. The authorization filter must be invoked first.  
How can you specify this?

- A. setting the priority attribute of the @WebFilter annotation for each of the filters
- B. placing the filter mapping elements in the required order in the web.xml deployment descriptor
- C. placing @WebFilterMapping annotations in the required order
- D. specifying the filter precedence order by using the @Priority annotation

**Answer:** A

#### NEW QUESTION 104

Which three statements are true for an expense destination transfers that does NOT require a receipt at destination inventory organization?

- A. There is no cost associated to the transaction.
- B. There is no put away transaction in Inventory since the item is expensed.
- C. A receipt is required on interorganization expense destination transfer orders between the from and to organizations.
- D. The transfer order is considered received and delivered at the time of shipment.
- E. The destination inventory is not incremented.

**Answer:** ABE

#### NEW QUESTION 109

What are two outcomes when a lot expires on an item with lot control enabled?

- A. It remains an inventory, but is not considered on-hand when the user is performing min-max or reorder point planning calculations.
- B. It is issued out of stores.
- C. It cannot be transacted.
- D. It is not included in cycle counts.
- E. It cannot be reserved for a date beyond the expiration date.

**Answer:** AE

#### NEW QUESTION 111

Given the code fragment:

```
public void onMessage(Message msg) {  
    try {  
        // get property names  
    } catch (Exception e) {  
    }  
}
```

How can you get all property names of a JMS message in the JMS consumer onMessage operation?

- A. String [] props = msg.getPropertyNames();
- B. Enumeration props = msg.getPropertyNames();. Iterator props = msg.getPropertyNames();
- C. List<String> props = msg.getProperties();

**Answer:** A

#### NEW QUESTION 114

Your class requires multiple resources defined, as shown in the following:

```
@<XXXX> ( {  
    @Resource(name="aFactory",  
               type="javax.jms.ConnectionFactory"),  
    @Resource(name="aSession",  
               type="javax.mail.Session">  
}))
```

Which annotation do you use to group multiple @Resource declarations together for class-based injection, replacing <XXXX> in the code above?

- A. @Resources
- B. @Resource
- C. @ResourceGroup
- D. @ResourceCollection

**Answer:** B

#### NEW QUESTION 116

Which annotation allows a request to be executed with another Principal's identity?

- A. It is not possible to execute a request with another Principal's identity.
- B. @UseIdentity
- C. @RolesAllowed
- D. @Runs

**Answer:** C

#### NEW QUESTION 118

Your client has decided that Discrete Manufacturing will be implemented at a future stage, so any new supply from current manufacturing will be added to current

inventory by the Open Transactions Interface. The immediate requirement is to go live with Inventory and Order Management. Which two seeded transaction types can be omitted for material status control?

- A. All Transaction Types Related to Work in Process
- B. Average Cost Update
- C. Backflush Subinventory Transfer
- D. Miscellaneous Issues and Receipts
- E. All Internal Transactions

**Answer:** AC

#### **NEW QUESTION 122**

The Applications Development Framework Desktop Integration (ADFdi) user interface is supported in Oracle Fusion Receiving, Inventory Management, and Shipping products.

Identify four ADFdi user interfaces that are supported.

- A. Upload ASN or ASBN
- B. Manage Lot/Serial Interface
- C. Manage Inventory Transaction Correction in Spreadsheet
- D. Review Receipts Interface
- E. Review Count Interface Records
- F. Manage Shipment Message Interface

**Answer:** BCDF

#### **NEW QUESTION 123**

How can you configure, in a portable way, the number of threads used by a ManagedExecutorService?

- A. programmatically, using a ManagedExecutorService
- B. using the ManagedExecutors utility class to define the execution properties
- C. This cannot be done because this configuration is dependent on the Java EE Product Provider.
- D. configuring the thread pool info in the deployment descriptor

**Answer:** A

#### **NEW QUESTION 124**

.....

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.



### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!



#### NEW QUESTION 1

You have a set up min-max planning at the subinventory level with the following to source item AS12312 for Organization: M1:

-  Source Type: Organization
-  Organization: M1

What type of supply request will be generated?

- A. Movement request
- B. Internal Requisition
- C. Purchase Requisition
- D. None; this is an invalid setup
- E. Intraorganization transfer order

**Answer:** E

#### NEW QUESTION 2

You need to load on-hand balances for go live. Which template should be used for this?

- A. InventoryBalanceImportTemplate.xlsm
- B. InventoryReservationImportTemplate.xlsm
- C. InventoryTransactionImportTemplate.xlsm
- D. InventoryOnHandBalanceTemplate.xlsm
- E. InventoryMiscellaneousTrxTemplate.xlsm

**Answer:** C

#### NEW QUESTION 3

Which class do you use to handle an incoming JSON Message as a stream?

- A. JsonReader
- B. JsonObjectBuilder
- C. JsonParser
- D. JsonObject

**Answer:** A

#### NEW QUESTION 4

Identify the availability type that is applicable for the item quantities maintained in a unit of measure different from the primary unit of measure and is available for various transactions.

- A. Available
- B. Secondary Available Quantity
- C. Reserved
- D. Secondary On-hand Quantity
- E. On Hand

**Answer:** B

#### NEW QUESTION 5



Which two options constitute the rights and responsibilities of a legal Entity?

- A. Account for themselves to regulations, taxation authorities, and owners according to rules specified in the relevant legislation
- B. Facilitate resource allocation
- C. Manage warehouses
- D. Create opportunities for new business
- E. Own property

**Answer:** AE

#### NEW QUESTION 6

The physical inventory process is carried out for a particular inventory organization with the following parameters:

-  Negative quantity Tolerance Percentage is set to 10%
-  Approval Type = 'Always'

The system says that there are 100 on band, but you only counted 95. What will happen?

- A. The setup is invalid; it will give an error message.
- B. Because the 95 is within the 10% tolerance, it will post without approval.
- C. The system will ask a user to recount before posting.
- D. An approval will be required before posting.

**Answer:** B

#### NEW QUESTION 7

Given the code fragments:

```
@Stateless
public class HRService {
    @PersistenceContext(unitName="HRApp-PU")
    private Employee findEmployee(String badgeId) {
        return entityManager.find(Employee.class, badgeId);
    }
    public void updateEmployee(Employee emp) {
        //add code here
    }
}

@WebServlet(name="HR", urlPatterns={"/hr"})
public class HRServlet extends HttpServlet {
    @EJB
    private HRService hrService;
    public void doGet(HttpServletRequest req, HttpServletResponse res)
        throws ServletException, IOException {
        String badgeId = req.getParameter("badge");
        String name = req.getParameter("name");
        Employee emp = hrService.findEmployee(badgeId);
        emp.setName(name);
        hrService.updateEmployee(emp);
    }
}
```

What code should you add to the body of the updateEmployee method in order to save pending changes to the database?

- A. entityManager.merge(emp);
- B. Context
- C. Ctx = new InitialContext(); UserTransaction utx = (UserTransaction)ctx.lookup("java:comp/UserTransaction"); utx.begin(); entityManager.merge(emp); utx.c  
entityManager.lock(emp); EntityManager.merge(emp);
- D. entityManager.getTransaction().begin(); entityManager.merge(emp); entityManager.getTransaction().comm

**Answer:** B

#### NEW QUESTION 8

Your customer has defined three business units: two of the them require the same set of receivables payment terms whereas the third needs a separate set of receivables payment terms.

How will you receive this requirement?

- A. Define one data set with common payment terms and exclude the payment terms feature from the third business unit.
- B. Define one reference data set and modify the business unit security.
- C. Define two reference data sets, assign the first set to the two business units which will share the same payment terms and second set to the business unit which need separate payment terms.
- D. Define three reference data sets and assign each data set to each business unit.

**Answer:** C

#### NEW QUESTION 9

Given:

```
1:    @Stateless
2:    public class AlarmManager {
3:        @Resource
4:        private TimerService timerService;
5:        public void createAlarm(Date alarmDate) {
6:            Alarm myAlarm = new Alarm();
7:            TimerConfig config = new TimerConfig();
8:            config.setInfo(myAlarm.getId());
9:
10:       }
11:       @Timeout
12:       public void handleTimeout(Timer myTimer) {
13:           int alarmId = {int}myTimer.getInfo();
14:           showAlarmMessage(alarmId);
15:       }
16:   }
```

You are creating an Alarm management system. When you create a new alarm, you want it to create an alert that is triggered once at the specified time. Which method should you call on Line 9 to create the timer?

- A. timerService.createCalendarTimer(alarmDate, config);
- B. timerService.createSingleActionTimer(alarmDate, config);
- C. timerService.createIntervalTimer(alarmDate, -1, config);
- D. timerService.createTimer(alarmDate, -1, config);

**Answer: D**

#### NEW QUESTION 10

You defined an Inventory Organization that is meant to track the contract manufacturing process outsourced to a supplier. Where do you mention that this Inventory Organization is meant for one particular supplier?

- A. Manage Inventory Organization Locations
- B. Manage Subinventories
- C. Manage Inventory Organizations
- D. Manage Contract Manufacturing Relationships
- E. Manage Item Organizations

**Answer: C**

#### NEW QUESTION 10

Given:

```
@Path("Employees")
@Produces({MediaType.APPLICATION_JSON})
public class EmployeesResource {
    @Inject
    private EmployeeManager em;
    @GET
    public List<Employee> findAll() {
        return em.findAllEmployees();
    }
}
```

What will be the response to a HEAD request?

- A. The findAll() method will be called and the employee list will be returned.
- B. The findAll() method will be called and no employees will be returned.
- C. No method will be invoked and no error will be returned.
- D. No method will be invoked and a 404 error will be returned.

**Answer: C**

#### NEW QUESTION 15

You have a high value item that you want to audit on an unscheduled basis to deter pilfering. Which method would you use to do this?

- A. ABC Count
- B. Physical Inventory Count
- C. Automated Cycle Count
- D. Manual Cycle Count
- E. Blind Inventory Count

**Answer: D**

#### NEW QUESTION 16

What is true about Message-Driven Beans (MDBs)?

- A. MDBs can participate in transactions.
- B. MDBs are invoked synchronously.
- C. Each MDBs can process messages only from a single client.
- D. MDBs retain data caches between client calls.

**Answer:** A

#### NEW QUESTION 21

Your customer wants to transfer material from facility A to facility B. They are using the interorganization transfer to perform the transaction in the system. Their requirement is “whenever material is transferred from their facility A to facility B, facility B needs to pay 5% additional amount to the current item cost”. Which task must be set up to accomplish this requirement?

- A. Manage Interorganization Markup
- B. Manage Transfer Pricing Rules
- C. Manage Cost Plus Pricing
- D. Manage Cost Organization Relationships
- E. Manage Organization Relationships

**Answer:** D

#### NEW QUESTION 22

Your organization is using min-max planning to replenish stock and the planning parameters are set at item organization level with a default subinventory.

Item: A, Min Qty: 25, Max Qty: 150 and Current Level: 20

The item above is purchased from a supplier. Although there is subinventory on hand, the subinventory is below the minimum required level. This should trigger a Min-Max report entry, but the requisition is not generated. Why?

- A. Fixed lot multiplier is not set.
- B. No value has been set for the “Min-Max Replenishment Reorder Approval” profile.
- C. Min-Max planning can be performed at the Organization level.
- D. Rounding the Reorder Quantity is disabled.
- E. Item is not defined in Manage Item Subinventories.

**Answer:** E

#### NEW QUESTION 27

Given the code fragment:

```
@Resource(lookup = "java:comp/DefaultJMSConnectionFactory")
private ConnectionFactory cf;
@Resource(lookup = "jms/MyTopic")
private Topic topic;
public void action() {
    try (JMSContext ctx =
        cf.createContext(JMSContext.SESSION_TRANSACTED);) {
        JMSConsumer c1 = ctx.createConsumer(topic, "(grade > 50)");
        JMSConsumer c2 = ctx.createConsumer(topic, "(grade <= 50)");
    }
}
```

How are transactions managed?

- A. through a single shared transaction across the connection factory
- B. through a separate transaction per JMS Consumer
- C. through a single transaction for the entire JMS Topic
- D. through a single shared transaction in the JMS Context

**Answer:** D

#### NEW QUESTION 31

Given the code fragment:

```
<servlet-mapping>
    <servlet-name>firstServlet</servlet-name>
    <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>secondServlet</servlet-name>
    <url-pattern>*</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>thirdServlet</servlet-name>
    <url-pattern>*</url-pattern>
</servlet-mapping>
```



When the context root is requested `http://host:port/context`, how does the container resolve this mapping?

- A. `thirdServlet` handles the request.
- B. `firstServlet` handles the request.
- C. The container throws an error at startup.
- D. `secondServlet` handles the request.

**Answer:** C

#### NEW QUESTION 34

Which statement is true about the WS-Security standard?

- A. It is a Java EE standard for protecting SOAP services.
- B. It relies on HTTP security mechanism to protect SOAP messages in transit.
- C. It provides message-level security.
- D. It defines protocol-specific ways of protecting SOAP messages.

**Answer:** C

#### NEW QUESTION 35

Given the code fragment:

```
1. JAXBContext jc = JAXBContext.newInstance( "com.oracle.foo" );
2. Unmarshaller u = jc.createUnmarshaller();
3.
4. InputStream in = new FileInputStream("fooStuff.xml");
5. Object o = u.unmarshal ( in );
```

Which method should be used on line 3 to enable default validation mechanism?

- A. `u.setProperty(String, Object)`
- B. `u.setProperty(Schema)`
- C. `u.setEventHandler(ValidationEventHandler)`
- D. `u.setAdapter(XmlAdapter)`

**Answer:** D

#### NEW QUESTION 36

Your supplier sent you stock against a consigned agreement. You transferred the stock to owned and generated a consumption advice. An invoice was raised by the supplier and the payment made. A few days after using some of the quantities of the stock, you realized that some of the stock sent by the supplier is not of suitable quality and you need to send the stock back.

What is the process of returning the material?

- A. You have to cancel the invoice and send the material back without changing the ownership.
- B. Return the material and create a debit memo for the supplier.
- C. You cannot return consigned items that are invoiced and paid.
- D. Treat the material as scrap.
- E. You have to transfer the ownership of item and perform the return transaction.

**Answer:** B

#### NEW QUESTION 38

Given the code fragment from a Facelet page:

```
<ui:composition xmlns="http://www.w3.org/1999/xhtml"
    xmlns:h="http://xmlns.jcp.org/jsf/html"
    xmlns:pt="http://xmlns.jcp.org/jsf/passthrough"
    xmlns:f="http://xmlns.jcp.org/jsf/core"
    xmlns:jsf="http://xmlns.jcp.org/jsf"
    xmlns:ui="http://java.sun.com/jsf/facelets">
    <h:form id="searchForm">
        <!-- Line 1 -->
        <h:commandButton value="Search"
            action="#{searchMB.search}"/>
    </h:form>
</ui:composition>
```

On Line 1, you are asked to insert a search box that displays the text "Search Here" via a placeholder.

Assume `searchMB` is a valid Managed Bean.

Which two options enable you to create a search box with a placeholder attribute on Line 1? (Choose two.)

- A. `<h:inputText value="#{searchMB.query}"><f:param name="placeholder" value="Search Here"/></h:inputText>`
- B. `<h:inputText value="#{searchMB.query}" placeholder="Search here"/>`
- C. `<input jsf:id="search" placeholder="Search here" jsf:value="#{searchMB.query}"></input>`
- D. `<h:inputText pt:placeholder="Search Here" value="#{searchMB.query}">`
- E. `<input id="search" jsf:placeholder="Search Here" value="#{searchMB.query}"></input>`



**Answer:** CE

#### NEW QUESTION 41

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

**Answer:** D

#### NEW QUESTION 46

Given the set of navigation rules:

```
<navigation-rule>
  <from-view-id>list-widgets</from-view-id>
  <navigation-case>
    <from-outcome>add</from-outcome>
    <to-view-id>add-widget</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>*</from-view-id>
  <navigation-case>
    <from-outcome>home</from-outcome>
    <to-view-id>home</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>logout</from-outcome>
    <to-view-id>goodbye</to-view-id>
  </navigation-case>
</navigation-rule>
<navigation-rule>
  <from-view-id>home</from-view-id>
  <navigation-case>
    <from-outcome>dashboard</from-outcome>
    <to-view-id>dashboard</to-view-id>
  </navigation-case>
  <navigation-case>
    <from-outcome>list</from-outcome>
    <to-view-id>list-widgets</to-view-id>
  </navigation-case>
</navigation-rule>
```

Which two define a valid flow of view IDs through the application? (Choose two.)

- A. home > goodbye > list-widgets
- B. dashboard > home > add-widget > list-widgets
- C. list-widgets > add-widget > home > dashboard > home
- D. home > list-widgets > add-widget > goodbye

**Answer:** CD

#### NEW QUESTION 50

You face a supply request exception due to some reason. You realize that you need to make some changes to the Manage Supply Request Exceptions page. Which action will you perform?

- A. The supply request cannot be update
- B. The only way is to resolve the error in the source application and resubmit the request.
- C. The supply request can be updated using a third-party application only.
- D. Update the supply request and submit i
- E. The errors will be resolved automatically.
- F. Update the supply request and make sure errors are resolved before resubmitting it.

**Answer:** A

#### NEW QUESTION 52

Given the JPQL code fragment:

Select pub.title, pub.author, pub.pages FROM Publisher pub

Which two clauses do you add to this JPQL query to retrieve only those books with between 500 and 750 total pages? (Choose two.)

- A. WHERE MIN(pages) >= 500 AND MAX(pages) <= 750
- B. WHERE pub.pages <= 500 OR pub.pages >= 750

- C. WHERE pub.pages BETWEEN 500 AND 750
- D. WHERE pub.pages <= 500 AND pub.pages >=750

**Answer:** AB

#### NEW QUESTION 57

You have orders that were due for shipping last week, but as for now they have not been shipped. Which dashboard should you check at the end of the day to determine which orders have been shipped?

- A. Past Due Shipments
- B. Orders Completed in Full
- C. Past Due, Completed Today
- D. Due Today, Not Completed
- E. Past Due, Not Completed

**Answer:** B

#### NEW QUESTION 60

Which action invokes supply chain orchestration and transfer of data to supply chain orchestration Interface tables?

- A. creating Purchase Order Receipt
- B. running a scheduled process called "Create Transactions"
- C. running Min-Max Planning
- D. creating a new Inventory Organization for execution of supply chain orchestration

**Answer:** C

#### NEW QUESTION 64

Identify three statements that are true about reservations in back-to-back processing.

- A. Partial fulfillment of reservations is supported.
- B. Changes to reservation in Oracle Logistics Cloud leads to exceptions, which are displayed in the Supply Chain Orchestration work area.
- C. Reservations cannot be created for back-to-back On Hand supply orders.
- D. One reservation is created for a demand and supply.
- E. Reservation supplies that can be reserved are Purchase Orders, Transfer Orders, Work Orders, and On Hand inventory.

**Answer:** BDE

#### NEW QUESTION 67

Which three applications originate a buy request that is received by supply chain orchestration?

- A. Purchasing
- B. Inventory
- C. Order Management
- D. Planning
- E. Self Service Procurement
- F. Accounts Payable

**Answer:** BCD

#### NEW QUESTION 68

Identify two valid WebSocket message types for which you can register handlers. (Choose two.)

- A. Error Message
- B. Binary Message
- C. Pong Message
- D. Ping Message

**Answer:** BC

#### NEW QUESTION 71

Which type allows you to share servlet attributes across your entire web application?

- A. ServletContext
- B. HttpSession
- C. ServletRequest
- D. ServletConfig

**Answer:** A

#### NEW QUESTION 76

Given:

```
public class AppException extends Exception {}
```

```
@Stateless
public class CustomerService {
    @TransactionAttribute(TransactionAttributeType.REQUIRED)
    public boolean addCustomer(int id, String name throws AppException {
        // assume database insert operation succeeds
        Customer c = insertIntoDB(id, name);
        if(id < 20) {
            throw new AppException();
        }
    }
}
```

If an exception is thrown inside the if block, what effect will it have on the transaction?

- A. The transaction will be committed.
- B. The transaction will be suspended.
- C. The transaction will be rolled back.

**Answer: C**

#### NEW QUESTION 79

Give the code fragment:

```
1: @Stateless
2:
3: public class Warehouse {
4:     public void sendConfirmation(String msg) {}
5:     public String reserve(Product pro) {}
6: }
7:
```

And the code fragment:

```
8: @Stateless
9:
10: public class Shop {
11:     @EJB private Warehouse war;
12:
13:     public void purchase(Product pro) {
14:         String confirmationCode = war.reserve(pro);
15:         war.sendConfirmation(confirmationCode);
16:     }
17: }
```

The sendConfirmation() and reserve() methods should be executed in the same transactional context. Which transaction attributes do you ensure this?

- A. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRES\_NEW) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.MANDATORY) at line 12
- B. No additional annotations are required.
- C. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRED) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES\_NEW) at line 12
- D. Add annotations: @TransactionAttribute (TransactionAttributeType.MANDATORY) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES\_NEW) at line 12

**Answer: D**

#### NEW QUESTION 84

Your client wants the purchasers to be able to run the min-max for items under their control and then manage the POs created out of these. Which parameters can they use to be able to do this?

- A. Planning Level
- B. Sort by
- C. From Item to Item
- D. From Buyer to Buyer
- E. From Planner to Planner

**Answer: C**

#### NEW QUESTION 87

Given the code fragment:

```
public class Bean {  
}  
  
@SessionScoped  
public class Service {  
    @Inject  
    private Bean bean;  
}
```

Assuming this bean is used only in the code fragment above, how long will the injected Bean instance be available?

- A. for the lifetime of the enterprise application
- B. for the lifetime of the request
- C. for the lifetime of the session
- D. for the lifetime of the Service object

**Answer:** D

#### NEW QUESTION 91

Given the code fragments:

```
//line 1  
public class ContactId implements Serializable {  
    private String countryCode;  
    private String phoneNumber;  
    // remaining implementation  
}
```

```
@Entity  
//line 2  
public class Contact implements Serializable {  
    @NotNull  
    @Id  
    protected String countryCode;  
    @NotNull  
    @Id  
    protected String phoneNumber;  
    // remaining implementation  
}
```

Which action completes this composite primary key implementation?

- A. Add @IdClass annotation at line 1.
- B. Add @Embeddable annotation at line 1 and replace both @Id annotations with @EmbeddedId annotations.
- C. Add @IdClass(ContactId.class) annotation at line 2.
- D. Add @Embeddable annotation at line 1 and @EmbeddedId(ContactId.class) at line 2.

**Answer:** D

#### NEW QUESTION 96

In Supply Chain Orchestration, Automated Change Management performs which two functions?

- A. change to need by dates of a purchase order
- B. splitting of a sales order
- C. changing the ship method on a sales order
- D. change to item attributes
- E. changing the supplier on a purchase order

**Answer:** AB

#### NEW QUESTION 97

Which statement is true about Java methods that are exposed as Web Service operations by using JAX-WS API?

- A. The @WebResult annotation must exist.
- B. Method parameters and return types must be JAXB compatible.
- C. Method parameters must be declared by using @WebParam.
- D. The @WebMethod annotation must exist.

**Answer:** D

#### NEW QUESTION 100

You created two filters for your web application by using the @WebFilter annotation, one for authorization and the other for narrowing results by the provided search criteria. The authorization filter must be invoked first.

How can you specify this?

- A. setting the priority attribute of the @WebFilter annotation for each of the filters
- B. placing the filter mapping elements in the required order in the web.xml deployment descriptor
- C. placing @WebFilterMapping annotations in the required order
- D. specifying the filter precedence order by using the @Priority annotation

**Answer:** A

#### NEW QUESTION 104

Which three statements are true for an expense destination transfers that does NOT require a receipt at destination inventory organization?

- A. There is no cost associated to the transaction.
- B. There is no put away transaction in Inventory since the item is expensed.
- C. A receipt is required on interorganization expense destination transfer orders between the from and to organizations.
- D. The transfer order is considered received and delivered at the time of shipment.
- E. The destination inventory is not incremented.

**Answer:** ABE

#### NEW QUESTION 109

What are two outcomes when a lot expires on an item with lot control enabled?

- A. It remains an inventory, but is not considered on-hand when the user is performing min-max or reorder point planning calculations.
- B. It is issued out of stores.
- C. It cannot be transacted.
- D. It is not included in cycle counts.
- E. It cannot be reserved for a date beyond the expiration date.

**Answer:** AE

#### NEW QUESTION 111

Given the code fragment:

```
public void onMessage(Message msg) {  
    try {  
        // get property names  
    } catch (Exception e) {  
    }  
}
```

How can you get all property names of a JMS message in the JMS consumer onMessage operation?

- A. String [] props = msg.getPropertyNames();
- B. Enumeration props = msg.getPropertyNames();. Iterator props = msg.getPropertyNames();
- C. List<String> props = msg.getProperties();

**Answer:** A

#### NEW QUESTION 114

Your class requires multiple resources defined, as shown in the following:

```
@<XXXX> ( {  
    @Resource(name="aFactory",  
               type="javax.jms.ConnectionFactory"),  
    @Resource(name="aSession",  
               type="javax.mail.Session">  
}))
```

Which annotation do you use to group multiple @Resource declarations together for class-based injection, replacing <XXXX> in the code above?

- A. @Resources
- B. @Resource
- C. @ResourceGroup
- D. @ResourceCollection

**Answer:** B

#### NEW QUESTION 116

Which annotation allows a request to be executed with another Principal's identity?

- A. It is not possible to execute a request with another Principal's identity.
- B. @UseIdentity
- C. @RolesAllowed
- D. @Runs

**Answer:** C

#### NEW QUESTION 118

Your client has decided that Discrete Manufacturing will be implemented at a future stage, so any new supply from current manufacturing will be added to current



inventory by the Open Transactions Interface. The immediate requirement is to go live with Inventory and Order Management. Which two seeded transaction types can be omitted for material status control?

- A. All Transaction Types Related to Work in Process
- B. Average Cost Update
- C. Backflush Subinventory Transfer
- D. Miscellaneous Issues and Receipts
- E. All Internal Transactions

**Answer:** AC

#### NEW QUESTION 122

The Applications Development Framework Desktop Integration (ADFdi) user interface is supported in Oracle Fusion Receiving, Inventory Management, and Shipping products.

Identify four ADFdi user interfaces that are supported.

- A. Upload ASN or ASBN
- B. Manage Lot/Serial Interface
- C. Manage Inventory Transaction Correction in Spreadsheet
- D. Review Receipts Interface
- E. Review Count Interface Records
- F. Manage Shipment Message Interface

**Answer:** BCDF

#### NEW QUESTION 123

How can you configure, in a portable way, the number of threads used by a ManagedExecutorService?

- A. programmatically, using a ManagedExecutorService
- B. using the ManagedExecutors utility class to define the execution properties
- C. This cannot be done because this configuration is dependent on the Java EE Product Provider.
- D. configuring the thread pool info in the deployment descriptor

**Answer:** A

#### NEW QUESTION 124

.....

## Relate Links

**100% Pass Your 1z0-900 Exam with ExamBible Prep Materials**

<https://www.exambible.com/1z0-900-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>