

ANS-C00 Dumps

AWS Certified Advanced Networking Specialty Exam

<https://www.certleader.com/ANS-C00-dumps.html>



NEW QUESTION 1

You have just provisioned a new VPC with a CIDR block of 172.16.12.0/24. The entire CIDR block is fully utilised by subdividing it into 6 subnets, we will refer to these as Subnet1 through to Subnet6.

The first 2 subnets (Subnet1 and Subnet2) are the same size. The last 4 subnets (Subnet3, Subnet4, Subnet5, Subnet6) are also the same size. Subnet5 is half the size of Subnet2. The address space occupied by the first two subnets is contiguous, as is the address space occupied by the last 4 subnets. Within Subnet3 AWS reserves the address 172.16.12.129 for the VPC router. Select the correct IP address reserved by AWS for DNS in the Subnet2.

- A. 172.16.64.1
- B. 172.16.64.65
- C. 172.16.12.66
- D. 172.16.12.64

Answer: C

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Subnets.html

NEW QUESTION 2

Select the VPC Peering statement below that is NOT true

- A. VPC peering supports transitive peering relationships for IPv6 traffic but not IPv4
- B. VPC peering can be performed between VPCs in different AWS accounts in the same region
- C. TCP connections can be performed between peered VPCs
- D. UDP connections can be performed between peered VPCs

Answer: A

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/vpc-peering-basics.html#vpcpeering-limitations>

NEW QUESTION 3

Select the answer/s that correctly state how Jumbo Frames work

- A. Jumbo Frames assist with application disk storage
- B. Jumbo Frames can assist with application performance
- C. Jumbo Frames are supported across Virtual Private Gateway connections
- D. Jumbo Frames are enabled by increasing the MTU size to 9000 kilobytes

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 4

You are your company's AWS cloud architect. You have created a VPC topology that consists of 3

VPCs. You have a centralised VPC (VPC-Shared) that provides shared services to the remaining 2 departmental dedicated VPCs (VPC-Dept1 and VPC-Dept2).

The centralised VPC is VPC peered to both of the departmental VPCs, that is a VPC peering connection exists between VPC-Shared and VPC-Dept1, and a VPC peering connection exists between VPC-Shared and VPC-Dept2. Select the correct option from the list below.

- A. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been disabled.
- B. Instances within VPC-Dept1 can communicate directly with instances in VPC-Shared, as long as the appropriate routes and security groups are in place, and vice versa regardless of who initiates communication
- C. All network communication remains blocked between all VPCs until the respective peering bidirectional communication flags are set to the appropriate setting that allows traffic to flow.
- D. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been enabled.

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-partialaccess.html#one-to-two-vpcs-instances>

NEW QUESTION 5

In your current role as the corporate network architect - you have decided to replace your existing hardware firewall appliances with a pair of Juniper SRX-Series Services Gateways. You have chosen these as AWS lists these as supportable devices for establishing IPsec connections. With this in mind, select the minimum set of options to ensure that you can establish IPsec connectivity between your on premise private corporate network and your AWS hosted VPC. Select which option is NOT required

- A. Initiate network connections from somewhere within your corporate network, this is required to bring the tunnels UP
- B. Deploy a Customer Gateway within your corporate network
- C. Deploy a Customer Gateway within your VPC
- D. Deploy a Virtual Private Gateway within your VPC

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 6

The IPsec protocol suite is made up of various components covering aspects such as confidentiality, encryption, and integrity. Select the correct statement below regarding the correct configuration options for ensure IPsec confidentiality:

- A. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, MD5
- B. The following protocols may be used to configure IPsec confidentiality, DES, 3DES, AES
- C. The following protocols may be used to configure IPsec confidentiality, PSK, RSA
- D. The following protocols may be used to configure IPsec confidentiality, PSK, MD5
- E. The following protocols may be used to configure IPsec confidentiality, PSK, RSA

Answer: B

Explanation:

Reference:
<https://en.wikipedia.org/wiki/IPsec>

NEW QUESTION 7

Considering the rules of IPv4 subnetting, how many subnets and hosts per subnet are possible given the following network 192.168.130.130/28? (in this question ignore the fact that AWS reserves 5 IP addresses)

- A. 8 subnets and 30 hosts per subnet
- B. 16 subnets and 14 hosts per subnet
- C. 32 subnets and 30 hosts per subnet
- D. 8 subnets and 14 hosts per subnet

Answer: B

Explanation:

Reference:
https://en.wikipedia.org/wiki/IPv4_subnetting_reference

NEW QUESTION 8

You have been tasked with migrating your company's proprietary massively large dataset sorting application to AWS. The application currently runs on 4 highly spec'd servers that are in a cluster arrangement and runs 24x7, with the average CPU utilisation across any 24hr period being approx 85% - the migration of this cluster once up and running on AWS is expected to run similarly. The servers shuffle data internally and between themselves. Your company's financial performance is entirely dependent on the speed at which it can sort your customers datasets, that is the faster a sorted result can be returned the better your company's bottom line. Of the choices presented below, select the optimal network configuration that will ensure the best financial results for your company.

- A. Disable Jumbo Frames to ensure better data throughput between instances
- B. Enable Jumbo Frames to ensure better data throughput between instances
- C. Create an autoscaled group of c4.8xlarge instances - with min 1 and max 4 - this will ensure your operational costs a minimal
- D. Configure a CloudWatch Alarm to add more CPUs to the instances when average cluster CPU utilisation breaches 85%

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 9

In AWS Direct Connect, which of the following is true of configuring your router to connect to the AWS Direct Connect router?

- A. After creating a virtual interface for your AWS Direct Connect connection, you can download the router configuration file from the available link
- B. After Completing the Cross Connect step, the download link for router configuration will be available
- C. After submitting your AWS Direct Connect connection request, you will receive the router configuration details by email within 72 hours
- D. In Create a Virtual Interface step, the general configuration of your router would be available for downloading.

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#routerconfig>

NEW QUESTION 10

Does Amazon VPC support multicast or broadcast?

- A. Yes, both.
- B. It doesn't support any of them.
- C. Multicast yes, Broadcast no.
- D. Both, but only outside Amazon VP

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 10

By default, all AWS accounts are limited to EIPs, because public (IPv4) Internet addresses are a scarce public resource.

- A. 5
- B. 8
- C. 6
- D. 2

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>

NEW QUESTION 15

A user has created a VPC with CIDR 20.0.0.0/16 with only a private subnet and VPN connection using the VPC wizard. The user wants to connect to the instance in a private subnet over SSH. How should the user define the security rule for SSH?

- A. The user can connect to a instance in a private subnet using the NAT instance
- B. The user has to create an instance in EC2 Classic with an elastic IP and configure the security group of a private subnet to allow SSH from that elastic IP
- C. Allow Inbound traffic on port 22 from the user's network
- D. Allow Inbound traffic on port 80 and 22 to allow the user to connect to a private subnet over the internet

Answer: C

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_Scenario4.html

NEW QUESTION 17

In Amazon CloudFront, you cannot configure CloudFront to process cookies for _____.

- A. HTTPS web distributions
- B. Web and RTMP distributions
- C. RTMP distributions
- D. HTTP web distributions

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 18

For _____ distributions, CloudFront does not cache cookies in edge caches.

- A. AMI
- B. Web
- C. RTMP
- D. Web and RTMP

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 19

For web distributions in Amazon CloudFront, your origin can be either an Amazon S3 bucket or _____ .

- A. a DNS server
- B. a proxy server
- C. an FTP server
- D. an HTTP server

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-overview.html>

NEW QUESTION 24

Which of the following is true when you don't configure Amazon CloudFront to forward cookies to your origin?

- A. CloudFront removes the Cookie header from requests that it forwards to your origin.
- B. CloudFront disables viewer requests to your origin, including all cookies.
- C. CloudFront caches your objects based on cookie values.
- D. CloudFront automates code deployments to any instanc

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 25

What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

- A. Unlimited
- B. 5 GB
- C. 100 MB
- D. 20 GB

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorS3Origin.html#ResponseBehaviorS3Origin>

NEW QUESTION 30

In Amazon CloudFront, which of the following is true of Smooth Streaming?

- A. It is a Microsoft format for streaming of media files.
- B. It is a CloudFront format for streaming of media files in RTMP distribution.
- C. It is the Adobe format for streaming of media files.
- D. It is a CloudFront format for streaming of media files in web distributio

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/on-demand-streamingsmooth.html>

NEW QUESTION 35

To directly manage your CloudTrail security layer, you can use _____ for your CloudTrail log files.

- A. SSE-S3
- B. SCE-KMS
- C. SCE-S3
- D. SSE-KMS

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/awscloudtrail/latest/userguide/encrypting-cloudtrail-log-files-withaws-kms.html>

NEW QUESTION 38

What service is used to store the log files generated by CloudTrail?

- A. EC2
- B. EBS
- C. S3
- D. VPC

Answer: C

Explanation:

Reference: <https://aws.amazon.com/cloudtrail/>

NEW QUESTION 40

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. inputParameters
- B. invokingEvent
- C. ruleConfiguration
- D. mappingTemplate

Answer: A

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 43

An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____, which can include a combination of a resource type and a resource ID, for example.

- A. trigger
- B. domain
- C. manifest
- D. scope

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

NEW QUESTION 48

Which other AWS service is used to track 'Related Events' within the Configuration Item?

- A. AWS WAF
- B. SQS
- C. AWS CloudTrail
- D. S3

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/resource-config-reference.html#configitem-table>

NEW QUESTION 50

Non-compliant resources identified through the use of AWS Config Rules are automatically removed from operational service.

- A. It depends on the Rule configuration
- B. Only if it remains non-compliant for more than 6 hours
- C. True
- D. False

Answer: D

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 53

Each custom AWS Config rule you create must be associated with a(n) AWS _____, which contains the logic that evaluates whether your AWS resources comply with the rule.

- A. Lambda function
- B. Configuration trigger
- C. EC2 instance
- D. S3 bucket

Answer: A

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_develop-rules.html

NEW QUESTION 57

A user is trying to understand the detailed CloudWatch monitoring concept. Which of the below mentioned services does not provide detailed monitoring with CloudWatch?

- A. AWS Route53
- B. AWS EMR
- C. AWS ELB
- D. AWS RDS

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/supported_services.html

NEW QUESTION 59

A user is having data generated randomly based on a certain event. The user wants to upload that data to CloudWatch. It may happen that event may not have data generated for some period due to randomness. Which of the below mentioned options is a recommended option for this case?

- A. For the period when there is no data, the user should not send the data at all
- B. The user must upload the data to CloudWatch as having no data for some period will cause an error at CloudWatch monitoring
- C. For the period when there is no data the user should send the value as 0
- D. For the period when there is no data the user should send a blank value

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/publishingMetrics.html>

NEW QUESTION 61

You would like to ensure that all Amazon S3 buckets going forward, current and newly created ones, have logging enabled. What type of trigger(s) should you use?

- A. only a periodic trigger
- B. only a configuration change trigger
- C. both configuration change and periodic triggers
- D. only a transitioning trigger

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

NEW QUESTION 64

You have many IAM users with the ability to create EC2 volumes. Most of the data your team works with is sensitive, so you would like to make sure all volumes are encrypted. How might you facilitate this requirement?

- A. Create an AWS KMS policy and attach it to all IAM users that can create EC2 volumes
- B. Use AWS Config and create a rule that requires all volumes, upon creation, be encrypted.
- C. Use AWS Config to send out reminders to IAM users every time they create an EC2 volume.
- D. Set EC2 to notify creators to encrypt their EC2 volume

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

NEW QUESTION 69

You can use the _____ command of the AWS Config service CLI to see the compliance state of each resource that AWS Config evaluates for a specific rule.

- A. describe-compliance-by-resource
- B. describe-compliance-by-config-rule
- C. get-compliance-details-by-config-rule
- D. get-compliance-details-by-config-rule

Answer: C

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 70

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your ANS-C00 Exam with Our Prep Materials Via below:

<https://www.certleader.com/ANS-C00-dumps.html>