



**VEEAM**

## **Exam Questions VMCE2020**

Veeam Certified Engineer 2020

#### NEW QUESTION 1

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

**Answer:** A

#### NEW QUESTION 2

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

**Answer:** B

#### NEW QUESTION 3

When you back up regular or standalone VMs in vCloud Director, which of the following is captured and stored in Veeam's Backup & Replication backup file? (Choose three.)

- A. vApp metadata
- B. VM disk content
- C. Raw device mapping
- D. In-guest iSCSI disk
- E. VM metadata
- F. Linked clone VM's prior to vCenter 6.5

**Answer:** ABE

#### NEW QUESTION 4

A customer has a physical proxy configured for Direct Storage Access without failover to network mode. The backup fails. What could be the issue?

- A. The disks being processed are IDE and/or SATA
- B. The datastores are properly zoned and exposed to the proxy server but in read-only mode
- C. The storage is not added into the storage infrastructure, inside the backup and replication console
- D. Write access has not been enabled on the SAN
- E. One or more of the VM disk(s) are on Wols

**Answer:** D

#### NEW QUESTION 5

A backup job has been configured to keep three incremental restore points and a synthetic full backup each Sunday. More restore points are present on disk than what was configured in the job. Why?

- A. The old restore points will be deleted after the new restore chain meets the retention policy
- B. Per VM backup files are enabled in the repository
- C. The other restore points are weekly full backups, this is expected
- D. You should configure the synthetic full backup to be performed on Mondays instead

**Answer:** C

#### NEW QUESTION 6

In the event a VMware VM configuration file (VMX) is missing and a restore is needed, what Veeam restore process is the best choice for this situation?

- A. VM file restore
- B. Instant disk recovery
- C. Instant VM recovery
- D. Virtual disk restore

**Answer:** A

#### NEW QUESTION 7

A Veeam backup administrator, protecting all VMs in a VMware environment with backups and replicas, has been requested to run a multi-server application in an On-Demand Sandbox. The sandbox needs to stay powered on, uninterrupted, for 30 days while daily backups and replicas continue to run. How can this be done?

- A. Create an application group and leverage regular replica restore points as the source for the application group
- B. Create a (secondary) replication job for the required VMs that are not scheduled to run; create a SureBackup job and use these replicas as the source
- C. Create a (secondary) replication job for the required VMs that are not scheduled to run; make an application group and use these replicas as the source

D. Create an application group and leverage regular backup restore points as the source for the application group

**Answer:** D

#### NEW QUESTION 8

When planning to back up files and folders from shared sources, that is the correct method to connect to the file share from the Veeam backup server?

- A. Add the file share into the store infrastructure
- B. Add the file share into the physical infrastructure
- C. Add the file share into the inventory
- D. Add the file share into the managed servers

**Answer:** D

#### NEW QUESTION 9

What are the three Veeam Backup & Replication technologies required to verify recoverability of the backup? (Choose three.)

- A. Virtual lab
- B. Application group
- C. Backup proxy
- D. SureBackup job
- E. Gateway Server
- F. Replication job

**Answer:** ADF

#### NEW QUESTION 10

A backup administrator needs to restore two data drives to a VM where the operating system remains intact. The target machine must remain powered on. What recovery option is most appropriate to perform this operation?

- A. Instant VM Recovery
- B. Instant disk recovery
- C. Restore entire VM
- D. Restore VM files

**Answer:** A

#### NEW QUESTION 10

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation
- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

**Answer:** BCF

#### NEW QUESTION 11

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. 1. Replication job2. Failover plan3. Permanent failover
- B. 1. Backup job2. Instant VM Recovery3. Finalize the Instant VM Recovery
- C. 1. Replication job2. Failback3. Commit failback
- D. 1. Replication job2. Planned failover3. Permanent failover

**Answer:** A

#### NEW QUESTION 16

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

**Answer:** B

#### NEW QUESTION 21

A backup administrator is deploying a Veeam ONE environment. They have chosen to use separate servers from their Veeam Backup & Replication environment. What benefit will they receive if they install the Veeam ONE Agent onto their backup server?

- A. Track whether VMs and agents are properly protected and following the 3-2-1 rule
- B. Collect Veeam Backup & Replication logs and execute remediation actions
- C. Collect virtual environment configuration from Veeam Backup & Replication
- D. Analyze Veeam Backup & Replication log data and retrieve signature updates

**Answer:** C

#### NEW QUESTION 22

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

**Answer:** B

#### NEW QUESTION 24

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.0.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host
- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

**Answer:** B

#### NEW QUESTION 26

Which storage optimization option uses a block size of 512 KB?

- A. LAN target
- B. WAN target
- C. Local target (large blocks)
- D. Local target

**Answer:** A

#### NEW QUESTION 29

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VMs need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file
- E. The VMs were moved to different datastores manually

**Answer:** BE

#### NEW QUESTION 33

A company needs to maintain and verify backups at a secondary site to meet the following requirements: RTO of two hours, RPO of 12 hours, four weeks retention. Which of the following backup copy job configurations meets these requirements?

- A. Periodic backup copy job, scheduled for a two-hour interval, with 56 restore points to retain
- B. Periodic backup copy job, scheduled for a 12-hour interval, with 56 restore points to retain
- C. Periodic backup copy job, scheduled for a two-hour interval, with 112 restore points to retain
- D. Periodic backup copy job, scheduled for a 12-hour interval, with 112 restore points to retain

**Answer:** C

#### NEW QUESTION 34

Which backup method produces a backup chain that consists of the first full backup file (VBK) and a set of incremental backup files (VIB) following it? Additionally, the backup chain contains synthetic full and/or active full backup files that divide the backup chain into shorter series.

- A. Forward incremental backup
- B. Differential incremental backup
- C. Reverse incremental backup
- D. Forever forward incremental backup

Answer: A

NEW QUESTION 36

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### VMCE2020 Practice Exam Features:

- \* VMCE2020 Questions and Answers Updated Frequently
- \* VMCE2020 Practice Questions Verified by Expert Senior Certified Staff
- \* VMCE2020 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* VMCE2020 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The VMCE2020 Practice Test Here](#)**