

# Cisco

## Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



### NEW QUESTION 1

DRAG DROP

Drag and drop the correct commands from the right onto the blanks within the code on the left to implement a design that allow for dynamic spoke-to-spoke communication. Not all comments are used.

Select and Place:

### Answer Area

#### Router A

```
interface Tunnell
  ip address 10.0.0.1 255.255.255.0
  ip nhrp mp multicast dynamic
  ip nhrp network-id 1
  ip nhrp 
no ip split-horizon eigrp 10
tunnel source GigabitEthernet1
tunnel mode gre multipoint

interface GigabitEthernet1
  ip address 1.1.1.1 255.255.255.0

router eigrp 10
  network 10.0.0.0 0.0.0.255
```

1.1.1.1

10.0.0.1

redirect

#### Router B

```
interface Tunnell
  ip address 10.0.0.2 255.255.255.0
  ip nhrp nhs nbma multicast
  ip nhrp network-id 1
  ip nhrp 
tunnel source GigabitEthernet1
tunnel mode gre multipoint

interface GigabitEthernet1
  ip address 2.2.2.2 255.255.255.0

router eigrp 10
  network 10.0.0.0 0.0.0.255
```

shortcut

server-only

- A. Mastered  
B. Not Mastered

Answer: A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_dmvpn/configuration/xr-16/sec-conn-dmvpn-xr-16-book/sec-conn-dmvpn-summaps.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/xr-16/sec-conn-dmvpn-xr-16-book/sec-conn-dmvpn-summaps.html)

### NEW QUESTION 2

A second set of traffic selectors is negotiated between two peers using IKEv2. Which IKEv2 packet will contain details of the exchange?

- A. IKEv2 IKE\_SA\_INIT  
B. IKEv2 INFORMATIONAL  
C. IKEv2 CREATE\_CHILD\_SA  
D. IKEv2 IKE\_AUTH

Answer: B

### NEW QUESTION 3

Refer to the exhibit.

```
interface: Tunnell
  Crypto map tag: Tunnell-head-0, local addr 192.168.0.1

protected vrf: (none)
local ident (addr/mask/prot/port): (0.0.0.0/0.0.0.0/0/0)
remote ident (addr/mask/prot/port): (0.0.0.0/0.0.0.0/0/0)
current_peer 192.168.0.2 port 500
  PERMIT, flags={origin_is_acl,}
  #pkts encaps: 0, #pkts encrypt: 0, #pkts digest: 0
  #pkts decaps: 0, #pkts decrypt: 0, #pkts verify: 0
  #pkts compressed: 0, #pkts decompressed: 0
  #pkts not compressed: 0, #pkts compr. failed: 0
  #pkts not decompressed: 0, #pkts decompress failed: 0
  #send errors 0, #recv errors 0

local crypto endpt.: 192.168.0.1, remote crypto endpt.: 192.168.0.2
plaintext mtu 1438, path mtu 1500, ip mtu 1500, ip mtu idb GigabitEthernet1
current outbound spi: 0x3D05D003(1023791107)
PFS (Y/N): N, DH group: none
```

Which two tunnel types produce the show crypto ipsec sa output seen in the exhibit? (Choose two.)

- A. crypto map
- B. DMVPN
- C. GRE
- D. FlexVPN
- E. VTI

**Answer:** BE

#### NEW QUESTION 4

Which two changes must be made in order to migrate from DMVPN Phase 2 to Phase 3 when EIGRP is configured? (Choose two.)

- A. Add NHRP shortcuts on the hub.
- B. Add NHRP redirects on the spoke.
- C. Disable EIGRP next-hop-self on the hub.
- D. Enable EIGRP next-hop-self on the hub.
- E. Add NHRP redirects on the hub.

**Answer:** CE

#### NEW QUESTION 5

Which two types of web resources or protocols are enabled by default on the Cisco ASA Clientless SSL VPN portal? (Choose two.)

- A. HTTP
- B. ICA (Citrix)
- C. VNC
- D. RDP
- E. CIFS

**Answer:** DE

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa94/config-guides/cli/vpn/asa-94-vpn-config/webvpn-configure-gateway.html>

#### NEW QUESTION 6

A Cisco AnyConnect client establishes a SSL VPN connection with an ASA at the corporate office. An engineer must ensure that the client computer meets the enterprise security policy. Which feature can update the client to meet an enterprise security policy?

- A. Endpoint Assessment
- B. Cisco Secure Desktop
- C. Basic Host Scan
- D. Advanced Endpoint Assessment

**Answer:** D

#### NEW QUESTION 7

Under which section must a bookmark or URL list be configured on a Cisco ASA to be available for clientless SSLVPN users?

- A. tunnel-group (general-attributes)
- B. tunnel-group (webvpn-attributes)
- C. webvpn (group-policy)
- D. webvpn (global configuration)

**Answer:** D



#### NEW QUESTION 8

Which feature allows the ASA to handle nonstandard applications and web resources so that they display correctly over a clientless SSL VPN connection?

- A. single sign-on
- B. Smart Tunnel
- C. WebType ACL
- D. plug-ins

**Answer: B**

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa\\_90\\_cli\\_config/vpn\\_clientless\\_ssl.html#29951](https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/vpn_clientless_ssl.html#29951)

#### NEW QUESTION 9

Which command automatically initiates a smart tunnel when a user logs in to the WebVPN portal page?

- A. auto-upgrade
- B. auto-connect
- C. auto-start
- D. auto-run

**Answer: C**

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/asa/asa91/configuration/vpn/asa\\_91\\_vpn\\_config/webvpn-configure-policy-group.html](https://www.cisco.com/c/en/us/td/docs/security/asa/asa91/configuration/vpn/asa_91_vpn_config/webvpn-configure-policy-group.html)

#### NEW QUESTION 10

Which command is used to troubleshoot an IPv6 FlexVPN spoke-to-hub connectivity failure?

- A. show crypto ikev2 sa
- B. show crypto isakmp sa
- C. show crypto gkm
- D. show crypto identity

**Answer: A**

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/116413-configure-flexvpn-00.pdf>

#### NEW QUESTION 10

Refer to the exhibit.

```
ISAKMP: (0):beginning Main Mode exchange
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_NO_STATE
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_NO_STATE
ISAKMP: (0):Old State = IKE_I_MM1 New State = IKE_I_MM2
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (0):local preshared key found
ISAKMP: (0):Checking ISAKMP transform 1 against priority 10 policy
ISAKMP: (0):      encryption AES-CBC
ISAKMP: (0):      keylength of 256
ISAKMP: (0):      hash SHA256
ISAKMP: (0):      default group 14
ISAKMP: (0):      auth pre-share
ISAKMP: (0):      life type in seconds
ISAKMP: (0):      life duration (basic) of 1200
ISAKMP: (0):atts are acceptable. Next payload is 0
ISAKMP-PAK: (0):sending packet to 192.168.0.8 my_port 500 peer_port 500 (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM2 New State = IKE_I_MM3
ISAKMP-PAK: (0):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_SA_SETUP
ISAKMP: (0):Old State = IKE_I_MM3 New State = IKE_I_MM4
ISAKMP: (0):found peer pre-shared key matching 192.168.0.8
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM4
ISAKMP: (1005):pre-shared key authentication using id type ID_IPV4_ADDR
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP: (1005):Old State = IKE_I_MM4 New State = IKE_I_MM5
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
ISAKMP: (1005):retransmitting phase 1 MM_KEY_EXCH...
ISAKMP: (1005):: incrementing error counter on sa, attempt 1 of 5: retransmit phase 1
ISAKMP-PAK: (1005):sending packet to 192.168.0.8 my_port 4500 peer_port 4500 (I) MM_KEY_EXCH
ISAKMP-PAK: (1005):received packet from 192.168.0.8 dport 500 sport 500 Global (I) MM_KEY_EXCH
ISAKMP: (1005):phase 1 packet is a duplicate of a previous packet.
ISAKMP: (1005):retransmitting due to retransmit phase 1
```

A site-to-site tunnel between two sites is not coming up. Based on the debugs, what is the cause of this issue?

- A. An authentication failure occurs on the remote peer.
- B. A certificate fragmentation issue occurs between both sides.
- C. UDP 4500 traffic from the peer does not reach the router.
- D. An authentication failure occurs on the router.

Answer: C

#### NEW QUESTION 14

Refer to the exhibit.

```
*Nov 26 00:52:20.002: IKEv2:(SESSION ID = 1,SA ID = 1):Received Packet [From 10.10.10.1:500/To 10.10.10.2:500/VRF i0:f0]
Initiator SPI : D5684E1462991856 - Responder SPI : 2162145C95256F6A Message id: 1
IKEv2 IKE_AUTH Exchange RESPONSE
*Nov 26 00:52:20.002: IKEv2-PAK:(SESSION ID = 1,SA ID = 1):Next payload: ENCR, version: 2.0 Exchange type: IKE_AUTH, flags: RESPONDER MSG-RESPONSE Message id: 1, length: 236
Payload contents:
VID Next payload: IDr, reserved: 0x0, length: 20
IDr Next payload: AUTH, reserved: 0x0, length: 12
Id type: IPv4 address, Reserved: 0x0 0x0
AUTH Next payload: SA, reserved: 0x0, length: 28
Auth method PSK, reserved: 0x0, reserved: 0x0
SA Next payload: TSi, reserved: 0x0, length: 40
last proposal: 0x0, reserved: 0x0, length: 35
Proposal: 1, Protocol id: ESP, SPI size: 4, #trans: 3 last transform: 0x3, reserved: 0x0: length: 8
type: 1, reserved: 0x0, id: 3DES
last transform: 0x3, reserved: 0x0: length: 8
type: 3, reserved: 0x0, id: SHA96
last transform: 0x0, reserved: 0x0: length: 8
type: 5, reserved: 0x0, id: Don't use ESN
TSi Next payload: TSr, reserved: 0x0, length: 24
Num of TSs: 1, reserved 0x0, reserved 0x0
TS type: TS_IPV4_ADDR_RANGE, proto id: 0, length: 16
start port: 0, end port: 65535
start addr: 30.30.30.0, end addr: 30.30.30.255
TSr Next payload: NOTIFY, reserved: 0x0, length: 24
Num of TSs: 1, reserved 0x0, reserved 0x0
TS type: TS_IPV4_ADDR_RANGE, proto id: 0, length: 16
start port: 0, end port: 65535
start addr: 20.20.20.0, end addr: 20.20.20.255
NOTIFY(SET_WINDOW_SIZE) Next payload: NOTIFY, reserved: 0x0, length: 12
Security protocol id: Unknown - 0, spi size: 0, type: SET_WINDOW_SIZE
NOTIFY(ESP_TFC_NO_SUPPORT) Next payload: NOTIFY, reserved: 0x0, length: 8
Security protocol id: Unknown - 0, spi size: 0, type: ESP_TFC_NO_SUPPORT
NOTIFY(NON_FIRST_FRAGS) Next payload: NONE, reserved: 0x0, length: 8
Security protocol id: Unknown - 0, spi size: 0, type: NON_FIRST_FRAGS

*Nov 26 00:52:20.003: IKEv2:(SESSION ID = 1,SA ID = 1):Process auth response notify
*Nov 26 00:52:20.003: IKEv2:(SESSION ID = 1,SA ID = 1):Searching policy based on peer's identity '10.10.10.1' of type 'IPv4 address'
*Nov 26 00:52:20.004: IKEv2-ERROR:(SESSION ID = 1,SA ID = 1):: Failed to locate an item in the database
*Nov 26 00:52:20.004: IKEv2:(SESSION ID = 1,SA ID = 1):Verification of peer's authentication data FAILED
*Nov 26 00:52:20.004: IKEv2:(SESSION ID = 1,SA ID = 1):Auth exchange failed
*Nov 26 00:52:20.004: IKEv2-ERROR:(SESSION ID = 1,SA ID = 1):: Auth exchange failed
Router#
*Nov 26 00:52:20.004: IKEv2:(SESSION ID = 1,SA ID = 1):Abort exchange
*Nov 26 00:52:20.004: IKEv2:(SESSION ID = 1,SA ID = 1):Deleting SA
```

The IKEv2 site-to-site VPN tunnel between two routers is down. Based on the debug output, which type of mismatch is the problem?

- A. preshared key
- B. peer identity
- C. transform set
- D. ikev2 proposal

Answer: B

#### NEW QUESTION 16

Refer to the exhibit.

```
*Jul 16 20:21:25.317: ISAKMP (1004): received packet from 192.168.0.2 dport
500 sport 500 Global (R) MM_KEY_EXCH
*Jul 16 20:21:25.317: ISAKMP: reserved not zero on ID payload!
*Jul 16 20:21:25.317: %CRYPTO-4-IKMP_BAD_MESSAGE: IKE message from 192.168.0.2
failed its sanity check or is malformed
```

Which type of mismatch is causing the problem with the IPsec VPN tunnel?

- A. crypto access list
- B. Phase 1 policy
- C. transform set
- D. preshared key

Answer: D

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/ipsec-negotiation-ike-protocols/5409-ipsec-debug-00.html#ike>

#### NEW QUESTION 17

Refer to the exhibit.

An SSL client is connecting to an ASA headend. The session fails with the message “Connection attempt has timed out. Please verify Internet connectivity.” Based on how the packet is processed, which phase is causing the failure?

- A. phase 9: rpf-check
- B. phase 5: NAT
- C. phase 4: ACCESS-LIST



D. phase 3: UN-NAT

**Answer:** D

**NEW QUESTION 18**

What are two functions of ECDH and ECDSA? (Choose two.)

- A. nonrepudiation
- B. revocation
- C. digital signature
- D. key exchange
- E. encryption

**Answer:** CD

**Explanation:**

Reference: [https://tools.cisco.com/security/center/resources/next\\_generation\\_cryptography](https://tools.cisco.com/security/center/resources/next_generation_cryptography)

**NEW QUESTION 19**

Which two remote access VPN solutions support SSL? (Choose two.)

- A. FlexVPN
- B. clientless
- C. EZVPN
- D. L2TP
- E. Cisco AnyConnect

**Answer:** BE

**NEW QUESTION 23**

Which VPN solution uses TBAR?

- A. GETVPN
- B. VTI
- C. DMVPN
- D. Cisco AnyConnect

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_getvpn/configuration/xr-3s/sec-get-vpn-xr-3s-book/sec-get-vpn.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_getvpn/configuration/xr-3s/sec-get-vpn-xr-3s-book/sec-get-vpn.html)

**NEW QUESTION 28**

Cisco AnyConnect clients need to transfer large files over the VPN sessions. Which protocol provides the best throughput?

- A. SSL/TLS
- B. L2TP
- C. DTLS
- D. IPsec IKEv1

**Answer:** C

**NEW QUESTION 32**

Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

**Answer:** B

**NEW QUESTION 35**

What is a requirement for smart tunnels to function properly?

- A. Java or ActiveX must be enabled on the client machine.
- B. Applications must be UDP.
- C. Stateful failover must not be configured.
- D. The user on the client machine must have admin access.

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-asa-00.html>

#### NEW QUESTION 38

Which technology is used to send multicast traffic over a site-to-site VPN?

- A. GRE over IPsec on IOS router
- B. GRE over IPsec on FTD
- C. IPsec tunnel on FTD
- D. GRE tunnel on ASA

**Answer: B**

#### NEW QUESTION 43

Which feature of GETVPN is a limitation of DMVPN and FlexVPN?

- A. sequence numbers that enable scalable replay checking
- B. enabled use of ESP or AH
- C. design for use over public or private WAN
- D. no requirement for an overlay routing protocol

**Answer: D**

#### NEW QUESTION 47

Refer to the exhibit.

```
ip access-list extended CCNP
 permit 192.168.0.10
 permit 192.168.0.11

webvpn gateway SSL_Gateway
 ip address 172.16.0.25 port 443
 ssl trustpoint AnyConnect_Cert
 inservice

webvpn context SSL_Context
 gateway SSL_Gateway

 ssl authenticate verify all
 inservice

policy group SSL_Policy
 functions svc-enabled
 svc address-pool "ACPool" netmask 255.255.255.0
 svc dns-server primary 192.168.0.100
 svc default-domain cisco.com
 default-group-policy SSL_Policy
```

Cisco AnyConnect must be set up on a router to allow users to access internal servers 192.168.0.10 and 192.168.0.11. All other traffic should go out of the client's local NIC. Which command accomplishes this configuration?

- A. svc split include 192.168.0.0 255.255.255.0
- B. svc split exclude 192.168.0.0 255.255.255.0
- C. svc split include acl CCNP
- D. svc split exclude acl CCNP

**Answer: C**

#### NEW QUESTION 52

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 300-730 Practice Exam Features:

- \* 300-730 Questions and Answers Updated Frequently
- \* 300-730 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-730 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 300-730 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 300-730 Practice Test Here](#)**