

SAA-C02 Dumps

AWS Certified Solutions Architect - Associate (SAA-C02)

<https://www.certleader.com/SAA-C02-dumps.html>



NEW QUESTION 1

A gaming company has multiple Amazon EC2 instances in a single Availability Zone for its multiplayer game that communicates with users on Layer 4. The chief technology officer (CTO) wants to make the architecture highly available and cost-effective. What should a solutions architect do to meet these requirements? (Select TWO.)

- A. Increase the number of EC2 instances.
- B. Decrease the number of EC2 instances.
- C. Configure a Network Load Balancer in front of the EC2 instances.
- D. Configure an Application Load Balancer in front of the EC2 instances.
- E. Configure an Auto Scaling group to add or remove instances in multiple Availability Zones automatically.

Answer: CE

NEW QUESTION 2

A manufacturing company wants to implement predictive maintenance on its machinery equipment. The company will install thousands of IoT sensors that will send data to AWS in real time. A solutions architect is tasked with implementing a solution that will receive events in an ordered manner for each machinery asset and ensure that data is saved for further processing at a later time. Which solution would be MOST efficient?

- A. Use Amazon Kinesis Data Streams for real-time events with a partition for each equipment asset. Use Amazon Kinesis Data Firehose to save data to Amazon S3.
- B. Use Amazon Kinesis Data Streams for real-time events with a shard for each equipment asset. Use Amazon Kinesis Data Firehose to save data to Amazon EBS.
- C. Use an Amazon SQS FIFO queue for real-time events with one queue for each equipment asset. Trigger an AWS Lambda function for the SQS queue to save data to Amazon EFS.
- D. Use an Amazon SQS standard queue for real-time events with one queue for each equipment asset. Trigger an AWS Lambda function from the SQS queue to save data to Amazon S3.

Answer: A

NEW QUESTION 3

A company is hosting a website behind multiple Application Load Balancers. The company has different distribution rights for its content around the world. A solutions architect needs to ensure that users are served the correct content without violating distribution rights. Which configuration should the solutions architect choose to meet these requirements?
D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Configure Amazon CloudFront with AWS WAF.
- B. Configure Application Load Balancers with AWS WAF.
- C. Configure Amazon Route 53 with a geolocation policy.
- D. Configure Amazon Route 53 with a geoproximity routing policy.

Answer: C

NEW QUESTION 4

A company is running an ecommerce application on Amazon EC2. The application consists of a stateless web tier that requires a minimum of 10 instances, and a peak of 250 instances to support the application's usage. The application requires 50 instances 80% of the time. Which solution should be used to minimize costs?

- A. Purchase Reserved Instances to cover 250 instances.
- B. Purchase Reserved Instances to cover 80 instances. Use Spot Instances to cover the remaining instances.
- C. Purchase On-Demand Instances to cover 40 instances. Use Spot Instances to cover the remaining instances.
- D. Purchase Reserved Instances to cover 50 instances. Use On-Demand and Spot Instances to cover the remaining instances.

Answer: D

NEW QUESTION 5

A company's website is using an Amazon RDS MySQL Multi-AZ DB instance for its transactional data storage. There are other internal systems that query this DB instance to fetch data for internal batch processing. The RDS DB instance slows down significantly the internal systems' fetch data. This impacts the website's read and write performance, and the users experience slow response times. Which solution will improve the website's performance?

- A. Use an RDS PostgreSQL DB instance instead of a MySQL database.
- B. Use Amazon ElastiCache to cache the query responses for the website.
- C. Add an additional Availability Zone to the current RDS MySQL Multi-AZ DB instance.
- D. Add a read replica to the RDS DB instance and configure the internal systems to query the read replica.

Answer: D

NEW QUESTION 6

A company is migrating from an on-premises infrastructure to the AWS Cloud. One of the company's applications stores files on a Windows file server farm that uses Distributed File System Replication (DFS-R) to keep data in sync. A solutions architect needs to replace the file server farm. Which service should the solutions architect use?

- A. Amazon EFS
- B. Amazon FSx
- C. Amazon S3
- D. AWS Storage Gateway

Answer: B

NEW QUESTION 7

A company has on-premises servers running a relational database. The current database serves high read traffic for users in different locations. The company wants to migrate to AWS with the least amount of effort. The database solution should support disaster recovery and not affect the company's current traffic flow. Which solution meets these requirements?

- A. Use a database in Amazon RDS with Multi-AZ and at least one read replica
- B. Use a database in Amazon RDS with Multi-AZ and at least one standby replica
- C. Use databases hosted on multiple Amazon EC2 instances in different AWS Regions
- D. Use databases hosted on Amazon EC2 instances behind an Application Load Balancer in different Availability Zones

Answer: A

NEW QUESTION 8

A company serves content to its subscribers across the world using an application running on AWS. The application has several Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). Due to a recent change in copyright restrictions, the chief information officer (CIO) wants to block access for certain countries. Which action will meet these requirements?

- A. Modify the ALB security group to deny incoming traffic from blocked countries
- B. Modify the security group for EC2 instances to deny incoming traffic from blocked countries
- C. Use Amazon CloudFront to serve the application and deny access to blocked countries
- D. Use ALB listener rules to return access denied responses to incoming traffic from blocked countries

Answer: C

NEW QUESTION 9

An application running on AWS uses an Amazon Aurora Multi-AZ deployment for its database. When evaluating performance metrics, a solutions architect discovered that the database reads are causing high I/O and adding latency to the write requests against the database. What should the solutions architect do to separate the read requests from the write requests?

- A. Enable read-through caching on the Amazon Aurora database
- B. Update the application to read from the Multi-AZ standby instance
- C. Create a read replica and modify the application to use the appropriate endpoint
- D. Create a second Amazon Aurora database and link it to the primary database as a read replica.

Answer: C

NEW QUESTION 10

A company's web application is using multiple Linux Amazon EC2 instances and storing data on Amazon EBS volumes. The company is looking for a solution to increase the resiliency of the application in case of a failure and to provide storage that complies with atomicity, consistency, isolation, and durability (ACID). What should a solutions architect do to meet these requirements?

- A. Launch the application on EC2 instances in each Availability Zone
- B. Attach EBS volumes to each EC2 instance.
- C. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Mount an instance store on each EC2 instance.
- D. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data on Amazon EFS and mount a target on each instance.
- E. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data using Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: C

NEW QUESTION 10

An application runs on Amazon EC2 instances across multiple Availability Zones. The instances run in an Amazon EC2 Auto Scaling group behind an Application Load Balancer. The application performs best when the CPU utilization of the EC2 instances is at or near 40%. What should a solutions architect do to maintain the desired performance across all instances in the group?

- A. Use a simple scaling policy to dynamically scale the Auto Scaling group
- B. Use a target tracking policy to dynamically scale the Auto Scaling group
- C. Use an AWS Lambda function to update the desired Auto Scaling group capacity
- D. Use scheduled scaling actions to scale up and scale down the Auto Scaling group

Answer: D

NEW QUESTION 14

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10.100. 1001 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100. 100. 254

Answer: C

NEW QUESTION 17

A company's production application runs online transaction processing (OLTP) transactions on an Amazon RDS MySQL DB instance. The company is launching a new reporting tool that will access the same data. The reporting tool must be highly available and not impact the performance of the production application. How can this be achieved?

- A. Create hourly snapshots of the production RDS DB instance
- B. Create a Multi-AZ RDS Read Replica of the production RDS DB instance
- C. Create multiple RDS Read Replicas of the production RDS DB instance. Place the Read Replicas in an Auto Scaling group
- D. Create a Single-AZ RDS Read Replica of the production RDS DB instance. Create a second Single-AZ RDS Read Replica from the replica

Answer: B

NEW QUESTION 18

An application hosted on AWS is experiencing performance problems, and the application vendor wants to perform an analysis of the log file to troubleshoot further. The log file is stored on Amazon S3 and is 10 GB in size. The application owner will make the log file available to the vendor for a limited time. What is the MOST secure way to do this?

- A. Enable public read on the S3 object and provide the link to the vendor.
- B. Upload the file to Amazon WorkDocs and share the public link with the vendor.
- C. Generate a presigned URL and have the vendor download the log file before it expires.
- D. Create an IAM user for the vendor to provide access to the S3 bucket and the application.
- E. Enforce multifactor authentication.

Answer: C

NEW QUESTION 20

A solutions architect is designing a solution to access a catalog of images and provide users with the ability to submit requests to customize images. Image customization parameters will be in any request sent to an AWS API Gateway API. The customized image will be generated on demand, and users will receive a link they can click to view or download their customized image. The solution must be highly available for viewing and customizing images. What is the MOST cost-effective solution to meet these requirements?

- A. Use Amazon EC2 instances to manipulate the original image into the requested customization. Store the original and manipulated images in Amazon S3. Configure an Elastic Load Balancer in front of the EC2 instances.
- B. Use AWS Lambda to manipulate the original image to the requested customization. Store the original and manipulated images in Amazon S3. Configure an Amazon CloudFront distribution with the S3 bucket as the origin.

C. Use AWS Lambda to manipulate the original image to the requested customization Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB Configure an Elastic Load Balancer in front of the Amazon EC2 instances
D. Use Amazon EC2 instances to manipulate the original image into the requested customization Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB Configure an Amazon CloudFront distribution with the S3 bucket as the origin

Answer: B

NEW QUESTION 22

A Solutions Architect must design a web application that will be hosted on AWS, allowing users to purchase access to premium, shared content that is stored in an S3 bucket. Upon payment, content will be available for download for 14 days before the user is denied access
Which of the following would be the LEAST complicated implementation?

A. Use an Amazon CloudFront distribution with an origin access identity (OAI) Configure the distribution with an Amazon S3 origin to provide access to the file through signed URL's Design a Lambda function to remove data that is older than 14 days.
B. Use an S3 bucket and provide direct access to the tile Design the application to track purchases in a DynamoDH tableConfigure a Lambda function to remove data that is older than 14 days based on a query to Amazon DynamoDB
C. Use an Amazon CloudFront distribution with an OAI Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs Design the application to sot an expiration of 14 days for the URL
D. Use an Amazon CloudFront distribution with an OAI Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs Design the application to set an expiration of 60 minutes for the URL and recreate the URL as necessary

Answer: C

NEW QUESTION 23

A company has a legacy application that processes data in two parts The second part of the process takes longer than the first, so the company has decided to rewrite the application as two microservices running on Amazon ECS that can scale independently.
How should a solutions architect integrate the microservices?

A. Implement code in microservice 1 to send data to an Amazon S3 bucke
B. Use S3 event notifications to invoke microservice 2.
C. Implement code in microservice 1 to publish data to an Amazon SNS topic Implement code in microservice 2 to subscribe to this topic
D. Implement code in microservice 1 to send data to Amazon Kinesis Data Firehos
E. Implement code in microservice 2 to read from Kinesis Data Firehose.
F. Implement code in microservice 1 to send data to an Amazon SQS queue Implement code in microservice 2 to process messages from the queue

Answer: C

NEW QUESTION 28

A company's application is running on Amazon EC2 instances m a single Region in the event of a disaster a solutions architect needs to ensure that the resources can also be deployed to a second Region
Which combination of actions should the solutions architect take to accomplish this-? (Select TWO)

A. Detach a volume on an EC2 instance and copy it to Amazon S3
B. Launch a new EC2 instance from an Amazon Machine image (AMI) in a new Region
C. Launch a new EC2 instance in a new Region and copy a volume from Amazon S3 to the new instance
D. Copy an Amazon Machine Image (AMI) of an EC2 instance and specify a different Region for the destination
E. Copy an Amazon Elastic Block Store (Amazon EBS) volume from Amazon S3 and launch an EC2 instance in the destination Region using that EBS volume

Answer: BD

NEW QUESTION 33

A media streaming company collects real-time data and stores it in a disk-optimized database system The company is not getting the expected throughput and wants an in-memory database storage solution that performs faster and provides high availability using data replication.
Which database should a solutions architect recommend'?

A. Amazon RDS for MySQL
B. Amazon RDS for PostgreSQL
C. Amazon ElastiCache for Redis
D. Amazon ElastiCache for Memcached

Answer: C

NEW QUESTION 35

A company runs an application in a branch office within a small data closet with no virtualized compute resources. The application data is stored on an NFS volume. Compliance standards require a daily offsite backup of the NFS volume.
Which solution meet these requirements?

A. Install an AWS Storage Gateway file gateway on premises to replicate the data to Amazon S3.
B. Install an AWS Storage Gateway file gateway hardware appliance on premises to replicate the data to Amazon S3.
C. Install an AWS Storage Gateway volume gateway with stored volumes on premises to replicate the data to Amazon S3.
D. Install an AWS Storage Gateway volume gateway with cached volumes on premises to replicate the data to Amazon S3.

Answer: C

NEW QUESTION 40

A company has a two-tier application architecture that runs in public and private subnets Amazon EC2 instances running the web application are in the public subnet and a database runs on the private subnet The web application instances and the database are running in a single Availability Zone (AZ).

Which combination of steps should a solutions architect take to provide high availability for this architecture? (Select TWO.)

- A. Create new public and private subnets in the same AZ for high availability
- B. Create an Amazon EC2 Auto Scaling group and Application Load Balancer spanning multiple AZs
- C. Add the existing web application instances to an Auto Scaling group behind an Application Load Balancer
- D. Create new public and private subnets in a new AZ Create a database using Amazon EC2 in one AZ
- E. Create new public and private subnets in the same VPC each in a new AZ Migrate the database to an Amazon RDS multi-AZ deployment

Answer: BE

NEW QUESTION 45

A company is migrating a three-tier application to AWS. The application requires a MySQL database. In the past, the application users reported poor application performance when creating new entries. These performance issues were caused by users generating different real-time reports from the application during working hours. Which solution will improve the performance of the application when it is moved to AWS?

- A. Import the data into an Amazon DynamoDB table with provisioned capacity
- B. Refactor the application to use DynamoDB for reports.
- C. Create the database on a compute optimized Amazon EC2 instance
- D. Ensure compute resources exceed the on-premises database.
- E. Create an Amazon Aurora MySQL Multi-AZ DB cluster with multiple read replicas
- F. Configure the application reader endpoint for reports.
- G. Create an Amazon Aurora MySQL Multi-AZ DB cluster
- H. Configure the application to use the backup instance of the cluster as an endpoint for the reports.

Answer: B

NEW QUESTION 48

A company is performing an AWS Well-Architected Framework review of an existing workload deployed on AWS. The review identified a public-facing website running on the same Amazon EC2 instance as a Microsoft Active Directory domain controller that was installed recently to support other AWS services. A solutions architect needs to recommend a new design that would improve the security of the architecture and minimize the administrative demand on IT staff. What should the solutions architect recommend?

- A. Use AWS Directory Service to create a managed Active Directory
- B. Uninstall Active Directory on the current EC2 instance.
- C. Create another EC2 instance in the same subnet and reinstall Active Directory on it
- D. Uninstall Active Directory.
- E. Use AWS Directory Service to create an Active Directory connection
- F. Proxy Active Directory requests to the Active domain controller running on the current EC2 instance.
- G. Enable AWS Single Sign-On (AWS SSO) with Security Assertion Markup Language (SAML) 2.0 federation with the current Active Directory controller
- H. Modify the EC2 instance's security group to deny public access to Active Directory.

Answer: C

NEW QUESTION 49

A company currently operates a web application backed by an Amazon RDS MySQL database. It has automated backups that are run daily and are not encrypted. A security audit requires future backups to be encrypted and the unencrypted backups to be destroyed. The company will make at least one encrypted backup before destroying the old backups. What should be done to enable encryption for future backups?

- A. Enable default encryption for the Amazon S3 bucket where backups are stored
- B. Modify the backup section of the database configuration to toggle the Enable encryption check box
- C. Create a snapshot of the database. Copy it to an encrypted snapshot. Restore the database from the encrypted snapshot
- D. Enable an encrypted read replica on RDS for MySQL. Promote the encrypted read replica to primary. Remove the original database instance

Answer: C

NEW QUESTION 50

A solutions architect is implementing a document review application using an Amazon S3 bucket for storage. The solution must prevent accidental deletion of the documents and ensure that all versions of the documents are available. Users must be able to download, modify, and upload documents. Which combination of actions should be taken to meet these requirements? (Select TWO.)

- A. Enable a read-only bucket ACL
- B. Enable versioning on the bucket
- C. Attach an IAM policy to the bucket
- D. Enable MFA Delete on the bucket
- E. Encrypt the bucket using AWS KMS

Answer: BD

NEW QUESTION 54

A solutions architect is designing a web application that will run on Amazon EC2 instances behind an Application Load Balancer (ALB). The company strictly requires that the application be resilient against malicious internet activity and attacks, and protect against new common vulnerabilities and exposures. What should the solutions architect recommend?

- A. Leverage Amazon CloudFront with the ALB endpoint as the origin
- B. Deploy an appropriate managed rule for AWS WAF and associate it with the ALB

- C. Subscribe to AWS Shield Advanced and ensure common vulnerabilities and exposures are blocked
- D. Configure network ACLs and security groups to allow only ports 80 and 443 to access the EC2 instances

Answer: B

NEW QUESTION 57

A company runs an application on a group of Amazon Linux EC2 instances. The application writes log files using standard API calls. For compliance reasons, all log files must be retained indefinitely and will be analyzed by a reporting tool that must access all files concurrently. Which storage service should a solutions architect use to provide the MOST cost-effective solution?

- A. Amazon EBS
- B. Amazon EFS
- C. Amazon EC2 instance store
- D. Amazon S3

Answer: D

NEW QUESTION 61

A solutions architect is designing an application for a two-step order process. The first step is synchronous and must return to the user with little latency. The second step takes longer, so it will be implemented in a separate component. Orders must be processed exactly once and in the order in which they are received. How should the solutions architect integrate these components?

- A. Use Amazon SQS FIFO queues.
- B. Use an AWS Lambda function along with Amazon SQS standard queues.
- C. Create an SNS topic and subscribe an Amazon SQS FIFO queue to that topic.
- D. Create an SNS topic and subscribe an Amazon SQS Standard queue to that topic.

Answer: C

NEW QUESTION 62

A solutions architect needs to design a managed storage solution for a company's application that includes high-performance machine learning. This application runs on AWS Fargate and the connected storage needs to have concurrent access to files and deliver high performance. Which storage option should the solutions architect recommend?

- A. Create an Amazon S3 bucket for the application and establish an IAM role for Fargate to communicate with Amazon S3.
- B. Create an Amazon FSx for Lustre file share and establish an IAM role that allows Fargate to communicate with FSx for Lustre.
- C. Create an Amazon Elastic File System (Amazon EFS) file share and establish an IAM role that allows Fargate to communicate with Amazon EFS.
- D. Create an Amazon Elastic Block Store (Amazon EBS) volume for the application and establish an IAM role that allows Fargate to communicate with Amazon EBS.

Answer: B

NEW QUESTION 66

A company runs a multi-tier web application that hosts news content. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones and use an Amazon Aurora database. A solutions architect needs to make the application more resilient to periodic increases in request rates. Which architecture should the solutions architect implement? (Select TWO)

- A. Add AWS Shield.
- B. Add Aurora Replicas.
- C. Add AWS Direct Connect.
- D. Add AWS Global Accelerator.
- E. Add an Amazon CloudFront distribution in front of the Application Load Balancer.

Answer: DE

NEW QUESTION 70

A company built a food ordering application that captures user data and stores it for future analysis. The application's static front end is deployed on an Amazon EC2 instance. The front-end application sends the requests to the backend application running on separate EC2 instance. The backend application then stores the data in Amazon RDS. What should a solutions architect do to decouple the architecture and make it scalable?

- A. Use Amazon S3 to serve the front-end application which sends requests to Amazon EC2 to execute the backend application. The backend application will process and store the data in Amazon RDS.
- B. Use Amazon S3 to serve the front-end application and write requests to an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe Amazon EC2 instances to the HTTP/HTTPS endpoint of the topic and process and store the data in Amazon RDS.
- C. Use an EC2 instance to serve the front end and write requests to an Amazon SQS queue. Place the backend instance in an Auto Scaling group and scale based on the queue depth to process and store the data in Amazon RDS.
- D. Use Amazon S3 to serve the static front-end application and send requests to Amazon API Gateway which writes the requests to an Amazon SQS queue. Place the backend instances in an Auto Scaling group and scale based on the queue depth to process and store the data in Amazon RDS.

Answer: D

NEW QUESTION 74

A company is managing health records on-premises. The company must keep these records indefinitely, disable any modifications to the records once they are stored, and granularly audit access at all levels. The chief technology officer (CTO) is concerned because there are already millions of records not being used by any application, and the current infrastructure is running out of space. The CTO has requested a solutions architect design a solution to move existing data and

support future records

Which services can the solutions architect recommend to meet these requirements'?

- A. Use AWS DataSync to move existing data to AW
- B. Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with data events.
- C. Use AWS Storage Gateway to move existing data to AWS Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- D. Use AWS DataSync to move existing data to AWS Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- E. Use AWS Storage Gateway to move existing data to AWS Use Amazon Elastic Block Store (Amazon EBS) to store existing and new data Enable Amazon S3 object lock and enable Amazon S3 server access logging

Answer: B

NEW QUESTION 78

A company wants to migrate a high performance computing (HPC) application and data from on-premises to the AWS Cloud The company uses tiered storage on premises with hot high-performance parallel storage to support the application during periodic runs of the application and more economical cold storage to hold the data when the application is not actively running

Which combination of solutions should a solutions architect recommend to support the storage needs of the application? (Select TWO)

- A. Amazon S3 for cold data storage
- B. Amazon EFS for cold data storage
- C. Amazon S3 for high-performance parallel storage
- D. Amazon FSx for Lustre for high-performance parallel storage
- E. Amazon FSx for Windows for high-performance parallel storage

Answer: AD

NEW QUESTION 81

A company allows its developers to attach existing 1AM policies to existing 1AM roles to enable (aster experimentation and agility However the security operations team is concerned that the developers could attach the existing administrator policy, which would allow the developers to circumvent any other security policies How should a solutions architect address this issue?

- A. Create an Amazon SNS topic to send an alert every time a developer creates a new policy
- B. Use service control policies to disable IAM activity across all accounts in the organizational unit
- C. Prevent the developers from attaching any policies and assign all 1AM duties to the security operations team
- D. Set an IAM permissions boundary on the developer 1AM role that explicitly denies attaching the administrator policy

Answer: D

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/access_policies_boundaries.html

NEW QUESTION 84

A solutions architect needs to ensure that API calls to Amazon DynamoDB from Amazon EC2 instances in a VPC do not traverse the internet What should the solutions architect do to accomplish this? (Select TWO)

- A. Create a route table entry for the endpoint
- B. Create a gateway endpoint for DynamoDB
- C. Create a new DynamoDB table that uses the endpoint
- D. Create an ENI for the endpoint in each of the subnets of the VPC
- E. Create a security group entry in the default security group to provide access

Answer: AB

NEW QUESTION 85

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SAA-C02 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SAA-C02-dumps.html>