

Exam Questions JN0-1332

Security Design. Specialist (JNCDS-SEC)

<https://www.2passeasy.com/dumps/JN0-1332/>



NEW QUESTION 1

Which solution would you deploy to accomplish this task?

- A. Junos Space Log Director
- B. Juniper Networks Central insights
- C. Junos Space Security Director
- D. Juniper Networks Secure Analytics

Answer: A

NEW QUESTION 2

What are two considerations when performing a risk assessment for assets in a data center? (Choose two.)

- A. Insurance is a viable mitigation strategy when performing risk assessment calculations
- B. Exposure of assets could have larger economic impact than loss of assets
- C. Migration of a data center to a cloud provider increases economic impact of asset loss
- D. Migration of a data center to a cloud provider reduces the economic impact of asset exposure

Answer: C

NEW QUESTION 3

You are asked to provide a design proposal to secure a service provider's network against IP spoofing. As part of your design, you must ensure that only traffic sourced from the same subnet is followed on the customer-facing interfaces. Which solution will satisfy this requirement?

- A. BGP with source of origin community
- B. unicast RPF with strict mode
- C. unicast RPF with loose mode
- D. BGP labeled-unicast using the resolve-vpn option

Answer: B

NEW QUESTION 4

When considering data center security, which aspect represents the weakest link?

- A. IPS signatures
- B. application software bugs
- C. firewall performance
- D. people

Answer: A

NEW QUESTION 5

You are designing a central management solution. Your customer wants a logging solution that will support the collection of up to 10,000 events per second from many SRX Series devices that will be deployed in their network. In this scenario, which solution should you include in your design proposal?

- A. Log Director
- B. Network Director
- C. Contrail Insights
- D. Contrail Server Orchestration

Answer: A

NEW QUESTION 6

Exhibit.

In the 3-tier VPN design shown in the exhibit, which function are the Campus A and Campus B SRX Series devices performing?

- A. Internet security gateway
- B. data center firewall
- C. WAN aggregation
- D. VPN bridging

Answer: A

NEW QUESTION 7

You are asked to recommend a client remote access solution that provides direct network access and is the most secure. Which connection type accomplishes this task?

- A. GRE
- B. SSH
- C. PPTP
- D. IPsec

Answer:

B

NEW QUESTION 8

Which automation language would you use to create on-box and off-box scripts for SRX Series devices?

- A. Python
- B. Perl
- C. Java
- D. Ruby

Answer: D

NEW QUESTION 9

Which two features would provide protection from known malware? (Choose two.)

- A. ALGs
- B. screens
- C. Juniper ATP Cloud
- D. IPS

Answer: BC

NEW QUESTION 10

When using Contrail networking, security policies are distributed as access control list to which component?

- A. vSwitch
- B. vSRX
- C. vMX
- D. vRouter

Answer: D

NEW QUESTION 10

You are asked to deploy a product that will provide east-west protection between virtual machines hosted on the same physical server with a requirement to participate with local routing instances. Which product would you use in this scenario?

- A. cSRX
- B. QFX
- C. SRX
- D. vSRX

Answer: D

NEW QUESTION 11

You are asked to provide a security solution to secure corporate traffic across the Internet between sites. This solution must provide data integrity, confidentiality and encryption. Which security feature will accomplish this task?

- A. IPsecVPN
- B. IP-IP tunnel
- C. Layer 3 VPN
- D. IGRE tunnel

Answer: A

NEW QUESTION 14

Which two statements describe Juniper ATP Cloud? (Choose two)

- A. Juniper ATP Cloud can use a sandbox to detect threats that use evasion techniques.
- B. Juniper ATP Cloud runs in-line with network traffic to inspect all traffic before reaching endpoint.
- C. Juniper ATP Cloud provides protection against zero-day threats
- D. Juniper ATP Cloud is an add-on app that must be installed with Security Director

Answer: AD

NEW QUESTION 18

You must secure network access by requiring users to log in through an HTTP browser, while also allowing printers to connect to the network using MAC address validation. What will satisfy these requirements?

- A. 802.1X multiple supplicant
- B. MAC RADIUS
- C. captive portal
- D. guest VLAN

Answer: B

NEW QUESTION 22

You must implement a solution to deploy end-to-end security services on network elements. Which solution will accomplish this task?

- A. Security Director
- B. Network Director
- C. JSA
- D. SRX Series devices

Answer: C

NEW QUESTION 25

When two security services process a packet whether it is being processed in the first-packet path or the fast path? (Choose two.)

- A. screen options
- B. ALG
- C. route lookup
- D. policy lookup

Answer: CD

NEW QUESTION 30

Refer to the exhibit.

You are designing a security solution using an SRX Series chassis cluster in two separate buildings. In this scenario, what are three considerations? (Choose three.)

- A. The switches connecting to interface fab1 must support jumbo frames
- B. Latency on the fabric path must be under 1000 ms
- C. Latency on the control path must be under 100 ms
- D. The switches connecting to interface fxp0 must support jumbo frames
- E. Both HA links must be on physically different switches.

Answer: ACD

NEW QUESTION 35

Your network design requires that you ensure privacy between WAN endpoints. Which transport technology requires an IPsec overlay to satisfy this requirement?

- A. L3VPN
- B. leased line
- C. internet
- D. L2VPN

Answer: A

NEW QUESTION 40

Which firewall service is used as a first line of defense and often used by a security device to protect itself?

- A. intrusion prevention system
- B. unified Threat management
- C. network address translation
- D. stateless firewall filter

Answer: A

NEW QUESTION 42

You are asked to design security into the configuration of routing protocols on your Junos network to stop rogue neighbors from forming adjacencies for an enterprise WAN. What will accomplish this task?

- A. PAP
- B. SAML
- C. MOS

D. TTLS

Answer: D

NEW QUESTION 43

You are designing a security solution for an existing data center. All traffic must be secured using SRX Series devices, however, you are unable to change the existing IP addressing scheme. Which firewall deployment method satisfies this requirement?

- A. transparent deployment
- B. two-arm deployment
- C. one-arm deployment
- D. inline deployment

Answer: A

NEW QUESTION 45

Which technology enables IPS inspection for users browsing websites that use Transport Layer Security (TLS)?

- A. SSL reverse proxy
- B. defense in-depth
- C. SSL forward proxy
- D. screens

Answer: C

NEW QUESTION 48

A new virus is sheading across the Internet, with the potential to affect your customer's network

Which two statements describe how Policy Enforcer interacts with other devices to ensure that the network is protected in this scenario? (Choose two.)

- A. Policy Enforcer pulls security intelligence feeds from Juniper ATP Cloud to apply to SRX Series devices
- B. Policy Enforcer pulls security policies from Juniper ATP cloud and applies them to SRX Series devices
- C. Policy Enforcer automates the enrollment of SRX Series devices with Jumper ATP Cloud
- D. Security Director pulls security intelligence feeds from Juniper ATP Cloud and applies them to Policy Enforcer

Answer: B

NEW QUESTION 49

You are designing Enterprise WAN attachments and want to follows Jumper recommended security practices In 0*s scenario. which two statements are correct? (Choose two.)

- A. Authentication authorization and accounting should be implemented on network resources
- B. The branch CPE should be configured to all outbound MI:
- C. Printer traffic should be segmented from data traffic.
- D. Network management traffic should be segmented from data traffic

Answer: AD

NEW QUESTION 51

You must design a separate network within your trust network with added security and separation. What is the common name for this type of network?

- A. guest
- B. DMZ
- C. enclave
- D. trust

Answer: C

NEW QUESTION 55

You must ensure that all 10GbE interfaces have an MTU of 9192 and that an of the ge-0/0>4.0 interfaces on the SRX Series devices are in a specific zone. Which type of a script would you use to accomplish this task?

- A. REST script
- B. commit script
- C. event script
- D. op script

Answer: D

NEW QUESTION 56

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual JN0-1332 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the JN0-1332 Product From:

<https://www.2passeasy.com/dumps/JN0-1332/>

Money Back Guarantee

JN0-1332 Practice Exam Features:

- * JN0-1332 Questions and Answers Updated Frequently
- * JN0-1332 Practice Questions Verified by Expert Senior Certified Staff
- * JN0-1332 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * JN0-1332 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year