

Exam Questions Identity-and-Access-Management-Designer

Salesforce Certified Identity and Access Management Designer (SP19)

<https://www.2passeasy.com/dumps/Identity-and-Access-Management-Designer/>



NEW QUESTION 1

A farming enterprise offers smart farming technology to its farmer customers, which includes a variety of sensors for livestock tracking, pest monitoring, climate monitoring etc. They plan to store all the data in Salesforce. They would also like to ensure timely maintenance of the installed sensors. They have engaged a Salesforce Architect to propose an appropriate way to generate sensor information in Salesforce. Which OAuth flow should the architect recommend?

- A. OAuth 2.0 Asset Token Flow
- B. OAuth 2.0 Device Authentication Flow
- C. OAuth 2.0 JWT Bearer Token Flow
- D. OAuth 2.0 SAML Bearer Assertion Flow

Answer: A

NEW QUESTION 2

Universal Containers (UC) is both a Salesforce and Google Apps customer. The UC IT team would like to manage the users for both systems in a single place to reduce administrative burden. Which two optimal ways can the IT team provision users and allow Single Sign-on between Salesforce and Google Apps? Choose 2 answers

- A. Build a custom app running on Heroku as the Identity Provider that can sync user information between Salesforce and Google Apps.
- B. Use a third-party product as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- C. Use Identity Connect as the Identity Provider for both Salesforce and Google Apps and manage the provisioning from there.
- D. Use Salesforce as the Identity Provider and Google Apps as a Service Provider and configure User Provisioning for Connected Apps.

Answer: BD

NEW QUESTION 3

Universal Containers plans to develop a custom mobile app for the sales team that will use Salesforce for authentication and access management. The mobile app access needs to be restricted to only the sales team. What would be the recommended solution to grant mobile app access to sales users?

- A. Use a custom attribute on the user object to control access to the mobile app
- B. Use connected apps OAuth policies to restrict mobile app access to authorized users.
- C. Use the permission set license to assign the mobile app permission to sales users
- D. Add a new identity provider to authenticate and authorize mobile users.

Answer: B

NEW QUESTION 4

Universal Containers wants Salesforce inbound OAuth-enabled integration clients to use SAML-BASED single sign-on for authentication. What OAuth flow would be recommended in this scenario?

- A. User-Agent OAuth flow
- B. SAML assertion OAuth flow
- C. User-Token OAuth flow
- D. Web server OAuth flow

Answer: B

NEW QUESTION 5

Universal Containers (UC) has a desktop application to collect leads for marketing campaigns. UC wants to extend this application to integrate with Salesforce to create leads. Integration between the desktop application and Salesforce should be seamless. What authorization flow should the architect recommend?

- A. JWT Bearer Token Flow
- B. Web Server Authentication Flow
- C. User Agent Flow
- D. Username and Password Flow

Answer: C

NEW QUESTION 6

Universal Containers (UC) wants to build a few applications that leverage the Salesforce REST API. UC has asked its architect to describe how the API calls will be authenticated to a specific user. Which two mechanisms can the architect provide? Choose 2 answers

- A. Authentication Token
- B. Session ID
- C. Refresh Token
- D. Access Token

Answer: CD

NEW QUESTION 7

Universal Containers (UC) is rolling out its new Customer Identity and Access Management Solution built on top of its existing Salesforce instance. UC wants to allow customers to login using Facebook, Google, and other social sign-on providers. How should this functionality be enabled for UC, assuming all social sign-on providers support OpenID Connect?

- A. Configure an authentication provider and a registration handler for each social sign-on provider.

- B. Configure a single sign-on setting and a registration handler for each social sign-on provider.
- C. Configure an authentication provider and a Just-In-Time (JIT) handler for each social sign-on provider.
- D. Configure a single sign-on setting and a JIT handler for each social sign-on provider.

Answer: A

NEW QUESTION 8

Universal containers (UC) is setting up Delegated Authentication to allow employees to log in using their corporate credentials. UC's security team is concerned about the risk of exposing the corporate login service on the Internet and has asked that a reliable trust mechanism be put in place between the login service and salesforce. What mechanism should an architect put in place to enable a trusted connection between the login services and salesforce?

- A. Include client ID and client secret in the login header callout.
- B. Set up a proxy server for the login service in the DMZ.
- C. Require the use of Salesforce security Tokens on password.
- D. Enforce mutual Authentication between systems using SSL.

Answer: C

NEW QUESTION 9

Universal Containers (UC) wants its users to access Salesforce and other SSO-enabled applications from a custom web page that UC magnets. UC wants its users to use the same set of credentials to access each of the applications. what SAML SSO flow should an Architect recommend for UC?

- A. SP-Initiated with Deep Linking
- B. SP-Initiated
- C. IdP-Initiated
- D. User-Agent

Answer: C

NEW QUESTION 10

An Architect needs to advise the team that manages the Identity Provider how to differentiate Salesforce from other Service Providers. What SAML SSO setting in Salesforce provides this capability?

- A. Identity Provider Login URL.
- B. Issuer.
- C. Entity Id
- D. SAML Identity Location.

Answer: C

NEW QUESTION 10

An architect needs to advise the team that manages the identity provider how to differentiate salesforce from other service providers. What SAML SSO setting in salesforce provides this capability?

- A. Entity id
- B. Issuer
- C. Identity provider login URL
- D. SAML identity location

Answer: A

NEW QUESTION 14

Northern Trail Outfitters (NTO) uses Salesforce Experience Cloud sites (previously known as Customer Community) to provide a digital portal where customers can login using their Google account.

NTO would like to automatically create a case record for first time users logging into Salesforce Experience Cloud.

What should an Identity architect do to fulfill the requirement?

- A. Configure an authentication provider for Social Login using Google and a custom registration handler.
- B. Implement a Just-in-Time handler class that has logic to create cases upon first login.
- C. Create an authentication provider for Social Login using Google and leverage standard registration handler.
- D. Implement a login flow with a record create component for Case.

Answer: D

NEW QUESTION 17

Universal containers wants to set up SSO for a selected group of users to access external applications from salesforce through App launcher. Which three steps must be completed in salesforce to accomplish the goal?

- A. Associate user profiles with the connected Apps.
- B. Complete my domain and Identity provider setup.
- C. Create connected apps for the external applications.
- D. Complete single Sign-on settings in security controls.
- E. Create named credentials for each external system.

Answer: ABC

NEW QUESTION 20

An identity architect wants to secure Salesforce APIs using Security Assertion Markup Language (SAML). For security purposes, administrators will need to authorize the applications that will be consuming the APIs.
Which Salesforce OAuth authorization flow should be used?

- A. OAuth 2-0 SAML Bearer Assertion Flow
- B. OAuth 2.0 JWT Bearer Flow
- C. SAML Assertion Flow
- D. OAuth 2.0 User-Agent Flow

Answer: C

NEW QUESTION 21

Universal Containers wants to implement SAML SSO for their internal Salesforce users using a third-party IDP. After some evaluation, UC decides not to set up my domain for their salesforce.org. How does that decision impact their SSO implementation?

- A. Neither SP - nor IDP - initiated SSO will work
- B. Either SP - or IDP - initiated SSO will work
- C. IDP - initiated SSO will not work
- D. SP-Initiated SSO will not work

Answer: D

NEW QUESTION 25

Which two capabilities does My Domain enable in the context of a SAML SSO configuration? Choose 2 answers

- A. App Launcher
- B. Resource deep linking
- C. SSO from Salesforce Mobile App
- D. Login Forensics

Answer: BC

NEW QUESTION 27

Universal Containers (UC) is implementing Salesforce and would like to establish SAML SSO for its users to log in. UC stores its corporate user identities in a Custom Database. The UC IT Manager has heard good things about Salesforce Identity Connect as an IdP, and would like to understand what limitations they may face if they decided to use Identity Connect in their current environment. What limitation should an Architect inform the IT Manager about?

- A. Identity Connect will not support user provisioning in UC's current environment.
- B. Identity Connect will only support IdP-initiated SAML flows in UC's current environment.
- C. Identity Connect will only support SP-initiated SAML flows in UC's current environment.
- D. Identity Connect is not compatible with UC's current identity environment.

Answer: A

NEW QUESTION 30

Northern Trail Outfitters (NTO) uses a Security Assertion Markup Language (SAML)-based Identity Provider (IdP) to authenticate employees to all systems. The IdP authenticates users against a Lightweight Directory Access Protocol (LDAP) directory and has access to user information. NTO wants to minimize Salesforce license usage since only a small percentage of users need Salesforce.
What is recommended to ensure new employees have immediate access to Salesforce using their current IdP?

- A. Install Salesforce Identity Connect to automatically provision new users in Salesforce the first time they attempt to login.
- B. Build an integration that queries LDAP periodically and creates new active users in Salesforce.
- C. Configure Just-in-Time provisioning using SAML attributes to create new Salesforce users as necessary when a new user attempts to login to Salesforce.
- D. Build an integration that queries LDAP and creates new inactive users in Salesforce and use a login flow to activate the user at first login.

Answer: C

NEW QUESTION 35

Universal Containers (UC) wants to implement SAML SSO for their internal Salesforce users using a third-party IdP. After some evaluation, UC decides NOT to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. IdP-initiated SSO will NOT work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. SP-initiated SSO will NOT work

Answer: B

NEW QUESTION 37

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the IdP to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 38

An identity architect has been asked to recommend a solution that allows administrators to configure personalized alert messages to users before they land on the Experience Cloud site (formerly known as Community) homepage.
What is recommended to fulfill this requirement with the least amount of customization?

- A. Customize the registration handler Apex class to create a routing logic navigating to different home pages based on the user profile.
- B. Use Login Flows to add a screen that shows personalized alerts.
- C. Build a Lightning web Component (LWC) for a homepage that shows custom alerts.
- D. Create custom metadata that stores user alerts and use a LWC to display alerts.

Answer: B

NEW QUESTION 42

Universal Containers (UC) wants to build a custom mobile app for their field reps to create orders in salesforce. After the first time the users log in, they must be able to access salesforce upon opening the mobile app without being prompted to log in again. What Oauth flows should be considered to support this requirement?

- A. Web Server flow with a Refresh Token.
- B. Mobile Agent flow with a Bearer Token.
- C. User Agent flow with a Refresh Token.
- D. SAML Assertion flow with a Bearer Token.

Answer: C

NEW QUESTION 46

How should an identity architect automate provisioning and deprovisioning of users into Salesforce from an external system?

- A. Call SOAP API upsertQ on user object.
- B. Use Security Assertion Markup Language Just-in-Time (SAML JIT) on incoming SAML assertions.
- C. Run registration handler on incoming OAuth responses.
- D. Call OpenID Connect (OIDC)-userinfo endpoint with a valid access token.

Answer: C

NEW QUESTION 47

Universal Containers (UC) has a Customer Community that uses Facebook for of authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate Customer Community user. How can this requirement be met?

- A. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.
- B. Use information in the Signed Request that is received from Facebook.
- C. Develop a scheduled job that calls out to Facebook on a nightly basis.
- D. Use the updateUser() method on the Registration Handler class.

Answer: D

NEW QUESTION 49


Universal Containers (UC) is building an integration between Salesforce and a legacy web applications using the canvas framework. The security for UC has determined that a signed request from Salesforce is not an adequate authentication solution for the Third-Party app. Which two options should the Architect consider for authenticating the third-party app using the canvas framework? Choose 2 Answers

- A. Utilize the SAML Single Sign-on flow to allow the third-party to authenticate itself against UC's IdP.
- B. Utilize Authorization Providers to allow the third-party application to authenticate itself againstSalesforce as the Idp.
- C. Utilize Canvas OAuth flow to allow the third-party application to authenticate itself against Salesforce as the Idp.
- D. Create a registration handler Apex class to allow the third-party application to authenticate itself against Salesforce as the Idp.

Answer: AC

NEW QUESTION 54

Refer to the exhibit.



Outfitters (NTO) is using Experience Cloud as an Identity for its application on Heroku. The application on Heroku should be able to handle two brands, Northern Trail Shoes and Northern Trail Shirts.

A user should select either of the two brands in Heroku before logging into the community. The app then performs Authorization using OAuth2.0 with the Salesforce Experience Cloud site.

NTO wants to make sure it renders login page images dynamically based on the user's brand preference selected in Heroku before Authorization. what should an identity architect do to fulfill the above requirements?

- A. For each brand create different communities and redirect users to the appropriate community using a custom Login controller written in Apex.
- B. Create multiple login screens using Experience Builder and use Login Flows at runtime to route to different login screens.
- C. Authorize third-party service by sending authorization requests to the community-url/services/oauth2/authorize/cookie_value.
- D. Authorize third-party service by sending authorization requests to thecommunity-url/services/oauth2/authonze/expid_value.

Answer: D

NEW QUESTION 55

An architect has successfully configured SAML-BASED SSO for universal containers. SSO has been working for 3 months when Universal containers manually adds a batch of new users to salesforce. The new users receive an error from salesforce when trying to use SSO. Existing users are still able to successfully use SSO to access salesforce. What is the probable cause of this behaviour?

- A. The administrator forgot to reset the new user's salesforce password.
- B. The Federation ID field on the new user records is not correctly set
- C. The my domain capability is not enabled on the new user's profile.
- D. The new users do not have the SSO permission enabled on their profiles.

Answer: B

NEW QUESTION 58

Which two statements are capable of Identity Connect? Choose 2 answers

- A. Synchronization of Salesforce Permission Set Licence Assignments.
- B. Supports both Identity-Provider-Initiated and Service-Provider-Initiated SSO.
- C. Support multiple orgs connecting to multiple Active Directory servers.
- D. Automated user synchronization and de-activation.

Answer: BD

NEW QUESTION 62

Universal Containers (UC) has an e-commerce website where customers can buy products, make payments and manage their accounts. UC decides to build a Customer Community on Salesforce and wants to allow the customers to access the community from their accounts without logging in again. UC decides to implement an SP-initiated SSO using a SAML-compliant Idp. In this scenario where Salesforce is the Service Provider, which two activities must be performed in Salesforce to make SP-initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Create a Connected App.
- C. Configure Delegated Authentication.
- D. Set up My Domain.

Answer: AD

NEW QUESTION 65

Universal containers(UC) has implemented SAML-BASED single Sign-on for their salesforce application and is planning to provide access to salesforce on mobile devices using the salesforce1 mobile app. UC wants to ensure that single Sign-on is used for accessing the salesforce1 mobile app. Which two recommendations should the architect make? Choose 2 answers

- A. Use the existing SAML SSO flow along with user agent flow.
- B. Configure the embedded Web browser to use my domain URL.
- C. Use the existing SAML SSO flow along with Web server flow

D. Configure the salesforce1 app to use the my domain URL

Answer: AD

NEW QUESTION 67

Universal containers (UC) is concerned that having a self-registration page will provide a means for "bots" or unintended audiences to create user records, thereby consuming licences and adding dirty data. Which two actions should UC take to prevent unauthorised form submissions during the self-registration process? Choose 2 answers

- A. Use open-ended security questions and complex password requirements
- B. Primarily use lookup and picklist fields on the self registration page.
- C. Require a captcha at the end of the self-registration process.
- D. Use hidden fields populated via java script events in the self-registration page.

Answer: CD

NEW QUESTION 72

Which three are features of federated Single sign-on solutions? Choose 3 Answers

- A. It establishes trust between Identity Store and Service Provider.
- B. It federates credentials control to authorized applications.
- C. It solves all identity and access management problems.
- D. It improves affiliated applications adoption rates.
- E. It enables quick and easy provisioning and deactivating of users.

Answer: ADE

NEW QUESTION 77

Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate? Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate?

- A. Check the Refresh Token policy defined in the Salesforce Connected App.
- B. Validate that the users are checking the box to remember their passwords.
- C. Verify that the Callback URL is correctly pointing to the new URI Scheme.
- D. Confirm that the access Token's Time-To-Live policy has been set appropriately.

Answer: A

NEW QUESTION 79

The CIO of universal containers(UC) wants to start taking advantage of the refresh token capability for the UC applications that utilize OAuth 2.0. UC has listed an architect to analyze all of the applications that use OAuth flows to. See where refresh Tokens can be applied. Which two OAuth flows should the architect consider in their evaluation? Choose 2 answers

- A. Web server
- B. Jwt bearer token
- C. User-Agent
- D. Username-password

Answer: AC

NEW QUESTION 84

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy of system for order fulfillment. The legacy system must update the status of orders in 65* Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

Answer: B

NEW QUESTION 86

Universal Containers (UC) currently uses Salesforce Sales Cloud and an external billing application. Both Salesforce and the billing application are accessed several times a day to manage customers. UC would like to configure single sign-on and leverage Salesforce as the identity provider. Additionally, UC would like the billing application to be accessible from Salesforce. A redirect is acceptable.

Which two Salesforce tools should an identity architect recommend to satisfy the requirements? Choose 2 answers

- A. salesforce Canvas
- B. Identity Connect
- C. Connected Apps
- D. App Launcher

Answer: AD

NEW QUESTION 90

Universal containers (UC) wants to implement a partner community. As part of their implementation, UC would like to modify both the Forgot password and change password experience with custom branding for their partner community users. Which 2 actions should an architect recommend to UC? Choose 2 answers

- A. Build a community builder page for the change password experience and Custom Visualforce page for the Forgot password experience.
- B. Build a custom visualforce page for both the change password and Forgot password experiences.
- C. Build a custom visualforce page for the change password experience and a community builder page for the Forgot password experience.
- D. Build a community builder page for both the change password and Forgot password experiences.

Answer: BC

NEW QUESTION 94

Universal Containers built a custom mobile app for their field reps to create orders in Salesforce. OAuth is used for authenticating mobile users. The app is built in such a way that when a user session expires after Initial login, a new access token is obtained automatically without forcing the user to log in again. While that improved the field reps' productivity, UC realized that they need a "logout" feature.

What should the logout function perform in this scenario, where user sessions are refreshed automatically?

- A. Invoke the revocation URL and pass the refresh token.
- B. Clear out the client Id to stop auto session refresh.
- C. Invoke the revocation URL and pass the access token.
- D. Clear out all the tokens to stop auto session refresh.

Answer: A

NEW QUESTION 99

How should an Architect automatically redirect users to the login page of the external Identity provider when using an SP-Initiated SAML flow with Salesforce as a Service Provider?

- A. Use visualforce as the landing page for My Domain to redirect users to the Identity Provider login Page.
- B. Enable the Redirect to the Identity Provider setting under Authentication Services on the My domain Configuration.
- C. Remove the Login page from the list of Authentication Services on the My Domain configuration.
- D. Set the Identity Provider as default and enable the Redirect to the Identity Provider setting on the SAML Configuration.

Answer: C

NEW QUESTION 100

An architect needs to set up a Facebook Authentication provider as login option for a salesforce customer Community. What portion of the authentication provider setup associates a Facebook user with a salesforce user?

- A. Consumer key and consumer secret
- B. Federation ID
- C. User info endpoint URL
- D. Apex registration handler

Answer: D

NEW QUESTION 101

Universal containers (UC) has a classified information system that it's call centre team uses only when they are working on a case with a record type of "classified". They are only allowed to access the system when they own an open "classified" case, and their access to the system is removed at all other times. They would like to implement SAML SSO with salesforce as the IDP, and automatically allow or deny the staff's access to the classified information system based on whether they currently own an open "classified" case record when they try to access the system using SSO. What is the recommended solution for automatically allowing or denying access to the classified information system based on the open "classified" case record criteria?

- A. Use a custom connected App handler using apex to dynamically allow access to the system based on whether the staff owns any open "classified" cases.
- B. Use apex trigger on case to dynamically assign permission sets that grant access when a user is assigned with an open "classified" case, and remove it when the case is closed.
- C. Use custom SAML jit provisioning to dynamically query the user's open "classified" cases when attempting to access the classified information system
- D. Use salesforce reports to identify users that currently owns open "classified" cases and should be granted access to the classified information system.

Answer: A

NEW QUESTION 104

Universal Containers (UC) built an integration for their employees to post, view, and vote for ideas in Salesforce from an internal Company portal. When ideas are posted in Salesforce, links to the ideas are created in the company portal pages as part of the integration process. The Company portal connects to Salesforce using OAuth. Everything is working fine, except when users click on links to existing ideas, they are always taken to the Ideas home page rather than the specific idea, after authorization. Which OAuth URL parameter can be used to retain the original requested page so that a user can be redirected correctly after OAuth authorization?

- A. Redirect_uri
- B. State
- C. Scope
- D. Callback_uri

Answer: A

NEW QUESTION 109

Universal Containers uses Salesforce as an identity provider and Concur as the Employee Expense management system. The HR director wants to ensure Concur accounts for employees are created only after the appropriate approval in the Salesforce org. Which three steps should the identity architect use to implement this requirement? Choose 3 answers

- A. Create an approval process for a custom object associated with the provisioning flow.
- B. Create a connected app for Concur in Salesforce.
- C. Enable User Provisioning for the connected app.
- D. Create an approval process for user object associated with the provisioning flow.
- E. Create an approval process for UserProvisioningRequest object associated with the provisioning flow.

Answer: BCE

NEW QUESTION 112

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department. How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

Answer: B

NEW QUESTION 116

A client is planning to rollout multi-factor authentication (MFA) to its internal employees and wants to understand which authentication and verification methods meet the Salesforce criteria for secure authentication. Which three functions meet the Salesforce criteria for secure mfa? Choose 3 answers

- A. username and password + SMS passcode
- B. Username and password + security key
- C. Third-party single sign-on with Mobile Authenticator app
- D. Certificate-based Authentication
- E. Lightning Login

Answer: BCE

NEW QUESTION 119

Universal Containers (UC) has decided to replace the homegrown customer portal with Salesforce Experience Cloud. UC will continue to use its third-party single sign-on (SSO) solution that stores all of its customer and partner credentials. The first time a customer logs in to the Experience Cloud site through SSO, a user record needs to be created automatically. Which solution should an identity architect recommend in order to automatically provision users in Salesforce upon login?

- A. Just-in-Time (JIT) provisioning
- B. Custom middleware and web services
- C. Custom login flow and Apex handler
- D. Third-party AppExchange solution

Answer: A

NEW QUESTION 120

Universal Containers (UC) has implemented a multi-org strategy and would like to centralize the management of their Salesforce user profiles. What should the architect recommend to allow Salesforce profiles to be managed from a central system of record?

- A. Implement jit provisioning on the SAML IDP that will pass the profile id in each assertion.
- B. Create an apex scheduled job in one org that will synchronize the other orgs profile.
- C. Implement Delegated Authentication that will update the user profiles as necessary.
- D. Implement an OAuth2 flow to pass the profile credentials between systems.

Answer: A

NEW QUESTION 123

Universal Containers (UC) has five Salesforce orgs (UC1, UC2, UC3, UC4, UC5). of Every user that is in UC2, UC3, UC4, and UC5 is also in UC1, however not all users have access to every org. Universal Containers would like to simplify the authentication process such that all Salesforce users need to remember one set of credentials. UC would like to achieve this with the least impact to cost and maintenance. What approach should an Architect recommend to UC?

- A. Purchase a third-party Identity Provider for all five Salesforce orgs to use and set up JIT user provisioning on all other orgs.
- B. Purchase a third-party Identity Provider for all five Salesforce orgs to use, but don't set up JIT user provisioning for other orgs.
- C. Configure UC1 as the Identity Provider to the other four Salesforce orgs and set up JIT user provisioning on all other orgs.
- D. Configure UC1 as the Identity Provider to the other four Salesforce orgs, but don't set up JIT user provisioning for other orgs.

Answer: B

NEW QUESTION 126

Universal Containers (UC) uses Global Shipping (GS) as one of their shipping vendors. Regional leads of GS need access to UC's Salesforce instance for reporting damage of goods using Cases. The regional leads also need access to dashboards to keep track of regional shipping KPIs. UC internally uses a third-

party cloud analytics tool for capacity planning and UC decided to provide access to this tool to a subset of GS employees. In addition to regional leads, the GS capacity planning team would benefit from access to this tool. To access the analytics tool, UC IT has set up Salesforce as the Identity provider for Internal users and would like to follow the same approach for the GS users as well. What are the most appropriate license types for GS Tregional Leads and the GS Capacity Planners? Choose 2 Answers

- A. Customer Community Plus license for GS Regional Leads and External Identity for GS Capacity Planners.
- B. Customer Community Plus license for GS Regional Leads and Customer Community license for GS Capacity Planners.
- C. Identity Licence for GS Regional Leads and External Identity license for GS capacity Planners.
- D. Customer Community license for GS Regional Leads and Identity license for GS Capacity Planners.

Answer: BD

NEW QUESTION 128

Universal containers uses an Employee portal for their employees to collaborate. employees access the portal from their company's internal website via SSO. It is set up to work with Active Directory. What is the role of Active Directory in this scenario?

- A. Identity store
- B. Authentication store
- C. Identity provider
- D. Service provider

Answer: C

NEW QUESTION 133

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is secure. What certificate is sent along with the Outbound Message?

- A. The Self-signed Certificates from the Certificate & Key Management menu.
- B. The default client Certificate from the Develop--> API menu.
- C. The default client Certificate or the Certificate and Key Management menu.
- D. The CA-signed Certificate from the Certificate and Key Management Menu.

Answer: B

NEW QUESTION 138

A group of users try to access one of Universal Containers' Connected Apps and receive the following error message: " Failed: Not approved for access." What is the most likely cause of this issue?

- A. The Connected App settings "All users may self-authorize" is enabled.
- B. The Salesforce Administrators have revoked the OAuth authorization.
- C. The Users do not have the correct permission set assigned to them.
- D. The User of High Assurance sessions are required for the Connected App.

Answer: C

NEW QUESTION 140

A company's external application is protected by Salesforce through OAuth. The identity architect for the project needs to limit the level of access to the data of the protected resource in a flexible way.
What should be done to improve security?

- A. Select "Admin approved users are pre-authorized" and assign specific profiles.
- B. Create custom scopes and assign to the connected app.
- C. Define a permission set that grants access to the app and assign to authorized users.
- D. Leverage external objects and data classification policies.

Answer: B

NEW QUESTION 142

Northern Trail Outfitters (NTO) is planning to build a new customer service portal and wants to use passwordless login, allowing customers to login with a one-time passcode sent to them via email or SMS.
How should the quantity of required Identity Verification Credits be estimated?

- A. Each community comes with 10,000 Identity Verification Credits per month and only customers with more than 10,000 logins a month should estimate additional SMS verifications needed.
- B. Identity Verification Credits are consumed with each SMS (text message) sent and should be estimated based on the number of login verification challenges for SMS verification users.
- C. Identity Verification Credits are consumed with each verification sent and should be estimated based on the number of logins that will incur a verification challenge.
- D. Identity Verification Credits are a direct add-on license based on the number of existing member-based or login-based Community licenses.

Answer: B

NEW QUESTION 146

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Identity-and-Access-Management-Designer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Identity-and-Access-Management-Designer Product From:

<https://www.2passeasy.com/dumps/Identity-and-Access-Management-Designer/>

Money Back Guarantee

Identity-and-Access-Management-Designer Practice Exam Features:

- * Identity-and-Access-Management-Designer Questions and Answers Updated Frequently
- * Identity-and-Access-Management-Designer Practice Questions Verified by Expert Senior Certified Staff
- * Identity-and-Access-Management-Designer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Identity-and-Access-Management-Designer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year