

## E20-393 Dumps

### Unity Solutions Specialist Exam for Implementation Engineers

<https://www.certleader.com/E20-393-dumps.html>



**NEW QUESTION 1**

Which storage objects support Advanced Deduplication?

- A. VMFS datastores and VVols
- B. Thin LUNs and thick LUNs
- C. Thick LUNs and VVols
- D. Thin LUNs and thin VMFS datastores

**Answer:** D

**NEW QUESTION 2**

What is the result of enabling Data Reduction on a LUN in a Consistency Group containing three LUNs?

- A. All writes to all Consistency Group LUNs will go through the Data Reduction logic
- B. Any writes to the LUN will go through the Data Reduction logic
- C. Data Reduction will be enabled on all LUNs in the Consistency Group
- D. Data Reduction and Advanced Replication will be enabled on all LUNs

**Answer:** C

**NEW QUESTION 3**

A company with multiple remote offices has decided to use synchronous replication. What systems support this capability?

- A. Dell EMC Unity XT and Dell EMC UnityVSA
- B. Dell EMC UnityVSA only
- C. Dell EMC UnityVSA and VNXe
- D. Dell EMC Unity XT only

**Answer:** C

**NEW QUESTION 4**

A system administrator has added a new Unity storage array to their environment. The administrator wants to migrate block data from vVNX running in their VMware environment to a UnityVSA. In addition, the administrator needs to migrate the block data from an older CLARiiON storage array to the new Unity storage array.

Which single block migration option will work for both the virtual and hardware storage devices?

- A. SAN Copy Push
- B. VPLEX
- C. Host-Based LVM
- D. RecoverPoint

**Answer:** A

**Explanation:**

You move Block storage from a CLARiiON CX or VNX Series storage system to an EMC Unity system.

Note: Clariion (styled CLARiiON) is a discontinued [1] SAN disk array manufactured and sold by EMC Corporation, it occupied the entry-level and mid-range of EMC's SAN disk array products. In 2011, EMC introduced the EMC VNX Series, designed to replace both the Clariion and Celerra products.

**NEW QUESTION 5**

What functionality is provided by the Unity UFS64 Enterprise File System architecture?

- A. File systems scaled up to 16 TB.
- B. QoS controlled by density-based policies.
- C. Up to 64,000 sub-directories per directory
- D. Space reclamation of unused blocks.

**Answer:** D

**Explanation:**

References:

<http://www.emc-announces.com/collateral/white-papers/h13770-emc-vnxe3200-ufs64-wp.pdf>

**NEW QUESTION 6**

What capability is provided by the Dell EMC CIFS Management snap-in?

- A. Configure share permissions
- B. Configure NAS Server registry settings
- C. Manage home directories
- D. Manage local NAS Server users

**Answer:** A

**NEW QUESTION 7**

When deploying virtual disks for a UnityVSA system, what is an EMC recommended Disk Provision Policy?

- A. Thick Provision Eager Zeroed
- B. Thin Provision
- C. Thick Provision
- D. Thick Provision Lazy Zeroed

**Answer:** A

**Explanation:**

EMC recommends the following settings for all virtual disks:

**NEW QUESTION 8**

Which technology is used by Unity Snapshots?

- A. Copy on First Write
- B. Inline Deduplication
- C. Redirect on Write
- D. Block Compression

**Answer:** C

**Explanation:**

The technology used for snapshots of both block and file resources in Unity is called redirect on write.

**NEW QUESTION 9**

What is the maximum number of Dell EMC Unity arrays that can participate in a Synchronous Replication topology?

- A. 2
- B. 4
- C. 5
- D. 16

**Answer:** A

**NEW QUESTION 10**

Two fans have failed on the SPE. How much time does the Dell EMC Unity system allow before the SP is shut down?

- A. 2 min
- B. 3 min
- C. 4 min
- D. 5 min

**Answer:** D

**NEW QUESTION 10**

What pathing options are supported by Dell EMC Unity XT systems to provide a host with Fibre Channel access to block storage?

- A. Single Path, Multipath, and Alternate Path
- B. Single Path and Multipath only
- C. Multipath only
- D. Single Path only

**Answer:** B

**NEW QUESTION 15**

What is a characteristic of the IP Packet Reflect feature running on a Dell EMC Unity NAS Server?

- A. SP must be rebooted after the feature is enabled on the NAS Server
- B. Outbound packets use the same interface as the inbound packets
- C. Communications initiated by the array do not require route table lookups
- D. Feature can only be enabled when the NAS Server is created via UEMCLI.

**Answer:** B

**NEW QUESTION 17**

Which disk format is recommended for Dell EMC Unity's OVA?

- A. Thick Provision Lazy Zeroed
- B. raw
- C. Thick Provision Eager Zeroed
- D. Thin Provision

**Answer:** C

**NEW QUESTION 22**

What is a consideration for IP Packet Reflect running on a NAS server?

- A. Communications initiated by Unity do not require route table lookups.
- B. SP must be rebooted after IP Packet Reflect is disabled.
- C. SP Must be rebooted after IP Packet Reflect is enabled.
- D. Reply packets are sent via the same interface as the request packets.

**Answer:** A

**Explanation:**

References: <https://www.emc.com/dam/uwaem/documentation/unity-p-configure-smb-file-sharing.pdf> (53)

**NEW QUESTION 26**

A company has a Unity 300 system with 200 SAS drives. They need to increase the number of SAS drives by 300. Which in-place upgrade is required?

- A. Unity 400F
- B. Unity 400
- C. Unity 600F
- D. Unity 500

**Answer:** D

**Explanation:**

References:

<https://www.emc.com/collateral/data-sheet/h14958-unity-hybrid-family-ss.pdf?isKoreaPage=false&domainUrlF>

**NEW QUESTION 28**

How is encryption set for a Unity storage system?

- A. Clicking the “Mode” checkbox on the Manage Encryption page
- B. Selecting “Status” on the Manage Encryption page
- C. Automatically set at the factory
- D. First time the license is applied

**Answer:** D

**Explanation:**

D@RE is included by default on Unity arrays and included in the Unity license file unless otherwise requested during ordering. Therefore, all that is needed to activate D@RE is to install the D@RE enabled license file. The license installation process is not specific to D@RE, and is required to be performed before using the array. When logging into Unisphere for the first time, license installation appears as a step of the Unisphere Configuration Wizard, prompting the administrator to install the license file obtained from EMC. If this license file includes D@RE functionality, D@RE will be enabled once the license file is installed successfully

Note: Unity storage systems address sensitive data concerns through controller-based Data at Rest Encryption

(D@RE), which encrypts stored data as it is written to disk.

D@RE is a license controlled feature available by default on Unity storage systems, and, being designed to be largely invisible to administrative end users, requires almost no effort to enable or manage. Enabling the feature or backing up the encryption keys externally takes just seconds, and redundant keystore backups stored on array ensure that user data is always as available as it is secure.

**NEW QUESTION 31**

What is a characteristic of the iSCSI interface on Dell EMC Unity storage arrays?

- A. IQN aliases can be created optionally after the iSCSI interface is created.
- B. IQN aliases are associated with an iSCSI interface.
- C. IQNs are associated with a network port.
- D. An iSCSI interface can be created with both an IPv4 and IPv6 IP address.

**Answer:** C

**NEW QUESTION 34**

What is required for file system creation on Unity?

- A. Shares
- B. DNS configuration
- C. NTP configuration
- D. NAS Server

**Answer:** D

**Explanation:**

References:

<https://www.dellemc.com/en-us/documentation/unity-family/unity-p-configure-nfs-file-sharing/03-unity-nfs-c-c>

**NEW QUESTION 39**

Which VASA API protocol is used to integrate with Dell EMC UnityVSA over HTTPS?

- A. SNMP
- B. WSDL
- C. SOAP
- D. REST

**Answer:** D

**NEW QUESTION 41**

Which IO modules are supported on the Unity 380/380F?

- A. 25 GbE optical/12 Gb's SAS
- B. 12 GB's SAS/10 GbE Base-T
- C. 16 Gb's Fibre Channel/10 GbE Base-T
- D. 6 Gb's SAS/12 Gb's SAS

**Answer:** B

**NEW QUESTION 45**

A storage administrator attempts to restart the Management Server to resolve Unisphere issues, but is unable to do so. What is a possible reason for this issue?

- A. SP is in Reset and Hold mode
- B. SP is in Maintenance mode
- C. Both SPs are in Service mode
- D. Only one SIP is in Service mode

**Answer:** A

**NEW QUESTION 48**

Asynchronous remote replication is configured for a NAS Server and its associated file systems. What operations can be performed to make data available if the primary site goes down?

- A. Failover operation on the NAS Server session, then a Failover operation on each of the file system sessions
- B. Failover with Sync operation on each of the file system sessions, then a Failover with Sync operation on the NAS Server session.
- C. Failover operation on each of the file system session, then a Failover operation on the NAS Server session.
- D. Failover with Sync operation on the NAS Server session, then a Failover with Sync operation on each of the file system sessions.

**Answer:** A

**NEW QUESTION 50**

Which Dell EMC Unity model(s) supports the 12 Gb/s SAS I/O module?

- A. All Dell EMC Unity models
- B. Dell EMC Unity 600/650F only
- C. Dell EMC Unity 500/550F and Dell EMC Unity 600/650F only
- D. Dell EMC Unity 400/450F, Dell EMC Unity 500/550F, and Dell EMC Unity 600/650F only

**Answer:** C

**NEW QUESTION 52**

A storage administrator is configuring a storage pool on a Unity system containing Flash disks and SAS disks. What tier will the system assign to each of the disk types?

- A. Flash: Extreme Performance/SAS: Performance
- B. Flash: Performance/SAS: Capacity
- C. Flash: Extreme Performance/SAS: Capacity
- D. Flash: Capacity/SAS: Performance

**Answer:** A

**Explanation:**

Hybrid pools can have up to 3 tiers (Extreme Performance, Performance, and Capacity). For the Extreme Performance tier, use only SAS Flashdrives. For the Capacity tier, use only SAS drives.

**NEW QUESTION 55**

Which Directory Services can be configured in the Unisphere Settings window?

- A. LDAP
- B. NIS
- C. NDS
- D. Active Directory

**Answer:** A

**NEW QUESTION 58**

When defining which resources on the destination system the replicated item will use for an asynchronous session, which settings must be provided?

- A. Replication Mode, RPO, and Replicate To
- B. Name, Pool, and Storage Provisioning
- C. Ethernet Port, Subnet/Prefix Length, and Gateway
- D. Management IP Address, User Name, and Password

**Answer:** B

**Explanation:**

Create a replication session

Ensure that you have first created relevant replication interfaces and connections, and then you need the name, pool, storage provisioning, and tiering policy you want to use for the destination storage resource. The system will automatically created a destination storage resource as part of this process.

References: <https://www.emc.com/dam/uwaem/documentation/unity-p-replication-config.pdf> (page 23)

**NEW QUESTION 63**

The embedded FC ports allow connection at what speeds?

- A. 4Gb/s, 8 Gb/s, and 16 Gb/s
- B. 10 Gb/s and 16 Gb/s
- C. 8 Gb/s and 16 Gb/s only
- D. 1 Gb/s and 10 Gb/s

**Answer:** A

**NEW QUESTION 65**

A Thin Clone has just been created. What operation can be performed on it?

- A. Change FAST VP Policy
- B. Change SP ownership
- C. Change Data Reduction setting
- D. Increase its size.

**Answer:** D

**NEW QUESTION 69**

For high availability within iSCSI, connections should be attached using what?

- A. Different subnets
- B. Flow control
- C. Twinax cables
- D. Jumbo frames

**Answer:** A

**NEW QUESTION 71**

During the configuration of ESRS, how is the Customer Contact Data verified?

- A. Access code sent through email to the customer
- B. Step taken during the ESRS Network check
- C. Step taken by the ESRS Policy Manager
- D. Step taken during the readiness check for ESRS

**Answer:** A

**NEW QUESTION 74**

A company needs to expand their dynamic pool by 10 TB. The current dynamic pool consists of sixty-three 7.6 TB SSD drives that are configured for RAID5 12+1. What is the minimum number of drives needed for the pool expansion?

- A. 1
- B. 2
- C. 13
- D. 15

**Answer:** B

**NEW QUESTION 75**

Which protocols are supported by Dell EMC UnityVSA for storage provisioning?

- A. iSCSI, NFS, and SMB
- B. FC, NFS, and iSCSI
- C. iSCSI and FC only
- D. iSCSI and SMB only

**Answer:** A

**NEW QUESTION 78**

A company has a VMware host installed with FC HBAs that is connected to a Dell EMC Unity XT storage array. A 500 GB LUN is provisioned to this host from the Unity array and is in production. The VMware administrator has configured a new vSwitch with the NICs on the server intended for iSCSI traffic. The storage administrator is asked to configure software iSCSI and provision a new 1 TB LUN from the storage array via iSCSI.

What is a consideration when satisfying this request?



- A. A connection must be established between the host iSCSI initiators and Unity iSCSI targets before provisioning the new LUN
- B. Any single host should connect to any single array using one protocol only
- C. The iSCSI configuration must use all the NIC connections to the host
- D. Two iSCSI target interfaces must be configured with IP addresses from separate subnets

**Answer:** D

#### NEW QUESTION 79

What is the default NFS host access option?

- A. No Access
- B. Read/Write, Allow Root
- C. Read-Only
- D. Read/Write

**Answer:** B

#### NEW QUESTION 80

A system administrator is configuring asynchronous remote replication for an existing NAS server and its' file systems on a Unity system. What should the administrator create to ensure all data is replicated for the NAS server and the file system?

- A. Replication sessions on each file system only
- B. Replication sessions for each file system first and then the NAS server
- C. A replication session on the NAS server and then manually create replication sessions on each file system
- D. A replication session for only the NAS server

**Answer:** D

#### Explanation:

Before File Systems or VMware NFS Datastores can be replicated, the NAS Server must be replicated.

#### NEW QUESTION 82

Which migration tool can be used to move file data a Unity storage array in both NFS and CIFS/SMB protocols?

- A. EMC Select Datadobi
- B. Unity Async Replication
- C. rsync
- D. EMCopy

**Answer:** D

#### Explanation:

EMCopy will work to copy the data from Solaris host to export CIFS and NFS including the security configuration.

#### NEW QUESTION 84

What are characteristics of the LUN Snapshot Copy operation?

- A. Parent cannot be a snapshot copyCan only copy a detached snapshotHas an independent Retention Policy from the parent
- B. Parent can be a snapshot copyCan only copy a detached snapshotHas an independent Retention Policy from the parent
- C. Parent can be a snapshot copyCan copy an attached or detached snapshotInherits the parent Snapshot Retention Policy
- D. Parent cannot be a snapshot copyCan copy an attached or detached snapshotInherits the parent Snapshot Retention Policy

**Answer:** D

#### Explanation:

The Snapshot Copy operation will make a copy of an existing snapshot that is either attached or detached from a host. The copy will capture the existing data state of the snapshot it copies. In this Copy example, a copy of an existing 4 o clock snapshot is being made. The copy inherits the parent snapshot data state of 4 o clock and its retention policy

#### NEW QUESTION 87

What is the default setting of Advanced Deduplication when Data Reduction is selected within Unisphere?

- A. Disabled for thick LUNs and enabled for thin LUNs
- B. Disabled for thin LUNs in an All-Flash pool
- C. Enabled for thin LUNs in an All-Flash pool
- D. Enabled for both thick and thin LUNs

**Answer:** C

#### NEW QUESTION 89

What is the correct sequence of steps taken by the storage array when an AC power failure is detected?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Storage processors Power

BIOS

SP Cache Array

The Battery Backup Unit (BBU) provides power to the Storage Processor in the event that cabinet power is lost. The BBU is designed to power the SP long enough for the system to store SP cache content to the M.2 SSD device before powering down. The BBU includes sensors which communicate its charge and health status to the SP. In the event the BBU is discharged the SP will disable cache until the BBU has recharged. In the event the BBU has faulted or cannot sustain enough charge, an alert will be generated.

References:

<https://www.emc.com/collateral/white-papers/h15084-dell-emc-unity-introduction-to-the-platform.pdf>

#### NEW QUESTION 94

Using the fan-out topology, what is the maximum number of sites a resource can be replicated to asynchronously?

- A. 2
- B. 4
- C. 6
- D. 8

**Answer:** B

#### NEW QUESTION 98

Match each integrated ESRS characteristic with its attribute.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### NEW QUESTION 103

What is an example of a NAS Server replication session grouped operation?

- A. Delete
- B. Resume
- C. Sync
- D. Create

**Answer:** B

#### NEW QUESTION 108

While provisioning storage on a Dell EMC Unity XT array, the Create LUN wizard becomes unresponsive. To resolve the issue, the storage administrator plans to restart the management server from the Unisphere GUI.

Which account password is needed for this activity?



- A. Global admin
- B. Local admin
- C. LDAP user
- D. Service

**Answer:** D

**NEW QUESTION 109**

A storage administrator notices that all the configured HOST I/O Limits policies are Globally Paused. How can the administrator put these policies into the Active state?

- A. Select the Resume option on the Host I/O Limits Settings page
- B. Select the Resume action for each Host I/O limits policy
- C. Select the Active action for each Host I/O Limits policy
- D. Select the Active option on the Host I/O Limits Settings page

**Answer:** B

**NEW QUESTION 114**

A user needs to re-image a Dell EMC Unity Storage Processor and resume normal operations. What is the correct sequence of steps to complete this task using Unisphere?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 115**

Which FAST Cache operation can be performed from the Settings window?

- A. Disable FAST Cache use on a specific pool
- B. Pause FAST Cache use
- C. Expand FAST Cache
- D. Enable FAST Cache use on a specific pool

**Answer:** A

**NEW QUESTION 119**

Match each Dell EMC tool to its respective function.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### NEW QUESTION 124

A storage administrator wants to create datastores using VMware VASA APIs and IP networking. Which type of datastore should be used?

- A. File datastore
- B. Block datastore
- C. VVol (file)
- D. VVol (block)

**Answer:** D

#### NEW QUESTION 128

Dell EMC Unity systems collect several metrics at various time intervals and use ESRS to send the information to CloudIQ. What are those metrics and their time intervals?

- A. Alerts = 5 minPerformance = 5 minCapacity = 1 hrConfiguration = 1 hr
- B. Alerts = 2 minPerformance = 1 hrCapacity = 1 hourConfiguration = 1 hr
- C. Alerts = 5 minPerformance = 1 hrCapacity = 2 hourConfiguration = 1 hr
- D. Alerts = 2 minPerformance = 30 minCapacity = 1 hrConfiguration = 1 hr

**Answer:** A

#### NEW QUESTION 133

How does Dell EMC Unity XT differ from Dell EMC UnityVSA?

- A. Unity XT supports asynchronous replication only.UnityVSA supports both synchronous and asynchronous replication.
- B. Unity XT supports synchronous replication over Fibre Channel.UnityVSA supports synchronous replication over GigE.
- C. Unity XT supports synchronous replication over Gig
- D. UnityVSA supports synchronous replication over Fibre Channel.
- E. Unity XT supports both synchronous and asynchronous replication.UnityVSA supports asynchronous replication only.

**Answer:** D

**NEW QUESTION 134**

A system administrator wants to grant privileges to manage storage resources and host configurations for some users. However, the administrator wants to ensure users have no privileges to manage user accounts, change network settings and NAS servers, or perform software upgrades. Which user role should be associated with the user accounts to be created?

- A. Administrator
- B. Operator
- C. Storage Administrator
- D. Service

**Answer:** D

**NEW QUESTION 136**

Which IP connection characteristic is unique to file-based storage access?

- A. Link Aggregation
- B. VLAN tagging
- C. Bandwidth throttle
- D. Mirrored writes

**Answer:** B

**NEW QUESTION 137**

An administrator is preparing to configure logging to a remote host. If they use the Unity default values, which port needs to be open for the system to transfer the log information?

- A. 443
- B. 514
- C. 546
- D. 8443

**Answer:** A

**Explanation:**

References: <https://www.emc.com/collateral/TechnicalDocument/docu69327.pdf>

**NEW QUESTION 142**

What is the sequence of steps that must be executed to implement IP Multi-tenancy in a Unity system?

- A. Create file systems and shares for each tenantConfigure host access for the tenant's sharesAdd tenants to the Unity System
- B. Associate tenants with existing NAS serversCreate file systems and shares for each tenantConfigure host access for the tenant's shares
- C. Create a NAS server for each tenantCreate file systems and shares for each tenantAdd tenants and associate to the NAS servers
- D. Add tenants to the Unity systemCreate a NAS server for each tenantCreate file systems and shares for each tenant

**Answer:** D

**Explanation:**

References:

<https://www.dellemc.com/en-za/documentation/unity-family/unity-p-configure-smb-file-sharing/08-unity-smb-c>

**NEW QUESTION 144**

At which stage in the Unity power up sequence would the Storage Processor enter Service mode upon detecting an error?

- A. After the CMI is started
- B. Bootflash
- C. POST
- D. BIOS

**Answer:** C

**Explanation:**

Note: Boot counters are a troubleshooting mechanism that is designed into the Unity architecture to help pinpoint the specific cause of software or hardware events during the boot sequence. If the Unity system detects a problem with software or hardware components, its corresponding Boot Counter is incremented. If a counter reaches a predefined threshold, the SP boots into Service Mode during its next boot cycle.

References: <https://www.emc.com/collateral/TechnicalDocument/docu69328.pdf> (page 12)

**NEW QUESTION 146**

When can Data at Rest Encryption (D@RE) be enabled?

- A. License is applied the first time
- B. Management IP is assigned
- C. LUN is created
- D. File system is created

**Answer:** A

**Explanation:**

References: <https://www.emc.com/collateral/white-papers/h15090-dell-emc-unity-data-at-rest-encryption.pdf> (p.7)

**NEW QUESTION 149**

What can be used to initially configure a static management IPv6 address on a Dell EMC Unity array?

- A. symcli
- B. navisecCLI
- C. uemcli
- D. initCLI

**Answer:** C

**NEW QUESTION 154**

A storage administrator has purchased a UnityVSA and asks your recommendation on how to provision the storage to their ESXi host. Based on Dell EMC best practices, what should you recommend?

- A. Thick Provisioned
- B. Thick Provision Eager Zeroed
- C. Thin Provisioned
- D. Thin Provisioned Eager Zeroed

**Answer:** B

**Explanation:**

References: <https://www.emc.com/collateral/white-papers/h15093-dell-emc-unity-best-practices-guide.pdf> (p.11)

**NEW QUESTION 158**

What describes the Cutover operation for a File Import session?

- A. Client access to data is switched to the target Unity system and the session can be rolled back if Canceled.
- B. Production data access is from Unity but the clients still connect to the interface of the VNX.
- C. Production data access is permanently set on Unity and the original data is deleted from VNX.
- D. Client access to data is switched to the target Unity system and the session cannot be rolled back or Canceled.

**Answer:** A

**Explanation:**

References: <https://www.emc.com/collateral/white-papers/h15163-dell-emc-unity-migration-technologies.pdf>

**NEW QUESTION 163**

What is the correct order of steps to power up a Dell EMC Unity XT storage system?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 164**

When can a file system be defined as thin or thick?

- A. Only when creating the file system
- B. Any time after the file system has been created
- C. Only when adding host access to the file system
- D. Only when enabling data reduction on the file system

**Answer:** B

**NEW QUESTION 169**

Which Dell EMC Unity XT models support Dynamic Pools?

- A. Dell EMC UnityVSA storage only

- B. 380F, 480F, 680F, and 880F
- C. 380F, 480, 680F, and 880
- D. 380, 480, 680, and 880

**Answer:** B

**NEW QUESTION 174**

In UnityVSA, what is the maximum storage capacity offered by the Professional license?

- A. 4 TB
- B. 10 TB
- C. 25 TB
- D. 50 TB

**Answer:** D

**Explanation:**

References: <https://www.emc.com/collateral/TechnicalDocument/docu69362.pdf>

**NEW QUESTION 175**

Which FAST Cache operation proactively copies dirty pages to underlying hard disk drives?

- A. FAST Cache flushing
- B. FAST Cache promotion
- C. FAST Cache warming
- D. FAST Cache cleaning

**Answer:** A

**NEW QUESTION 178**

A High Endurance SSD is limited to how many writes per day?

- A. 1
- B. 10
- C. 25
- D. 30

**Answer:** B

**NEW QUESTION 182**

Which step must be completed prior to performing the initial configuration of a UnityVSA system and creating the first storage pool?

- A. Create an ESXi host profile
- B. License the system for NFS and SMB support
- C. Add vDisks to the storage appliance
- D. Install license keys for thin provisioning

**Answer:** C

**Explanation:**

UNITY VSA STORAGE POOL CREATION

- \* 1. Under the Storage Pool Section go to Pools. Select the + to start the “Create Pool Wizard”.
- \* 2. Name the Pool
- \* 3. Assign a Tier to each Virtual Disk attached to the VSA. You have Extreme, Performance and Capacity.

Etc.

References: <https://samshouseblog.com/2016/06/08/unity-vsa-storage-pool-creation/>

**NEW QUESTION 185**

Which command can be issued from the vSphere client to configure an IP management address?

- A. svc\_initialize\_system
- B. svc\_initialize\_config
- C. svc\_initial\_system
- D. svc\_initial\_config

**Answer:** D

**NEW QUESTION 190**

When the LUN Snapshot Restore operation is performed, what does the Unity system automatically do before beginning the restoration process?

- A. Detaches the hosts from the snapshot
- B. Creates a copy of the snapshot
- C. Detaches the host from the LUN
- D. Creates a snapshot of the LUN

**Answer:** B

**NEW QUESTION 192**

Through which protocols are backend storage provisioned to the ESXi host when deploying a UnityVSA system?

- A. iSCSI, SMB, and NFS
- B. iSCSI and NFS only
- C. FC, iSCSI, and NFS
- D. FC and iSCSI only

**Answer:** A

**Explanation:**

UnityVSA supports SMB, NFS, and iSCSI.

References: <https://www.emc.com/collateral/TechnicalDocument/docu69362.pdf> (page 4)

**NEW QUESTION 194**

Which severity level alerts for a fault condition that has occurred, has minor impact on the system, and does not need to be fixed immediately?

- A. Critical
- B. Notice
- C. Error
- D. Warning

**Answer:** D

**Explanation:**

Event Severity levels are: critical, error, warning, info.

**NEW QUESTION 195**

What is the maximum recovery point objectives (RPOs) configurable when using Unity native asynchronous replication?

- A. Minimum = 1 minuteMaximum = 60 minutes
- B. Minimum = 1 minuteMaximum = 1440 minutes
- C. Minimum = 5 minutesMaximum = 60 minutes
- D. Minimum = 5 minutesMaximum = 1440 minutes

**Answer:** D

**Explanation:**

References:

<https://www.dellemc.com/en-ie/documentation/unity-family/unity-p-replication-config/02-unity-rep-br-workflo>

**NEW QUESTION 199**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your E20-393 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/E20-393-dumps.html>