


## DBS-C01 Dumps

### AWS Certified Database - Specialty

<https://www.certleader.com/DBS-C01-dumps.html>



**NEW QUESTION 1**

A large company is using an Amazon RDS for Oracle Multi-AZ DB instance with a Java application. As a part of its disaster recovery annual testing, the company would like to simulate an Availability Zone failure and record how the application reacts during the DB instance failover activity. The company does not want to make any code changes for this activity.

What should the company do to achieve this in the shortest amount of time?

- A. Use a blue-green deployment with a complete application-level failover test
- B. Use the RDS console to reboot the DB instance by choosing the option to reboot with failover
- C. Use RDS fault injection queries to simulate the primary node failure
- D. Add a rule to the NACL to deny all traffic on the subnets associated with a single Availability Zone

**Answer: C**

**NEW QUESTION 2**

A company is concerned about the cost of a large-scale, transactional application using Amazon DynamoDB that only needs to store data for 2 days before it is deleted. In looking at the tables, a Database Specialist notices that much of the data is months old, and goes back to when the application was first deployed. What can the Database Specialist do to reduce the overall cost?

- A. Create a new attribute in each table to track the expiration time and create an AWS Glue transformation to delete entries more than 2 days old.
- B. Create a new attribute in each table to track the expiration time and enable DynamoDB Streams on each table.
- C. Create a new attribute in each table to track the expiration time and enable time to live (TTL) on each table.
- D. Create an Amazon CloudWatch Events event to export the data to Amazon S3 daily using AWS Data Pipeline and then truncate the Amazon DynamoDB table.

**Answer: A**

**NEW QUESTION 3**

A clothing company uses a custom ecommerce application and a PostgreSQL database to sell clothes to thousands of users from multiple countries. The company is migrating its application and database from its on premises data center to the AWS Cloud. The company has selected Amazon EC2 for the application and Amazon RDS for PostgreSQL for the database. The company requires database passwords to be changed every 60 days. A Database Specialist needs to ensure that the credentials used by the web application to connect to the database are managed securely.

Which approach should the Database Specialist take to securely manage the database credentials?

- A. Store the credentials in a text file in an Amazon S3 bucket
- B. Restrict permissions on the bucket to the IAM role associated with the instance profile
- C. Modify the application to download the text file and retrieve the credentials on start up
- D. Update the text file every 60 days.
- E. Configure IAM database authentication for the application to connect to the database
- F. Create an IAM user and map it to a separate database user for each ecommerce user
- G. Require users to update their passwords every 60 days.
- H. Store the credentials in AWS Secrets Manager
- I. Restrict permissions on the secret to only the IAM role associated with the instance profile
- J. Modify the application to retrieve the credentials from Secrets Manager on start up
- K. Configure the rotation interval to 60 days.
- L. Store the credentials in an encrypted text file in the application AMI
- M. Use AWS KMS to store the key for decrypting the text file
- N. Modify the application to decrypt the text file and retrieve the credentials on start up
- O. Update the text file and publish a new AMI every 60 days.

**Answer: B**

**NEW QUESTION 4**

A company has deployed an e-commerce web application in a new AWS account. An Amazon RDS for MySQL Multi-AZ DB instance is part of this deployment with a database-1.xxxxxxxxxx.us-east-1.rds.amazonaws.com endpoint listening on port 3306. The company's Database Specialist is able to log in to MySQL and run queries from the bastion host using these details.

When users try to utilize the application hosted in the AWS account, they are presented with a generic error message. The application servers are logging a "could not connect to server: Connection times out" error message to Amazon CloudWatch Logs.

What is the cause of this error?

- A. The user name and password the application is using are incorrect.
- B. The security group assigned to the application servers does not have the necessary rules to allow inbound connections from the DB instance.
- C. The security group assigned to the DB instance does not have the necessary rules to allow inbound connections from the application servers.
- D. The user name and password are correct, but the user is not authorized to use the DB instance.

**Answer: C**

**NEW QUESTION 5**

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume.

Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

**Answer:** AE

#### NEW QUESTION 6

A company with branch offices in Portland, New York, and Singapore has a three-tier web application that leverages a shared database. The database runs on Amazon RDS for MySQL and is hosted in the us-west-2 Region. The application has a distributed front end deployed in the us-west-2, ap-southeast-1, and us-east-2 Regions.

This front end is used as a dashboard for Sales Managers in each branch office to see current sales statistics. There are complaints that the dashboard performs more slowly in the Singapore location than it does in Portland or New York. A solution is needed to provide consistent performance for all users in each location. Which set of actions will meet these requirements?

- A. Take a snapshot of the instance in the us-west-2 Region
- B. Create a new instance from the snapshot in the ap-southeast-1 Region
- C. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- D. Create an RDS read replica in the ap-southeast-1 Region from the primary RDS DB instance in the us-west-2 Region
- E. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- F. Create a new RDS instance in the ap-southeast-1 Region
- G. Use AWS DMS and change data capture (CDC) to update the new instance in the ap-southeast-1 Region
- H. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- I. Create an RDS read replica in the us-west-2 Region where the primary instance resides
- J. Create a read replica in the ap-southeast-1 Region from the read replica located on the us-west-2 Region
- K. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.

**Answer:** A

#### NEW QUESTION 7

A Database Specialist needs to define a database migration strategy to migrate an on-premises Oracle database to an Amazon Aurora MySQL DB cluster. The company requires near-zero downtime for the data migration. The solution must also be cost-effective.

Which approach should the Database Specialist take?

- A. Dump all the tables from the Oracle database into an Amazon S3 bucket using datapump (expdp). Run data transformations in AWS Glue
- B. Load the data from the S3 bucket to the Aurora DB cluster.
- C. Order an AWS Snowball appliance and copy the Oracle backup to the Snowball appliance
- D. Once the Snowball data is delivered to Amazon S3, create a new Aurora DB cluster
- E. Enable the S3 integration to migrate the data directly from Amazon S3 to Amazon RDS.
- F. Use the AWS Schema Conversion Tool (AWS SCT) to help rewrite database objects to MySQL during the schema migration
- G. Use AWS DMS to perform the full load and change data capture (CDC) tasks.
- H. Use AWS Server Migration Service (AWS SMS) to import the Oracle virtual machine image as an Amazon EC2 instance
- I. Use the Oracle Logical Dump utility to migrate the Oracle data from Amazon EC2 to an Aurora DB cluster.

**Answer:** D

#### NEW QUESTION 8

A Database Specialist is migrating a 2 TB Amazon RDS for Oracle DB instance to an RDS for PostgreSQL DB instance using AWS DMS. The source RDS Oracle DB instance is in a VPC in the us-east-1 Region. The target RDS for PostgreSQL DB instance is in a VPC in the us-west-2 Region.

Where should the AWS DMS replication instance be placed for the MOST optimal performance?

- A. In the same Region and VPC of the source DB instance
- B. In the same Region and VPC as the target DB instance
- C. In the same VPC and Availability Zone as the target DB instance
- D. In the same VPC and Availability Zone as the source DB instance

**Answer:** D

#### NEW QUESTION 9

An IT consulting company wants to reduce costs when operating its development environment databases. The company's workflow creates multiple Amazon Aurora MySQL DB clusters for each development group. The Aurora DB clusters are only used for 8 hours a day. The DB clusters can then be deleted at the end of the development cycle, which lasts 2 weeks.

Which of the following provides the MOST cost-effective solution?

- A. Use AWS CloudFormation template
- B. Deploy a stack with the DB cluster for each development group. Delete the stack at the end of the development cycle.
- C. Use the Aurora DB cloning feature
- D. Deploy a single development and test Aurora DB instance, and create clone instances for the development group
- E. Delete the clones at the end of the development cycle.
- F. Use Aurora Replica
- G. From the master automatic pause compute capacity option, create replicas for each development group, and promote each replica to master
- H. Delete the replicas at the end of the development cycle.
- I. Use Aurora Serverless
- J. Restore current Aurora snapshot and deploy to a serverless cluster for each development group
- K. Enable the option to pause the compute capacity on the cluster and set an appropriate timeout.

**Answer:** D

#### NEW QUESTION 10

A gaming company is designing a mobile gaming app that will be accessed by many users across the globe. The company wants to have replication and full support for multi-master writes. The company also wants to ensure low latency and consistent performance for app users.

Which solution meets these requirements?

- A. Use Amazon DynamoDB global tables for storage and enable DynamoDB automatic scaling
- B. Use Amazon Aurora for storage and enable cross-Region Aurora Replicas
- C. Use Amazon Aurora for storage and cache the user content with Amazon ElastiCache
- D. Use Amazon Neptune for storage

**Answer:** A

#### NEW QUESTION 10

A Database Specialist is creating a new Amazon Neptune DB cluster, and is attempting to load data from Amazon S3 into the Neptune DB cluster using the Neptune bulk loader API. The Database Specialist receives the following error:

“Unable to connect to s3 endpoint. Provided source = s3://mybucket/graphdata/ and region = us-east-1. Please verify your S3 configuration.”

Which combination of actions should the Database Specialist take to troubleshoot the problem? (Choose two.)

- A. Check that Amazon S3 has an IAM role granting read access to Neptune
- B. Check that an Amazon S3 VPC endpoint exists
- C. Check that a Neptune VPC endpoint exists
- D. Check that Amazon EC2 has an IAM role granting read access to Amazon S3
- E. Check that Neptune has an IAM role granting read access to Amazon S3

**Answer:** BD

#### NEW QUESTION 14

A company is looking to migrate a 1 TB Oracle database from on-premises to an Amazon Aurora PostgreSQL DB cluster. The company's Database Specialist discovered that the Oracle database is storing 100 GB of large binary objects (LOBs) across multiple tables. The Oracle database has a maximum LOB size of 500 MB with an average LOB size of 350 MB. The Database Specialist has chosen AWS DMS to migrate the data with the largest replication instances.

How should the Database Specialist optimize the database migration using AWS DMS?

- A. Create a single task using full LOB mode with a LOB chunk size of 500 MB to migrate the data and LOBs together
- B. Create two tasks: task1 with LOB tables using full LOB mode with a LOB chunk size of 500 MB and task2 without LOBs
- C. Create two tasks: task1 with LOB tables using limited LOB mode with a maximum LOB size of 500 MB and task 2 without LOBs
- D. Create a single task using limited LOB mode with a maximum LOB size of 500 MB to migrate data and LOBs together

**Answer:** C

#### NEW QUESTION 17

After restoring an Amazon RDS snapshot from 3 days ago, a company's Development team cannot connect to the restored RDS DB instance. What is the likely cause of this problem?

- A. The restored DB instance does not have Enhanced Monitoring enabled
- B. The production DB instance is using a custom parameter group
- C. The restored DB instance is using the default security group
- D. The production DB instance is using a custom option group

**Answer:** B

#### NEW QUESTION 22

A company is planning to close for several days. A Database Specialist needs to stop all applications along with the DB instances to ensure employees do not have access to the systems during this time. All databases are running on Amazon RDS for MySQL.

The Database Specialist wrote and executed a script to stop all the DB instances. When reviewing the logs, the Database Specialist found that Amazon RDS DB instances with read replicas did not stop.

How should the Database Specialist edit the script to fix this issue?

- A. Stop the source instances before stopping their read replicas
- B. Delete each read replica before stopping its corresponding source instance
- C. Stop the read replicas before stopping their source instances
- D. Use the AWS CLI to stop each read replica and source instance at the same

**Answer:** D

#### NEW QUESTION 26

A Database Specialist modified an existing parameter group currently associated with a production Amazon RDS for SQL Server Multi-AZ DB instance. The change is associated with a static parameter type, which controls the number of user connections allowed on the most critical RDS SQL Server DB instance for the company. This change has been approved for a specific maintenance window to help minimize the impact on users.

How should the Database Specialist apply the parameter group change for the DB instance?

- A. Select the option to apply the change immediately
- B. Allow the preconfigured RDS maintenance window for the given DB instance to control when the change is applied
- C. Apply the change manually by rebooting the DB instance during the approved maintenance window
- D. Reboot the secondary Multi-AZ DB instance

**Answer:** D

#### NEW QUESTION 27

A company is closing one of its remote data centers. This site runs a 100 TB on-premises data warehouse solution. The company plans to use the AWS Schema Conversion Tool (AWS SCT) and AWS DMS for the migration to AWS. The site network bandwidth is 500 Mbps. A Database Specialist wants to migrate the on-premises data using Amazon S3 as the data lake and Amazon Redshift as the data warehouse. This move must take place during a 2-week period when source systems are shut down for maintenance. The data should stay encrypted at rest and in transit.

Which approach has the least risk and the highest likelihood of a successful data transfer?

- A. Set up a VPN tunnel for encrypting data over the network from the data center to AW
- B. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- C. Once complete, start an AWS DMS task to move the data from the source to Amazon S3. Use AWS Glue to load the data from Amazon S3 to Amazon Redshift.
- D. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- E. Start an AWS DMS task with two AWS Snowball Edge devices to copy data from on-premises to Amazon S3 with AWS KMS encryption. Use AWS DMS to finish copying data to Amazon Redshift.
- F. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- G. Once complete, use a fleet of 10 TB dedicated encrypted drives using the AWS Import/Export feature to copy data from on-premises to Amazon S3 with AWS KMS encryption
- H. Use AWS Glue to load the data to Amazon Redshift.
- I. Set up a VPN tunnel for encrypting data over the network from the data center to AW
- J. Leverage a native database export feature to export the data and compress the file
- K. Use the aws S3 cp multi-port upload command to upload these files to Amazon S3 with AWS KMS encryption
- L. Once complete, load the data to Amazon Redshift using AWS Glue.

**Answer: C**

#### NEW QUESTION 32

A company has an on-premises system that tracks various database operations that occur over the lifetime of a database, including database shutdown, deletion, creation, and backup.

The company recently moved two databases to Amazon RDS and is looking at a solution that would satisfy these requirements. The data could be used by other systems within the company.

Which solution will meet these requirements with minimal effort?

- A. Create an Amazon Cloudwatch Events rule with the operations that need to be tracked on Amazon RDS
- B. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.
- C. Create an AWS Lambda function to trigger on AWS CloudTrail API call
- D. Filter on specific RDS API calls and write the output to the tracking systems.
- E. Create RDS event subscription
- F. Have the tracking systems subscribe to specific RDS event system notifications.
- G. Write RDS logs to Amazon Kinesis Data Firehose
- H. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.

**Answer: C**

#### NEW QUESTION 37

A global digital advertising company captures browsing metadata to contextually display relevant images, pages, and links to targeted users. A single page load can generate multiple events that need to be stored individually. The maximum size of an event is 200 KB and the average size is 10 KB. Each page load must query the user's browsing history to provide targeting recommendations. The advertising company expects over 1 billion page visits per day from users in the United States, Europe, Hong Kong, and India. The structure of the metadata varies depending on the event. Additionally, the browsing metadata must be written and read with very low latency to ensure a good viewing experience for the users.

Which database solution meets these requirements?

- A. Amazon DocumentDB
- B. Amazon RDS Multi-AZ deployment
- C. Amazon DynamoDB global table
- D. Amazon Aurora Global Database

**Answer: C**

#### NEW QUESTION 42

The Development team recently executed a database script containing several data definition language (DDL) and data manipulation language (DML) statements on an Amazon Aurora MySQL DB cluster. The release accidentally deleted thousands of rows from an important table and broke some application functionality. This was discovered 4 hours after the release. Upon investigation, a Database Specialist tracked the issue to a DELETE command in the script with an incorrect WHERE clause filtering the wrong set of rows.

The Aurora DB cluster has Backtrack enabled with an 8-hour backtrack window. The Database Administrator also took a manual snapshot of the DB cluster before the release started. The database needs to be returned to the correct state as quickly as possible to resume full application functionality. Data loss must be minimal.

How can the Database Specialist accomplish this?

- A. Quickly rewind the DB cluster to a point in time before the release using Backtrack.
- B. Perform a point-in-time recovery (PITR) of the DB cluster to a time before the release and copy the deleted rows from the restored database to the original database.
- C. Restore the DB cluster using the manual backup snapshot created before the release and change the application configuration settings to point to the new DB cluster.
- D. Create a clone of the DB cluster with Backtrack enable
- E. Rewind the cloned cluster to a point in time before the release
- F. Copy deleted rows from the clone to the original database.

**Answer: D**

#### NEW QUESTION 43

A company is using 5 TB Amazon RDS DB instances and needs to maintain 5 years of monthly database backups for compliance purposes. A Database Administrator must provide Auditors with data within 24 hours.

Which solution will meet these requirements and is the MOST operationally efficient?

- A. Create an AWS Lambda function to run on the first day of every month to take a manual RDS snapshot. Move the snapshot to the company's Amazon S3

bucket.

- B. Create an AWS Lambda function to run on the first day of every month to take a manual RDS snapshot.
- C. Create an RDS snapshot schedule from the AWS Management Console to take a snapshot every 30 days.
- D. Create an AWS Lambda function to run on the first day of every month to create an automated RDS snapshot.

**Answer: B**

#### NEW QUESTION 46

A large ecommerce company uses Amazon DynamoDB to handle the transactions on its web portal. Traffic patterns throughout the year are usually stable; however, a large event is planned. The company knows that traffic will increase by up to 10 times the normal load over the 3-day event. When sale prices are published during the event, traffic will spike rapidly.

How should a Database Specialist ensure DynamoDB can handle the increased traffic?

- A. Ensure the table is always provisioned to meet peak needs
- B. Allow burst capacity to handle the additional load
- C. Set an AWS Application Auto Scaling policy for the table to handle the increase in traffic
- D. Preprovision additional capacity for the known peaks and then reduce the capacity after the event

**Answer: B**

#### NEW QUESTION 48

A media company is using Amazon RDS for PostgreSQL to store user data. The RDS DB instance currently has a publicly accessible setting enabled and is hosted in a public subnet. Following a recent AWS Well-Architected Framework review, a Database Specialist was given new security requirements. Only certain on-premises corporate network IPs should connect to the DB instance.

Connectivity is allowed from the corporate network only. Which combination of steps does the Database Specialist need to take to meet these new requirements? (Choose three.)

- A. Modify the pg\_hba.conf file
- B. Add the required corporate network IPs and remove the unwanted IPs.
- C. Modify the associated security group
- D. Add the required corporate network IPs and remove the unwanted IPs.
- E. Move the DB instance to a private subnet using AWS DMS.
- F. Enable VPC peering between the application host running on the corporate network and the VPC associated with the DB instance.
- G. Disable the publicly accessible setting.
- H. Connect to the DB instance using private IPs and a VPN.

**Answer: DEF**

#### NEW QUESTION 49

A company is developing a multi-tier web application hosted on AWS using Amazon Aurora as the database.

The application needs to be deployed to production and other non-production environments. A Database Specialist needs to specify different MasterUsername and MasterUserPassword properties in the AWS CloudFormation templates used for automated deployment. The CloudFormation templates are version controlled in the company's code repository. The company also needs to meet compliance requirement by routinely rotating its database master password for production.

What is most secure solution to store the master password?

- A. Store the master password in a parameter file in each environment
- B. Reference the environment-specific parameter file in the CloudFormation template.
- C. Encrypt the master password using an AWS KMS key
- D. Store the encrypted master password in the CloudFormation template.
- E. Use the secretsmanager dynamic reference to retrieve the master password stored in AWS SecretsManager and enable automatic rotation.
- F. Use the ssm dynamic reference to retrieve the master password stored in the AWS Systems Manager Parameter Store and enable automatic rotation.

**Answer: C**

#### NEW QUESTION 54

A company has a database monitoring solution that uses Amazon CloudWatch for its Amazon RDS for SQL Server environment. The cause of a recent spike in CPU utilization was not determined using the standard metrics that were collected. The CPU spike caused the application to perform poorly, impacting users. A Database Specialist needs to determine what caused the CPU spike.

Which combination of steps should be taken to provide more visibility into the processes and queries running during an increase in CPU load? (Choose two.)

- A. Enable Amazon CloudWatch Events and view the incoming T-SQL statements causing the CPU to spike.
- B. Enable Enhanced Monitoring metrics to view CPU utilization at the RDS SQL Server DB instance level.
- C. Implement a caching layer to help with repeated queries on the RDS SQL Server DB instance.
- D. Use Amazon QuickSight to view the SQL statement being run.
- E. Enable Amazon RDS Performance Insights to view the database load and filter the load by waits, SQL statements, hosts, or users.

**Answer: BE**

#### NEW QUESTION 56

A company is running a two-tier ecommerce application in one AWS account. The web server is deployed using an Amazon RDS for MySQL Multi-AZ DB instance. A Developer mistakenly deleted the database in the production environment. The database has been restored, but this resulted in hours of downtime and lost revenue.

Which combination of changes in existing IAM policies should a Database Specialist make to prevent an error like this from happening in the future? (Choose three.)

- A. Grant least privilege to groups, users, and roles
- B. Allow all users to restore a database from a backup that will reduce the overall downtime to restore the database
- C. Enable multi-factor authentication for sensitive operations to access sensitive resources and API operations

- D. Use policy conditions to restrict access to selective IP addresses
- E. Use AccessList Controls policy type to restrict users for database instance deletion
- F. Enable AWS CloudTrail logging and Enhanced Monitoring

**Answer:** ACD

#### NEW QUESTION 61

A company has an Amazon RDS Multi-AZ DB instances that is 200 GB in size with an RPO of 6 hours. To meet the company's disaster recovery policies, the database backup needs to be copied into another Region. The company requires the solution to be cost-effective and operationally efficient. What should a Database Specialist do to copy the database backup into a different Region?

- A. Use Amazon RDS automated snapshots and use AWS Lambda to copy the snapshot into another Region
- B. Use Amazon RDS automated snapshots every 6 hours and use Amazon S3 cross-Region replication to copy the snapshot into another Region
- C. Create an AWS Lambda function to take an Amazon RDS snapshot every 6 hours and use a second Lambda function to copy the snapshot into another Region
- D. Create a cross-Region read replica for Amazon RDS in another Region and take an automated snapshot of the read replica

**Answer:** D

#### NEW QUESTION 62

A Database Specialist needs to speed up any failover that might occur on an Amazon Aurora PostgreSQL DB cluster. The Aurora DB cluster currently includes the primary instance and three Aurora Replicas.

How can the Database Specialist ensure that failovers occur with the least amount of downtime for the application?

- A. Set the TCP keepalive parameters low
- B. Call the AWS CLI failover-db-cluster command
- C. Enable Enhanced Monitoring on the DB cluster
- D. Start a database activity stream on the DB cluster

**Answer:** B

#### NEW QUESTION 66

A Database Specialist has migrated an on-premises Oracle database to Amazon Aurora PostgreSQL. The schema and the data have been migrated successfully. The on-premises database server was also being used to run database maintenance cron jobs written in Python to perform tasks including data purging and generating data exports. The logs for these jobs show that, most of the time, the jobs completed within 5 minutes, but a few jobs took up to 10 minutes to complete. These maintenance jobs need to be set up for Aurora PostgreSQL.

How can the Database Specialist schedule these jobs so the setup requires minimal maintenance and provides high availability?

- A. Create cron jobs on an Amazon EC2 instance to run the maintenance jobs following the required schedule.
- B. Connect to the Aurora host and create cron jobs to run the maintenance jobs following the required schedule.
- C. Create AWS Lambda functions to run the maintenance jobs and schedule them with Amazon CloudWatchEvents.
- D. Create the maintenance job using the Amazon CloudWatch job scheduling plugin.

**Answer:** D

#### NEW QUESTION 71

A gaming company has implemented a leaderboard in AWS using a Sorted Set data structure within Amazon ElastiCache for Redis. The ElastiCache cluster has been deployed with cluster mode disabled and has a replication group deployed with two additional replicas. The company is planning for a worldwide gaming event and is anticipating a higher write load than what the current cluster can handle.

Which method should a Database Specialist use to scale the ElastiCache cluster ahead of the upcoming event?

- A. Enable cluster mode on the existing ElastiCache cluster and configure separate shards for the Sorted Set across all nodes in the cluster.
- B. Increase the size of the ElastiCache cluster nodes to a larger instance size.
- C. Create an additional ElastiCache cluster and load-balance traffic between the two clusters.
- D. Use the EXPIRE command and set a higher time to live (TTL) after each call to increment a given key.

**Answer:** B

#### NEW QUESTION 72

An Amazon RDS EBS-optimized instance with Provisioned IOPS (PIOPS) storage is using less than half of its allocated IOPS over the course of several hours under constant load. The RDS instance exhibits multi-second read and write latency, and uses all of its maximum bandwidth for read throughput, yet the instance uses less than half of its CPU and RAM resources.

What should a Database Specialist do in this situation to increase performance and return latency to sub-second levels?

- A. Increase the size of the DB instance storage
- B. Change the underlying EBS storage type to General Purpose SSD (gp2)
- C. Disable EBS optimization on the DB instance
- D. Change the DB instance to an instance class with a higher maximum bandwidth

**Answer:** B

#### NEW QUESTION 77

A company is using an Amazon Aurora PostgreSQL DB cluster with an xlarge primary instance master and two large Aurora Replicas for high availability and read-only workload scaling. A failover event occurs and application performance is poor for several minutes. During this time, application servers in all Availability Zones are healthy and responding normally.

What should the company do to eliminate this application performance issue?

- A. Configure both of the Aurora Replicas to the same instance class as the primary DB instance. Enable cache coherence on the DB cluster, set the primary DB

instance failover priority to tier-0, and assign a failover priority of tier-1 to the replicas.

- B. Deploy an AWS Lambda function that calls the DescribeDBInstances action to establish which instance has failed, and then use the PromoteReadReplica operation to promote one Aurora Replica to be the primary DB instance
- C. Configure an Amazon RDS event subscription to send a notification to an Amazon SNS topic to which the Lambda function is subscribed.
- D. Configure one Aurora Replica to have the same instance class as the primary DB instance. Implement Aurora PostgreSQL DB cluster cache management
- E. Set the failover priority to tier-0 for the primary DB instance and one replica with the same instance class
- F. Set the failover priority to tier-1 for the other replicas.
- G. Configure both Aurora Replicas to have the same instance class as the primary DB instance. Implement Aurora PostgreSQL DB cluster cache management
- H. Set the failover priority to tier-0 for the primary DB instance and to tier-1 for the replicas.

**Answer: D**

#### NEW QUESTION 82

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the changes made by the Application team will not change the Amazon RDS database resources already deployed.

Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

**Answer: AD**

#### NEW QUESTION 86

A company is running an Amazon RDS for PostgreSQL DB instance and wants to migrate it to an Amazon Aurora PostgreSQL DB cluster. The current database is 1 TB in size. The migration needs to have minimal downtime.

What is the FASTEST way to accomplish this?

- A. Create an Aurora PostgreSQL DB cluster
- B. Set up replication from the source RDS for PostgreSQL DB instance using AWS DMS to the target DB cluster.
- C. Use the pg\_dump and pg\_restore utilities to extract and restore the RDS for PostgreSQL DB instance to the Aurora PostgreSQL DB cluster.
- D. Create a database snapshot of the RDS for PostgreSQL DB instance and use this snapshot to create the Aurora PostgreSQL DB cluster.
- E. Migrate data from the RDS for PostgreSQL DB instance to an Aurora PostgreSQL DB cluster using an Aurora Replica
- F. Promote the replica during the cutover.

**Answer: C**

#### NEW QUESTION 89

A company has multiple applications serving data from a secure on-premises database. The company is migrating all applications and databases to the AWS Cloud. The IT Risk and Compliance department requires that auditing be enabled on all secure databases to capture all log ins, log outs, failed logins, permission changes, and database schema changes. A Database Specialist has recommended Amazon Aurora MySQL as the migration target, and leveraging the Advanced Auditing feature in Aurora.

Which events need to be specified in the Advanced Auditing configuration to satisfy the minimum auditing requirements? (Choose three.)

- A. CONNECT
- B. QUERY\_DCL
- C. QUERY\_DDL
- D. QUERY\_DML
- E. TABLE
- F. QUERY

**Answer: ACE**

#### NEW QUESTION 93

A financial services company is developing a shared data service that supports different applications from throughout the company. A Database Specialist designed a solution to leverage Amazon ElastiCache for Redis with cluster mode enabled to enhance performance and scalability. The cluster is configured to listen on port 6379.

Which combination of steps should the Database Specialist take to secure the cache data and protect it from unauthorized access? (Choose three.)

- A. Enable in-transit and at-rest encryption on the ElastiCache cluster.
- B. Ensure that Amazon CloudWatch metrics are configured in the ElastiCache cluster.
- C. Ensure the security group for the ElastiCache cluster allows all inbound traffic from itself and inbound traffic on TCP port 6379 from trusted clients only.
- D. Create an IAM policy to allow the application service roles to access all ElastiCache API actions.
- E. Ensure the security group for the ElastiCache clients authorize inbound TCP port 6379 and port 22 traffic from the trusted ElastiCache cluster's security group.
- F. Ensure the cluster is created with the auth-token parameter and that the parameter is used in all subsequent commands.

**Answer: ABE**

#### NEW QUESTION 95

A company runs online transaction processing (OLTP) workloads on an Amazon RDS for PostgreSQL

Multi-AZ DB instance. Tests were run on the database after work hours, which generated additional database logs. The free storage of the RDS DB instance is low due to these additional logs.

What should the company do to address this space constraint issue?

- A. Log in to the host and run the `rm $PGDATA/pg_logs/*` command

- B. Modify the rds.log\_retention\_period parameter to 1440 and wait up to 24 hours for database logs to be deleted
- C. Create a ticket with AWS Support to have the logs deleted
- D. Run the SELECT rds\_rotate\_error\_log() stored procedure to rotate the logs

**Answer:** B

**NEW QUESTION 96**

A company is using Amazon with Aurora Replicas for read-only workload scaling. A Database Specialist needs to split up two read-only applications so each application always connects to a dedicated replica. The Database Specialist wants to implement load balancing and high availability for the read-only applications. Which solution meets these requirements?

- A. Use a specific instance endpoint for each replica and add the instance endpoint to each read-only application connection string.
- B. Use reader endpoints for both the read-only workload applications.
- C. Use a reader endpoint for one read-only application and use an instance endpoint for the other read-only application.
- D. Use custom endpoints for the two read-only applications.

**Answer:** B

**NEW QUESTION 98**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your DBS-C01 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/DBS-C01-dumps.html>