

## SAA-C02 Dumps

### AWS Certified Solutions Architect - Associate (SAA-C02)

<https://www.certleader.com/SAA-C02-dumps.html>



**NEW QUESTION 1**

A company has deployed an API in a VPC behind an internet-facing Application Load Balancer (ALB). An application that consumes the API as a client is deployed in a second account in private subnets behind a NAT gateway. When requests to the client application increase, the NAT gateway costs are higher than expected. A solutions architect has configured the ALB to be internal.

Which combination of architectural changes will reduce the NAT gateway costs? (Select TWO.)

- A. Configure a VPC peering connection between the two VPCs.
- B. Access the API using the private address.
- C. Configure an AWS Direct Connect connection between the two VPCs.
- D. Access the API using the private address.
- E. Configure a ClassicLink connection for the API into the client VPC. Access the API using the ClassicLink address.
- F. Configure a PrivateLink connection for the API into the client VPC.
- G. Access the API using the PrivateLink address.
- H. Configure an AWS Resource Access Manager connection between the two accounts. Access the API using the private address.

**Answer:** DE

**NEW QUESTION 2**

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company.

How should security groups be configured in this situation? (Select TWO.)

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

**Answer:** AC

**NEW QUESTION 3**

A solutions architect is designing a solution where users will be directed to a backup static error page if the primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53 where their domain is pointing to an Application Load Balancer (ALB).

Which configuration should the solutions architect use to meet the company's needs while minimizing changes and infrastructure overhead?

- A. Point a Route 53 alias record to an Amazon CloudFront distribution with the ALB as one of its origins. Then, create custom error pages for the distribution.
- B. Set up a Route 53 active-passive failover configuration. Direct traffic to a static error page hosted within an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- C. Update the Route 53 record to use a latency-based routing policy. Add the backup static error page hosted within an Amazon S3 bucket to the record so the traffic is sent to the most responsive endpoints.
- D. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance hosting a static error page as endpoints. Route 53 will only send requests to the instance if the health checks fail for the ALB.

**Answer:** B

**NEW QUESTION 4**

A gaming company has multiple Amazon EC2 instances in a single Availability Zone for its multiplayer game that communicates with users on Layer 4. The chief technology officer (CTO) wants to make the architecture highly available and cost-effective.

What should a solutions architect do to meet these requirements? (Select TWO.)

- A. Increase the number of EC2 instances.
- B. Decrease the number of EC2 instances.
- C. Configure a Network Load Balancer in front of the EC2 instances.
- D. Configure an Application Load Balancer in front of the EC2 instances.
- E. Configure an Auto Scaling group to add or remove instances in multiple Availability Zones automatically.

**Answer:** CE

**NEW QUESTION 5**

A company has a multi-tier application that runs six front-end web servers in an Amazon EC2 Auto Scaling group in a single Availability Zone behind an Application Load Balancer (ALB). A solutions architect needs to modify the infrastructure to be highly available without modifying the application.

Which architecture should the solutions architect choose that provides high availability?

- A. Create an Auto Scaling group that uses three instances across each of two Regions.
- B. Modify the Auto Scaling group to use three instances across each of two Availability Zones.
- C. Create an Auto Scaling template that can be used to quickly create more instances in another Region.
- D. Change the ALB in front of the Amazon EC2 instances in a round-robin configuration to balance traffic to the web tier.

**Answer:** B

**NEW QUESTION 6**

A company is migrating from an on-premises infrastructure to the AWS Cloud. One of the company's applications stores files on a Windows file server farm that uses Distributed File System Replication (DFS-R) to keep data in sync. A solutions architect needs to replace the file server farm.

Which service should the solutions architect use?

- A. Amazon EFS

- B. Amazon FSx
- C. Amazon S3
- D. AWS Storage Gateway

**Answer: B**

#### NEW QUESTION 7

A recently acquired company is required to build its own infrastructure on AWS and migrate multiple applications to the cloud within a month. Each application has approximately 50 TB of data to be transferred. After the migration is complete, this company and its parent company will both require secure network connectivity with consistent throughput from their data centers to the applications. A solutions architect must ensure one-time data migration and ongoing network connectivity. Which solution will meet these requirements?

- A. AWS Direct Connect for both the initial transfer and ongoing connectivity
- B. AWS Site-to-Site VPN for both the initial transfer and ongoing connectivity
- C. AWS Snowball for the initial transfer and AWS Direct Connect for ongoing connectivity
- D. AWS Snowball for the initial transfer and AWS Site-to-Site VPN for ongoing connectivity

**Answer: C**

#### NEW QUESTION 8

A company is planning to migrate a business-critical dataset to Amazon S3. The current solution design uses a single S3 bucket in the us-east-1 Region with versioning enabled to store the dataset. The company's disaster recovery policy states that all data must be replicated to multiple AWS Regions. How should a solutions architect design the S3 solution?

- A. Create an additional S3 bucket in another Region and configure cross-Region replication.
- B. Create an additional S3 bucket in another Region and configure cross-origin resource sharing (CORS).
- C. Create an additional S3 bucket with versioning in another Region and configure cross-Region replication.
- D. Create an additional S3 bucket with versioning in another Region and configure cross-origin resource (CORS).

**Answer: C**

#### NEW QUESTION 9

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained. What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups.
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions.

**Answer: D**

#### NEW QUESTION 10

An application runs on Amazon EC2 instances across multiple Availability Zones. The instances run in an Amazon EC2 Auto Scaling group behind an Application Load Balancer. The application performs best when the CPU utilization of the EC2 instances is at or near 40%. What should a solutions architect do to maintain the desired performance across all instances in the group?

- A. Use a simple scaling policy to dynamically scale the Auto Scaling group.
- B. Use a target tracking policy to dynamically scale the Auto Scaling group.
- C. Use an AWS Lambda function to update the desired Auto Scaling group capacity.
- D. Use scheduled scaling actions to scale up and scale down the Auto Scaling group.

**Answer: D**

#### NEW QUESTION 10

A company has an application running on Amazon EC2 instances in a VPC. One of the applications needs to call an Amazon S3 API to store and read objects. The company's security policies restrict any internet-bound traffic from the applications. Which action will fulfill these requirements and maintain security?

- A. Configure an S3 interface endpoint.
- B. Configure an S3 gateway endpoint.
- C. Create an S3 bucket in a private subnet.
- D. Create an S3 bucket in the same Region as the EC2 instance.

**Answer: C**

#### NEW QUESTION 11

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10.100. 1001 in the us-east-1 Region
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100. 100. 254

**Answer: C**

#### NEW QUESTION 15

A company must generate sales reports at the beginning of every month. The reporting process launches 20 Amazon EC2 instances on the first of the month. The process runs for 7 days and cannot be interrupted. The company wants to minimize costs.

Which pricing model should the company choose?

- A. Reserved Instances
- B. Spot Block Instances
- C. On-Demand Instances
- D. Scheduled Reserved Instances D18912E1457D5D1DDCBD40AB3BF70D5D

**Answer: C**

#### NEW QUESTION 18

An application hosted on AWS is experiencing performance problems, and the application vendor wants to perform an analysis of the log file to troubleshoot further. The log file is stored on Amazon S3 and is 10 GB in size. The application owner will make the log file available to the vendor for a limited time.

What is the MOST secure way to do this?

- A. Enable public read on the S3 object and provide the link to the vendor.
- B. Upload the file to Amazon WorkDocs and share the public link with the vendor.
- C. Generate a presigned URL and have the vendor download the log file before it expires.
- D. Create an IAM user for the vendor to provide access to the S3 bucket and the applicatio
- E. Enforce multifactor authentication.

**Answer: C**

#### NEW QUESTION 22

A company's legacy application is currently relying on a single-instance Amazon RDS MySQL database without encryption. Due to new compliance requirements, all existing and new data in this database must be encrypted.

How should this be accomplished?

- A. Create an Amazon S3 bucket with server-side encryption enabled. Move all the data to Amazon S3. Delete the RDS instance.
- B. Enable RDS Multi-AZ mode with encryption at rest enabled. Perform a failover to the standby instance to delete the original instance.
- C. Take a snapshot of the RDS instance. Create an encrypted copy of the snapshot. Restore the RDS instance from the encrypted snapshot.
- D. Create an RDS read replica with encryption at rest enabled. Promote the read replica to master and switch the application over to the new master. Delete the old RDS instance.

**Answer: C**

**NEW QUESTION 23**

A solutions architect is designing a solution to access a catalog of images and provide users with the ability to submit requests to customize images. Image customization parameters will be in any request sent to an AWS API Gateway API. The customized image will be generated on demand, and users will receive a link they can click to view or download their customized image. The solution must be highly available for viewing and customizing images. What is the MOST cost-effective solution to meet these requirements?

- A. Use Amazon EC2 instances to manipulate the original image into the requested customization. Store the original and manipulated images in Amazon S3. Configure an Elastic Load Balancer in front of the EC2 instances.
- B. Use AWS Lambda to manipulate the original image to the requested customization. Store the original and manipulated images in Amazon S3. Configure an Amazon CloudFront distribution with the S3 bucket as the origin.
- C. Use AWS Lambda to manipulate the original image to the requested customization. Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB. Configure an Elastic Load Balancer in front of the Amazon EC2 instances.
- D. Use Amazon EC2 instances to manipulate the original image into the requested customization. Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB. Configure an Amazon CloudFront distribution with the S3 bucket as the origin.

**Answer: B**

**NEW QUESTION 26**

A Solutions Architect must design a web application that will be hosted on AWS, allowing users to purchase access to premium, shared content that is stored in an S3 bucket. Upon payment, content will be available for download for 14 days before the user is denied access. Which of the following would be the LEAST complicated implementation?

- A. Use an Amazon CloudFront distribution with an origin access identity (OAI). Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design a Lambda function to remove data that is older than 14 days.
- B. Use an S3 bucket and provide direct access to the file. Design the application to track purchases in a DynamoDB table. Configure a Lambda function to remove data that is older than 14 days based on a query to Amazon DynamoDB.
- C. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 14 days for the URL.
- D. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 60 minutes for the URL and recreate the URL as necessary.

**Answer: C**

**NEW QUESTION 27**

A company has a legacy application that processes data in two parts. The second part of the process takes longer than the first, so the company has decided to rewrite the application as two microservices running on Amazon ECS that can scale independently. How should a solutions architect integrate the microservices?

- A. Implement code in microservice 1 to send data to an Amazon S3 bucket.
- B. Use S3 event notifications to invoke microservice 2.
- C. Implement code in microservice 1 to publish data to an Amazon SNS topic. Implement code in microservice 2 to subscribe to this topic.
- D. Implement code in microservice 1 to send data to Amazon Kinesis Data Firehose.
- E. Implement code in microservice 2 to read from Kinesis Data Firehose.
- F. Implement code in microservice 1 to send data to an Amazon SQS queue. Implement code in microservice 2 to process messages from the queue.

**Answer: C**

**NEW QUESTION 31**

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored. Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.
- B. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.
- C. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.
- D. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

**Answer: C**

**NEW QUESTION 33**

A marketing company is storing CSV files in an Amazon S3 bucket for statistical analysis. An application on an Amazon EC2 instance needs permission to efficiently process the CSV data stored in the S3 bucket. Which action will MOST securely grant the EC2 instance access to the S3 bucket?

- A. Attach a resource-based policy to the S3 bucket.
- B. Create an IAM user for the application with specific permissions to the S3 bucket.
- C. Associate an IAM role with least privilege permissions to the EC2 instance profile.

D. Store AWS credentials directly on the EC2 instance for applications on the instance to use for API calls

**Answer: C**

**NEW QUESTION 34**

A company captures clickstream data from multiple websites and analyzes it using batch processing. The data is loaded nightly into Amazon Redshift and is consumed by business analysts. The company wants to move towards near-real-time data processing for timely insights. The solution should process the streaming data with minimal effort and operational overhead.

Which combination of AWS services are MOST cost-effective for this solution? (Choose two.)

- A. Amazon EC2
- B. AWS Lambda
- C. Amazon Kinesis Data Streams
- D. Amazon Kinesis Data Firehose
- E. Amazon Kinesis Data Analytics

**Answer: AD**

**NEW QUESTION 37**

A financial services company has a web application that serves users in the United States and Europe. The application consists of a database tier and a web server tier. The database tier consists of a MySQL database hosted in us-east-1. Amazon Route 53 geoproximity routing is used to direct traffic to instances in the closest Region. A performance review of the system reveals that European users are not receiving the same level of query performance as those in the United States. Which changes should be made to the database tier to improve performance?

- A. Migrate the database to Amazon RDS for MySQL. Configure Multi-AZ in one of the European Regions.
- B. Migrate the database to Amazon DynamoDB. Use DynamoDB global tables to enable replication to additional Regions.
- C. Deploy MySQL instances in each Region. Deploy an Application Load Balancer in front of MySQL to reduce the load on the primary instance.
- D. Migrate the database to an Amazon Aurora global database in MySQL compatibility mode. Configure read replicas in one of the European Regions.

**Answer: D**

**NEW QUESTION 38**

A company runs an application in a branch office within a small data closet with no virtualized compute resources. The application data is stored on an NFS volume. Compliance standards require a daily offsite backup of the NFS volume. Which solution meets these requirements?

- A. Install an AWS Storage Gateway file gateway on premises to replicate the data to Amazon S3.
- B. Install an AWS Storage Gateway file gateway hardware appliance on premises to replicate the data to Amazon S3.
- C. Install an AWS Storage Gateway volume gateway with stored volumes on premises to replicate the data to Amazon S3.
- D. Install an AWS Storage Gateway volume gateway with cached volumes on premises to replicate the data to Amazon S3.

**Answer: C**

**NEW QUESTION 39**

A company hosts an application on multiple Amazon EC2 instances. The application processes messages from an Amazon SQS queue, writes to an Amazon RDS table, and deletes the message from the queue. Occasional duplicate records are found in the RDS table. The SQS queue does not contain any duplicate messages. What should a solutions architect do to ensure messages are being processed once only?

- A. Use the CreateQueue API call to create a new queue.
- B. Use the AddPermission API call to add appropriate permissions.
- C. Use the ReceiveMessage API call to set an appropriate wait time.
- D. Use the ChangeMessageVisibility API call to increase the visibility timeout.

**Answer: D**

**NEW QUESTION 44**

A company is migrating a three-tier application to AWS. The application requires a MySQL database. In the past, the application users reported poor application performance when creating new entries. These performance issues were caused by users generating different real-time reports from the application during working hours. Which solution will improve the performance of the application when it is moved to AWS?

- A. Import the data into an Amazon DynamoDB table with provisioned capacity.
- B. Refactor the application to use DynamoDB for reports.
- C. Create the database on a compute-optimized Amazon EC2 instance.
- D. Ensure compute resources exceed the on-premises database.
- E. Create an Amazon Aurora MySQL Multi-AZ DB cluster with multiple read replicas.
- F. Configure the application reader endpoint for reports.
- G. Create an Amazon Aurora MySQL Multi-AZ DB cluster.
- H. Configure the application to use the backup instance of the cluster as an endpoint for the reports.

**Answer: B**

**NEW QUESTION 46**

A company has an application that calls AWS Lambda functions. A recent code review found database credentials stored in the source code. The database credentials need to be removed from the Lambda source code. The credentials must then be securely stored and rotated on an ongoing basis to meet security policy requirements.

What should a solutions architect recommend to meet these requirements?

- A. Store the password in AWS CloudHSM Associate the Lambda function with a role that can retrieve the password from CloudHSM given its key ID
- B. Store the password in AWS Secrets Manager Associate the Lambda function with a role that can retrieve the password from Secrets Manager given its secret ID
- C. Move the database password to an environment variable associated with the Lambda function Retrieve the password from the environment variable upon execution
- D. Store the password in AWS Key Management Service (AWS KMS) Associate the Lambda function with a role that can retrieve the password from AWS KMS given its key ID

**Answer: B**

#### NEW QUESTION 51

A product team is creating a new application that will store a large amount of data The data will be analyzed hourly and modified by multiple Amazon EC2 Linux instances The application team believes the amount of space needed will continue to grow for the next 6 months Which set of actions should a solutions architect take to support these needs'?

- A. Store the data in an Amazon EBS volume Mount the EBS volume on the application instances
- B. Store the data in an Amazon EFS file system Mount the file system on the application instances
- C. Store the data in Amazon S3 Glacier Update the vault policy to allow access to the application instances
- D. Store the data in Amazon S3 Standard-Infrequent Access (S3 Standard-IA) Update the bucket policy to allow access to the application instances

**Answer: B**

#### NEW QUESTION 52

A company is managing health records on-premises The company must keep these records indefinitely, disable any modifications to the records once they are stored, and granularly audit access at all levels. The chief technology officer (CTO) is concerned because there are already millions of records not being used by any application, and the current infrastructure is running out of space The CTO has requested a solutions architect design a solution to move existing data and support future records Which services can the solutions architect recommend to meet these requirements'?

- A. Use AWS DataSync to move existing data to AW
- B. Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with data events.
- C. Use AWS Storage Gateway to move existing data to AWS Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- D. Use AWS DataSync to move existing data to AWS Use Amazon S3 to store existing and new data Enable Amazon S3 object lock and enable AWS CloudTrail with management events.
- E. Use AWS Storage Gateway to move existing data to AWS Use Amazon Elastic Block Store (Amazon EBS) to store existing and new data Enable Amazon S3 object lock and enable Amazon S3 server access logging

**Answer: B**

#### NEW QUESTION 54

A company wants to migrate a high performance computing (HPC) application and data from on-premises to the AWS Cloud The company uses tiered storage on premises with hot high-performance parallel storage to support the application during periodic runs of the application and more economical cold storage to hold the data when the application is not actively running Which combination of solutions should a solutions architect recommend to support the storage needs of the application? (Select TWO )

- A. Amazon S3 for cold data storage
- B. Amazon EFS for cold data storage
- C. Amazon S3 for high-performance parallel storage
- D. Amazon FSx for Lustre for high-performance parallel storage
- E. Amazon FSx for Windows for high-performance parallel storage

**Answer: AD**

#### NEW QUESTION 58

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours The company wants to use these data points in its existing analytics platform A solutions architect must determine the most viable multi-tier option to support this architecture The data points must be accessible from the REST API Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3
- B. Use Amazon API Gateway with AWS Lambda
- C. Use Amazon QuickSight with Amazon Redshift
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics

**Answer: D**

#### NEW QUESTION 62

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your SAA-C02 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/SAA-C02-dumps.html>