

PDII Dumps

Salesforce Certified Platform Developer II (PDII)

<https://www.certleader.com/PDII-dumps.html>



NEW QUESTION 1

A developer has written a Visualforce page to create a new account with the following markup: The Visualforce page has extra logic for validating the website field. How can the developer add an error message next to the website field if the submitted value isn't valid?

- A. Use Account . fields .website . addError (message)
- B. Use throw new SObjectException(message).
- C. Use Account . website . addError (message)
- D. Use ApexPages . addMessage (message)

Answer: D

NEW QUESTION 2

A developer has created an Order entry page that includes an <apex:outputLabel> tag for a field label. How can the developer ensure that the label text changes when the field label changes?

- A. Use FieldSetMember methods to control label text.
- B. Use the SObjectType variable to control label text.
- C. Use a custom label to manage the label text.
- D. Use the metadata API to update the label text.

Answer: B

NEW QUESTION 3

What is the correct order of execution for Visualforce Page "postback" requests (when user interaction requires a page update)

- A. 1: Decode View State2: Evaluate expressions and method calls for the main page and custom components 3: Upon successful completion, Evaluate the action that triggered the postback4: Upon successful completion, Update data and redirect user/update view state 5: HTML sent to browser
- B. 1: Evaluate expressions and method calls for the main page and custom components 2: Decode View State3v Upon successful completion, Update data and redirect user/update view state 4: Upon successful completion, Evaluate the action that triggered the postback 5: HTML sent to browser
- C. 1: Decode View State2: Evaluate expressions and method calls for the main page and custom components 3: Upon successful completion, Update data and redirect user/update view state4: Upon successful completion, Evaluate the action that triggered the postback 5: HTML sent to browser

Answer: A

NEW QUESTION 4

Which use case is an appropriate fit for the @future asynchronous Apex method? Choose 2 answers

- A. A developer has jobs that need larger query results than regular transactions allow.
- B. A developer needs to segregate DML operations and bypass the mixed save DML error.
- C. A developer has long-running jobs with large data volumes that need to be performed in batches-
- D. A developer has long-running methods and needs to prevent delaying an Apex transaction.

Answer: BD

NEW QUESTION 5

What is the output of the following code snippet?

```
1 Contact con = new Contact( LastName = 'Smith', Department = 'Admin'); 2 insert con; 3 4 Savepoint sp_finance = Database.setSavepoint(); 5 con.Department = 'finance'; 6 update con; 7 8 Savepoint sp_hr = Database.setSavepoint(); 9 con.Department = 'HR'; 10 update con; 11 12 Database.rollback(sp_finance); 13 Database.rollback(sp_hr);
```

- A. The contact record will be saved ME department value HR.
- B. A runtime error will be thrown on line 12.
- C. A runtime error will be thrown on line 13.
- D. The contact record will be saved with department value Finance.

Answer: C

NEW QUESTION 6

What is the recommended approach to create test data when testing Apex that involves Pricebooks, PricebookEntries, and Products?

- A. Insert a new standard Pricebook record within your Test Method so that it can be used with other test records.
- B. Use the Test.getStandardPricebookId() method to get theId of the standard Pricebook so that it can be used with other test records.
- C. Use the isTest (SeeAllData=true) annotation on Test Methods that require access to the standard Pricebook.
- D. Use the isTest (SeeAllData=true) annotation on the entire Test Class to allow your Test Methods access to the standard Pricebook.

Answer: B

NEW QUESTION 7

A developer writes the following Apex trigger so that when a Case is closed, a single Survey record is created for that Case. The issue is that multiple Survey-c records are being created per Case. trigger CaseTrigger on Case (after insert, after update) { List<Survey c> createSurveys = new List<Survey c>(); for (Case c : trigger.new) { if (c.IsClosed && (trigger.isInsert || trigger.isUpdate && trigger.oldMap.get(c.Id).IsClosed == false)) { createSurveys.add(new Survey c(Case c = c.Id)); insert createSurveys; } } What could be the cause of this issue?

- A. A user is creating the record as Closed

- B. A workflow rule is firing with a Create Task action.
- C. A workflow rule is firing with a Field Update action.
- D. A user is editing the record multiple times.

Answer: D

NEW QUESTION 8

A developer needs to design a custom object that will be integrated into a back-end system. What should the developer do to ensure good data quality and to ensure that data imports, integrations, and searches perform well? Choose 2 answers

- A. Configure a custom field as unique.
- B. Configure a custom field as indexed.
- C. Configure a custom field as external ID.
- D. Configure a custom field as Salesforce ID.

Answer: AC

NEW QUESTION 9

Invokable methods accept sObjects as parameters

- A. True
- B. False

Answer: B

NEW QUESTION 10

What is the best way to display field-level error messages in Lightning?

- A. ui:inputDefaultError
- B. ui:outputText
- C. aura:component
- D. apex:message

Answer: A

NEW QUESTION 10

A developer has created a solution using the SOAP API for authenticating Communities users. What is needed when issuing the login()Call? Choose 2 answers

- A. Organization Id
- B. Session Id
- C. Username and Password
- D. Security Token

Answer: CD

NEW QUESTION 14

Trigger on Contact ensures that whenever a Contact's custom field "User Level" is given the value "President," the related Community User's Role is updated as Manager. The Apex unit test method for testing this functionality is failing for a mixed DML error. What is one way that this problem can be solved?

- A. Query the user roles before the test method's startTest () statement.
- B. Create test data for the roles before startTest 0.
- C. Put the update of contact event inside startTest() and stopTest().
- D. Use a Syste
- E. runAs () block to update the contact.

Answer: D

NEW QUESTION 19

When developing a Visualforce page that will be used by a global organization that does business in many languages and many currencies, which feature should be used? Choose 3 answers

- A. Custom Labels
- B. ConvertCurrency()
- C. Global Labels
- D. Translation Workbench
- E. GetLocalCurrency()

Answer: ABD

NEW QUESTION 23

The "Webservice" keyword...

- A. Method must be static, and class must be global
- B. Can be used on all classes
- C. Used for any member variables included

D. All of the above

Answer: D

NEW QUESTION 27

A developer is writing a complex application involving triggers, workflow rules, Apex classes, and processes. The developer needs to carefully consider the order of execution when developing the application. In what order do the following operations execute? 1. before Triggers 2. after Triggers 3. Post commit logic such as sending email 4. DML committed to the database 5. Workflow rules 6. Roll-up summary calculations

- A. 1, 2, 5, 6, 4, 3
- B. 1, 5, 6, 2, 4, 3
- C. 1, 2, 4, 5, 6, 3
- D. 1, 6, 5, 2, 4, 3

Answer: A

NEW QUESTION 29

A company wants to create a dynamic survey that navigates users through a different series of questions based on their previous responses. What is the recommended solution to meet this requirement?

- A. Dynamic Record Choice
- B. Lightning Process Builder
- C. Visualforce and Apex
- D. Custom Lightning application

Answer: C

NEW QUESTION 34

Which object should be used to access sharing programmatically on an object named Equipment c?

- A. Equipment_Share_c
- B. Equipment-c
- C. Equipment_c_share
- D. Equipment Share

Answer: D

NEW QUESTION 35

To reduce the amount of time needed to write test coverage, a developer wants to use a spreadsheet uploaded as a Static Resource to supply test data in a test method. What code can the developer use to accomplish this?

- A. List< sObject> testAccounts = (List< Count>) [Select Id, Body from StaticResource Where Name = testAccounts
- B. < meta charset="utf-8" />List< sObject> testAccounts = Test . loadData (Account.sObjectType, ' testAccounts');
- C. List< sObject> testAccounts = Test . loadData (Account .sObjectType, SResourc
- D. testAccounts)
- E. List< sObject> testAccounts = Test . loadData([Select Id,Body from StaticResource Where Name=testAccounts

Answer: B

NEW QUESTION 38

A developer has created a Visualforce page that uses a thirdparty JavaScript framework. The developer has decided to supply data to the JavaScript functions using JavaScript Remoting for Apex Controllers. What is the correct syntax to declare a remote method in Apex? Choose 2 answers

- A. @RemoteAction public static String getTable()
- B. @RemoteAction global String getTable()
- C. @RemoteAction global static String getTable()
- D. @Remoteobject ' global static String gettable

Answer: AC

NEW QUESTION 40

A developer wants to retrieve and deploy metadata, perform a simple CSV export of query results, and debug APEX Rest calls by viewing the JSON responses. Which tool should the developer use?

- A. Developer Console
- B. Force.com Migration Tool
- C. Workbench
- D. Force.com IDE

Answer: C

NEW QUESTION 41

What is the <apex:actionSupport> tag used for in Visualforce pages?

- A. To provide help and support content for buttons and links.

- B. To trigger a second action when a button or link is clicked.
- C. To trigger controller actions in response to DOM element events.
- D. To create a Javascript function that can trigger a controller action

Answer: C

NEW QUESTION 44

Which of the following object types can be used with a Web Service?

- A. Maps
- B. Sets
- C. Pattern objects
- D. Matcher objects
- E. Lists
- F. Exception objects

Answer: E

NEW QUESTION 46

A developer writes the following code: `public with sharing class OrderController { public PageReference sendOrder() { Order c order = new Order c insert order; ExternalOrder externalOrder = new ExternalOrder (order); Http h = new Http(); HttpRequest req = new HttpRequest(); req.setEndpoint('https://www.example.org/v1/orders'); req.setMethod('POST'); req.setBody(JSON.serialize(externalOrder)); HttpResponse res = h.send(req); order = (ExternalOrder)JSON.deserialize(res.getBody(),ExternalOrder.class); } }` While testing the code, the developer receives the following error message: `System.CalloutException : You have uncommitted work pending` What should the developer do? Choose 2 answers

- A. Use the `asyncSend()` method of the HTTP class to send the request in async context.
- B. Ensure all callouts are completed prior to executing DML statements.
- C. Move the web service callout into an `@future` method.
- D. Use `Database.insert (order, true)` to immediately commit any database changes.

Answer: BC

NEW QUESTION 48

During the order of execution of a Visualforce page GET request, what happens after this step: Evaluate constructors on controllers and extensions?

- A. Evaluate constructors and expressions on custom components.
- B. Create view state if `< apex: form>` exists.
- C. Send the HTML response to the browser.
- D. Evaluate expressions, action attributes, and method calls.

Answer: A

NEW QUESTION 51

What is the correct order of execution for Visualforce Page "get" requests (initial page visit)

- A. 1: Evaluate constructors on controller and extensions 2: If there's a element, create the view state 3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page 4: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present 5: Send HTML to Browser
- B. 1: Evaluate constructors on controller and extensions 2: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present 3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page 4: If there's a element, create the view state 5: Send HTML to Browser
- C. 1: Evaluate constructors, extensions, and expression on attribute definitions on any custom components present 2: Evaluate constructors on controller and extensions 3: Evaluate expressions, attribute actions, and other method calls (getters/setters) on main page 4: If there's a element, create the view state 5: Send HTML to Browser

Answer: B

NEW QUESTION 52

Within the `System.Limit` class, what would you call to get the total limit you can call in a single transaction?

- A. `get[typeOfLimit] --> (E`
- B. `getDMLStatements()`
- C. `getLimit[typeOfLimit] --> (E`
- D. `getLimitDMLStatements()`

Answer: B

NEW QUESTION 57

The maximum view state size of a visualforce page is

- A. 65kb
- B. 135kb
- C. 165kb
- D. 256kb
- E. 1mb

Answer: B

NEW QUESTION 60

Which API can be used to execute unit tests? Choose 3 answers

- A. Streaming API
- B. Test API
- C. Tooling API
- D. SOAP API
- E. Metadata API

Answer: CDE

NEW QUESTION 65

Choose the correct definition for <apex:actionRegion>

- A. Allows for controller methods to be called directly from Javascript
- B. Must be encapsulated in<apex:form> tag
- C. Unlike actionSupport, these function<apex:actionPoller>s can be called directly from Javascript code
- D. Sends an AJAX request according to the time interval you specif
- E. If this ever gets re-rendered, it resets
- F. Adds AJAX support to another component (e.
- G. onClick, onMouseUp, onFocus, etc.)
- H. Can be associated with an AJAX request (actionFunction/actionSupport/actionPoller) and shows content conditionally depending on the status of the request (in progress/complete). Use the "id" field to specify name; use "status" field on related components to connect them
- I. Signifies which components should be processed by the server when an AJAX request is generated

Answer: E

NEW QUESTION 70

The REST API...

- A. Is based on REST principles and is optimized for loading or deleting large sets of dat
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforc
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to allows you to maintain passwords, perform searches, and much more
- F. Is used to to retrieve, deploy, create, update, or delete customizations for your or
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

Answer: B

NEW QUESTION 72

What is the correct syntax for calling a controller action from a Visualforce page and updating part of the page once the action is completed? Choose 2 answers

- A. < apex: commandFunction action="{ !Save}" value="Save" rendered="thePageBlock"/>
- B. < apex:actionFunction action="{ !Save}" name="Save" rerender="thePageBlock"/>
- C. < apex:commandButton action="{ !Save}" value="Save" redraw="thePageBlock"/>
- D. < apex:actionSupport action="{ !Save} " event="" rerender="thePageBlock"/>

Answer: BD

NEW QUESTION 75

A developer has created a solution using the SOAP API for authenticating Communities users. What is needed when issuing the login()Call? Choose 2 answers

- A. Organization Id
- B. Security Token
- C. Session Id
- D. Username and Password

Answer: BD

NEW QUESTION 78

What is the output of the following code snippet? 1 Contact con = new Contact(LastName = 'JOHNSON', LeadSource = 'Web') 2 3 Savepoint sp = Database.setSavepoint(); 4 insert con; 5 Database.rollback(sp); 6 7 con.LeadSource = 'Email' 8 insert con;

- A. A runtime error will be thrown on line 5.
- B. The contact record will be inserted with Leadsources value Web.
- C. A runtime error will be thrown on line 8.
- D. The contact record will be inserted with Leadsources value Email.

Answer: C

NEW QUESTION 82

During the Visualforce Page execution, what step follows immediately after "Evaluate constructors on controller and extensions"?

- A. Create the view state

- B. Evaluate constructors, extensions, and expression on attribute definitions on any custom components present
- C. Evaluate expressions, <apex:page> attribute actions, and other method calls (getters/setters) on main page
- D. Send HTML to Browser

Answer: B

NEW QUESTION 84

What is a limitation of a "getxxx" method (for example, getName) in a custom Visualforce controller?

- A. The method cannot return SObjects.
- B. The method cannot use DML operations.
- C. The method cannot return Apex classes.
- D. The method cannot use SOSL queries.

Answer: B

NEW QUESTION 88

Which statement is true about using ConnectApi namespace (also called Chatter in Apex)? Choose 2 answers

- A. Chatter in Apex methods honor the 'with sharing' and 'without sharing' keywords.
- B. Chatter in Apex operations are synchronous, and they occur immediately.
- C. Chatter in Apex methods do not run in system mode; they run in the context of the current user.
- D. Many test methods related to Chatter in Apex require the `BlisTest (SeeAllData=true)` annotation

Answer: CD

NEW QUESTION 91

What can the Apex Continuation class be used for?

- A. Chaining multiple Queueable Apex jobs to be processed one after another.
- B. Making asynchronous callouts to SOAP or REST Web Services from Visualforce.
- C. Maintaining an Apex transaction across multiple DML statements.
- D. Progressing records to the next stage of an approval process in Apex.

Answer: B

NEW QUESTION 95

What should a developer do to invoke a SOAP web service from Apex? Choose 2 answers

- A. Invoke the web service from a trigger.
- B. Generate an Apex class from the WSDL.
- C. Annotate the method With `@future (callout=true)`
- D. Configure the remote site settings.

Answer: BD

NEW QUESTION 100

A developer needs test data for Apex test classes. What can the developer use to provide test data to the test methods? Choose 2 answers

- A. List `Is = Tes`
- B. `loadData (Lead.sObjectType, 'myTestLeads');`
- C. `MyDataFactor`
- D. `createTestRecords (10)`
- E. `Database . createTestRecords (10)`

Answer: AB

NEW QUESTION 101

What tool in the Developer Console contains information on SOQL query Cardinality?

- A. Checkpoints tab
- B. Query Editor
- C. Query Plan Tool
- D. Log Inspector
- E. View State Tab

Answer: C

NEW QUESTION 106

A developer is building a Visualforce page that interacts with external services. Which interface should the developer implement to test this functionality? Choose 2 answers

- A. `HTTPCalloutMock`
- B. `HTTPRequestMock`
- C. `HTTPResponseMock`

D. StaticResourceCalloutMock

Answer: AD

NEW QUESTION 111

Choose the correct definition for <apex:actionStatus>

- A. Allows for controller methods to be called directly from Javascript
- B. Must be encapsulated in<apex:form> tag
- C. Unlike actionSupport, these function<apex:actionPoller>s can be called directly from Javascript code
- D. Sends an AJAX request according to the time interval you specif
- E. If this ever gets re-rendered, it resets
- F. Adds AJAX support to another component (e.
- G. onClick, onMouseUp, onFocus, etc.)
- H. Can be associated with an AJAX request (actionFunction/actionSupport/actionPoller) and shows content conditionally depending on the status of the request (in progress/complete). Use the "id" field to specify name; use "status" field on related components to connect them
- I. Signifies which components should be processed by the server when an AJAX request is generated

Answer: D

NEW QUESTION 116

Within the System.Limit class, what would you call to get the number of calls made in your transaction?

- A. Get[typeOfLimit] --> (E
- B. getDMLStatements()
- C. GetLimit[typeOfLimit] --> (E
- D. getLimitDMLStatements()

Answer: A

NEW QUESTION 120

A developer wants to retrieve and deploy metadata, perform simple CSV export of query results, and debug Apex REST calls by viewing JSON responses. Which tool should the developer use?

- A. Developer Console
- B. Force.com Migration Tool
- C. Workbench
- D. Force.com IDE

Answer: C

NEW QUESTION 124

What is the most efficient way in Visualforce to show information based on data filters defined by an end-user for a large volume of data?

- A. Use an Apex controller to refine raw data based on data filters and store the result in a transient variable.
- B. Use an Apex controller to refine raw data based on data filters and store the result in a static variable.
- C. Use the rendered condition in Visualforce to limit data based on data filters.
- D. Use filter conditions in a SOQL query to limit data based on data filters.

Answer: D

NEW QUESTION 126

A developer is writing unit tests for the following method: public static Boolean isFreezing(String celsiusTemp) { if(String.isNotBlank(celsiusTemp) && celsiusTemp.isNumeric()) return Decimal.valueOf(celsiusTemp) <= 0; return null; } Which assertion would be used in a negative test case?

- A. System.assertEquals(true, isFreezing(null));
- B. Syste
- C. assertEquals (true, isFreezing(' 0');
- D. System.assertEquals(null, isFreezing('asdf'));
- E. System.assertEquals(true, isFreezing('lOO'));

Answer: C

NEW QUESTION 130

A developer has been asked to create code that will meet the following requirements: Receives input of: Map<Id, Project_c>, List<Account> Performs a potentially long-running callout to an outside web service Provides a way to confirm that the process executed successfully Which asynchronous feature should be used?

- A. @future (callout=true)
- B. Database.AllowsCallouts interface
- C. Schedulable interface
- D. Queueable interface

Answer: A

NEW QUESTION 133

What is the transaction limit on the number of Apex jobs added to the queue?

- A. 100
- B. 150
- C. 50
- D. 200
- E. There is no limit

Answer: C

NEW QUESTION 135

A developer must create a custom pagination solution. While users navigate through pages, if the data is changed from elsewhere, users should still see the cached results first accessed. How can the developer meet these requirements?

- A. Use @Cache annotation.
- B. Use a StandardSetController.
- C. Use OFFSET in SOQL queries.
- D. Use OFFSET WITH CACHE in SOQL queries

Answer: B

NEW QUESTION 136

A developer is working on code that requires a call to an external web service from a batch. How should the developer enable this functionality?

- A. Implement a custom System.CalloutException class.
- B. Include Database.AllowCallout() in the class definition.
- C. Implement an @future method for the callout, and invoke it from the batch.
- D. Specify "callout=true" in the batch implementation.

Answer: B

NEW QUESTION 140

How can the DISTANCE and GEOLOCATION functions be used in SOQL queries? Choose 2 answers

- A. To filter results based on distance from a latitude and longitude.\
- B. To get the distance results from a latitude and longitude.
- C. To order results by distance from a latitude or longitude.
- D. To group results in distance ranges from a latitude and longitude

Answer: BC

NEW QUESTION 144

Which of the following exceptions cannot be caught and will force an error? (Choose 3)

- A. LimitException
- B. AssertException
- C. SObjectExceptions
- D. DMLException
- E. License exceptions
- F. ListException

Answer: ABE

NEW QUESTION 149

The Bulk API...

- A. Is based on REST principles and is optimized for loading or deleting large sets of dat
- B. You can use it to query, queryAll, insert, update, upsert, or delete many records asynchronously by submitting batches
- C. Provides a powerful, convenient, and simple REST-based web services interface for interacting with Salesforc
- D. Its advantages include ease of integration and development, and it's an excellent choice of technology for use with mobile applications and web projects
- E. Is used to to create, retrieve, update or delete records, such as accounts, leads, and custom objects, and allows you to allows you to maintain passwords, perform searches, and much more
- F. Is used to to retrieve, deploy, create, update, or delete customizations for your or
- G. The most common use is to migrate changes from a sandbox or testing org to your production environment

Answer: A

NEW QUESTION 151

What is a consideration when using bind variables with dynamic SOQL? Choose 2 answers

- A. Dynamic SOQL cannot reference fields on bind variables.
- B. Dynamic SOQL cannot use bind variables.
- C. Bind variables must be public or global.
- D. Bind variables must be in local scope.

Answer: AD

NEW QUESTION 156

What is the transaction limit for the number of records for SOSL?

- A. 20
- B. 2,000
- C. 100 (synchronous), 200 (async)
- D. 200 (synchronous), 100 (async)
- E. There is no limit

Answer: B

NEW QUESTION 160

Which statement is true about Apex web service methods? Choose 3 answers

- A. Web service methods can be exposed having a custom Apex class as parameter datatype.
- B. Web service methods can be overloaded with methods of the same name in the same class.
- C. Web service methods can only be added to Apex classes that are declared global.
- D. Web service methods can only be added to Apex triggers that are declared global.
- E. Web service methods cannot be deprecated in managed package code.

Answer: ACE

NEW QUESTION 164

A developer has created a Team Member sObject that has a Master-Detail relationship to a Project sObject and a Lookup relationship to the User sObject. The developer must ensure that a User listed on a Team Member record has Read-Write access to the parent Project record. How can the developer accomplish this if the Project sObject has a Private sharing model and thousands of Project records?

- A. Create a Controller that uses the Without Sharing keyword.
- B. Create a Criteria-Based Sharing Rule on the Project sObject.
- C. Create a Team Member Trigger that inserts Project_Share records.
- D. Create a Project Sharing Rule that shares to the Team Member Group

Answer: C

NEW QUESTION 165

The Contact object has a custom field called "Zone." Its data type is "Text" and field length is 3. What is the outcome after executing the following code snippet in the org? `List<Contact> contactsToBeInserted=new List<Contact>(); Contact contactInstance= new Contact(LastName='Smith', Department='Tech', Zone_c='IAD'); contactsToBeInserted.add(contactInstance); contactInstance= new Contact(LastName='Sm1th', Department='Tech', Zone_c='PITT'); contactsToBeInserted.add(contactInstance); Database.insert(contactsToBeInserted,true);`

- A. Both inserts succeed and the contact record that has the Zone value of 'PI'I'I' is set to NULL.
- B. A partial insert succeeds and the contact record that has the Zone value 'IAD' is inserted.
- C. Both inserts succeed and the contact record that has the Zone value of 'PITT' is truncated.
- D. An unhandled DML exception is thrown and no contact records are inserted.

Answer: D

NEW QUESTION 168

A user updates a number field on a record from the value of 1 to 2, and a workflow rule executes, incrementing the value to 3. Which statement is true regarding writing triggers in this case? Choose 2 answers

- A. Workflow rules will execute before triggers.
- B. Triggers will execute before and after workflow rules.
- C. Trigger.old will contain the user entered value of 2.
- D. Trigger.old will contain the initial value of 1.

Answer: BD

NEW QUESTION 173

A developer must create a custom pagination solution for accessing approximately 2000 records and displaying 50 records on each page. Data from Salesforce will be accessed via an API and not via Apex. How can the developer meet these requirements? Choose 2 answers.

- A. Use a StandardSetController.
- B. Use CURSOR 50 in SOQL queries.
- C. Use OFFSET in SOQL queries.
- D. Use LIMIT 50 in SOQL queries.

Answer: CD

NEW QUESTION 178

Choose the correct definition for <apex:actionPoller>

- A. Allows for controller methods to be called directly from Javascript
- B. Must be encapsulated in tag
- C. Unlike actionSupport, these functions can be called directly from Javascript code
- D. Sends an AJAX request according to the time interval you specify
- E. If this ever gets re-rendered, it resets

- F. Adds AJAX support to another component (e.
- G. onClick, onMouseUp, onFocus, etc.)
- H. Can be associated with an AJAX request (actionFunction/actionSupport/actionPoller) and shows content conditionally depending on the status of the request (in progress/complete). Use the "id" field to specify name; use "status" field on related components to connect them
- I. Signifies which components should be processed by the server when an AJAX request is generated
- J. Signifies which components should be processed by the server when an AJAX request is generated

Answer: B

NEW QUESTION 179

A developer receives a LimitException: Too many query rows: 50001 error when running code. What debugging approach using the Developer Console provides the fastest and most accurate mechanism to identify a specific component that may be returning an unexpected number of rows?

- A. Count the number of Row Limit warning messages in the Debug Logs.
- B. Add System.debug (System.getQueryRows ()) to the code to track SOQL usage.
- C. Filter the Debug Log on SOQL_EXECUTE_END statements to track the results of each SOQL Query.
- D. Use the Execution Overview to see the number of rows returned by each Executed Unit.

Answer: C

NEW QUESTION 182

What is a benefit of using list custom settings?

- A. Ability to include more field type options than custom objects.
- B. Ability to control sharing and visibility of custom setting data.
- C. Ability to provide more efficient access than custom objects.
- D. Ability to delegate administrator rights to standard users.

Answer: C

NEW QUESTION 184

Which type of controller is best suited when you want all of the basic DML functions from an object's normal new/edit page?

- A. Standard Controller
- B. Standard List/Set Controller
- C. Controller Extensions
- D. Custom Controller

Answer: B

NEW QUESTION 189

A Salesforce developer created a Contact validation rule so that the Email field cannot contain "abc.com." There is an active workflow rule that updates the Email field of a contact record to "test@abc.com" if the contact's First Name field contains the word "Test." A customer tries to create a Contact record with the first name "Test Contact" and the email "test@test.com." What behavior will be observed?

- A. The customer will receive a system error message.
- B. The contact record will be created with the email address "test@abc.com."
- C. The customer will receive a validation error message.
- D. The contact record will be created with the email address test@test.com.

Answer: B

NEW QUESTION 193

If the "PageReference.setRedirect" Apex function is set to False, what type of request is made?

- A. Get request
- B. Postback request
- C. If PageReference points to the same controller and subset of extensions, postback request, otherwise get request

Answer: C

NEW QUESTION 195

Code must have X% overall code coverage

- A. X = 100
- B. X = 75
- C. X = 65
- D. X = 50

Answer: B

NEW QUESTION 196

A company has 20,000 rows in the Account object and 2 million rows in the Sales_Data_c object that is related to Account. All of the records in the Sales_Data_c object have a field that contains the string 'Le.' Which statement will throw a "Too many query rows" exception? Choose 2 answers

- A. List< List< sObject>> result= [FIND 'Le' IN ALL FIELDS RETURNING Sales_Data_c(Id)];
- B. List< Account> result = [SELECT Id, (SELECT Id FROM Sales_Data_r) FROM Account]
- C. List< sObject> result = Database.query('SELECT Id FROM Sales_Data_c LIMIT 50000');
- D. List< AggregateResult> result = [SELECT count(Id) total FROM Sales_Data_c];

Answer: AB

NEW QUESTION 198

What are the ways a developer can create test data of Contacts?

- A. Test.createTestData()
- B. myDataFactory.createContacts(10)
- C. Test.loadData(Contact.sObjectType, 'staticResource')
- D. Test.loadTestRecords(Contact.sObjectType, 'staticResource')

Answer: BC

NEW QUESTION 201

What is the transaction limit on the max execution time?

- A. 5 minutes
- B. 10 minutes
- C. 15 minutes
- D. 20 minutes
- E. There is no limit

Answer: B

NEW QUESTION 204

A developer needs to create a Lightning page for entering Order Information. An error message should be displayed if the zip code entered as part of the Order's shipping address is not numeric. What is a recommended way for the error message be displayed to the end user?

- A. Use the < ui : outputText> tag to display errors.
- B. Use the < apex:Message> tag to display errors.
- C. Use the < aura:component> tag to display errors.
- D. Use the < ui:inputDefaultError> tag to display errors.

Answer: D

NEW QUESTION 205

A developer needs to create a Lightning page for entering Order Information. An error message should be displayed if the zip code entered as part of the Order's shipping address is not numeric. What is a recommended way for the error message be displayed to the end user?

- A. Use the apex:message tag to display errors.
- B. Use the aura:component tag to display errors.
- C. Use the ui:outputText tag to display errors.
- D. Use the ui:inputDefaultError tag to display errors

Answer: D

NEW QUESTION 206

A developer has refactored an application and renamed an Apex class in a sandbox and now needs to deploy the changes to production. How can this be accomplished? Choose 2 answers

- A. Deploy the new Apex class with the Force.com Migration Tool and set the old name in destructiveChanges.xml.
- B. Use a changeset to both delete the old Apex class and deploy the new Apex class to production.
- C. Deploy the new Apex class, and then log in to the production environment and manually delete the class.
- D. Use the Force.com IDE to delete the old Apex class from the project and deploy the changes to production.

Answer: AD

NEW QUESTION 209

What is the most efficient way in Visualforce to show information based on data filters defined by an end-user for a large volume of data?

- A. Use the rendered condition in Visualforce to limit data based on data filters.
- B. Use filter conditions in a SOQL query to limit data based on data filters.
- C. Use an Apex controller to refine raw data based on data filters and store the result in a transient variable.
- D. Use an Apex controller to refine raw data based on data filters and store the result in a static variable.

Answer: B

NEW QUESTION 214

A developer must create a custom pagination solution for accessing approximately 2000 records and displaying 50 records on each page. Data from Salesforce will be accessed via an API and not via Apex. How can the developer meet these requirements? Choose 2 answers

- A. Use OFFSET in SOQL queries.
- B. Use LIMIT 50 in SOQL queries.
- C. Use a StandardSetController.
- D. Use CURSOR 50 in SOQL queries.

Answer: AB

NEW QUESTION 219

What is a potential design issue with the following code? trigger accountTrigger on Account (before update) { Boolean processOpportunity = false; List<opportunity> opptysClosedLost = new List<opportunity>(); List<opportunity> lstAllOpp = [select StageName from Opportunity where accountId IN :Trigger.newMap.keySet()]; if(!lstAllOpp.isEmpty()) processOpportunity = true; while(processOpportunity) { for(opportunity o : lstAllOpp) { if(o.StageName == 'Closed - Lost') opptysClosedLost.add(o); processOpportunity = false; } } if(!opptysClosedLost.isEmpty() delete opptysClosedLost;

- A. SOQL could be avoided by creating a formula field for StageName in Account from the related Opportunity.
- B. The code Will result in a System.LimitException : Too many script statements error.
- C. The code will result in a System.DmlException:Entity_is_Deleted error.
- D. The code will result in a System.LimitException: Apex CPU time limit exceeded error.

Answer: D

NEW QUESTION 221

A developer must create a way for external partners to submit millions of leads into Salesforce per day. How should the developer meet this requirement?

- A. Publicly expose a Visualforce page via Force.com Sites.
- B. Create a web service on Heroku that uses Heroku Connect.
- C. Host a Web-to-Lead form on the company website.
- D. Publicly expose an Apex Web Service via Force.com Sites.

Answer: D

NEW QUESTION 224

What is a limitation of compound fields?

- A. Are read-only unless accessed by Location and Address Apex classes.
- B. Can only be updated through individual field components.
- C. Are read-only when accessed through Visualforce pages.
- D. Cannot be queried through the use of Apex classes.

Answer: B

NEW QUESTION 226

In which of the following scenarios would it be acceptable to use programmatic sharing instead of declarative sharing?

- A. Every record created by sales users needs to be visible to their respective manager
- B. Poor performance when using native sharing components
- C. Team functionality is required on custom objects
- D. Here is an existing, external system of truth for user access assignments which will continue to drive access and be integrated with salesforce
- E. You need to change record access to read/write for all users utilising a lightning component

Answer: BCD

NEW QUESTION 231

An Apex test method is testing a Visualforce page's controller, which queries for all Opportunities in Salesforce with StageName = 'Closed'. There are 10,000 existing records that match the criteria. What is the best practice for accessing data in the test method?

- A. Create test data in the test method and use seeAllData=true.
- B. Query existing data in the test method and use seeAllData=true.
- C. Create test data in the test method and use seeAllData=false.
- D. Use @testVisible on the relevant property of the controller

Answer: C

NEW QUESTION 234

What is the transaction limit on the max Salesforce CPU time?

- A. 100 seconds
- B. 60 seconds
- C. 100 seconds (synchronous); 200 seconds (async)
- D. 10 seconds (synchronous); 60 seconds (async)
- E. There is no limit

Answer: D

NEW QUESTION 238

What is a valid return type for the following SOSL query? [FIND 'map' IN ALL FIELDS RETURNING Account (Id, Name) , Contact, Opportunity,Lead]

- A. List< subject>
- B. List < List< sObject>>
- C. List< AggregateResult>
- D. List< Account>

Answer: B

NEW QUESTION 241

What is the top-level namespace that provides the ability to use Chatter in Apex?

- A. RestApi
- B. ChatterApi
- C. FeedApi
- D. ConnectApi

Answer: D

NEW QUESTION 244

Which statement is true regarding the use of user input as part of a dynamic SOQL query?

- A. Free text input should not be allowed, to avoid SOQL injection.
- B. The String.format () method should be used to prevent injection.
- C. Quotes should be escaped to protect against SOQL injection.
- D. The string should be URL encoded by the input form to prevent errors.

Answer: C

NEW QUESTION 245

An integration user makes a successful login() call via the SOAP API. What can be used in the SOAP header to provide server authorization for subsequent API requests?

- A. Named Credentials
- B. Session ID
- C. OAuth access token
- D. Security token

Answer: B

NEW QUESTION 249

Which of the following annotations is the right way to invoke a single apex method

- A. @InvocableMethod()
- B. @InvocableAction()
- C. @InvocableApex()

Answer: A

NEW QUESTION 252

What is the potential exception that can be thrown from this SOQL query: Account a = [SELECT Id, (SELECT Id FROM Contacts) FROM Account] Choose 2 answers

- A. QueryException if no records are returned.
- B. QueryException if more than one record is returned.
- C. TypeException if a Contact is returned as part of the query.
- D. NullPointerException if no records are returned.

Answer: AB

NEW QUESTION 253

What is the value of "i" printed by the System.debug statement, if the value of "j" is 2 at the end of the transaction? insert new Account[] {new Account(Name = 'yyy'), new Account(Name = 'yyy')}; integer i = 0; integer j; for (Account[] tmp : [SELECT Id FROM Account WHERE Name = 'yyy']) j=tmp.size(); i++; System.debug(i);

- A. 1
- B. 2
- C. 3

Answer: B

NEW QUESTION 254

Where in a query can you use Geolocation and Distance?

- A. Select clause
- B. Filter clause
- C. Order By clause

D. Group By clause

Answer: BC

NEW QUESTION 257

A company exposes a REST web service and wants to establish two-way SSL between Salesforce and the REST web service. A certificate signed by an appropriate certificate authority has been provided to the developer. What modification is necessary on the Salesforce side? Choose 2 answers

- A. Create an entry for the certificate in Certificate and Key Management.
- B. Update the code to use HttpRequest . setClientCertificateName
- C. Configure two-factor authentication with the provided certificate.
- D. Update the code to use HttpRequest.setHeader () to set an Authorization header.

Answer: AB

NEW QUESTION 261

What is a consideration when testing batch Apex? Choose 2 answers

- A. Test methods must execute the batch with a scope size of less than 200 records.
- B. Test methods must call the batch execute () method once.
- C. Test methods must use the @isTest (SeeAllData=true) annotation.
- D. Test methods must run the batch between Test.startTest () and Test.stopTest
- E. startTest () and Test.stopTest

Answer: AD

NEW QUESTION 265

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your PDII Exam with Our Prep Materials Via below:

<https://www.certleader.com/PDII-dumps.html>