

# NSE4\_FGT-7.0 Dumps

## Fortinet NSE 4 - FortiOS 7.0

[https://www.certleader.com/NSE4\\_FGT-7.0-dumps.html](https://www.certleader.com/NSE4_FGT-7.0-dumps.html)



**NEW QUESTION 1**

- (Exam Topic 1)

Refer to the exhibits.

Exhibit A shows system performance output. Exhibit B shows a FortiGate configured with the default configuration of high memory usage thresholds. Based on the system performance output, which two statements are correct? (Choose two.)

- A. Administrators can access FortiGate only through the console port.
- B. FortiGate has entered conserve mode.
- C. FortiGate will start sending all files to FortiSandbox for inspection.
- D. Administrators cannot change the configuration.

**Answer:** BD

**Explanation:**

Reference: <https://www.skillfulist.com/fortigate/fortigate-conserve-mode-how-to-stop-it-and-what-it-means/>

**NEW QUESTION 2**

- (Exam Topic 1)

Refer to the exhibit.

The exhibit contains the configuration for an SD-WAN Performance SLA, as well as the output of diagnose sys virtual-wan-link health-check. Which interface will be selected as an outgoing interface?

- A. port2
- B. port4
- C. port3
- D. port1

**Answer:** D

**Explanation:**

Port 1 shows the lowest latency.

**NEW QUESTION 3**

- (Exam Topic 1)

Refer to the exhibit.

A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up. but phase 2 fails to come up.

Based on the phase 2 configuration shown in the exhibit, what configuration change will bring phase 2 up?

- A. On HQ-FortiGate, enable Auto-negotiate.
- B. On Remote-FortiGate, set Seconds to 43200.
- C. On HQ-FortiGate, enable Diffie-Hellman Group 2.
- D. On HQ-FortiGate, set Encryption to AES256.

**Answer:** D

**Explanation:**

Reference: <https://docs.fortinet.com/document/fortigate/5.4.0/cookbook/168495>

Encryption and authentication algorithm needs to match in order for IPSEC be successfully established.

**NEW QUESTION 4**

- (Exam Topic 1)

Which three options are the remote log storage options you can configure on FortiGate? (Choose three.)

- A. FortiCache
- B. FortiSIEM
- C. FortiAnalyzer
- D. FortiSandbox
- E. FortiCloud

**Answer:** BCE

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.0.0/handbook/265052/logging-and-reporting-overview>

**NEW QUESTION 5**

- (Exam Topic 1)

A network administrator wants to set up redundant IPsec VPN tunnels on FortiGate by using two IPsec VPN tunnels and static routes.

\* All traffic must be routed through the primary tunnel when both tunnels are up

\* The secondary tunnel must be used only if the primary tunnel goes down

\* In addition, FortiGate should be able to detect a dead tunnel to speed up tunnel failover

Which two key configuration changes are needed on FortiGate to meet the design requirements? (Choose two.)

A. Configure a high distance on the static route for the primary tunnel, and a lower distance on the static route for the secondary tunnel.

B. Enable Dead Peer Detection.

C. Configure a lower distance on the static route for the primary tunnel, and a higher distance on the static route for the secondary tunnel.

D. Enable Auto-negotiate and Autokey Keep Alive on the phase 2 configuration of both tunnels.

**Answer:** BC

**Explanation:**

B - because the customer requires the tunnels to notify when a tunnel goes down. DPD is designed for that purpose. To send a packet over a firewall to determine a failover for the next tunnel after a specific amount of time of not receiving a response from its peer.

C - remember when it comes to choosing a route with regards to Administrative Distance. The route with the lowest distance for that particular route will be chosen. So, by configuring a lower routing distance on the primary tunnel, means that the primary tunnel will be chosen to route packets towards their destination.

**NEW QUESTION 6**

- (Exam Topic 1)

Which statement correctly describes NetAPI polling mode for the FSSO collector agent?

A. The collector agent uses a Windows API to query DCs for user logins.

B. NetAPI polling can increase bandwidth usage in large networks.

C. The collector agent must search security event logs.

D. The NetSession Enum function is used to track user logouts.

**Answer:** D

**Explanation:**

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD34906>

<https://kb.fortinet.com/kb/microsites/search.do?cmd=displayKC&docType=kc&externalId=FD34906&sliceId=1>

**NEW QUESTION 7**

- (Exam Topic 1)

Refer to the exhibit.

The exhibit shows the IPS sensor configuration.

If traffic matches this IPS sensor, which two actions is the sensor expected to take? (Choose two.)

A. The sensor will allow attackers matching the NTP.Spoofed.KoD.DoS signature.

B. The sensor will block all attacks aimed at Windows servers.

C. The sensor will reset all connections that match these signatures.

D. The sensor will gather a packet log for all matched traffic.

**Answer:** AB

**NEW QUESTION 8**

- (Exam Topic 1)

Refer to the exhibit.

The exhibit contains a network diagram, virtual IP, IP pool, and firewall policies configuration. The WAN (port1) interface has the IP address 10.200.1.1/24.

The LAN (port3) interface has the IP address 10.0.1.254. /24. The first firewall policy has NAT enabled using IP Pool.

The second firewall policy is configured with a VIP as the destination address.

Which IP address will be used to source NAT the internet traffic coming from a workstation with the IP address 10.0.1.10?

A. 10.200.1.1

B. 10.200.3.1

C. 10.200.1.100

D. 10.200.1.10

**Answer:** A

**Explanation:**

Reference:

<https://help.fortinet.com/fos60hlp/60/Content/FortiOS/fortigate-firewall/Concepts%20-%20Firewall/Static%20N>

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD44529>

**NEW QUESTION 9**

- (Exam Topic 1)

Which engine handles application control traffic on the next-generation firewall (NGFW) FortiGate?

- A. Antivirus engine
- B. Intrusion prevention system engine
- C. Flow engine
- D. Detection engine

**Answer:** B

**Explanation:**

Reference: <http://docs.fortinet.com/document/fortigate/6.0.0/handbook/240599/application-control>

#### NEW QUESTION 10

- (Exam Topic 1)

An administrator has configured outgoing Interface any in a firewall policy. Which statement is true about the policy list view?

- A. Policy lookup will be disabled.
- B. By Sequence view will be disabled.
- C. Search option will be disabled
- D. Interface Pair view will be disabled.

**Answer:** D

**Explanation:**

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD47821>

#### NEW QUESTION 10

- (Exam Topic 1)

Which three statements about a flow-based antivirus profile are correct? (Choose three.)

- A. IPS engine handles the process as a standalone.
- B. FortiGate buffers the whole file but transmits to the client simultaneously.
- C. If the virus is detected, the last packet is delivered to the client.
- D. Optimized performance compared to proxy-based inspection.
- E. Flow-based inspection uses a hybrid of scanning modes available in proxy-based inspection.

**Answer:** BDE

**Explanation:**

Reference: <https://forum.fortinet.com/tm.aspx?m=192309>

#### NEW QUESTION 13

- (Exam Topic 1)

When configuring a firewall virtual wire pair policy, which following statement is true?

- A. Any number of virtual wire pairs can be included, as long as the policy traffic direction is the same.
- B. Only a single virtual wire pair can be included in each policy.
- C. Any number of virtual wire pairs can be included in each policy, regardless of the policy traffic direction settings.
- D. Exactly two virtual wire pairs need to be included in each policy.

**Answer:** A

**Explanation:**

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD48690>

#### NEW QUESTION 17

- (Exam Topic 1)

Refer to the exhibit.

Given the security fabric topology shown in the exhibit, which two statements are true? (Choose two.)

- A. There are five devices that are part of the security fabric.
- B. Device detection is disabled on all FortiGate devices.
- C. This security fabric topology is a logical topology view.
- D. There are 19 security recommendations for the security fabric.

**Answer:** CD

**Explanation:**

References: <https://docs.fortinet.com/document/fortigate/5.6.0/cookbook/761085/results>

<https://docs.fortinet.com/document/fortimanager/6.2.0/new-features/736125/security-fabric-topology>

#### NEW QUESTION 19

- (Exam Topic 1)

Which two protocols are used to enable administrator access of a FortiGate device? (Choose two.)

- A. SSH
- B. HTTPS
- C. FTM
- D. FortiTelemetry

**Answer:** AB

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.4.0/hardening-your-fortigate/995103/buildingsecurity-into-fortios>

**NEW QUESTION 21**

- (Exam Topic 1)

Which statement about the policy ID number of a firewall policy is true?

- A. It is required to modify a firewall policy using the CLI.
- B. It represents the number of objects used in the firewall policy.
- C. It changes when firewall policies are reordered.
- D. It defines the order in which rules are processed.

**Answer:** A

**NEW QUESTION 25**

- (Exam Topic 1)

An administrator has configured the following settings:

What are the two results of this configuration? (Choose two.)

- A. Device detection on all interfaces is enforced for 30 minutes.
- B. Denied users are blocked for 30 minutes.
- C. A session for denied traffic is created.
- D. The number of logs generated by denied traffic is reduced.

**Answer:** CD

**Explanation:**

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD46328>

**NEW QUESTION 29**

- (Exam Topic 1)

Which two statements are correct about NGFW Policy-based mode? (Choose two.)

- A. NGFW policy-based mode does not require the use of central source NAT policy
- B. NGFW policy-based mode can only be applied globally and not on individual VDOMs
- C. NGFW policy-based mode supports creating applications and web filtering categories directly in a firewall policy
- D. NGFW policy-based mode policies support only flow inspection

**Answer:** CD

**NEW QUESTION 32**

- (Exam Topic 1)

Which two statements about SSL VPN between two FortiGate devices are true? (Choose two.)

- A. The client FortiGate requires a client certificate signed by the CA on the server FortiGate.
- B. The client FortiGate requires a manually added route to remote subnets.
- C. The client FortiGate uses the SSL VPN tunnel interface type to connect SSL VPN.
- D. Server FortiGate requires a CA certificate to verify the client FortiGate certificate.

**Answer:** CD

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.2.9/cookbook/266506/ssl-vpn-with-certificate-authentication>

**NEW QUESTION 36**

- (Exam Topic 1)

Refer to the exhibit.

An administrator is running a sniffer command as shown in the exhibit.

Which three pieces of information are included in the sniffer output? (Choose three.)

- A. Interface name
- B. Ethernet header
- C. IP header
- D. Application header
- E. Packet payload

**Answer:** ACE

**Explanation:**

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=11186>

**NEW QUESTION 37**

- (Exam Topic 2)

Which two statements are true when FortiGate is in transparent mode? (Choose two.)

- A. By default, all interfaces are part of the same broadcast domain.
- B. The existing network IP schema must be changed when installing a transparent mode.
- C. Static routes are required to allow traffic to the next hop.
- D. FortiGate forwards frames without changing the MAC address.

**Answer:** AD

**Explanation:**

Reference: [https://kb.fortinet.com/kb/viewAttachment.do?](https://kb.fortinet.com/kb/viewAttachment.do?attachID=Fortigate_Transparent_Mode_Technical_Guide_FortiOS_4_0_version1.2.pdf&documentID=FD33113)

[attachID=Fortigate\\_Transparent\\_Mode\\_Technical\\_Guide\\_FortiOS\\_4\\_0\\_version1.2.pdf&documentID=FD33113](https://kb.fortinet.com/kb/viewAttachment.do?attachID=Fortigate_Transparent_Mode_Technical_Guide_FortiOS_4_0_version1.2.pdf&documentID=FD33113)

**NEW QUESTION 41**

- (Exam Topic 2)

Refer to the exhibit.

In the network shown in the exhibit, the web client cannot connect to the HTTP web server. The administrator runs the FortiGate built-in sniffer and gets the output as shown in the exhibit.

What should the administrator do next to troubleshoot the problem?

- A. Run a sniffer on the web server.
- B. Capture the traffic using an external sniffer connected to port1.
- C. Execute another sniffer in the FortiGate, this time with the filter “host 10.0.1.10”
- D. Execute a debug flow.

**Answer: D**

#### **NEW QUESTION 42**

- (Exam Topic 2)

Refer to the FortiGuard connection debug output.

Based on the output shown in the exhibit, which two statements are correct? (Choose two.)

- A. A local FortiManager is one of the servers FortiGate communicates with.
- B. One server was contacted to retrieve the contract information.
- C. There is at least one server that lost packets consecutively.
- D. FortiGate is using default FortiGuard communication settings.

**Answer: BD**

#### **NEW QUESTION 46**

- (Exam Topic 2)

Refer to the exhibit.

Which contains a network diagram and routing table output. The Student is unable to access Webserver.

What is the cause of the problem and what is the solution for the problem?

- A. The first packet sent from Student failed the RPF check.This issue can be resolved by adding a static route to 10.0.4.0/24 through wan1.



- B. The first reply packet for Student failed the RPF check.This issue can be resolved by adding a static route to 10.0.4.0/24 through wan1.
- C. The first reply packet for Student failed the RPF check.This issue can be resolved by adding a static route to 203.0.114.24/32 through port3.
- D. The first packet sent from Student failed the RPF check.This issue can be resolved by adding a static route to 203.0.114.24/32 through port3.

**Answer:** D

#### NEW QUESTION 47

- (Exam Topic 2)

You have enabled logging on your FortiGate device for Event logs and all Security logs, and you have set up logging to use the FortiGate local disk. What is the default behavior when the local disk is full?

- A. Logs are overwritten and the only warning is issued when log disk usage reaches the threshold of 95%.
- B. No new log is recorded until you manually clear logs from the local disk.
- C. Logs are overwritten and the first warning is issued when log disk usage reaches the threshold of 75%.
- D. No new log is recorded after the warning is issued when log disk usage reaches the threshold of 95%.

**Answer:** C

#### Explanation:

Reference: <https://docs.fortinet.com/document/fortigate/6.4.0/cli-reference/462620/log-disk-setting>

#### NEW QUESTION 48

- (Exam Topic 2)

View the exhibit.

A user behind the FortiGate is trying to go to <http://www.addictinggames.com> (Addicting Games). Based on this configuration, which statement is true?

- A. Addicting.Games is allowed based on the Application Overrides configuration.
- B. Addicting.Games is blocked on the Filter Overrides configuration.
- C. Addicting.Games can be allowed only if the Filter Overrides actions is set to Exempt.
- D. Addcting.Games is allowed based on the Categories configuration.

**Answer:** A

#### NEW QUESTION 50

- (Exam Topic 2)

An administrator has configured two-factor authentication to strengthen SSL VPN access. Which additional best practice can an administrator implement?

- A. Configure Source IP Pools.
- B. Configure split tunneling in tunnel mode.
- C. Configure different SSL VPN realms.
- D. Configure host check.

**Answer:** D

#### NEW QUESTION 55

- (Exam Topic 2)

Which two statements are correct about a software switch on FortiGate? (Choose two.)

- A. It can be configured only when FortiGate is operating in NAT mode
- B. Can act as a Layer 2 switch as well as a Layer 3 router
- C. All interfaces in the software switch share the same IP address
- D. It can group only physical interfaces

**Answer:** AC

**NEW QUESTION 56**

- (Exam Topic 2)

The HTTP inspection process in web filtering follows a specific order when multiple features are enabled in the web filter profile. What order must FortiGate use when the web filter profile has features enabled, such as safe search?

- A. DNS-based web filter and proxy-based web filter
- B. Static URL filter, FortiGuard category filter, and advanced filters
- C. Static domain filter, SSL inspection filter, and external connectors filters
- D. FortiGuard category filter and rating filter

**Answer:** B

**Explanation:**

Reference: [https://fortinet121.rssing.com/chan-67705148/all\\_p1.html](https://fortinet121.rssing.com/chan-67705148/all_p1.html)

**NEW QUESTION 57**

- (Exam Topic 2)

Refer to the exhibit.

The exhibit contains a network diagram, central SNAT policy, and IP pool configuration. The WAN (port1) interface has the IP address 10.200.1.1/24.

The LAN (port3) interface has the IP address 10.0.1.254/24.

A firewall policy is configured to allow to destinations from LAN (port3) to WAN (port1). Central NAT is enabled, so NAT settings from matching Central SNAT policies will be applied.

Which IP address will be used to source NAT the traffic, if the user on Local-Client (10.0.1.10) pings the IP address of Remote-FortiGate (10.200.3.1)?

- A. 10.200.1.149
- B. 10.200.1.1
- C. 10.200.1.49
- D. 10.200.1.99

**Answer:** D

**NEW QUESTION 60**

- (Exam Topic 2)

View the exhibit.

Which of the following statements are correct? (Choose two.)

- A. This setup requires at least two firewall policies with the action set to IPsec.
- B. Dead peer detection must be disabled to support this type of IPsec setup.
- C. The TunnelB route is the primary route for reaching the remote sit
- D. The TunnelA route is used only if the TunnelB VPN is down.
- E. This is a redundant IPsec setup.

**Answer:** CD

**NEW QUESTION 61**

- (Exam Topic 2)

What is the effect of enabling auto-negotiate on the phase 2 configuration of an IPsec tunnel?

- A. FortiGate automatically negotiates different local and remote addresses with the remote peer.
- B. FortiGate automatically negotiates a new security association after the existing security association expires.
- C. FortiGate automatically negotiates different encryption and authentication algorithms with the remote peer.
- D. FortiGate automatically brings up the IPsec tunnel and keeps it up, regardless of activity on the IPsec tunnel.

**Answer:** D

**Explanation:**

<https://kb.fortinet.com/kb/documentLink.do?externalID=12069>

#### NEW QUESTION 62

- (Exam Topic 2)

If Internet Service is already selected as Destination in a firewall policy, which other configuration objects can be selected to the Destination field of a firewall policy?

A User or User Group

- A. IP address
- B. No other object can be added
- C. FQDN address

**Answer:** B

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.2.5/cookbook/179236/using-internet-service-in-policy>

#### NEW QUESTION 65

- (Exam Topic 2)

Which two types of traffic are managed only by the management VDOM? (Choose two.)

- A. FortiGuard web filter queries
- B. PKI
- C. Traffic shaping
- D. DNS

**Answer:** AD

#### NEW QUESTION 67

- (Exam Topic 2)

Refer to the exhibit.

Which contains a Performance SLA configuration.

An administrator has configured a performance SLA on FortiGate. Which failed to generate any traffic. Why is FortiGate not generating any traffic for the performance SLA?

- A. Participants configured are not SD-WAN members.
- B. There may not be a static route to route the performance SLA traffic.
- C. The Ping protocol is not supported for the public servers that are configured.
- D. You need to turn on the Enable probe packets switch.

**Answer:** D

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/478384/performance-sla-linkmonitoring>

#### NEW QUESTION 72

- (Exam Topic 2)

Refer to the exhibit.

Based on the raw log, which two statements are correct? (Choose two.)

- A. Traffic is blocked because Action is set to DENY in the firewall policy.
- B. Traffic belongs to the root VDOM.
- C. This is a security log.
- D. Log severity is set to error on FortiGate.

**Answer:** AC

#### NEW QUESTION 74

- (Exam Topic 2)

Which three methods are used by the collector agent for AD polling? (Choose three.)

- A. FortiGate polling
- B. NetAPI
- C. Novell API
- D. WMI
- E. WinSecLog

**Answer:** BDE

**Explanation:**

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD47732>

**NEW QUESTION 76**

- (Exam Topic 2)

If Internet Service is already selected as Source in a firewall policy, which other configuration objects can be added to the Source filed of a firewall policy?

- A. IP address
- B. Once Internet Service is selected, no other object can be added
- C. User or User Group
- D. FQDN address

**Answer:** B

**Explanation:**

Reference:

<https://docs.fortinet.com/document/fortigate/6.2.5/cookbook/179236/using-internet-service-in-policy>

**NEW QUESTION 77**

- (Exam Topic 2)

An administrator needs to increase network bandwidth and provide redundancy.

What interface type must the administrator select to bind multiple FortiGate interfaces?

- A. VLAN interface
- B. Software Switch interface
- C. Aggregate interface
- D. Redundant interface

**Answer:** C

**Explanation:**

Reference: <https://forum.fortinet.com/tm.aspx?m=120324>

**NEW QUESTION 79**

- (Exam Topic 2)

Which of the following statements is true regarding SSL VPN settings for an SSL VPN portal?

- A. By default, FortiGate uses WINS servers to resolve names.
- B. By default, the SSL VPN portal requires the installation of a client's certificate.
- C. By default, split tunneling is enabled.
- D. By default, the admin GUI and SSL VPN portal use the same HTTPS port.

**Answer:** D

**NEW QUESTION 80**

- (Exam Topic 2)

Which of the following statements about backing up logs from the CLI and downloading logs from the GUI are true? (Choose two.)

- A. Log downloads from the GUI are limited to the current filter view
- B. Log backups from the CLI cannot be restored to another FortiGate.
- C. Log backups from the CLI can be configured to upload to FTP as a scheduled time
- D. Log downloads from the GUI are stored as LZ4 compressed files.

**Answer:** AB

**NEW QUESTION 82**

- (Exam Topic 2)

Consider the topology:

Application on a Windows machine <--(SSL VPN)-->FGT--> Telnet to Linux server.

An administrator is investigating a problem where an application establishes a Telnet session to a Linux server over the SSL VPN through FortiGate and the idle session times out after about 90 minutes. The administrator would like to increase or disable this timeout.

The administrator has already verified that the issue is not caused by the application or Linux server. This issue does not happen when the application establishes a Telnet connection to the Linux server directly on the LAN.

What two changes can the administrator make to resolve the issue without affecting services running through FortiGate? (Choose two.)

- A. Set the maximum session TTL value for the TELNET service object.
- B. Set the session TTL on the SSLVPN policy to maximum, so the idle session timeout will not happen after 90 minutes.
- C. Create a new service object for TELNET and set the maximum session TTL.
- D. Create a new firewall policy and place it above the existing SSLVPN policy for the SSL VPN traffic, and set the new TELNET service object in the policy.

**Answer:** CD

**NEW QUESTION 84**

- (Exam Topic 2)

Examine the IPS sensor and DoS policy configuration shown in the exhibit, then answer the question below.

When detecting attacks, which anomaly, signature, or filter will FortiGate evaluate first?

- A. SMTP.Login.Brute.Force
- B. IMAP.Login.brute.Force
- C. ip\_src\_session
- D. Location: server Protocol: SMTP

**Answer:** B

**NEW QUESTION 88**

- (Exam Topic 2)

Examine the IPS sensor configuration shown in the exhibit, and then answer the question below.

An administrator has configured the WINDOWS\_SERVERS IPS sensor in an attempt to determine whether the influx of HTTPS traffic is an attack attempt or not. After applying the IPS sensor, FortiGate is still not generating any IPS logs for the HTTPS traffic. What is a possible reason for this?

- A. The IPS filter is missing the Protocol: HTTPS option.
- B. The HTTPS signatures have not been added to the sensor.
- C. A DoS policy should be used, instead of an IPS sensor.
- D. A DoS policy should be used, instead of an IPS sensor.
- E. The firewall policy is not using a full SSL inspection profile.

**Answer:** E

**NEW QUESTION 92**

- (Exam Topic 2)

Which three authentication timeout types are availability for selection on FortiGate? (Choose three.)

- A. hard-timeout
- B. auth-on-demand

- C. soft-timeout
- D. new-session
- E. Idle-timeout

**Answer:** ADE

**Explanation:**

<https://kb.fortinet.com/kb/documentLink.do?externalID=FD37221>

**NEW QUESTION 94**

- (Exam Topic 2)

What is the limitation of using a URL list and application control on the same firewall policy, in NGFW policy-based mode?

- A. It limits the scanning of application traffic to the DNS protocol only.
- B. It limits the scanning of application traffic to use parent signatures only.
- C. It limits the scanning of application traffic to the browser-based technology category only.
- D. It limits the scanning of application traffic to the application category only.

**Answer:** C

**NEW QUESTION 98**

- (Exam Topic 2)

Which of the following statements correctly describes FortiGates route lookup behavior when searching for a suitable gateway? (Choose two)

- A. Lookup is done on the first packet from the session originator
- B. Lookup is done on the last packet sent from the responder
- C. Lookup is done on every packet, regardless of direction
- D. Lookup is done on the trust reply packet from the responder

**Answer:** AD

**NEW QUESTION 102**

- (Exam Topic 2)

Examine this FortiGate configuration:

Examine the output of the following debug command:

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection
- B. It is allowed and inspected as long as the inspection is flow based
- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

**Answer:** C

**NEW QUESTION 106**

- (Exam Topic 2)

Refer to the exhibit.

The exhibits show a network diagram and the explicit web proxy configuration.

In the command diagnose sniffer packet, what filter can you use to capture the traffic between the client and the explicit web proxy?

- A. 'host 192.168.0.2 and port 8080'
- B. 'host 10.0.0.50 and port 80'
- C. 'host 192.168.0.1 and port 80'
- D. 'host 10.0.0.50 and port 8080'

**Answer:** A

**NEW QUESTION 110**

- (Exam Topic 2)

Which three statements are true regarding session-based authentication? (Choose three.)

- A. HTTP sessions are treated as a single user.
- B. IP sessions from the same source IP address are treated as a single user.

- C. It can differentiate among multiple clients behind the same source IP address.
- D. It requires more resources.
- E. It is not recommended if multiple users are behind the source NAT

**Answer:** ACD

**NEW QUESTION 111**

- (Exam Topic 2)

Which two actions can you perform only from the root FortiGate in a Security Fabric? (Choose two.)

- A. Shut down/reboot a downstream FortiGate device.
- B. Disable FortiAnalyzer logging for a downstream FortiGate device.
- C. Log in to a downstream FortiSwitch device.
- D. Ban or unban compromised hosts.

**Answer:** AB

**NEW QUESTION 113**

- (Exam Topic 2)

Which statement about the IP authentication header (AH) used by IPsec is true?

- A. AH does not provide any data integrity or encryption.
- B. AH does not support perfect forward secrecy.
- C. AH provides data integrity but no encryption.
- D. AH provides strong data integrity but weak encryption.

**Answer:** C

**NEW QUESTION 115**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your NSE4\_FGT-7.0 Exam with Our Prep Materials Via below:**

[https://www.certleader.com/NSE4\\_FGT-7.0-dumps.html](https://www.certleader.com/NSE4_FGT-7.0-dumps.html)