


SPLK-1003 Dumps

Splunk Enterprise Certified Admin

<https://www.certleader.com/SPLK-1003-dumps.html>



NEW QUESTION 1

In case of a conflict between a whitelist and a blacklist input setting, which one is used?

- A. Blacklist
- B. Whitelist
- C. They cancel each other out.
- D. Whichever is entered into the configuration first.

Answer: A

Explanation:

Reference: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=8&ved=2ahUKEwj0r6Lso6bkAhUqxYUKHbWIDz4QFjAHegQIAxAC&url=http%3A%2F%2Fsplunk.training%2Fshowpdf.asp%3Fdata%3D789BB6B10C1B4376B548D711B4377F3F4B511B437805A8EC11B437742EA8F11B43779B6FA211B4376EA657C11B4376FC19B311B4377E2407E11B43730AF97411B4377F3F4B511B437742EA8F11B43779B6FA211B43771F822111B437731365811B43730AF97411B437789BB6B11B4376B548D711B4377F3F4B511B437805A8EC11B437742EA8F11B43779B6FA211B4376EA657C11B4376FC19B311B4377E2407E11B43732E61E211B4377F3F4B511B437742EA8F11B43779B6FA211B43771F822111B437731365811B43746D0DC011B4377549EC611B4377BED81011B437789BB6B11B4376D8B14511B437731365811B4376B548D711B4377F3F4B511B4376FC19B311B43732E61E211B4376D8B14511B4377AD23D911B437789BB6B11B43730AF97411B4373989B2C11B437386E6F511B437386E6F511B4373DF6C0811B43737532BE11B4373BC039A11B437351CA5011B43737532BE11B43730AF97411B4375BD6DD511B43730AF97411B437564E8C211B43730AF97411B437%257C2318D1%257C11649A&usg=AOvVaw2e9s-JweivuCkqTb4-Y9uW>

NEW QUESTION 2

Which of the following are supported configuration methods to add inputs on a forwarder? (Select all that apply.)

- A. CLI
- B. Edit inputs.conf
- C. Edit forwarder.conf
- D. Forwarder Management

Answer: B

Explanation:

Reference: <https://docs.splunk.com/Documentation/Forwarder/7.3.1/Forwarder/Configuretheuniversalforwarder>

NEW QUESTION 3

Which forwarder type can parse data prior to forwarding?

- A. Universal forwarder
- B. Heaviest forwarder
- C. Hyper forwarder
- D. Heavy forwarder

Answer: D

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Forwarding/Typesofforwarders>

NEW QUESTION 4

Which Splunk component distributes apps and certain other configuration updates to search head cluster members?

- A. Deployer
- B. Cluster master
- C. Deployment server
- D. Search head cluster master

Answer: A

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/DistSearch/PropagateSHCconfigurationchanges>

NEW QUESTION 5

Where should apps be located on the deployment server that the clients pull from?

- A. \$SPLUNK_HOME/etc/apps
- B. \$SPLUNK_HOME/etc/search
- C. \$SPLUNK_HOME/etc/master-apps
- D. \$SPLUNK_HOME/etc/deployment-apps

Answer: A

Explanation:

Reference: <https://answers.splunk.com/answers/371099/how-to-configure-deployment-apps-to-push-to-client.html>

NEW QUESTION 6

The priority of layered Splunk configuration files depends on the file's:

- A. Owner
- B. Weight
- C. Context
- D. Creation time

Answer: C

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.0/Admin/Wheretofindtheconfigurationfiles>

NEW QUESTION 7

When configuring monitor inputs with whitelists or blacklists, what is the supported method of filtering the lists?

- A. Slash notation
- B. Regular expression
- C. Irregular expression
- D. Wildcard-only expression

Answer: B

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Updating/Filterclients>

NEW QUESTION 8

What is required when adding a native user to Splunk? (Select all that apply.)

- A. Password
- B. Username
- C. Full Name
- D. Default app

Answer: CD

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Security/Addandeditusers>

NEW QUESTION 9

Which Splunk component requires a Forwarder license?

- A. Search head
- B. Heavy forwarder
- C. Heaviest forwarder
- D. Universal forwarder

Answer: B

Explanation:

Reference: <https://answers.splunk.com/answers/70017/heavy-forwarder-costs-and-licenses.html>

NEW QUESTION 10

Which of the following statements describe deployment management? (Select all that apply.)

- A. Requires an Enterprise license.
- B. Is responsible for sending apps to forwarders.
- C. Once used, is the only way to manage forwarders.
- D. Can automatically restart the host OS running the forwarder.

Answer: A

NEW QUESTION 10

During search time, which directory of configuration files has the highest precedence?

- A. \$SPLUNK_HOME/etc/system/local
- B. \$SPLUNK_HOME/etc/system/default
- C. \$SPLUNK_HOME/etc/apps/app1/local
- D. \$SPLUNK_HOME/etc/users/admin/local

Answer: C

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.0/Admin/Wheretofindtheconfigurationfiles>

NEW QUESTION 13

What is the correct order of steps in Duo Multifactor Authentication?

- A. * 1. Request Login* 2. Connect to SAML server* 3. Duo MFA* 4. Create User session* 5. Authentication Granted* 6. Log into Splunk

- B. * 1. Request Login* 2. Duo MFA* 3. Authentication Granted* 4. Connect to SAML server* 5. Log into Splunk* 6. Create User session
C. * 1. Request Login* 2. Check authentication / group mapping* 3. Authentication Granted* 4. Duo MFA* 5. Create User session* 6. Log into Splunk
D. * 1. Request Login* 2. Duo MFA* 3. Check authentication / group mapping* 4. Create User session* 5. Authentication Granted* 6. Log into Splunk

Answer: C

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Security/ConfigureDuo>

NEW QUESTION 17

Where can scripts for scripted inputs reside on the host file system? (Select all that apply.)

- A. \$SPLUNK_HOME/bin/scripts
B. \$SPLUNK_HOME/etc/apps/bin
C. \$SPLUNK_HOME/etc/system/bin
D. \$SPLUNK_HOME/etc/apps/<your_app>/bin

Answer: ACD

Explanation:

Reference: https://docs.splunk.com/Documentation/Splunk/7.3.1/Data/Getdatafromscriptedinputs#Where_to_place_the_scripts_for_scripted_inputs

NEW QUESTION 22

User role inheritance allows what to be inherited from the parent role? (Select all that apply.)

- A. Parents
B. Capabilities
C. Index access
D. Search history

Answer: B

Explanation:

Reference: https://docs.splunk.com/Documentation/Splunk/7.3.1/Security/Aboutusersandroles#How_users_inherit_capabilities

NEW QUESTION 23

Which layers are involved in Splunk configuration file layering? (Select all that apply.)

- A. App context
B. User context
C. Global context
D. Forwarder context

Answer: AC

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Admin/Wheretofindtheconfigurationfiles>

NEW QUESTION 27

What is the difference between the two wildcards ... and * for the monitor stanza in inputs.conf?

- A. ... is not supported in monitor stanzas.
B. There is no difference, they are interchangeable and match anything beyond directory boundaries.
C. * matches anything in that specific directory path segment, whereas ... recurses through subdirectories as well.
D. ... matches anything in that specific directory path segment, whereas * recurses through subdirectories as well.

Answer: C

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.0/Data/Specifyinputpathswithwildcards>

NEW QUESTION 28

What type of data is counted against the Enterprise license at a fixed 150 bytes per event?

- A. License data
B. Metrics data
C. Internal Splunk data
D. Internal Windows logs

Answer: B

Explanation:

Reference: <https://answers.splunk.com/answers/581441/how-is-the-splunk-license-measured.html>

NEW QUESTION 31

Which valid bucket types are searchable? (Select all that apply.)

- A. Hot buckets
- B. Cold buckets
- C. Warm buckets
- D. Frozen buckets

Answer: ABC

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Indexer/HowSplunkstoresindexes>

NEW QUESTION 34

How often does Splunk recheck the LDAP server?

- A. Every 5 minutes.
- B. Each time a user logs in.
- C. Each time Splunk is restarted.
- D. Varies based on LDAP_refresh setting.

Answer: D

Explanation:

Reference: <http://docshare02.docshare.tips/files/22651/226514302.pdf>

NEW QUESTION 35

In this sourcetype definition the MAX_TIMESTAMP_LOOKAHEAD is missing. Which value would fit best?

[sshd_syslog] TIME_PREFIX = ^

TIME_FORMAT = %Y-%m-%d %H:%M:%S.%3N %z

LINE_BREAKER = ([\r\n]+)\d{4}-\d{2}-\d{2} \d{2}:\d{2}:\d{2} SHOUD_LINEMERGE = false

TRUNCATE = 0

Event example: 2018-04-13 13:42:41.214 -0500 server sshd[26219]: Connection from 172.0.2.60 port 47366

- A. MAX_TIMESTAMP_LOOKAHEAD = 5
- B. MAX_TIMESTAMP_LOOKAHEAD = 10
- C. MAX_TIMESTAMP_LOOKAHEAD = 20
- D. MAX_TIMESTAMP_LOOKAHEAD = 30

Answer: B

NEW QUESTION 37

With authentication methods are natively supported within Splunk Enterprise? (Select all that apply.)

- A. LDAP
- B. SAML
- C. RADIUS
- D. Duo Multifactor Authentication

Answer: AD

Explanation:

Reference: <https://docs.splunk.com/Documentation/Splunk/7.3.1/Security/SetupuserauthenticationwithSplunk>

NEW QUESTION 42

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SPLK-1003 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SPLK-1003-dumps.html>