

DBS-C01 Dumps

AWS Certified Database - Specialty

<https://www.certleader.com/DBS-C01-dumps.html>



NEW QUESTION 1

A large company is using an Amazon RDS for Oracle Multi-AZ DB instance with a Java application. As a part of its disaster recovery annual testing, the company would like to simulate an Availability Zone failure and record how the application reacts during the DB instance failover activity. The company does not want to make any code changes for this activity.

What should the company do to achieve this in the shortest amount of time?

- A. Use a blue-green deployment with a complete application-level failover test
- B. Use the RDS console to reboot the DB instance by choosing the option to reboot with failover
- C. Use RDS fault injection queries to simulate the primary node failure
- D. Add a rule to the NACL to deny all traffic on the subnets associated with a single Availability Zone

Answer: C

NEW QUESTION 2

A company has deployed an e-commerce web application in a new AWS account. An Amazon RDS for MySQL Multi-AZ DB instance is part of this deployment with a database-1.xxxxxxxxxx.us-east-1.rds.amazonaws.com endpoint listening on port 3306. The company's Database Specialist is able to log in to MySQL and run queries from the bastion host using these details.

When users try to utilize the application hosted in the AWS account, they are presented with a generic error message. The application servers are logging a "could not connect to server: Connection times out" error message to Amazon CloudWatch Logs.

What is the cause of this error?

- A. The user name and password the application is using are incorrect.
- B. The security group assigned to the application servers does not have the necessary rules to allow inbound connections from the DB instance.
- C. The security group assigned to the DB instance does not have the necessary rules to allow inbound connections from the application servers.
- D. The user name and password are correct, but the user is not authorized to use the DB instance.

Answer: C

NEW QUESTION 3

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume.

Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

Answer: AE

NEW QUESTION 4

An AWS CloudFormation stack that included an Amazon RDS DB instance was accidentally deleted and recent data was lost. A Database Specialist needs to add RDS settings to the CloudFormation template to reduce the chance of accidental instance data loss in the future.

Which settings will meet this requirement? (Choose three.)

- A. Set DeletionProtection to True
- B. Set MultiAZ to True
- C. Set TerminationProtection to True
- D. Set DeleteAutomatedBackups to False
- E. Set DeletionPolicy to Delete
- F. Set DeletionPolicy to Retain

Answer: ACF

NEW QUESTION 5

A Database Specialist needs to define a database migration strategy to migrate an on-premises Oracle database to an Amazon Aurora MySQL DB cluster. The company requires near-zero downtime for the data migration. The solution must also be cost-effective.

Which approach should the Database Specialist take?

- A. Dump all the tables from the Oracle database into an Amazon S3 bucket using datapump (expdp).Run data transformations in AWS Glue
- B. Load the data from the S3 bucket to the Aurora DB cluster.
- C. Order an AWS Snowball appliance and copy the Oracle backup to the Snowball appliance
- D. Once the Snowball data is delivered to Amazon S3, create a new Aurora DB cluster
- E. Enable the S3 integration to migrate the data directly from Amazon S3 to Amazon RDS.
- F. Use the AWS Schema Conversion Tool (AWS SCT) to help rewrite database objects to MySQL during the schema migration
- G. Use AWS DMS to perform the full load and change data capture (CDC) tasks.
- H. Use AWS Server Migration Service (AWS SMS) to import the Oracle virtual machine image as an Amazon EC2 instance
- I. Use the Oracle Logical Dump utility to migrate the Oracle data from Amazon EC2 to an Aurora DB cluster.

Answer: D

NEW QUESTION 6

A company is hosting critical business data in an Amazon Redshift cluster. Due to the sensitive nature of the data, the cluster is encrypted at rest using AWS KMS.

As a part of disaster recovery requirements, the company needs to copy the Amazon Redshift snapshots to another Region. Which steps should be taken in the AWS Management Console to meet the disaster recovery requirements?

- A. Create a new KMS customer master key in the source Region
- B. Switch to the destination Region, enable Amazon Redshift cross-Region snapshots, and use the KMS key of the source Region.
- C. Create a new IAM role with access to the KMS key
- D. Enable Amazon Redshift cross-Region replication using the new IAM role, and use the KMS key of the source Region.
- E. Enable Amazon Redshift cross-Region snapshots in the source Region, and create a snapshot copy grant and use a KMS key in the destination Region.
- F. Create a new KMS customer master key in the destination Region and create a new IAM role with access to the new KMS key
- G. Enable Amazon Redshift cross-Region replication in the source Region and use the KMS key of the destination Region.

Answer: A

NEW QUESTION 7

An IT consulting company wants to reduce costs when operating its development environment databases. The company's workflow creates multiple Amazon Aurora MySQL DB clusters for each development group. The Aurora DB clusters are only used for 8 hours a day. The DB clusters can then be deleted at the end of the development cycle, which lasts 2 weeks.

Which of the following provides the MOST cost-effective solution?

- A. Use AWS CloudFormation template
- B. Deploy a stack with the DB cluster for each development group. Delete the stack at the end of the development cycle.
- C. Use the Aurora DB cloning feature
- D. Deploy a single development and test Aurora DB instance, and create clone instances for the development group
- E. Delete the clones at the end of the development cycle.
- F. Use Aurora Replica
- G. From the master automatic pause compute capacity option, create replicas for each development group, and promote each replica to master
- H. Delete the replicas at the end of the development cycle.
- I. Use Aurora Serverless
- J. Restore current Aurora snapshot and deploy to a serverless cluster for each development group
- K. Enable the option to pause the compute capacity on the cluster and set an appropriate timeout.

Answer: D

NEW QUESTION 8

A gaming company is designing a mobile gaming app that will be accessed by many users across the globe. The company wants to have replication and full support for multi-master writes. The company also wants to ensure low latency and consistent performance for app users.

Which solution meets these requirements?

- A. Use Amazon DynamoDB global tables for storage and enable DynamoDB automatic scaling
- B. Use Amazon Aurora for storage and enable cross-Region Aurora Replicas
- C. Use Amazon Aurora for storage and cache the user content with Amazon ElastiCache
- D. Use Amazon Neptune for storage

Answer: A

NEW QUESTION 9

A company maintains several databases using Amazon RDS for MySQL and PostgreSQL. Each RDS database generates log files with retention periods set to their default values. The company has now mandated that database logs be maintained for up to 90 days in a centralized repository to facilitate real-time and after-the-fact analyses.

What should a Database Specialist do to meet these requirements with minimal effort?

- A. Create an AWS Lambda function to pull logs from the RDS databases and consolidate the log files in an Amazon S3 bucket
- B. Set a lifecycle policy to expire the objects after 90 days.
- C. Modify the RDS databases to publish log to Amazon CloudWatch Log
- D. Change the log retention policy for each log group to expire the events after 90 days.
- E. Write a stored procedure in each RDS database to download the logs and consolidate the log files in an Amazon S3 bucket
- F. Set a lifecycle policy to expire the objects after 90 days.
- G. Create an AWS Lambda function to download the logs from the RDS databases and publish the logs to Amazon CloudWatch Log
- H. Change the log retention policy for the log group to expire the events after 90 days.

Answer: A

NEW QUESTION 10

An online gaming company is planning to launch a new game with Amazon DynamoDB as its data store. The database should be designed to support the following use cases:

- Update scores in real time whenever a player is playing the game.
- Retrieve a player's score details for a specific game session.

A Database Specialist decides to implement a DynamoDB table. Each player has a unique `user_id` and each game has a unique `game_id`.

Which choice of keys is recommended for the DynamoDB table?

- A. Create a global secondary index with `game_id` as the partition key
- B. Create a global secondary index with `user_id` as the partition key
- C. Create a composite primary key with `game_id` as the partition key and `user_id` as the sort key
- D. Create a composite primary key with `user_id` as the partition key and `game_id` as the sort key

Answer: B

NEW QUESTION 10

A Database Specialist is setting up a new Amazon Aurora DB cluster with one primary instance and three Aurora Replicas for a highly intensive, business-critical application. The Aurora DB cluster has one medium-sized primary instance, one large-sized replica, and two medium-sized replicas. The Database Specialist did not assign a promotion tier to the replicas.

In the event of a primary failure, what will occur?

- A. Aurora will promote an Aurora Replica that is of the same size as the primary instance
- B. Aurora will promote an arbitrary Aurora Replica
- C. Aurora will promote the largest-sized Aurora Replica
- D. Aurora will not promote an Aurora Replica

Answer: A

NEW QUESTION 13

A company developed an AWS CloudFormation template used to create all new Amazon DynamoDB tables in its AWS account. The template configures provisioned throughput capacity using hard-coded values. The company wants to change the template so that the tables it creates in the future have independently configurable read and write capacity units assigned.

Which solution will enable this change?

- A. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Configure DynamoDB to provision throughput capacity using the stack's mappings.
- B. Add values for two Number parameters, rcuCount and wcuCount, to the template.
- C. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.
- D. Add values for the rcuCount and wcuCount parameters as outputs of the template.
- E. Configure DynamoDB to provision throughput capacity using the stack outputs.
- F. Add values for the rcuCount and wcuCount parameters to the Mappings section of the template. Replace the hard-coded values with calls to the Ref intrinsic function, referencing the new parameters.

Answer: B

NEW QUESTION 18

A company has an on-premises system that tracks various database operations that occur over the lifetime of a database, including database shutdown, deletion, creation, and backup.

The company recently moved two databases to Amazon RDS and is looking at a solution that would satisfy these requirements. The data could be used by other systems within the company.

Which solution will meet these requirements with minimal effort?

- A. Create an Amazon Cloudwatch Events rule with the operations that need to be tracked on Amazon RDS.
- B. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.
- C. Create an AWS Lambda function to trigger on AWS CloudTrail API call.
- D. Filter on specific RDS API calls and write the output to the tracking systems.
- E. Create RDS event subscription.
- F. Have the tracking systems subscribe to specific RDS event system notifications.
- G. Write RDS logs to Amazon Kinesis Data Firehose.
- H. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.

Answer: C

NEW QUESTION 20

A global digital advertising company captures browsing metadata to contextually display relevant images, pages, and links to targeted users. A single page load can generate multiple events that need to be stored individually. The maximum size of an event is 200 KB and the average size is 10 KB. Each page load must query the user's browsing history to provide targeting recommendations. The advertising company expects over 1 billion page visits per day from users in the United States, Europe, Hong Kong, and India. The structure of the metadata varies depending on the event. Additionally, the browsing metadata must be written and read with very low latency to ensure a good viewing experience for the users.

Which database solution meets these requirements?

- A. Amazon DocumentDB
- B. Amazon RDS Multi-AZ deployment
- C. Amazon DynamoDB global table
- D. Amazon Aurora Global Database

Answer: C

NEW QUESTION 25

A company is looking to move an on-premises IBM Db2 database running AIX on an IBM POWER7 server. Due to escalating support and maintenance costs, the company is exploring the option of moving the workload to an Amazon Aurora PostgreSQL DB cluster.

What is the quickest way for the company to gather data on the migration compatibility?

- A. Perform a logical dump from the Db2 database and restore it to an Aurora DB cluster.
- B. Identify the gaps and compatibility of the objects migrated by comparing row counts from source and target tables.
- C. Run AWS DMS from the Db2 database to an Aurora DB cluster.
- D. Identify the gaps and compatibility of the objects migrated by comparing the row counts from source and target tables.
- E. Run native PostgreSQL logical replication from the Db2 database to an Aurora DB cluster to evaluate the migration compatibility.
- F. Run the AWS Schema Conversion Tool (AWS SCT) from the Db2 database to an Aurora DB cluster. Create a migration assessment report to evaluate the migration compatibility.

Answer: D

NEW QUESTION 29

A large ecommerce company uses Amazon DynamoDB to handle the transactions on its web portal. Traffic patterns throughout the year are usually stable; however, a large event is planned. The company knows that traffic will increase by up to 10 times the normal load over the 3-day event. When sale prices are published during the event, traffic will spike rapidly.

How should a Database Specialist ensure DynamoDB can handle the increased traffic?

- A. Ensure the table is always provisioned to meet peak needs
- B. Allow burst capacity to handle the additional load
- C. Set an AWS Application Auto Scaling policy for the table to handle the increase in traffic
- D. Preprovision additional capacity for the known peaks and then reduce the capacity after the event

Answer: B

NEW QUESTION 33

A company is deploying a solution in Amazon Aurora by migrating from an on-premises system. The IT department has established an AWS Direct Connect link from the company's data center. The company's Database Specialist has selected the option to require SSL/TLS for connectivity to prevent plaintext data from being set over the network. The migration appears to be working successfully, and the data can be queried from a desktop machine.

Two Data Analysts have been asked to query and validate the data in the new Aurora DB cluster. Both Analysts are unable to connect to Aurora. Their user names and passwords have been verified as valid and

the Database Specialist can connect to the DB cluster using their accounts. The Database Specialist also verified that the security group configuration allows network from all corporate IP addresses.

What should the Database Specialist do to correct the Data Analysts' inability to connect?

- A. Restart the DB cluster to apply the SSL change.
- B. Instruct the Data Analysts to download the root certificate and use the SSL certificate on the connection string to connect.
- C. Add explicit mappings between the Data Analysts' IP addresses and the instance in the security group assigned to the DB cluster.
- D. Modify the Data Analysts' local client firewall to allow network traffic to AWS.

Answer: D

NEW QUESTION 37

A retail company with its main office in New York and another office in Tokyo plans to build a database solution on AWS. The company's main workload consists of a mission-critical application that updates its application data in a data store. The team at the Tokyo office is building dashboards with complex analytical queries using the application data. The dashboards will be used to make buying decisions, so they need to have access to the application data in less than 1 second.

Which solution meets these requirements?

- A. Use an Amazon RDS DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- B. Create an Amazon ElastiCache cluster in the ap-northeast-1 Region to cache application data from the replica to generate the dashboards.
- C. Use an Amazon DynamoDB global table in the us-east-1 Region with replication into the ap-northeast-1 Region
- D. Use Amazon QuickSight for displaying dashboard results.
- E. Use an Amazon RDS for MySQL DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- F. Have the dashboard application read from the read replica.
- G. Use an Amazon Aurora global database
- H. Deploy the writer instance in the us-east-1 Region and the replica in the ap-northeast-1 Region
- I. Have the dashboard application read from the replica in the ap-northeast-1 Region.

Answer: D

NEW QUESTION 38

A company wants to automate the creation of secure test databases with random credentials to be stored safely for later use. The credentials should have sufficient information about each test database to initiate a connection and perform automated credential rotations. The credentials should not be logged or stored anywhere in an unencrypted form.

Which steps should a Database Specialist take to meet these requirements using an AWS CloudFormation template?

- A. Create the database with the MasterUserName and MasterUserPassword properties set to the default value
- B. Then, create the secret with the user name and password set to the same default value
- C. Add a Secret Target Attachment resource with the SecretId and TargetId properties set to the Amazon Resource Names (ARNs) of the secret and the database
- D. Finally, update the secret's password value with a randomly generated string set by the GenerateSecretString property.
- E. Add a Mapping property from the database Amazon Resource Name (ARN) to the secret ARN
- F. Then, create the secret with a chosen user name and a randomly generated password set by the GenerateSecretString property
- G. Add the database with the MasterUserName and MasterUserPassword properties set to the user name of the secret.
- H. Add a resource of type AWS::SecretsManager::Secret and specify the GenerateSecretString property. Then, define the database user name in the SecureStringTemplate template
- I. Create a resource for the database and reference the secret string for the MasterUserName and MasterUserPassword properties
- J. Then, add a resource of type AWS::SecretsManager::SecretTargetAttachment with the SecretId and TargetId properties set to the Amazon Resource Names (ARNs) of the secret and the database.
- K. Create the secret with a chosen user name and a randomly generated password set by the GenerateSecretString property
- L. Add a SecretTargetAttachment resource with the SecretId property set to the Amazon Resource Name (ARN) of the secret and the TargetId property set to a parameter value matching the desired database ARN
- M. Then, create a database with the MasterUserName and MasterUserPassword properties set to the previously created values in the secret.

Answer: C

NEW QUESTION 42

A company wants to migrate its existing on-premises Oracle database to Amazon Aurora PostgreSQL. The migration must be completed with minimal downtime using AWS DMS. A Database Specialist must validate that the data was migrated accurately from the source to the target before the cutover. The migration must have minimal impact on the performance of the source database.

Which approach will MOST effectively meet these requirements?

- A. Use the AWS Schema Conversion Tool (AWS SCT) to convert source Oracle database schemas to the target Aurora DB cluster
- B. Verify the datatype of the columns.
- C. Use the table metrics of the AWS DMS task created for migrating the data to verify the statistics for the tables being migrated and to verify that the data definition language (DDL) statements are completed.
- D. Enable the AWS Schema Conversion Tool (AWS SCT) premigration validation and review the premigration checklist to make sure there are no issues with the conversion.
- E. Enable AWS DMS data validation on the task so the AWS DMS task compares the source and target records, and reports any mismatches.

Answer: D

NEW QUESTION 44

A company is using Amazon RDS for MySQL to redesign its business application. A Database Specialist has noticed that the Development team is restoring their MySQL database multiple times a day when Developers make mistakes in their schema updates. The Developers sometimes need to wait hours to the restores to complete.

Multiple team members are working on the project, making it difficult to find the correct restore point for each mistake.

Which approach should the Database Specialist take to reduce downtime?

- A. Deploy multiple read replicas and have the team members make changes to separate replica instances
- B. Migrate to Amazon RDS for SQL Server, take a snapshot, and restore from the snapshot
- C. Migrate to Amazon Aurora MySQL and enable the Aurora Backtrack feature
- D. Enable the Amazon RDS for MySQL Backtrack feature

Answer: A

NEW QUESTION 46

A company is running a two-tier ecommerce application in one AWS account. The web server is deployed using an Amazon RDS for MySQL Multi-AZ DB instance. A Developer mistakenly deleted the database in the production environment. The database has been restored, but this resulted in hours of downtime and lost revenue.

Which combination of changes in existing IAM policies should a Database Specialist make to prevent an error like this from happening in the future? (Choose three.)

- A. Grant least privilege to groups, users, and roles
- B. Allow all users to restore a database from a backup that will reduce the overall downtime to restore the database
- C. Enable multi-factor authentication for sensitive operations to access sensitive resources and API operations
- D. Use policy conditions to restrict access to selective IP addresses
- E. Use AccessList Controls policy type to restrict users for database instance deletion
- F. Enable AWS CloudTrail logging and Enhanced Monitoring

Answer: ACD

NEW QUESTION 51

A company is about to launch a new product, and test databases must be re-created from production data. The company runs its production databases on an Amazon Aurora MySQL DB cluster. A Database Specialist needs to deploy a solution to create these test databases as quickly as possible with the least amount of administrative effort.

What should the Database Specialist do to meet these requirements?

- A. Restore a snapshot from the production cluster into test clusters
- B. Create logical dumps of the production cluster and restore them into new test clusters
- C. Use database cloning to create clones of the production cluster
- D. Add an additional read replica to the production cluster and use that node for testing

Answer: D

NEW QUESTION 54

A company is running a finance application on an Amazon RDS for MySQL DB instance. The application is governed by multiple financial regulatory agencies. The RDS DB instance is set up with security groups to allow access to certain Amazon EC2 servers only. AWS KMS is used for encryption at rest.

Which step will provide additional security?

- A. Set up NACLs that allow the entire EC2 subnet to access the DB instance
- B. Disable the master user account
- C. Set up a security group that blocks SSH to the DB instance
- D. Set up RDS to use SSL for data in transit

Answer: D

NEW QUESTION 57

A financial company has allocated an Amazon RDS MariaDB DB instance with large storage capacity to accommodate migration efforts. Post-migration, the company purged unwanted data from the instance. The company now wants to downsize storage to save money. The solution must have the least impact on production and near-zero downtime.

Which solution would meet these requirements?

- A. Create a snapshot of the old databases and restore the snapshot with the required storage
- B. Create a new RDS DB instance with the required storage and move the databases from the old instance to the new instance using AWS DMS
- C. Create a new database using native backup and restore
- D. Create a new read replica and make it the primary by terminating the existing primary

Answer: A

NEW QUESTION 58

An ecommerce company is using Amazon DynamoDB as the backend for its order-processing application. The steady increase in the number of orders is resulting in increased DynamoDB costs. Order verification and reporting perform many repeated GetItem functions that pull similar datasets, and this read activity is contributing to the increased costs. The company wants to control these costs without significant development efforts. How should a Database Specialist address these requirements?

- A. Use AWS DMS to migrate data from DynamoDB to Amazon DocumentDB
- B. Use Amazon DynamoDB Streams and Amazon Kinesis Data Firehose to push the data into AmazonRedshift
- C. Use an Amazon ElastiCache for Redis in front of DynamoDB to boost read performance
- D. Use DynamoDB Accelerator to offload the reads

Answer: B

NEW QUESTION 60

A Database Specialist is designing a disaster recovery strategy for a production Amazon DynamoDB table. The table uses provisioned read/write capacity mode, global secondary indexes, and time to live (TTL). The Database Specialist has restored the latest backup to a new table. To prepare the new table with identical settings, which steps should be performed? (Choose two.)

- A. Re-create global secondary indexes in the new table
- B. Define IAM policies for access to the new table
- C. Define the TTL settings
- D. Encrypt the table from the AWS Management Console or use the update-table command
- E. Set the provisioned read and write capacity

Answer: AE

NEW QUESTION 65

A Database Specialist is planning to create a read replica of an existing Amazon RDS for MySQL Multi-AZ DB instance. When using the AWS Management Console to conduct this task, the Database Specialist discovers that the source RDS DB instance does not appear in the read replica source selection box, so the read replica cannot be created.

What is the most likely reason for this?

- A. The source DB instance has to be converted to Single-AZ first to create a read replica from it.
- B. Enhanced Monitoring is not enabled on the source DB instance.
- C. The minor MySQL version in the source DB instance does not support read replicas.
- D. Automated backups are not enabled on the source DB instance.

Answer: D

NEW QUESTION 68

A company is running Amazon RDS for MySQL for its workloads. There is downtime when AWS operating system patches are applied during the Amazon RDS-specified maintenance window.

What is the MOST cost-effective action that should be taken to avoid downtime?

- A. Migrate the workloads from Amazon RDS for MySQL to Amazon DynamoDB
- B. Enable cross-Region read replicas and direct read traffic to them when Amazon RDS is down
- C. Enable a read replicas and direct read traffic to it when Amazon RDS is down
- D. Enable an Amazon RDS for MySQL Multi-AZ configuration

Answer: C

NEW QUESTION 73

A manufacturing company's website uses an Amazon Aurora PostgreSQL DB cluster.

Which configurations will result in the LEAST application downtime during a failover? (Choose three.)

- A. Use the provided read and write Aurora endpoints to establish a connection to the Aurora DB cluster.
- B. Create an Amazon CloudWatch alert triggering a restore in another Availability Zone when the primary Aurora DB cluster is unreachable.
- C. Edit and enable Aurora DB cluster cache management in parameter groups.
- D. Set TCP keepalive parameters to a high value.
- E. Set JDBC connection string timeout variables to a low value.
- F. Set Java DNS caching timeouts to a high value.

Answer: ABC

NEW QUESTION 75

A Database Specialist is creating Amazon DynamoDB tables, Amazon CloudWatch alarms, and associated infrastructure for an Application team using a development AWS account. The team wants a deployment method that will standardize the core solution components while managing environment-specific settings separately, and wants to minimize rework due to configuration errors.

Which process should the Database Specialist recommend to meet these requirements?

- A. Organize common and environmental-specific parameters hierarchically in the AWS Systems ManagerParameter Store, then reference the parameters dynamically from an AWS CloudFormation template. Deploy the CloudFormation stack using the environment name as a parameter.
- B. Create a parameterized AWS CloudFormation template that builds the required object
- C. Keep separate environment parameter files in separate Amazon S3 bucket
- D. Provide an AWS CLI command that deploys the CloudFormation stack directly referencing the appropriate parameter bucket.
- E. Create a parameterized AWS CloudFormation template that builds the required object
- F. Import the template into the CloudFormation interface in the AWS Management Console
- G. Make the required changes to the parameters and deploy the CloudFormation stack.

- H. Create an AWS Lambda function that builds the required objects using an AWS SD
- I. Set the requiredparameter values in a test event in the Lambda console for each environment that the Application team canmodify, as neede
- J. Deploy the infrastructure by triggering the test event in the console.

Answer: C

NEW QUESTION 80

A company has a web-based survey application that uses Amazon DynamoDB. During peak usage, when survey responses are being collected, a Database Specialist sees the ProvisionedThroughputExceededException error. What can the Database Specialist do to resolve this error? (Choose two.)

- A. Change the table to use Amazon DynamoDB Streams
- B. Purchase DynamoDB reserved capacity in the affected Region
- C. Increase the write capacity units for the specific table
- D. Change the table capacity mode to on-demand
- E. Change the table type to throughput optimized

Answer: CE

NEW QUESTION 84

A company runs online transaction processing (OLTP) workloads on an Amazon RDS for PostgreSQL Multi-AZ DB instance. Tests were run on the database after work hours, which generated additional database logs. The free storage of the RDS DB instance is low due to these additional logs. What should the company do to address this space constraint issue?

- A. Log in to the host and run the `rm $PGDATA/pg_logs/*` command
- B. Modify the `rds.log_retention_period` parameter to 1440 and wait up to 24 hours for database logs to be deleted
- C. Create a ticket with AWS Support to have the logs deleted
- D. Run the `SELECT rds_rotate_error_log()` stored procedure to rotate the logs

Answer: B

NEW QUESTION 87

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your DBS-C01 Exam with Our Prep Materials Via below:

<https://www.certleader.com/DBS-C01-dumps.html>