

# Exam Questions Platform-Developer-I

Platform Developer I

<https://www.2passeasy.com/dumps/Platform-Developer-I/>



#### NEW QUESTION 1

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

**Answer:** B

#### NEW QUESTION 2

What are two ways for a developer to execute tests in an org?

- A. Tooling API
- B. Developer console
- C. Bulk API
- D. Metadata API

**Answer:** AB

#### NEW QUESTION 3

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include `<apex:message>` on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the `Database.upsert()` method.

**Answer:** B

#### NEW QUESTION 4

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.

```
for(Account a: Trigger.new){
    if(a.AnnualRevenue > 1000000){
        List<Opportunity> opplist = [SELECT Id FROM Opportunity WHERE accountId = :a.Id];
        if(opplist.size() == 0){
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
loseDate = system.today().addDays(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, it fails with system exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use `Database.query` to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

**Answer:** CD

#### NEW QUESTION 5

A custom Visualforce controller calls the `ApexPages.addMessage()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex:pageMessages />`
- B. `<apex:pageMessage severity="info"/>`
- C. `<Apex:facet name="message"/>`
- D. `<Apex:message for="info"/>`

**Answer:** B

#### NEW QUESTION 6

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers


- A. `insert pageRef.`
- B. `Test.setCurrentPage(pageRef);`
- C. `public ExtendedController(ApexPages.StandardController cntrl) { }`

- D. ApexPages.CurrentPage().getParameters().put('input\','TestValue');
- E. String nextPage - controller.save().getUrl();

**Answer:** BDE

#### NEW QUESTION 7

A developer created these three Rollup Summary fields in the custom object, Project\_ct,



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to Implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Formula field
- C. Apex Trigger
- D. Process Builder

**Answer:** B

#### NEW QUESTION 8

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

**Answer:** CDE

#### NEW QUESTION 9

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

**Answer:** BCD

#### NEW QUESTION 10

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

**Answer:** AB

#### NEW QUESTION 10

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering\_Support\_\_c. Users should be able to associate multiple engineering\_Support\_\_c records to a single Opportunity record. Additionally, aggregate Information about the Engineering\_support\_\_c records should be shown on the Opportunity record. What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering\_Support\_\_c to Opportunity.
- B. Master-detail field from Opportunity to Engineering\_Support\_\_c
- C. Lookup field from Engineering\_support\_\_c to Opportunity
- D. Lookup field from Opportunity to Engineering\_Support\_\_c

**Answer:** A

#### NEW QUESTION 14

Universal Containers has large number of custom applications that were built using a third-party javaScript framework and exposed using Visualforce pages. The Company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience. What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- B. Rewrite all Visualforce pages asLightning components.
- C. Set the attribute enableLightning to true in the definition.
- D. Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.

**Answer:** A

#### NEW QUESTION 17

For which three items can a trace flag be configured? Choose 3 answers

- A. Process Builder
- B. Visualforce
- C. Apex Class
- D. Apex Trigger
- E. User

**Answer:** CDE

#### NEW QUESTION 19

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

**Answer:** ACD

#### NEW QUESTION 24

Which Lightning code segment should be written to declare dependencies on a Lightning component, c:accountList, that is used in a Visualforce page?

A)

```
<aura:application access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

B)

```
<aura:component access="GLOBAL" extends="ltng:outApp">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

C)

```
<aura:component access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:component>
```

D)

```
<aura:application access="GLOBAL">
    <aura:dependency resource="c:accountList"/>
</aura:application>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** A

#### NEW QUESTION 27

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

**Answer:** ABE

#### NEW QUESTION 28

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

- A. Data Loader runs from the developer's browser.
- B. Data Import Wizard does not support Opportunities.
- C. Data Loader automatically relates Opportunities to Accounts.
- D. Data Import Wizard can not import all 500 records.

**Answer:** B

#### NEW QUESTION 31

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The with sharing keyword must be used to enforce sharing rules.
- D. The isAccessible ( ) method must be used for field-level access checks

**Answer:** A

#### NEW QUESTION 34

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

**Answer:** BC

#### NEW QUESTION 35

Assuming that naze is 8 String obtained by an <apex:inputText> tag on 8 Visualforce page, which two SOQL queries performed are safe from SOQL injection? Choose 2 answers

- A)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '\''';  
List<Account> results = Database.query(query);
```
- B)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '\''';  
List<Account> results = Database.query(query);
```
- C)
- ```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '\''';  
List<Account> results = Database.query(query);
```
- D)
- ```
String query = '\'' + name + '\'';  
List<Account> results = [SELECT Id FROM Account WHERE Name LIKE :query];
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** CD

#### NEW QUESTION 36

What should be used to create scratch orgs?

- A. Developer Console
- B. Salesforce CLI
- C. Workbench
- D. Sandbox refresh

**Answer:** B

#### NEW QUESTION 37

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

**Answer:** AC

#### NEW QUESTION 41

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- B. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- C. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

**Answer:** A



#### NEW QUESTION 43

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

**Answer:** A

#### NEW QUESTION 47

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

**Answer:** A

#### NEW QUESTION 50

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

**Answer:** C

#### NEW QUESTION 55

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

- A. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- B. Public class DrawList extends Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- C. Public class DrawList implements Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /\*implementation\*/ }public void draw() { /\* implementation \*/}}

**Answer:** C

#### NEW QUESTION 57

Refer to the following Apex code:

```
Integer x = 0;

do {
    x = 1;
    x++;
} while (x < 1);

System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. 1
- B. 2
- C. 3

**Answer:** C

#### NEW QUESTION 59

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary\_\_c custom field. what should the developer use, along with a lightning-record-edit form, so that salary\_\_c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary\_\_C?

- A. <lightning-input-field field-name="Salary\_\_c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary\_\_c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary\_\_c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary\_\_c"></lightning-input-currency>

**Answer:** A

#### NEW QUESTION 64

What is the result of the following code?

- A. The record will not be created and an exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

**Answer:** C

#### NEW QUESTION 68

A company has been adding data to Salesforce and has not done a good job of limiting the creation of duplicate Lead records. The developer is considering writing an Apex process to identify duplicates and merge the records together.

Which two statements are valid considerations when using merged? Choose 2 answers

- A. The field values on the master record are overwritten by the records being merged.
- B. Merge is supported with accounts, contacts, cases, and leads.
- C. External ID fields can be used with the merge method.
- D. The merge method allows up to three records, including the master and two additional records with the same sObject type, to be merged into the master record.

**Answer:** BD

#### NEW QUESTION 71

A developer migrated functionality from JavaScript Remoting to a Lightning web component and wants to use the existing `getOpportunities()` method to provide data.

What to do now?

- A. The method must be decorated with `(cacheable=true)`.
- B. The method must be decorated with `@AuraEnabled`.
- C. The method must return a JSON Object.
- D. The method must return a String of a serialized JSON Array.

**Answer:** A

#### NEW QUESTION 72

Universal Containers has a Visualforce page that displays a table of every `Container_c`. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an `OffsetController`.
- D. Implement pagination with a `StandardSetController`,

**Answer:** D

#### NEW QUESTION 73

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

**Answer:** AB

#### NEW QUESTION 74

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

**Answer:** C

#### NEW QUESTION 77

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use `Test.loadData()` and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use `Test.loadData()` and reference a JSON file in Documents.

**Answer:** B

#### NEW QUESTION 81

AW Computing tracks order information in custom objects called order\_\_c and order\_Line\_c - Currently, all shipping information is stored in the order\_\_c object. The company wants to expand its order application to support split shipments so that any number of order\_Line\_\_c records on a single order\_\_c can be shipped to different locations.

What should a developer add to fulfill this requirement?

- A. Order\_shipment\_Group\_c object and master-detail field on order\_Line\_c
- B. Order\_shipment\_Group\_c object and master-detail field on order\_c
- C. Order\_shipment\_Group\_c object and master-detail field to order\_c and Order Line\_c
- D. Order\_shipment\_Group\_c object and master-detail field on order\_shipment\_Group\_c

**Answer:** C

#### NEW QUESTION 85

Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 250]){
    if(thisAccount.Industry == 'Technology'){
        thisAccount.Is_Tech__c = true;
    }
    update thisAccount;
}
```

which three statements are accurate about debug logs? Choose 3 answers

- A. Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. The maximum size of a debug log is 5 MB.
- C. Only the 20 most recent debug logs for a user are kept.
- D. Debug logs can be set for specific users, classes, and triggers.
- E. System debug logs are retained for 24 hours.

**Answer:** CDE

#### NEW QUESTION 90

Universal Containers wants to back up all of the data and attachments in its Salesforce org once month. Which approach should a developer use to meet this requirement?

- A. Use the Data Loader command line.
- B. Create a Schedulable Apex class.
- C. Schedule a report.
- D. Define a Data Export scheduled job.

**Answer:** D

#### Explanation:

Scheduling a Data Export job is the best way to back up all the data and attachments in a Salesforce org once a month. The Data Export job can be scheduled to run at a certain frequency so that the data can be backed up on a regular basis. This makes it easy to restore the data in case of any emergency.

#### NEW QUESTION 92

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates it in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce. Which two actions will prevent the duplicate order records from being created in Salesforce? Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

**Answer:** AD

#### NEW QUESTION 96

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

**Answer:** AB



#### NEW QUESTION 99

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

**Answer:** BD

#### NEW QUESTION 101

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /\* implementation\*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /\*implementation\*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /\*implementation\*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /\*implementation\*/ }

**Answer:** A

#### NEW QUESTION 106

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default }

Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | |metho
- B. ] |
- C. Use Opportunit
- D. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record types, and iterate through them until [ JisDefaultRecordTypeMapping() is tru
- E. Pencil & Paper |
- F. Use the Schema.userInfo.Opportunity.getDefaultRecordType() metho
- G. <Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

**Answer:** B

#### NEW QUESTION 109

A developer wants to invoke on outbound message when a record meets a specific criteria. Which three features satisfy this use case?

Choose 3 answer

- A. Approval Process has the capacity to check the record criteria and send an outbound message without Apex Code
- B. Process builder can be used to check the record criteria and send an outbound message with Apex Code.
- C. workflows can be used to check the record criteria and send an outbound message.
- D. Process builder can be used to check the record criteria and send an outbound message without Apex Code.
- E. Visual Workflow can be used to check the record criteria and send an outbound message without Apex Code.

**Answer:** ABC

#### NEW QUESTION 110

Universal Container uses Service Cloud with a custom field, stage\_c, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the stage\_c field is set to “;Waiting on customer” The .... Administrator wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements? Choose 2 answers

- A. Scheduled Flow
- B. Einstein Next Best Action
- C. Record\_Triggered Flow
- D. Process Builder

**Answer:** AC

#### NEW QUESTION 114

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a ‘Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

**Answer:** B

#### NEW QUESTION 115

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

**Answer:** A

#### NEW QUESTION 120

A developer Is asked to create a Visualforce page that lists the contacts owned by the current user. This component will be embedded In a Lightning page. Without writing unnecessary code, which controller should be used for this purpose?

- A. Standard list controller
- B. Standard controller
- C. Lightning controller
- D. Custom controller

**Answer:** B

#### NEW QUESTION 122

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

**Answer:** AB

#### NEW QUESTION 123

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. `$Lightning.createComponent`
- B. `<apex:slds/>`
- C. `$Lightning.useComponent`
- D. `$Lightning.use`
- E. `<apex:includeLightning/>`

**Answer:** ADE

#### NEW QUESTION 126

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

**Answer:** A

#### NEW QUESTION 128

niversal Containers (UC) processes orders in Salesforce in a custom object, Order\_c. They also allow sales reps to upload CSV files with of orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

'After the status for an Craer\_\_\_\_c is first set to "Placed', the order information must be sent to a REST endpoint in the ERP system that can process ne order at a time.

What should the developer implement to accomplish this?

- A. Callout from an \$urare method called from a trigger
- B. Callout from a Sarchabie class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a queseatie class called from a trigger

**Answer:** A

#### NEW QUESTION 132

What are two ways a developer can get the status of an enqueued job for a class that queueable interface? Choose 2 answers

- A. View the apex status Page
- B. View the apex flex Queue
- C. View the apex Jobs page
- D. Query the AsyncApexJobe object

**Answer:**

AC

#### NEW QUESTION 135

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

**Answer:** BC

#### NEW QUESTION 138

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects.

When creating the Apex method, which annotation should a developer use to ensure the method Can be used within the flow?

- A. @future
- B. @RemoteAction
- C. @InvocableMethod
- D. @AuraEnaled

**Answer:** C

#### NEW QUESTION 142

Which three Salesforce resources can be accessed from a Lightning web component? Choose 3 answers

- A. SVG resources
- B. Third-party web components
- C. Content asset files
- D. Static resources
- E. All external libraries

**Answer:** ADE

#### NEW QUESTION 146

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.
- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

**Answer:** BDE

#### NEW QUESTION 150

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for tent searches.
- D. SOQL is able to return more records.

**Answer:** CD

#### NEW QUESTION 152

A company has a custom object, Sales, }\_Help\_Request\_\_c, that has a Lookup relationship to Opportunity. The Seles Help Request\_\_c has a number field, Number\_ct\_Hours\_\_c, that represents the amount of time spent on the Sales\_Help Request\_\_C.

A developer is tasked with creating a field, total\_Hour2\_\_c, on Opportunity that should be the sum of all of the Number\_of\_Hours\_c values for the Sales\_Help\_Request\_\_c records related to that Opportunity.

What should the developer use to implement this?

- A. A roll-up summary field on the sales Help\_Request\_\_c object
- B. A trigger on the Opportunity object
- C. A roll-up summary field on the Opportunity object
- D. A record-triggered flow on the Sales Help Request\_\_c object

**Answer:** B

#### NEW QUESTION 153

Universal Containers stores the availability date on each Line Item of an Order and Orders are only shipped when all of the Line Items are available. Which method should be used to calculate the estimated ship date for an Order?

- A. Use a CEILING formula on each of the Latest availability date fields.
- B. Use a DAYS formula on each of the availability date fields and a COUNT Roll-Up Summary field on the Order.
- C. Use a LATEST formula on each of the latest availability date fields.
- D. Use a Max Roll-Up Summary field on the Latest availability date fields.

**Answer:** D

#### NEW QUESTION 158

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

**Answer:** AB

#### NEW QUESTION 160

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

**Answer:** D

#### NEW QUESTION 162

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

**Answer:** A

#### NEW QUESTION 163

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{  
    //code implementation  
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

**Answer:** B

#### NEW QUESTION 166

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer ad to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

**Answer:** B

#### NEW QUESTION 167

A develop completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class

What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use @isTest.

D. Test methods must be declared with the testMethod keyword.

**Answer:** AB

#### NEW QUESTION 171

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job\_Applications\_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job\_Application\_c) FROM Contact WHERE Account.Industry = 'Technology'];

**Answer:** B

#### NEW QUESTION 176

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Platform-Developer-I Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Platform-Developer-I Product From:

<https://www.2passeasy.com/dumps/Platform-Developer-I/>

## Money Back Guarantee

### Platform-Developer-I Practice Exam Features:

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year