

## AWS-Certified-Security-Specialty Dumps

### Amazon AWS Certified Security - Specialty

<https://www.certleader.com/AWS-Certified-Security-Specialty-dumps.html>



**NEW QUESTION 1**

A company hosts a popular web application that connects to an Amazon RDS MySQL DB instance running in a private VPC subnet that was created with default ACL settings. The IT Security department has a suspicion that a DDos attack is coming from a suspecting IP. How can you protect the subnets from this attack? Please select:

- A. Change the Inbound Security Groups to deny access from the suspecting IP
- B. Change the Outbound Security Groups to deny access from the suspecting IP
- C. Change the Inbound NACL to deny access from the suspecting IP
- D. Change the Outbound NACL to deny access from the suspecting IP

**Answer: C**

**Explanation:**

Option A and B are invalid because by default the Security Groups already block traffic. You can use NACL's as an additional security layer for the subnet to deny traffic.

Option D is invalid since just changing the Inbound Rules is sufficient The AWS Documentation mentions the following

A network access control list (ACL) is an optional layer of security for your VPC that acts as a firewall for controlling traffic in and out of one or more subnets. You might set up network ACLs with rules similar to your security groups in order to add an additional layer of security to your VPC.

The correct answer is: Change the Inbound NACL to deny access from the suspecting IP

**NEW QUESTION 2**

You are hosting a web site via website hosting on an S3 bucket - <http://demo.s3-website-us-east-1.amazonaws.com>. You have some web pages that use Javascript that access resources in another bucket which has web site hosting also enabled. But when users access the web pages , they are getting a blocked Javascript error. How can you rectify this? Please select:

- A. Enable CORS for the bucket
- B. Enable versioning for the bucket
- C. Enable MFA for the bucket
- D. Enable CRR for the bucket

**Answer: A**

**Explanation:**

Your answer is incorrect Answer-A

Such a scenario is also given in the AWS Documentation Cross-Origin Resource Sharing:

Use-case Scenarios

The following are example scenarios for using CORS:

- Scenario 1: Suppose that you are hosting a website in an Amazon S3 bucket named website as described in Hosting a Static Website on Amazon S3. Your users load the website endpoint <http://website.s3-website-us-east-1.amazonaws.com>. Now you want to use JavaScript on the webpages that are stored in this bucket to be able to make authenticated GET and PUT requests against the same bucket by using the Amazon S3 API endpoint for the bucket [website.s3.amazonaws.com](http://website.s3.amazonaws.com). A browser would normally block JavaScript from allowing those requests, but with CORS you can configure your bucket to explicitly enable cross-origin requests from [website.s3-website-us-east-1.amazonaws.com](http://website.s3-website-us-east-1.amazonaws.com).
- Scenario 2: Suppose that you want to host a web font from your S3 bucket. Again, browsers require a CORS check (also called a preflight check) for loading web fonts. You would configure the bucket that is hosting the web font to allow any origin to make these requests.

Option B is invalid because versioning is only to create multiple versions of an object and can help in accidental deletion of objects

Option C is invalid because this is used as an extra measure of caution for deletion of objects Option D is invalid because this is used for Cross region replication of objects

For more information on Cross Origin Resource sharing, please visit the following URL

- <https://docs.aws.amazon.com/AmazonS3/latest/dev/cors.html>

The correct answer is: Enable CORS for the bucket

Submit your Feedback/Queries to our Experts

**NEW QUESTION 3**

You have a vendor that needs access to an AWS resource. You create an AWS user account. You want to restrict access to the resource using a policy for just that user over a brief period. Which of the following would be an ideal policy to use?

Please select:

- A. An AWS Managed Policy
- B. An Inline Policy
- C. A Bucket Policy
- D. A bucket ACL

**Answer: B**

**Explanation:**

The AWS Documentation gives an example on such a case

Inline policies are useful if you want to maintain a strict one-to-one relationship between a policy and the principal entity that it's applied to. For example, you want to be sure that the permissions in a policy are not inadvertently assigned to a principal entity other than the one they're intended for. When you use an inline policy, the permissions in the policy cannot be inadvertently attached to the wrong principal entity. In addition, when you use the AWS Management Console to delete that principal entity the policies embedded in the principal entity are deleted as well. That's because they are part of the principal entity.

Option A is invalid because AWS Managed Policies are ok for a group of users, but for individual users, inline policies are better.

Option C and D are invalid because they are specifically meant for access to S3 buckets For more information on policies, please visit the following URL:

<https://docs.aws.amazon.com/IAM/latest/UserGuide/access-managed-vs-inline>

The correct answer is: An Inline Policy Submit your Feedback/Queries to our Experts

**NEW QUESTION 4**

Your company has a requirement to monitor all root user activity by notification. How can this best be achieved? Choose 2 answers from the options given below. Each answer forms part of the solution. Please select:

- A. Create a Cloudwatch Events Rule s
- B. Create a Cloudwatch Logs Rule
- C. Use a Lambda function
- D. Use Cloudtrail API call

**Answer:** AC

**Explanation:**

Below is a snippet from the AWS blogs on a solution



Option B is invalid because you need to create a Cloudwatch Events Rule and there is such thing as a Cloudwatch Logs Rule. Option D is invalid because Cloud Trail API calls can be recorded but cannot be used to send across notifications. For more information on this blog article, please visit the following URL:

<https://aws.amazon.com/blogs/mt/monitor-and-notify-on-aws-account-root-user-activity>

The correct answers are: Create a Cloudwatch Events Rule, Use a Lambda function. Submit your Feedback/Queries to our Experts

**NEW QUESTION 5**

A company is hosting a website that must be accessible to users for HTTPS traffic. Also port 22 should be open for administrative purposes. The administrator's workstation has a static IP address of 203.0.113.1/32. Which of the following security group configurations are the MOST secure but still functional to support these requirements? Choose 2 answers from the options given below.

Please select:

- A. Port 443 coming from 0.0.0.0/0
- B. Port 443 coming from 10.0.0.0/16
- C. Port 22 coming from 0.0.0.0/0
- D. Port 22 coming from 203.0.113.1/32

**Answer:** AD

**Explanation:**

Since HTTPS traffic is required for all users on the Internet, Port 443 should be open on all IP addresses. For port 22, the traffic should be restricted to an internal subnet.

Option B is invalid, because this only allows traffic from a particular CIDR block and not from the internet.

Option C is invalid because allowing port 22 from the internet is a security risk. For more information on AWS Security Groups, please visit the following URL:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/usins-network-security.html>

The correct answers are: Port 443 coming from 0.0.0.0/0, Port 22 coming from 203.0.113.1 /32. Submit your Feedback/Queries to our Experts

**NEW QUESTION 6**

You have an EC2 Instance in a private subnet which needs to access the KMS service. Which of the following methods can help fulfill this requirement, keeping security in perspective?

Please select:

- A. Use a VPC endpoint
- B. Attach an Internet gateway to the subnet
- C. Attach a VPN connection to the VPC
- D. Use VPC Peering

**Answer:** A

**Explanation:**

The AWS Documentation mentions the following:

You can connect directly to AWS KMS through a private endpoint in your VPC instead of connecting over the internet. When you use a VPC endpoint, communication between your VPC and AWS KMS is conducted entirely within the AWS network.

Option B is invalid because this could open threats from the internet.

Option C is invalid because this is normally used for communication between on-premise environments and AWS.

Option D is invalid because this is normally used for communication between VPCs.

For more information on accessing KMS via an endpoint, please visit the following URL: <https://docs.aws.amazon.com/kms/latest/developerguide/kms-vpc-endpoint.html>

The correct answer is: Use a VPC endpoint. Submit your Feedback/Queries to our Experts

**NEW QUESTION 7**

You have a web site that is sitting behind AWS Cloudfront. You need to protect the web site against threats such as SQL injection and Cross site scripting attacks. Which of the following service can help in such a scenario  
Please select:

- A. AWS Trusted Advisor
- B. AWS WAF
- C. AWS Inspector
- D. AWS Config

**Answer: B**

**Explanation:**

The AWS Documentation mentions the following

AWS WAF is a web application firewall that helps detect and block malicious web requests targeted at your web applications. AWS WAF allows you to create rules that can help protect against common

web exploits like SQL injection and cross-site scripting. With AWS WAF you first identify the resource (either an Amazon CloudFront distribution or an Application Load Balancer) that you need to protect. Option A is invalid because this will only give advise on how you can better the security in your AWS account but not protect against threats mentioned in the question.

Option C is invalid because this can be used to scan EC2 Instances for vulnerabilities but not protect against threats mentioned in the question.

Option D is invalid because this can be used to check config changes but not protect against threats mentioned in the quest

For more information on AWS WAF, please visit the following URL: <https://aws.amazon.com/waf/details>;

The correct answer is: AWS WAF

Submit your Feedback/Queries to our Experts

**NEW QUESTION 8**

When you enable automatic key rotation for an existing CMK key where the backing key is managed by AWS, after how long is the key rotated?  
Please select:

- A. After 30 days
- B. After 128 days
- C. After 365 days
- D. After 3 years

**Answer: D**

**Explanation:**

The AWS Documentation states the following

- AWS managed CM Ks: You cannot manage key rotation for AWS managed CMKs. AWS KMS automatically rotates AWS managed keys every three years (1095 days).

Note: AWS-managed CMKs are rotated every 3yrs, Customer-Managed CMKs are rotated every 365- days from when rotation is enabled.

Option A, B, C are invalid because the dettings for automatic key rotation is not changeable. For more information on key rotation please visit the below URL

<https://docs.aws.amazon.com/kms/latest/developereuide/rotate-keys.html>

AWS managed CMKs are CMKs in your account that are created, managed, and used on your behalf by an AWS service that is integrated with AWS KMS. This CMK is unique to your AWS account and region. Only the service that created the AWS managed CMK can use it

You can login to you 1AM dashbaord . Click on "Encryption Keys" You will find the list based on the services you are using as follows:

- aws/elasticfilesystem 1 aws/lightsail
- aws/s3
- aws/rds and many more Detailed Guide: KMS

You can recognize AWS managed CMKs because their aliases have the format aws/service-name, such as aws/redshift. Typically, a service creates its AWS managed CMK in your account when you set up the service or the first time you use the CMfC

The AWS services that integrate with AWS KMS can use it in many different ways. Some services create AWS managed CMKs in your account. Other services require that you specify a customer managed CMK that you have created. And, others support both types of CMKs to allow you the ease of an AWS managed CMK or the control of a customer-managed CMK

Rotation period for CMKs is as follows:

- AWS managed CMKs: 1095 days
- Customer managed CMKs: 365 days

Since question mentions about "CMK where backing keys is managed by AWS", its Amazon(AWS) managed and its rotation period turns out to be 1095 days{every 3 years)

For more details, please check below AWS Docs: <https://docs.aws.amazon.com/kms/latest/developerguide/concepts.html> The correct answer is: After 3 years

Submit your Feedback/Queries to our Experts

**NEW QUESTION 9**

You are devising a policy to allow users to have the ability to access objects in a bucket called appbucket. You define the below custom bucket policy



```
{ "ID": "Policy1502987489630",
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Stmt1502987487640",
      "Action": [
        "s3:GetObject",
        "s3:GetObjectVersion"
      ],
      "Effect": "Allow",
      "Resource": "arn:aws:s3:::appbucket",
      "Principal": "*"
    }
  ]
}
```

But when you try to apply the policy you get the error "Action does not apply to any resource(s) in statement." What should be done to rectify the error Please select:

- A. Change the 1AM permissions by applying PutBucketPolicy permissions.
- B. Verify that the policy has the same name as the bucket nam
- C. If no
- D. make it the same.
- E. Change the Resource section to "arn:aws:s3:::appbucket/\*".
- F. Create the bucket "appbucket" and then apply the polic

**Answer: C**

**Explanation:**

When you define access to objects in a bucket you need to ensure that you specify to which objects in the bucket access needs to be given to. In this case, the \* can be used to assign the permission to all objects in the bucket

Option A is invalid because the right permissions are already provided as per the question requirement

Option B is invalid because it is not necessary that the policy has the same name as the bucket Option D is invalid because this should be the default flow for applying the policy

For more information on bucket policies please visit the below URL: <https://docs.aws.amazon.com/AmazonS3/latest/dev/example-bucket-policies.html>

The correct answer is: Change the Resource section to "arn:aws:s3:::appbucket/" Submit your Feedback/Queries to our Experts

**NEW QUESTION 10**

A company wants to have an Intrusion detection system available for their VPC in AWS. They want to have complete control over the system. Which of the following would be ideal to implement?


Please select:

- A. Use AWS WAF to catch all intrusions occurring on the systems in the VPC
- B. Use a custom solution available in the AWS Marketplace
- C. Use VPC Flow logs to detect the issues and flag them accordingly.
- D. Use AWS Cloudwatch to monitor all traffic

**Answer: B**

**Explanation:**

Sometimes companies want to have custom solutions in place for monitoring Intrusions to their systems. In such a case, you can use the AWS Marketplace for looking at custom solutions.



Option A.C and D are all invalid because they cannot be used to conduct intrusion detection or prevention.

For more information on using custom security solutions please visit the below URL

[https://d1.awsstatic.com/Marketplace/security/AWSMP\\_Security\\_Solution%200verview.pdf](https://d1.awsstatic.com/Marketplace/security/AWSMP_Security_Solution%200verview.pdf) For more information on using custom security solutions please visit the

below URL: [https://d1.awsstatic.com/Marketplace/security/AWSMP\\_Security\\_Solution%20Overview.pdf](https://d1.awsstatic.com/Marketplace/security/AWSMP_Security_Solution%20Overview.pdf) The correct answer is: Use a custom solution available in the AWS Marketplace Submit your Feedback/Queries to our Experts

**NEW QUESTION 10**

Your IT Security department has mandated that all data on EBS volumes created for underlying EC2 Instances need to be encrypted. Which of the following can help achieve this?

Please select:

- A. AWS KMS API
- B. AWS Certificate Manager
- C. API Gateway with STS
- D. 1AM Access Key

**Answer:** A

**Explanation:**

The AWS Documentation mentions the following on AWS KMS

AWS Key Management Service (AWS KMS) is a managed service that makes it easy for you to create and control the encryption keys used to encrypt your data

A. AWS KMS is integrated with other AWS

services including Amazon Elastic Block Store (Amazon EBS), Amazon Simple Storage Service (Amazon S3), Amazon Redshift Amazon Elastic Transcoder, Amazon WorkMail, Amazon Relational Database Service (Amazon RDS), and others to make it simple to encrypt your data with encryption keys that you manage

Option B is incorrect - The AWS Certificate manager can be used to generate SSL certificates that can be used to encrypt traffic transit, but not at rest

Option C is incorrect is again used for issuing tokens when using API gateway for traffic in transit. Option D is used for secure access to EC2 Instances

For more information on AWS KMS, please visit the following URL: <https://docs.aws.amazon.com/kms/latest/developerguide/overview.html> The correct answer is:

AWS KMS API

Submit your Feedback/Queries to our Experts

**NEW QUESTION 12**

You have an instance setup in a test environment in AWS. You installed the required application and the promoted the server to a production environment. Your IT Security team has advised that there maybe traffic flowing in from an unknown IP address to port 22. How can this be mitigated immediately?

Please select:

- A. Shutdown the instance
- B. Remove the rule for incoming traffic on port 22 for the Security Group
- C. Change the AMI for the instance
- D. Change the Instance type for the instance

**Answer:** B

**Explanation:**

In the test environment the security groups might have been opened to all IP addresses for testing purpose. Always to ensure to remove this rule once all testing is completed.

Option A, C and D are all invalid because this would affect the application running on the server. The easiest way is just to remove the rule for access on port 22.

For more information on authorizing access to an instance, please visit the below URL: <https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/authorizing-access-to-an-instance.html> The correct answer is: Remove the rule for incoming traffic on port 22 for the Security Group Submit your Feedback/Queries to our Experts

**NEW QUESTION 17**

You have just received an email from AWS Support stating that your AWS account might have been compromised. Which of the following steps would you look to carry out immediately. Choose 3 answers from the options below.

Please select:

- A. Change the root account password.
- B. Rotate all 1AM access keys
- C. Keep all resources running to avoid disruption
- D. Change the password for all 1AM user

**Answer:** ABD

**Explanation:**

One of the articles from AWS mentions what should be done in such a scenario

If you suspect that your account has been compromised, or if you have received a notification from AWS that the account has been compromised, perform the following tasks:

Change your AWS root account password and the passwords of any 1AM users. Delete or rotate all root and AWS Identity and Access Management (1AM) access keys.

Delete any resources on your account you didn't create, especially running EC2 instances, EC2 spot bids, or 1AM users.

Respond to any notifications you received from AWS Support through the AWS Support Center. Option C is invalid because there could be compromised instances or resources running on your environment. They should be shutdown or stopped immediately.

For more information on the article, please visit the below URL: <https://aws.amazon.com/premiumsupport/knowledge-center/potential-account-compromise>

The correct answers are: Change the root account password. Rotate all 1AM access keys. Change the password for all 1AM users. Submit your

Feedback/Queries to our Experts

**NEW QUESTION 18**

You have just recently set up a web and database tier in a VPC and hosted the application. When testing the app, you are not able to reach the home page for the app. You have verified the security groups. What can help you diagnose the issue.

Please select:

- A. Use the AWS Trusted Advisor to see what can be done.
- B. Use VPC Flow logs to diagnose the traffic

- C. Use AWS WAF to analyze the traffic
- D. Use AWS Guard Duty to analyze the traffic

**Answer:** B

**Explanation:**

Option A is invalid because this can be used to check for security issues in your account, but not verify as to why you cannot reach the home page for your application

Option C is invalid because this used to protect your app against application layer attacks, but not verify as to why you cannot reach the home page for your application

Option D is invalid because this used to protect your instance against attacks, but not verify as to why you cannot reach the home page for your application

The AWS Documentation mentions the following

VPC Flow Logs capture network flow information for a VPC, subnet or network interface and stores it in Amazon CloudWatch Logs. Flow log data can help customers troubleshoot network issues; for example, to diagnose why specific traffic is not reaching an instance, which might be a result of overly restrictive security group rules. Customers can also use flow logs as a security tool to monitor the traffic that reaches their instances, to profile network traffic, and to look for abnormal traffic behaviors.

For more information on AWS Security, please visit the following URL: <https://aws.amazon.com/answers/networking/vpc-security-capabilities>

The correct answer is: Use VPC Flow logs to diagnose the traffic Submit your Feedback/Queries to our Experts

**NEW QUESTION 20**

A company hosts a critical web application on the AWS Cloud. This is a key revenue generating application for the company. The IT Security team is worried about potential DDos attacks against the web site. The senior management has also specified that immediate action needs to be taken in case of a potential DDos attack. What should be done in this regard?

Please select:

- A. Consider using the AWS Shield Service
- B. Consider using VPC Flow logs to monitor traffic for DDos attack and quickly take actions on a trigger of a potential attack.
- C. Consider using the AWS Shield Advanced Service
- D. Consider using Cloudwatch logs to monitor traffic for DDos attack and quickly take actions on a trigger of a potential attack.

**Answer:** C

**Explanation:**

Option A is invalid because the normal AWS Shield Service will not help in immediate action against a DDos attack. This can be done via the AWS Shield Advanced Service

Option B is invalid because this is a logging service for VPCs traffic flow but cannot specifically protect against DDos attacks.

Option D is invalid because this is a logging service for AWS Services but cannot specifically protect against DDos attacks.

The AWS Documentation mentions the following

AWS Shield Advanced provides enhanced protections for your applications running on Amazon EC2, Elastic Load Balancing (ELB), Amazon CloudFront and Route 53 against larger and more sophisticated attacks. AWS Shield Advanced is available to AWS Business Support and AWS Enterprise Support customers.

AWS Shield Advanced protection provides always-on, flow-based monitoring of network traffic and active application monitoring to provide near real-time notifications of DDos attacks. AWS Shield Advanced also gives customers highly flexible controls over attack mitigations to take actions instantly. Customers can also engage the DDos Response Team (DRT) 24x7 to manage and mitigate their application layer DDos attacks.

For more information on AWS Shield, please visit the below URL: <https://aws.amazon.com/shield/faqs>;

The correct answer is: Consider using the AWS Shield Advanced Service Submit your Feedback/Queries to our Experts

**NEW QUESTION 21**

You have setup a set of applications across 2 VPC's. You have also setup VPC Peering. The applications are still not able to communicate across the Peering connection. Which network troubleshooting steps should be taken to resolve the issue?

Please select:

- A. Ensure the applications are hosted in a public subnet
- B. Check to see if the VPC has an Internet gateway attached.
- C. Check to see if the VPC has a NAT gateway attached.
- D. Check the Route tables for the VPC's

**Answer:** D

**Explanation:**

After the VPC peering connection is established, you need to ensure that the route tables are modified to ensure traffic can between the VPCs

Option A ,B and C are invalid because allowing access the Internet gateway and usage of public subnets can help for Inter, access, but not for VPC Peering.

For more information on VPC peering routing, please visit the below URL:

[.com/AmazonVPC/latest/Peering](https://aws.amazon.com/VPC/latest/Peering)

The correct answer is: Check the Route tables for the VPCs Submit your Feedback/Queries to our Experts

**NEW QUESTION 24**

You want to ensure that you keep a check on the Active EBS Volumes, Active snapshots and Elastic IP addresses you use so that you don't go beyond the service limit. Which of the below services can help in this regard?

Please select:

- A. AWS Cloudwatch
- B. AWS EC2
- C. AWS Trusted Advisor
- D. AWS SNS

**Answer:** C

**Explanation:**

Below is a snapshot of the service limits that the Trusted Advisor can monitor



Service	Limits
Amazon Elastic Compute Cloud (Amazon EC2)	Elastic IP addresses (EIPs) Reserved Instances - purchase limit (monthly)
Amazon Elastic Block Store (Amazon EBS)	Active volumes Active snapshots General Purpose (SSD) volume storage (GiB) Provisioned IOPS Provisioned IOPS (SSD) volume storage (GiB) Magnetic volume storage (GiB)
Amazon Kinesis Streams	Shards

Option A is invalid because even though you can monitor resources, it cannot be checked against the service limit.

Option B is invalid because this is the Elastic Compute cloud service Option D is invalid because it can be send notification but not check on service limit For more information on the Trusted Advisor monitoring, please visit the below URL:

<https://aws.amazon.com/premiumsupport/ta-faqs>> The correct answer is: AWS Trusted Advisor Submit your Feedback/Queries to our Experts

### NEW QUESTION 28

Every application in a company's portfolio has a separate AWS account for development and production. The security team wants to prevent the root user and all 1AM users in the production accounts from accessing a specific set of unneeded services. How can they control this functionality? Please select:

- A. Create a Service Control Policy that denies access to the service
- B. Assemble all production accounts in an organizational unit
- C. Apply the policy to that organizational unit.
- D. Create a Service Control Policy that denies access to the service
- E. Apply the policy to the root account.
- F. Create an 1AM policy that denies access to the service
- G. Associate the policy with an 1AM group and enlist all users and the root users in this group.
- H. Create an 1AM policy that denies access to the service
- I. Create a Config Rule that checks that all users have the policy m assigne
- J. Trigger a Lambda function that adds the policy when found missing.

**Answer: A**

#### Explanation:

As an administrator of the master account of an organization, you can restrict which AWS services and individual API actions the users and roles in each member account can access. This restriction even overrides the administrators of member accounts in the organization. When AWS Organizations blocks access to a service or API action for a member account a user or role in that account can't access any prohibited service or API action, even if an administrator of a member account explicitly grants such permissions in an 1AM policy. Organization permissions overrule account permissions. Option B is invalid because service policies cannot be assigned to the root account at the account level.

Option C and D are invalid because 1AM policies alone at the account level would not be able to suffice the requirement

For more information, please visit the below URL id=docs\_orgs\_console <https://docs.aws.amazon.com/IAM/latest/UserGuide/manage-attach-policy.html>

The correct answer is: Create a Service Control Policy that denies access to the services. Assemble all production accounts in an organizational unit. Apply the policy to that organizational unit

Submit your Feedback/Queries to our Experts

### NEW QUESTION 33

An application running on EC2 instances in a VPC must call an external web service via TLS (port 443). The instances run in public subnets.

Which configurations below allow the application to function and minimize the exposure of the instances? Select 2 answers from the options given below Please select:

- A. A network ACL with a rule that allows outgoing traffic on port 443.
- B. A network ACL with rules that allow outgoing traffic on port 443 and incoming traffic on ephemeral ports
- C. A network ACL with rules that allow outgoing traffic on port 443 and incoming traffic on port 443.
- D. A security group with a rule that allows outgoing traffic on port 443
- E. A security group with rules that allow outgoing traffic on port 443 and incoming traffic on ephemeral ports.
- F. A security group with rules that allow outgoing traffic on port 443 and incoming traffic on port 443.

**Answer: BD**

#### Explanation:

Since here the traffic needs to flow outbound from the Instance to a web service on Port 443, the outbound rules on both the Network and Security Groups need to allow outbound traffic. The Incoming traffic should be allowed on ephermal ports for the Operating System on the Instance to allow a connection to be established on any desired or available port.

Option A is invalid because this rule alone is not enough. You also need to ensure incoming traffic on ephemeral ports

Option C is invalid because need to ensure incoming traffic on ephemeral ports and not only port 443 Option E and F are invalid since here you are allowing additional ports on Security groups which are not required

For more information on VPC Security Groups, please visit the below URL:

[https://docs.aws.amazon.com/AmazonVPC/latest/UserGuideA/PC\\_SecurityGroups.html](https://docs.aws.amazon.com/AmazonVPC/latest/UserGuideA/PC_SecurityGroups.html)

The correct answers are: A network ACL with rules that allow outgoing traffic on port 443 and incoming traffic on ephemeral ports, A security group with a rule that allows outgoing traffic on port 443

Submit your Feedback/Queries to our Experts

### NEW QUESTION 35

A company has external vendors that must deliver files to the company. These vendors have crossaccount that gives them permission to upload objects to one of the company's S3 buckets.

What combination of steps must the vendor follow to successfully deliver a file to the company? Select 2 answers from the options given below



Please select:


- A. Attach an IAM role to the bucket that grants the bucket owner full permissions to the object
- B. Add a grant to the objects ACL giving full permissions to bucket owner.
- C. Encrypt the object with a KMS key controlled by the company.
- D. Add a bucket policy to the bucket that grants the bucket owner full permissions to the object
- E. Upload the file to the company's S3 bucket

**Answer:** BE

**Explanation:**

This scenario is given in the AWS Documentation

A bucket owner can enable other AWS accounts to upload objects. These objects are owned by the accounts that created them. The bucket owner does not own objects that were not created by the bucket owner. Therefore, for the bucket owner to grant access to these objects, the object owner must first grant permission to the bucket owner using an object ACL. The bucket owner can then delegate those permissions via a bucket policy. In this example, the bucket owner delegates permission to users in its own account.



Option A and D are invalid because bucket ACL's are used to give grants to bucket Option C is not required since encryption is not part of the requirement For more information on this scenario please see the below Link:

<https://docs.aws.amazon.com/AmazonS3/latest/dev/example-walkthroughs-managing-accessesexample3.html>

The correct answers are: Add a grant to the objects ACL giving full permissions to bucket owner., Upload the file to the company's S3 bucket

Submit your Feedback/Queries to our Experts

**NEW QUESTION 39**

Company policy requires that all insecure server protocols, such as FTP, Telnet, HTTP, etc be disabled on all servers. The security team would like to regularly check all servers to ensure compliance with this requirement by using a scheduled CloudWatch event to trigger a review of the current infrastructure. What process will check compliance of the company's EC2 instances?

Please select:

- A. Trigger an AWS Config Rules evaluation of the restricted-common-ports rule against every EC2 instance.
- B. Query the Trusted Advisor API for all best practice security checks and check for "action recommended" status.
- C. Enable a GuardDuty threat detection analysis targeting the port configuration on every EC2 instance.
- D. Run an Amazon inspector assessment using the Runtime Behavior Analysis rules package against every EC2 instance.

**Answer:** D

**Explanation:**

Option B is incorrect because querying Trusted Advisor API's are not possible

Option C is incorrect because GuardDuty should be used to detect threats and not check the compliance of security protocols.

Option D states that Run Amazon Inspector using runtime behavior analysis rules which will analyze the behavior of your instances during an assessment run, and provide guidance about how to make your EC2 instances more secure.

Insecure Server Protocols

This rule helps determine whether your EC2 instances allow support for insecure and unencrypted ports/services such as FTP, Telnet HTTP, IMAP, POP version 3, SMTP, SNMP versions 1 and 2, rsh, and rlogin.

For more information, please refer to below URL: [https://docs.aws.amazon.com/inspector/latest/userguide/inspector\\_runtime-behavioranalysis.html#insecure-protocols](https://docs.aws.amazon.com/inspector/latest/userguide/inspector_runtime-behavioranalysis.html#insecure-protocols)

(

The correct answer is: Run an Amazon Inspector assessment using the Runtime Behavior Analysis rules package against every EC2 instance.

Submit your Feedback/Queries to our Experts

**NEW QUESTION 42**

You need to have a cloud security device which would allow to generate encryption keys based on FIPS 140-2 Level 3. Which of the following can be used for this purpose.

Please select:

- A. AWS KMS
- B. AWS Customer Keys

- C. AWS managed keys  
D. AWS Cloud HSM

**Answer:** AD

**Explanation:**

AWS Key Management Service (KMS) now uses FIPS 140-2 validated hardware security modules (HSM) and supports FIPS 140-2 validated endpoints, which provide independent assurances about the confidentiality and integrity of your keys.

All master keys in AWS KMS regardless of their creation date or origin are automatically protected using FIPS 140-2 validated HSMs. defines four levels of security, simply named "Level 1" to "Level 4". It does not specify in detail what level of security is required by any particular application.

- FIPS 140-2 Level 1 the lowest, imposes very limited requirements; loosely, all components must be "production-grade" and various egregious kinds of insecurity must be absent
- FIPS 140-2 Level 2 adds requirements for physical tamper-evidence and role-based authentication.
- FIPS 140-2 Level 3 adds requirements for physical tamper-resistance (making it difficult for attackers to gain access to sensitive information contained in the module) and identity-based authentication, and for a physical or logical separation between the interfaces by which "critical security parameters" enter and leave the module, and its other interfaces.
- FIPS 140-2 Level 4 makes the physical security requirements more stringent and requires robustness against environmental attacks.

AWS CloudHSM provides you with a FIPS 140-2 Level 3 validated single-tenant HSM cluster in your Amazon Virtual Private Cloud (VPC) to store and use your keys. You have exclusive control over how your keys are used via an authentication mechanism independent from AWS. You interact with keys in your AWS CloudHSM cluster similar to the way you interact with your applications running in Amazon EC2.

AWS KMS allows you to create and control the encryption keys used by your applications and supported AWS services in multiple regions around the world from a single console. The service uses a FIPS 140-2 validated HSM to protect the security of your keys. Centralized management of all your keys in AWS KMS lets you enforce who can use your keys under which conditions, when they get rotated, and who can manage them.

AWS KMS HSMs are validated at level 2 overall and at level 3 in the following areas:

- Cryptographic Module Specification
- Roles, Services, and Authentication
- Physical Security
- Design Assurance

So I think that we can have 2 answers for this question. Both A & D.

- <https://aws.amazon.com/blogs/security/aws-key-management-service-now-offers-fips-140-2-validated-cryptographic-modules-enabling-easier-adoption-of-the-service-for-regulated-workloads/>
- <https://aws.amazon.com/cloudhsm/faqs/>
- <https://aws.amazon.com/kms/faqs/>
- <https://en.wikipedia.org/wiki/RPSS>

The AWS Documentation mentions the following

AWS CloudHSM is a cloud-based hardware security module (HSM) that enables you to easily generate and use your own encryption keys on the AWS Cloud.

With CloudHSM, you can manage your own encryption keys using FIPS 140-2 Level 3 validated HSMs. CloudHSM offers you the flexibility to integrate with your applications using industry-standard APIs, such as PKCS#11, Java

Cryptography Extensions (JCE), and Microsoft CryptoNG (CNG) libraries. CloudHSM is also standards-compliant and enables you to export all of your keys to most other commercially-available HSMs. It is a fully-managed service that automates time-consuming administrative tasks for you, such as hardware provisioning, software patching, high-availability, and backups. CloudHSM also enables you to scale quickly by adding and removing HSM capacity on-demand, with no up-front costs.

All other options are invalid since AWS Cloud HSM is the prime service that offers FIPS 140-2 Level 3 compliance

For more information on CloudHSM, please visit the following url <https://aws.amazon.com/cloudhsm/>;

The correct answers are: AWS KMS, AWS Cloud HSM Submit your Feedback/Queries to our Experts

**NEW QUESTION 46**

You are trying to use the AWS Systems Manager run command on a set of Instances. The run command on a set of Instances. What can you do to diagnose the issue? Choose 2 answers from the options given

Please select:

- A. Ensure that the SSM agent is running on the target machine  
B. Check the /var/log/amazon/ssm/errors.log file  
C. Ensure the right AMI is used for the Instance  
D. Ensure the security groups allow outbound communication for the instance

**Answer:** AB

**Explanation:**

The AWS Documentation mentions the following

If you experience problems executing commands using Run Command, there might be a problem with the SSM Agent. Use the following information to help you troubleshoot the agent

View Agent Logs

The SSM Agent logs information in the following files. The information in these files can help you troubleshoot problems.

On Windows

%PROGRAMDATA%\Amazon\SSM\Logs\amazon-ssm-agent.log

%PROGRAMDATA%\Amazon\SSM\Logs\error.log

The default filename of the seelog is seelog.xml.template. If you modify a seelog, you must rename the file to seelog.xml.

On Linux

/var/log/amazon/ssm/amazon-ssm-agentlog /var/log/amazon/ssm/errors.log

Option C is invalid because the right AMI has nothing to do with the issues. The agent which is used to execute run commands can run on a variety of AMI'S

Option D is invalid because security groups does not come into the picture with the communication between the agent and the SSM service

For more information on troubleshooting AWS SSM, please visit the following URL: <https://docs.aws.amazon.com/systems-manager/latest/userguide/troubleshooting-remote-commands.html>

The correct answers are: Ensure that the SSM agent is running on the target machine. Check the

/var/log/amazon/ssm/errors.log file

Submit your Feedback/Queries to our Experts

**NEW QUESTION 49**

Which technique can be used to integrate AWS IAM (Identity and Access Management) with an on-premise application? Choose 2 answers from the options given

premise LDAP (Lightweight Directory Access Protocol) directory service? Please select:

- A. Use an 1AM policy that references the LDAP account identifiers and the AWS credentials.
- B. Use SAML (Security Assertion Markup Language) to enable single sign-on between AWS and LDAP.
- C. Use AWS Security Token Service from an identity broker to issue short-lived AWS credentials.
- D. Use 1AM roles to automatically rotate the 1AM credentials when LDAP credentials are update

**Answer:** B

**Explanation:**

On the AWS Blog site the following information is present to help on this context

The newly released whitepaper. Single Sign-On: Integrating AWS, OpenLDAP, and Shibboleth, will help you integrate your existing LDAP-based user directory with AWS. When you integrate your existing directory with AWS, your users can access AWS by using their existing credentials. This means that your users don't need to maintain yet another user name and password just to access AWS resources.

Option A.C and D are all invalid because in this sort of configuration, you have to use SAML to enable single sign on.

For more information on integrating AWS with LDAP for Single Sign-On, please visit the following URL:

<https://aws.amazon.com/blogs/security/new-whitepaper-single-sign-on-integrating-aws-openldap-and-shibboleth/>

The correct answer is: Use SAML (Security Assertion Markup Language) to enable single sign-on between AWS and LDAP. Submit your Feedback/Queries to our Experts

**NEW QUESTION 51**

A company has an existing AWS account and a set of critical resources hosted in that account. The employee who was in-charge of the root account has left the company. What must be now done to secure the account. Choose 3 answers from the options given below.

Please select:

- A. Change the access keys for all 1AM users.
- B. Delete all custom created 1AM policies
- C. Delete the access keys for the root account
- D. Confirm MFA to a secure device
- E. Change the password for the root account
- F. Change the password for all 1AM users

**Answer:** CDE

**Explanation:**

Now if the root account has a chance to be compromised, then you have to carry out the below steps

1. Delete the access keys for the root account
2. Confirm MFA to a secure device
3. Change the password for the root account

This will ensure the employee who has left has no change to compromise the resources in AWS. Option A is invalid because this would hamper the working of the current IAM users

Option B is invalid because this could hamper the current working of services in your AWS account Option F is invalid because this would hamper the working of the current IAM users

For more information on IAM root user, please visit the following URL: <https://docs.aws.amazon.com/IAM/latest/UserGuide/id-root-user.html>

The correct answers are: Delete the access keys for the root account Confirm MFA to a secure device. Change the password for the root account

Submit Your Feedback/Queries to our Experts

**NEW QUESTION 56**

Your application currently uses customer keys which are generated via AWS KMS in the US east region. You now want to use the same set of keys from the EU-Central region. How can this be accomplished?

Please select:

- A. Export the key from the US east region and import them into the EU-Central region
- B. Use key rotation and rotate the existing keys to the EU-Central region
- C. Use the backing key from the US east region and use it in the EU-Central region
- D. This is not possible since keys from KMS are region specific

**Answer:** D

**Explanation:**

Option A is invalid because keys cannot be exported and imported across regions. Option B is invalid because key rotation cannot be used to export keys

Option C is invalid because the backing key cannot be used to export keys This is mentioned in the AWS documentation

What geographic region are my keys stored in?

Keys are only stored and used in the region in which they are created. They cannot be transferred to another region. For example; keys created in the EU-Central (Frankfurt) region are only stored and used within the EU-Central (Frankfurt) region

For more information on KMS please visit the following URL: <https://aws.amazon.com/kms/faqs/>

The correct answer is: This is not possible since keys from KMS are region specific Submit your Feedback/Queries to our Experts

**NEW QUESTION 58**

Your company has created a set of keys using the AWS KMS service. They need to ensure that each key is only used for certain services. For example , they want one key to be used only for the S3 service. How can this be achieved?

Please select:

- A. Create an 1AM policy that allows the key to be accessed by only the S3 service.
- B. Create a bucket policy that allows the key to be accessed by only the S3 service.
- C. Use the kms:ViaService condition in the Key policy
- D. Define an 1AM user, allocate the key and then assign the permissions to the required service

**Answer:** C



**Explanation:**

Option A and B are invalid because mapping keys to services cannot be done via either the 1AM or bucket policy

Option D is invalid because keys for 1AM users cannot be assigned to services This is mentioned in the AWS Documentation

The kms:ViaService condition key limits use of a customer-managed CMK to requests from particular AWS services. (AWS managed CMKs in your account, such as aws/s3, are always restricted to the AWS service that created them.)

For example, you can use kms:V1aService to allow a user to use a customer managed CMK only for requests that Amazon S3 makes on their behalf. Or you can use it to deny the user permission to a CMK when a request on their behalf comes from AWS Lambda.

For more information on key policy's for KMS please visit the following URL: <https://docs.aws.amazon.com/kms/latest/developereuide/policy-conditions.html>

The correct answer is: Use the kms:ViaServtce condition in the Key policy Submit your Feedback/Queries to our Experts

**NEW QUESTION 59**

An application running on EC2 instances processes sensitive information stored on Amazon S3. The information is accessed over the Internet. The security team is concerned that the Internet connectivity to Amazon S3 is a security risk. Which solution will resolve the security concern? Please select:

- A. Access the data through an Internet Gateway.
- B. Access the data through a VPN connection.
- C. Access the data through a NAT Gateway.
- D. Access the data through a VPC endpoint for Amazon S3

**Answer: D**

**Explanation:**

The AWS Documentation mentions the followii

A VPC endpoint enables you to privately connect your VPC to supported AWS services and VPC endpoint services powered by PrivateLink without requiring an internet gateway, NAT device, VPN connection, or AWS Direct Connect connection. Instances in your VPC do not require public IP addresses to communicate with resources in the service. Traffic between your VPC and the other service does not leave the Amazon network.

Option A.B and C are all invalid because the question specifically mentions that access should not be provided via the Internet

For more information on VPC endpoints, please refer to the below URL:

The correct answer is: Access the data through a VPC endpoint for Amazon S3

**NEW QUESTION 63**

Development teams in your organization use S3 buckets to store the log files for various applications hosted ir development environments in AWS. The developers want to keep the logs for one month for troubleshooting purposes, and then purge the logs. What feature will enable this requirement? Please select:

- A. Adding a bucket policy on the S3 bucket.
- B. Configuring lifecycle configuration rules on the S3 bucket.
- C. Creating an 1AM policy for the S3 bucket.
- D. Enabling CORS on the S3 bucke

**Answer: B**

**Explanation:**

The AWS Documentation mentions the following on lifecycle policies

Lifecycle configuration enables you to specify the lifecycle management of objects in a bucket. The configuration is a set of one or more rules, where each rule defines an action for Amazon S3 to apply to a group of objects. These actions can be classified a« follows:

Transition actions - In which you define when objects transition to another . For example, you may choose to

transition objects to the STANDARDJA (IA, for infrequent access) storage class 30 days after creation, or archive objects to the GLACIER storage class one year after creation.

Expiration actions - In which you specify when the objects expire. Then Amazon S3 deletes the expired objects on your behalf.

Option A and C are invalid because neither bucket policies neither 1AM policy's can control the purging of logs Option D is invalid CORS is used for accessing objects across domains and not for purging of logs For more information on AWS S3 Lifecycle policies, please visit the following URL:

[.com/AmazonS3/latest/d<](https://docs.aws.amazon.com/AmazonS3/latest/d<)

The correct answer is: Configuring lifecycle configuration rules on the S3 bucket. Submit your Feedback/Queries to our Experts

**NEW QUESTION 65**

A company is using a Redshift cluster to store their data warehouse. There is a requirement from the Internal IT Security team to ensure that data gets encrypted for the Redshift database. How can this be achieved?

Please select:

- A. Encrypt the EBS volumes of the underlying EC2 Instances
- B. Use AWS KMS Customer Default master key
- C. Use SSL/TLS for encrypting the data
- D. Use S3 Encryption

**Answer: B**

**Explanation:**

The AWS Documentation mentions the following

Amazon Redshift uses a hierarchy of encryption keys to encrypt the database. You can use either

AWS Key Management Servic (AWS KMS) or a hardware security module (HSM) to manage the toplevel

encryption keys in this hierarchy. The process that Amazon Redshift uses for encryption differs depending on how you manage keys.

Option A is invalid because its the cluster that needs to be encrypted

Option C is invalid because this encrypts objects in transit and not objects at rest Option D is invalid because this is used only for objects in S3 buckets

For more information on Redshift encryption, please visit the following URL: <https://docs.aws.amazon.com/redshift/latest/memt/workine-with-db-encryption.html>

The correct answer is: Use AWS KMS Customer Default master key Submit your Feedback/Queries to our Experts

**NEW QUESTION 66**

A company has resources hosted in their AWS Account. There is a requirement to monitor all API activity for all regions. The audit needs to be applied for future regions as well. Which of the following can be used to fulfil this requirement.



Please select:

- A. Ensure Cloudtrail for each regio
- B. Then enable for each future region.
- C. Ensure one Cloudtrail trail is enabled for all regions.
- D. Create a Cloudtrail for each regio
- E. Use Cloudformation to enable the trail for all future regions.
- F. Create a Cloudtrail for each regio
- G. Use AWS Config to enable the trail for all future region

**Answer: B**

**Explanation:**

The AWS Documentation mentions the following

You can now turn on a trail across all regions for your AWS account. CloudTrail will deliver log files from all regions to the Amazon S3 bucket and an optional CloudWatch Logs log group you specified. Additionally, when AWS launches a new region, CloudTrail will create the same trail in the new region. As a result you will receive log files containing API activity for the new region without taking any action.

Option A and C is invalid because this would be a maintenance overhead to enable cloudtrail for every region

Option D is invalid because this AWS Config cannot be used to enable trails For more information on this feature, please visit the following URL:

<https://aws.amazon.com/about-aws/whats-new/2015/12/turn-on-cloudtrail-across-all-regions-and-support-for-multiple-trails>

The correct answer is: Ensure one Cloudtrail trail is enabled for all regions. Submit your Feedback/Queries to our Experts

**NEW QUESTION 68**

A customer has an instance hosted in the AWS Public Cloud. The VPC and subnet used to host the Instance have been created with the default settings for the Network Access Control Lists. They need to provide an IT Administrator secure access to the underlying instance. How can this be accomplished.

Please select:

- A. Ensure the Network Access Control Lists allow Inbound SSH traffic from the IT Administrator's Workstation
- B. Ensure the Network Access Control Lists allow Outbound SSH traffic from the IT Administrator's Workstation
- C. Ensure that the security group allows Inbound SSH traffic from the IT Administrator's Workstation
- D. Ensure that the security group allows Outbound SSH traffic from the IT Administrator's Workstation

**Answer: C**

**Explanation:**

Options A & B are invalid as default NACL rule will allow all inbound and outbound traffic.

The requirement is that the IT administrator should be able to access this EC2 instance from his workstation. For that we need to enable the Security Group of EC2 instance to allow traffic from the IT administrator's workstation. Hence option C is correct.

Option D is incorrect as we need to enable the Inbound SSH traffic on the EC2 instance Security Group since the traffic originate' , from the IT admin's workstation.

The correct answer is: Ensure that the security group allows Inbound SSH traffic from the IT Administrator's Workstation Submit your Feedback/Queries to our Experts

**NEW QUESTION 73**

A company is planning to run a number of Admin related scripts using the AWS Lambda service. There is a need to understand if there are any errors encountered when the script run. How can this be accomplished in the most effective manner.

Please select:

- A. Use Cloudwatch metrics and logs to watch for errors
- B. Use Cloudtrail to monitor for errors
- C. Use the AWS Config service to monitor for errors
- D. Use the AWS inspector service to monitor for errors

**Answer: A**

**Explanation:**

The AWS Documentation mentions the following

AWS Lambda automatically monitors Lambda functions on your behalf, reporting metrics through Amazon CloudWatch. To help you troubleshoot failures in a function. Lambda logs all requests handled by your function and also automatically stores logs generated by your code through Amazon CloudWatch Logs.

Option B,C and D are all invalid because these services cannot be used to monitor for errors. I

For more information on Monitoring Lambda functions, please visit the following URL: <https://docs.aws.amazon.com/lambda/latest/dg/monitoring-functions-logs.html>

The correct answer is: Use Cloudwatch metrics and logs to watch for errors Submit your Feedback/Queries to our Experts

**NEW QUESTION 77**

Your company hosts critical data in an S3 bucket. There is a requirement to ensure that all data is encrypted. There is also metadata about the information stored in the bucket that needs to be encrypted as well. Which of the below measures would you take to ensure that the metadata is encrypted?

Please select:

- A. Put the metadata as metadata for each object in the S3 bucket and then enable S3 Server side encryption.
- B. Put the metadata as metadata for each object in the S3 bucket and then enable S3 Server KMS encryption.
- C. Put the metadata in a DynamoDB table and ensure the table is encrypted during creation time.
- D. Put the metadata in the S3 bucket itself

**Answer: C**

**Explanation:**

Option A ,B and D are all invalid because the metadata will not be encrypted in any case and this is a key requirement from the question.

One key thing to note is that when the S3 bucket objects are encrypted, the meta data is not encrypted. So the best option is to use an encrypted DynamoDB table Important

All GET and PUT requests for an object protected by AWS KMS will fail if they are not made via SSL or by using SigV4. SSE-KMS encrypts only the object data

A. Any object metadata is not encrypted. For more information on using KMS encryption for S3, please refer to below URL: 1 <https://docs.aws.amazon.com/AmazonS3/latest/dev/UsingKMSEncryption.html>  
The correct answer is: Put the metadata in a DynamoDB table and ensure the table is encrypted during creation time. Submit your Feedback/Queries to our Experts

#### NEW QUESTION 79

One of your company's EC2 Instances have been compromised. The company has strict po thorough investigation on finding the culprit for the security breach. What would you do in from the options given below.  
Please select:

- A. Take a snapshot of the EBS volume
- B. Isolate the machine from the network
- C. Make sure that logs are stored securely for auditing and troubleshooting purpose
- D. Ensure all passwords for all IAM users are changed
- E. Ensure that all access keys are rotate

**Answer:** ABC

#### Explanation:

Some of the important aspects in such a situation are

- 1) First isolate the instance so that no further security harm can occur on other AWS resources
- 2) Take a snapshot of the EBS volume for further investigation. This is incase if you need to shutdown the initial instance and do a separate investigation on the data
- 3) Next is Option C. This indicates that we have already got logs and we need to make sure that it is stored securely so that n unauthorised person can access it and manipulate it.

Option D and E are invalid because they could have adverse effects for the other IAM users. For more information on adopting a security framework, please refer to below URL [https://d1.awsstatic.com/whitepapers/compliance/NIST Cybersecurity Framework](https://d1.awsstatic.com/whitepapers/compliance/NIST%20Cybersecurity%20Framework.pdf)

Note:

In the question we have been asked to take actions to find the culprit and to help the investigation or to further reduce the damage that has happened due to the security breach. So by keeping logs secure is one way of helping the investigation.

The correct answers are: Take a snapshot of the EBS volume. Isolate the machine from the network. Make sure that logs are stored securely for auditing and troubleshooting purpose

Submit your Feedback/Queries to our Experts

#### NEW QUESTION 81


Your company has a set of EC2 Instances defined in AWS. They need to ensure that all traffic packets are monitored and inspected for any security threats. How can this be achieved? Choose 2 answers from the options given below  
Please select:

- A. Use a host based intrusion detection system
- B. Use a third party firewall installed on a central EC2 instance
- C. Use VPC Flow logs
- D. Use Network Access control lists logging

**Answer:** AB

#### Explanation:

If you want to inspect the packets themselves, then you need to use custom based software A diagram representation of this is given in the AWS Security best practices



Option C is invalid because VPC Flow logs cannot conduct packet inspection. For more information on AWS Security best practices, please refer to below URL:  
The correct answers are: Use a host based intrusion detection system. Use a third party firewall installed on a central EC2  
Submit your Feedback/Queries to our Experts

**NEW QUESTION 84**

You have a bucket and a VPC defined in AWS. You need to ensure that the bucket can only be accessed by the VPC endpoint. How can you accomplish this?  
Please select:

- A. Modify the security groups for the VPC to allow access to the S3 bucket
- B. Modify the route tables to allow access for the VPC endpoint
- C. Modify the IAM Policy for the bucket to allow access for the VPC endpoint
- D. Modify the bucket Policy for the bucket to allow access for the VPC endpoint

**Answer:** D

**Explanation:**

This is mentioned in the AWS Documentation Restricting Access to a Specific VPC Endpoint

The following is an example of an S3 bucket policy that restricts access to a specific bucket, examplebucket only from the VPC endpoint with the ID vpce-1a2b3c4d. The policy denies all access to the bucket if the specified endpoint is not being used. The aws:sourceVpce condition is used to specify the endpoint. The aws:sourceVpce condition does not require an ARN for the VPC endpoint resource, only the VPC endpoint ID. For more information about using conditions in a policy, see Specifying Conditions in a Policy.

```
{
  "Version": "2012-10-17",
  "Id": "Policy1415115909152",
  "Statement": [
    {
      "Sid": "Access-to-specific-VPCE-only",
      "Principal": "*",
      "Action": "s3:*",
      "Effect": "Deny",
      "Resource": [
        "arn:aws:s3:::examplebucket",
        "arn:aws:s3:::examplebucket/*"
      ],
      "Condition": {
        "StringNotEquals": {
          "aws:sourceVpce": "vpce-1a2b3c4d"
        }
      }
    }
  ]
}
```

Options A and B are incorrect because using Security Groups nor route tables will help to allow access specifically for that bucket via the VPC endpoint. Here you specifically need to ensure the bucket policy is changed.

Option C is incorrect because it is the bucket policy that needs to be changed and not the IAM policy. For more information on example bucket policies for VPC endpoints, please refer to below URL: <https://docs.aws.amazon.com/AmazonS3/latest/dev/example-bucket-policies-vpc-endpoint.html>

The correct answer is: Modify the bucket Policy for the bucket to allow access for the VPC endpoint. Submit your Feedback/Queries to our Experts

**NEW QUESTION 86**

Which of the following is the responsibility of the customer? Choose 2 answers from the options given below.  
Please select:


- A. Management of the Edge locations
- B. Encryption of data at rest
- C. Protection of data in transit
- D. Decommissioning of old storage devices

**Answer:** BC

**Explanation:**

Below is the snapshot of the Shared Responsibility Model





For more information on AWS Security best practises, please refer to below URL

.awsstatic.com/whitepapers/Security/AWS Practices.

The correct answers are: Encryption of data at rest Protection of data in transit Submit your Feedback/Queries to our Experts

#### NEW QUESTION 91

You want to track access requests for a particular S3 bucket. How can you achieve this in the easiest possible way?

Please select:

- A. Enable server access logging for the bucket
- B. Enable Cloudwatch metrics for the bucket
- C. Enable Cloudwatch logs for the bucket
- D. Enable AWS Config for the S3 bucket

**Answer: A**

#### Explanation:

The AWS Documentation mentions the foil

To track requests for access to your bucket you can enable access logging. Each access log record provides details about a single access request, such as the requester, bucket name, request time, request action, response status, and error code, if any.

Options B and C are incorrect Cloudwatch is used for metrics and logging and cannot be used to track access requests.

Option D is incorrect since this can be used for Configuration management but for not for tracking S3 bucket requests.

For more information on S3 server logs, please refer to below UF <https://docs.aws.amazon.com/AmazonS3/latest/dev/ServerLoes.html>

The correct answer is: Enable server access logging for the bucket Submit your Feedback/Queries to our Experts

#### NEW QUESTION 95

Your company has just started using AWS and created an AWS account. They are aware of the potential issues when root access is enabled. How can they best safeguard the account when it comes to root access? Choose 2 answers fro the options given below

Please select:

- A. Delete the root access account
- B. Create an Admin 1AM user with the necessary permissions
- C. Change the password for the root account.
- D. Delete the root access keys

**Answer: BD**

#### Explanation:

The AWS Documentation mentions the following

All AWS accounts have root user credentials (that is, the credentials of the account owner). These credentials allow full access to all resources in the account.

Because you cant restrict permissions for root user credentials, we recommend that you delete your root user access keys. Then create AWS Identity and Access Management (1AM) user credentials for everyday interaction with AWS. Option A is incorrect since you cannot delete the root access account

Option C is partially correct but cannot be used as the ideal solution for safeguarding the account For more information on root access vs admin 1AM users, please refer to below URL: <https://docs.aws.amazon.com/eeneral/latest/er/root-vs-iam.html>

The correct answers are: Create an Admin 1AM user with the necessary permissions. Delete the root access keys Submit your Feedback/Queries to our Experts

#### NEW QUESTION 97

Your application currently use AWS Cognito for authenticating users. Your application consists of different types of users. Some users are only allowed read access to the application and others are given contributor access. How wou you manage the access effectively?

Please select:

- A. Create different cognito endpoints, one for the readers and the other for the contributors.
- B. Create different cognito groups, one for the readers and the other for the contributors.
- C. You need to manage this within the application itself
- D. This needs to be managed via Web security tokens

**Answer: B**

#### Explanation:

The AWS Documentation mentions the following



You can use groups to create a collection of users in a user pool, which is often done to set the permissions for those users. For example, you can create separate groups for users who are readers, contributors, and editors of your website and app.

Option A is incorrect since you need to create cognito groups and not endpoints

Options C and D are incorrect since these would be overheads when you can use AWS Cognito For more information on AWS Cognito user groups please refer to the below Link: <https://docs.aws.amazon.com/cognito/latest/developerguide/cognito-user-pools-user-groups.html> The correct answer is: Create different cognito groups, one for the readers and the other for the contributors. Submit your Feedback/Queries to our Experts

#### NEW QUESTION 101

A company has hired a third-party security auditor, and the auditor needs read-only access to all AWS resources and logs of all VPC records and events that have occurred on AWS. How can the company meet the auditor's requirements without comprising security in the AWS environment? Choose the correct answer from the options below

Please select:

- A. Create a role that has the required permissions for the auditor.
- B. Create an SNS notification that sends the CloudTrail log files to the auditor's email when CloudTrail delivers the logs to S3, but do not allow the auditor access to the AWS environment.
- C. The company should contact AWS as part of the shared responsibility model, and AWS will grant required access to the third-party auditor.
- D. Enable CloudTrail logging and create an IAM user who has read-only permissions to the required AWS resources, including the bucket containing the CloudTrail logs.

**Answer: D**

#### Explanation:

AWS CloudTrail is a service that enables governance, compliance, operational auditing, and risk auditing of your AWS account. With CloudTrail, you can log, continuously monitor, and retain events related to API calls across your AWS infrastructure. CloudTrail provides a history of AWS API calls for your account including API calls made through the AWS Management Console, AWS SDKs, command line tools, and other AWS services. This history simplifies security analysis, resource change tracking, and troubleshooting.

Option A and C are incorrect since Cloudtrail needs to be used as part of the solution Option B is incorrect since the auditor needs to have access to Cloudtrail For more information on cloudtrail, please visit the below URL: <https://aws.amazon.com/cloudtrail>

The correct answer is: Enable CloudTrail logging and create an IAM user who has read-only permissions to the required AWS resources, including the bucket containing the CloudTrail logs. Submit your Feedback/Queries to our Experts

#### NEW QUESTION 104

Your company has a hybrid environment, with on-premise servers and servers hosted in the AWS cloud. They are planning to use the Systems Manager for patching servers. Which of the following is a pre-requisite for this to work;

Please select:

- A. Ensure that the on-premise servers are running on Hyper-V.
- B. Ensure that an IAM service role is created
- C. Ensure that an IAM User is created
- D. Ensure that an IAM Group is created for the on-premise servers

**Answer: B**

#### Explanation:

You need to ensure that an IAM service role is created for allowing the on-premise servers to communicate with the AWS Systems Manager.

Option A is incorrect since it is not necessary that servers should only be running Hyper-V Options C and D are incorrect since it is not necessary that IAM users and groups are created For more information on the Systems Manager role please refer to the below URL:

[.com/systems-manager/latest/userguide/sysman-!](https://docs.aws.amazon.com/systems-manager/latest/userguide/sysman-!)

The correct answer is: Ensure that an IAM service role is created Submit your Feedback/Queries to our Experts

#### NEW QUESTION 109

A large organization is planning on AWS to host their resources. They have a number of autonomous departments that wish to use AWS. What could be the strategy to adopt for managing the accounts. Please select:

- A. Use multiple VPCs in the account each VPC for each department
- B. Use multiple IAM groups, each group for each department
- C. Use multiple IAM roles, each group for each department
- D. Use multiple AWS accounts, each account for each department

**Answer: D**

#### Explanation:

A recommendation for this is given in the AWS Security best practices

**Design your AWS account strategy to maximize security and follow your business and governance requirements. Table 3 discusses possible strategies.**

Business Requirement	Proposed Design	Comments
Centralized security management	Single AWS account	Centralize information security management and minimize overhead.
Separation of production, development, and testing environments	Three AWS accounts	Create one AWS account for production services, one for development, and one for testing.
Multiple autonomous departments	Multiple AWS accounts	Create separate AWS accounts for each autonomous part of the organization. You can assign permissions and policies under each account.
Centralized security management with multiple autonomous independent projects	Multiple AWS accounts	Create a single AWS account for common project resources (such as DNS services, Active Directory, CMS etc.). Then create separate AWS accounts per project. You can assign permissions and policies under each project account and grant access to resources across accounts.

Table 3: AWS Account Strategies

Option A is incorrect since this would be applicable for resources in a VPC Options B and C are incorrect since operationally it would be difficult to manage For more information on AWS Security best practices please refer to the below URL

[https://d1.awsstatic.com/whitepapers/Security/AWS\\_Security\\_Best\\_Practices.pdf](https://d1.awsstatic.com/whitepapers/Security/AWS_Security_Best_Practices.pdf)

The correct answer is: Use multiple AWS accounts, each account for each department Submit your Feedback/Queries to our Experts

### NEW QUESTION 113


You have been given a new brief from your supervisor for a client who needs a web application set up on AWS. The a most important requirement is that MySQL must be used as the database, and this database must not be hosted in t« public cloud, but rather at the client's data center due to security risks. Which of the following solutions would be the ^ best to assure that the client's requirements are met? Choose the correct answer from the options below  
Please select:

- A. Build the application server on a public subnet and the database at the client's data centre
- B. Connect them with a VPN connection which uses IPsec.
- C. Use the public subnet for the application server and use RDS with a storage gateway to access and synchronize the data securely from the local data center.
- D. Build the application server on a public subnet and the database on a private subnet with a NAT instance between them.
- E. Build the application server on a public subnet and build the database in a private subnet with a secure ssh connection to the private subnet from the client's data center.

**Answer:** A

### Explanation:

Since the database should not be hosted on the cloud all other options are invalid. The best option is to create a VPN connection for securing traffic as shown below.



Option B is invalid because this is the incorrect use of the Storage gateway Option C is invalid since this is the incorrect use of the NAT instance Option D is invalid since this is an incorrect configuration For more information on VPN connections, please visit the below URL

[http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC\\_VPN.html](http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/VPC_VPN.html)

The correct answer is: Build the application server on a public subnet and the database at the client's data center. Connect them with a VPN connection which uses IPsec

Submit your Feedback/Queries to our Experts

### NEW QUESTION 118

You are planning on using the AWS KMS service for managing keys for your application. For which of the following can the KMS CMK keys be used for encrypting? Choose 2 answers from the options given below

Please select:

- A. Image Objects
- B. Large files
- C. Password
- D. RSA Keys

**Answer:** CD

### Explanation:

The CMK keys themselves can only be used for encrypting data that is maximum 4KB in size. Hence it can be used for encryptii information such as passwords

and RSA keys.

Option A and B are invalid because the actual CMK key can only be used to encrypt small amounts of data and not large amount of data

A\\ You have to generate the data key from the CMK key in order to encrypt high amounts of data

For more information on the concepts for KMS, please visit the following URL: <https://docs.aws.amazon.com/kms/latest/developerguide/concepts.html>

The correct answers are: Password, RSA Keys Submit your Feedback/Queries to our Experts

#### NEW QUESTION 122

A company wants to use Cloudtrail for logging all API activity. They want to segregate the logging of data events and management events. How can this be achieved? Choose 2 answers from the options given below

Please select:

- A. Create one Cloudtrail log group for data events
- B. Create one trail that logs data events to an S3 bucket
- C. Create another trail that logs management events to another S3 bucket
- D. Create another Cloudtrail log group for management events

**Answer:** BC

#### Explanation:

The AWS Documentation mentions the following

You can configure multiple trails differently so that the trails process and log only the events that you specify. For example, one trail can log read-only data and management events, so that all read-only events are delivered to one S3 bucket. Another trail can log only write-only data and management events, so that all write-only events are delivered to a separate S3 bucket

Options A and D are invalid because you have to create a trail and not a log group

For more information on managing events with cloudtrail, please visit the following URL:

[https://docs.aws.amazon.com/awscloudtrail/latest/userguide/loHEing-manasement-and-dataevents-with-cloudtrail](https://docs.aws.amazon.com/awscloudtrail/latest/userguide/loHEing-manasement-and-dataevents-with-cloudtrail.html)

The correct answers are: Create one trail that logs data events to an S3 bucket. Create another trail that logs management events to another S3 bucket

Submit your Feedback/Queries to our Experts

#### NEW QUESTION 126

Your company has been using AWS for the past 2 years. They have separate S3 buckets for logging the various AWS services that have been used. They have hired an external vendor for analyzing their log files. They have their own AWS account. What is the best way to ensure that the partner account can access the log files in the company account for analysis. Choose 2 answers from the options given below

Please select:

- A. Create an IAM user in the company account
- B. Create an IAM Role in the company account
- C. Ensure the IAM user has access for read-only to the S3 buckets
- D. Ensure the IAM Role has access for read-only to the S3 buckets

**Answer:** BD

#### Explanation:

The AWS Documentation mentions the following

To share log files between multiple AWS accounts, you must perform the following general steps. These steps are explained in detail later in this section.

Create an IAM role for each account that you want to share log files with.

For each of these IAM roles, create an access policy that grants read-only access to the account you want to share the log files with.

Have an IAM user in each account programmatically assume the appropriate role and retrieve the log files.

Options A and C are invalid because creating an IAM user and then sharing the IAM user credentials with the vendor is a direct 'NO' practice from a security perspective.

For more information on sharing cloudtrail logs files, please visit the following URL <https://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-share-logs.html>

The correct answers are: Create an IAM Role in the company account Ensure the IAM Role has access for read-only to the S3 buckets

Submit your Feedback/Queries to our Experts

#### NEW QUESTION 129

An application is designed to run on an EC2 Instance. The application needs to work with an S3 bucket. From a security perspective, what is the ideal way for the EC2 instance/ application to be configured?

Please select:


- A. Use the AWS access keys ensuring that they are frequently rotated.
- B. Assign an IAM user to the application that has specific access to only that S3 bucket
- C. Assign an IAM Role and assign it to the EC2 Instance
- D. Assign an IAM group and assign it to the EC2 Instance

**Answer:** C

#### Explanation:

The below diagram from the AWS whitepaper shows the best security practice of allocating a role that has access to the S3 bucket





Options A,B and D are invalid because using users, groups or access keys is an invalid security practise when giving access to resources from other AWS resources.

For more information on the Security Best practices, please visit the following URL: [https://d1.awsstatic.com/whitepapers/Security/AWS\\_Security\\_Best\\_Practices.pdf](https://d1.awsstatic.com/whitepapers/Security/AWS_Security_Best_Practices.pdf)  
The correct answer is: Assign an IAM Role and assign it to the EC2 Instance Submit your Feedback/Queries to our Experts

### NEW QUESTION 130

Your company has an EC2 Instance hosted in AWS. This EC2 Instance hosts an application. Currently this application is experiencing a number of issues. You need to inspect the network packets to see what the type of error that is occurring? Which one of the below steps can help address this issue? Please select:

- A. Use the VPC Flow Logs.
- B. Use a network monitoring tool provided by an AWS partner.
- C. Use another instance
- D. Setup a port to "promiscuous mode" and sniff the traffic to analyze the packet
- E. -
- F. Use Cloudwatch metric

**Answer: B**

### NEW QUESTION 133

The correct answers are: Enable versioning on the S3 bucket Enable MFA Delete in the bucket policy Submit your Feedback/Queries to our Experts

You company has mandated that all data in AWS be encrypted at rest. How can you achieve this for EBS volumes? Choose 2 answers from the options given below

Please select:

- A. Use Windows bit locker for EBS volumes on Windows instances
- B. Use TrueEncrypt for EBS volumes on Linux instances
- C. Use AWS Systems Manager to encrypt the existing EBS volumes
- D. Boot EBS volume can be encrypted during launch without using custom AMI

**Answer: AB**

### Explanation:

EBS encryption can also be enabled when the volume is created and not for existing volumes. One can use existing tools for OS level encryption. Option C is incorrect.

AWS Systems Manager is a management service that helps you automatically collect software inventory, apply OS patches, create system images, and configure Windows and Linux operating systems.

Option D is incorrect

You cannot choose to encrypt a non-encrypted boot volume on instance launch. To have encrypted boot volumes during launch , your custom AMI must have it's boot volume encrypted before launch. For more information on the Security Best practices, please visit the following URL:

[.com/whit](https://aws.amazon.com/whit) Security Practices.

The correct answers are: Use Windows bit locker for EBS volumes on Windows instances. Use TrueEncrypt for EBS volumes on Linux instances  
Submit your Feedback/Queries to our Experts

### NEW QUESTION 136

A user has enabled versioning on an S3 bucket. The user is using server side encryption for data at Rest. If the user is supplying his own keys for encryption SSE-C, which of the below mentioned statements is true?  
Please select:

- A. The user should use the same encryption key for all versions of the same object
- B. It is possible to have different encryption keys for different versions of the same object
- C. AWS S3 does not allow the user to upload his own keys for server side encryption
- D. The SSE-C does not work when versioning is enabled

**Answer: B**

### Explanation:

Managing your own encryption keys, y

You can encrypt the object and send it across to S3

Option A is invalid because ideally you should use different encryption keys Option C is invalid because you can use you own encryption keys Option D is invalid because encryption works even if versioning is enabled For more information on client side encryption please visit the below Link: [""Keys.html](https://aws.amazon.com/whit)



<https://docs.aws.amazon.com/AmazonS3/latest/dev/UsingClientSideEncryption.html>

The correct answer is: It is possible to have different encryption keys for different versions of the same object Submit your Feedback/Queries to our Experts

#### NEW QUESTION 141

Your developer is using the KMS service and an assigned key in their Java program. They get the below error when running the code

arn:aws:iam::113745388712:user/UserB is not authorized to perform: kms:DescribeKey Which of the following could help resolve the issue?

Please select:

- A. Ensure that UserB is given the right IAM role to access the key
- B. Ensure that UserB is given the right permissions in the IAM policy
- C. Ensure that UserB is given the right permissions in the Key policy
- D. Ensure that UserB is given the right permissions in the Bucket policy

**Answer: C**

#### Explanation:

You need to ensure that UserB is given access via the Key policy for the Key



Option is invalid because you don't assign roles to IAM users For more information on Key policies please visit the below Link:

<https://docs.aws.amazon.com/kms/latest/developerguide/key-poli>

The correct answer is: Ensure that UserB is given the right permissions in the Key policy

#### NEW QUESTION 142

Your company is planning on AWS on hosting its AWS resources. There is a company policy which mandates that all security keys are completely managed within the company itself. Which of the following is the correct measure of following this policy?

Please select:

- A. Using the AWS KMS service for creation of the keys and the company managing the key lifecycle thereafter.
- B. Generating the key pairs for the EC2 Instances using puttygen
- C. Use the EC2 Key pairs that come with AWS
- D. Use S3 server-side encryption

**Answer: B**

#### Explanation:

By ensuring that you generate the key pairs for EC2 Instances, you will have complete control of the access keys.

Options A, C and D are invalid because all of these processes means that AWS has ownership of the keys. And the question specifically mentions that you need ownership of the keys

For information on security for Compute Resources, please visit the below URL: <https://d1.awsstatic.com/whitepapers/Security/Security Compute Services Whitepaper.pdf>

The correct answer is: Generating the key pairs for the EC2 Instances using puttygen Submit your Feedback/Queries to our Experts

#### NEW QUESTION 147

Your company has the following setup in AWS

- A. A set of EC2 Instances hosting a web application
- B. An application load balancer placed in front of the EC2 Instances
- C. There seems to be a set of malicious requests coming from a set of IP addresses. Which of the following can be used to protect against these requests? Please select:
- D. Use Security Groups to block the IP addresses
- E. Use VPC Flow Logs to block the IP addresses
- F. Use AWS Inspector to block the IP addresses
- G. Use AWS WAF to block the IP addresses

**Answer: D**

#### Explanation:

Your answer is incorrect Answer -D

The AWS Documentation mentions the following on AWS WAF which can be used to protect Application Load Balancers and CloudFront

A web access control list (web ACL) gives you fine-grained control over the web requests that your Amazon CloudFront distributions or Application Load Balancers respond to. You can allow or block the following types of requests:

Originate from an IP address or a range of IP addresses Originate from a specific country or countries

Contain a specified string or match a regular expression (regex) pattern in a particular part of requests

Exceed a specified length

Appear to contain malicious SQL code (known as SQL injection)

Appear to contain malicious scripts (known as cross-site scripting)

Option A is invalid because by default Security Groups have the Deny policy

Options B and C are invalid because these services cannot be used to block IP addresses For information on AWS WAF, please visit the below URL:

<https://docs.aws.amazon.com/waf/latest/developerguide/web-acl.html>

The correct answer is: Use AWS WAF to block the IP addresses Submit your Feedback/Queries to our Experts

#### NEW QUESTION 151

An organization has setup multiple 1AM users. The organization wants that each 1AM user accesses the 1AM console only within the organization and not from outside. How can it achieve this? Please select:

- A. Create an 1AM policy with the security group and use that security group for AWS console login
- B. Create an 1AM policy with a condition which denies access when the IP address range is not from the organization
- C. Configure the EC2 instance security group which allows traffic only from the organization's IP range
- D. Create an 1AM policy with VPC and allow a secure gateway between the organization and AWS Console

**Answer: B**

#### Explanation:

You can actually use a Deny condition which will not allow the person to log in from outside. The below example shows the Deny condition to ensure that any address specified in the source address is not allowed to access the resources in aws.

Option A is invalid because you don't mention the security group in the 1AM policy Option C is invalid because security groups by default don't allow traffic

Option D is invalid because the 1AM policy does not have such an option For more information on 1AM policy conditions, please visit the URL:

[http://docs.aws.amazon.com/IAM/latest/UserGuide/access\\_pol\\_examples.htm](http://docs.aws.amazon.com/IAM/latest/UserGuide/access_pol_examples.htm) l#iam-policy-example-ec2-two-condition!

The correct answer is: Create an 1AM policy with a condition which denies access when the IP address range is not from the organization

Submit your Feedback/Queries to our Experts

#### NEW QUESTION 156

You are creating a Lambda function which will be triggered by a Cloudwatch Event. The data from these events needs to be stored in a DynamoDB table. How should the Lambda function be given access to the DynamoDB table?

Please select:

- A. Put the AWS Access keys in the Lambda function since the Lambda function by default is secure
- B. Use an 1AM role which has permissions to the DynamoDB table and attach it to the Lambda function.
- C. Use the AWS Access keys which has access to DynamoDB and then place it in an S3 bucket.
- D. Create a VPC endpoint for the DynamoDB tabl
- E. Access the VPC endpoint from the Lambda function.

**Answer: B**

#### Explanation:

AWS Lambda functions uses roles to interact with other AWS services. So use an 1AM role which has permissions to the DynamoDB table and attach it to the Lambda function.

Options A and C are all invalid because you should never use AWS keys for access. Option D is invalid because the VPC endpoint is used for VPCs

For more information on Lambda function Permission model, please visit the URL <https://docs.aws.amazon.com/lambda/latest/dg/intro-permission-model.html>

The correct answer is: Use an 1AM role which has permissions to the DynamoDB table and attach it to the Lambda function. Submit your Feedback/Queries to our Experts

#### NEW QUESTION 157

A company has a requirement to create a DynamoDB table. The company's software architect has provided the following CLI command for the DynamoDB table

```
--table-name Customers \  
--attribute-definitions \  
    AttributeName=ID,AttributeType=S \  
    AttributeName=Name,AttributeType=S \  
--key-schema \  
    AttributeName=ID,KeyType=HASH \  
    AttributeName=Name,KeyType=RANGE \  
--provisioned-throughput \  
    ReadCapacityUnits=10,WriteCapacityUnits=5 \  
--sse-specification Enabled=true
```

Which of the following has been taken of from a security perspective from the above command? Please select:

- A. Since the ID is hashed, it ensures security of the underlying table.
- B. The above command ensures data encryption at rest for the Customer table
- C. The above command ensures data encryption in transit for the Customer table
- D. The right throughput has been specified from a security perspective

**Answer: B**

#### Explanation:

The above command with the "-sse-specification Enabled=true" parameter ensures that the data for the DynamoDB table is encrypted at rest.

Options A,C and D are all invalid because this command is specifically used to ensure data encryption at rest

For more information on DynamoDB encryption, please visit the URL:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/encryption.tutorial.html> The correct answer is: The above command ensures data encryption at rest for the Customer table

#### NEW QUESTION 160

Your company is planning on developing an application in AWS. This is a web based application. The application user will use their facebook or google identities

for authentication. You want to have the ability to manage user profiles without having to add extra coding to manage this. Which of the below would assist in this. Please select:

- A. Create an OIDC identity provider in AWS
- B. Create a SAML provider in AWS
- C. Use AWS Cognito to manage the user profiles
- D. Use IAM users to manage the user profiles

**Answer: C**

**Explanation:**

The AWS Documentation mentions the following

A user pool is a user directory in Amazon Cognito. With a user pool, your users can sign in to your web or mobile app through Amazon Cognito. Your users can also sign in through social identity providers like Facebook or Amazon, and through SAML identity providers. Whether your users sign in directly or through a third party, all members of the user pool have a directory profile that you can access through an SDK.

User pools provide:

Sign-up and sign-in services.

A built-in, customizable web UI to sign in users.

Social sign-in with Facebook, Google, and Login with Amazon, as well as sign-in with SAML identity providers from your user pool.

User directory management and user profiles.

Security features such as multi-factor authentication (MFA), checks for compromised credentials, account takeover protection, and phone and email verification.

Customized workflows and user migration through AWS Lambda triggers. Options A and B are invalid because these are not used to manage users Option D is invalid because this would be a maintenance overhead

For more information on Cognito User Identity pools, please refer to the below Link: <https://docs.aws.amazon.com/cognito/latest/developerguide/cognito-user-identity-pools.html>

The correct answer is: Use AWS Cognito to manage the user profiles Submit your Feedback/Queries to our Experts

**NEW QUESTION 163**

Your company has defined a set of S3 buckets in AWS. They need to monitor the S3 buckets and know the source IP address and the person who make requests to the S3 bucket. How can this be achieved?

Please select:

- A. Enable VPC flow logs to know the source IP addresses
- B. Monitor the S3 API calls by using Cloudtrail logging
- C. Monitor the S3 API calls by using Cloudwatch logging
- D. Enable AWS Inspector for the S3 bucket

**Answer: B**

**Explanation:**

The AWS Documentation mentions the following

Amazon S3 is integrated with AWS CloudTrail. CloudTrail is a service that captures specific API calls made to Amazon S3 from your AWS account and delivers the log files to an Amazon S3 bucket that you specify. It captures API calls made from the Amazon S3 console or from the Amazon S3 API. Using the information collected by CloudTrail, you can determine what request was made to Amazon S3, the source IP address from which the request was made, who made the request when it was

made, and so on

Options A,C and D are invalid because these services cannot be used to get the source IP address of the calls to S3 buckets

For more information on Cloudtrail logging, please refer to the below Link:

<https://docs.aws.amazon.com/AmazonS3/latest/dev/cloudtrail-logeins.html>

The correct answer is: Monitor the S3 API calls by using Cloudtrail logging Submit your Feedback/Queries to our Experts

**NEW QUESTION 164**

Your organization is preparing for a security assessment of your use of AWS. In preparation for this assessment, which three IAM best practices should you consider implementing?

Please select:

- A. Create individual IAM users
- B. Configure MFA on the root account and for privileged IAM users
- C. Assign IAM users and groups configured with policies granting least privilege access
- D. Ensure all users have been assigned and are frequently rotating a password, access ID/secret key, and X.509 certificate

**Answer: ABC**

**Explanation:**

When you go to the security dashboard, the security status will show the best practices for initiating the first level of security.



Option D is invalid because as per the dashboard, this is not part of the security recommendation For more information on best security practices please visit the URL: <https://aws.amazon.com/whitepapers/aws-security-best-practices>;

The correct answers are: Create individual IAM users, Configure MFA on the root account and for privileged IAM users. Assign IAM users and groups configured with policies granting least privilege access



Submit your Feedback/Queries to our Experts

#### NEW QUESTION 165

Your team is experimenting with the API gateway service for an application. There is a need to implement a custom module which can be used for authentication/authorization for calls made to the API gateway. How can this be achieved?

Please select:

- A. Use the request parameters for authorization
- B. Use a Lambda authorizer
- C. Use the gateway authorizer
- D. Use CORS on the API gateway

**Answer: B**

#### Explanation:

The AWS Documentation mentions the following

An Amazon API Gateway Lambda authorizer (formerly known as a custom authorize?) is a Lambda function that you provide to control access to your API methods. A Lambda authorizer uses bearer token authentication strategies, such as OAuth or SAML. It can also use information described by headers, paths, query strings, stage variables, or context variables request parameters.

Options A,C and D are invalid because these cannot be used if you need a custom authentication/authorization for calls made to the API gateway

For more information on using the API gateway Lambda authorizer please visit the URL:

<https://docs.aws.amazon.com/apigateway/latest/developerguide/apigateway-use-lambdaauthorizer.html>

The correct answer is: Use a Lambda authorizer Submit your Feedback/Queries to our Experts

#### NEW QUESTION 168

A company is hosting sensitive data in an AWS S3 bucket. It needs to be ensured that the bucket always remains private. How can this be ensured continually?

Choose 2 answers from the options given below


Please select:

- A. Use AWS Config to monitor changes to the AWS Bucket
- B. Use AWS Lambda function to change the bucket policy
- C. Use AWS Trusted Advisor API to monitor the changes to the AWS Bucket
- D. Use AWS Lambda function to change the bucket ACL

**Answer: AD**

#### Explanation:

One of the AWS Blogs mentions the usage of AWS Config and Lambda to achieve this. Below is the diagram representation of this



ption C is invalid because the Trusted Advisor API cannot be used to monitor changes to the AWS Bucket Option B doesn't seems to be the most appropriate.

1. If the object is in a bucket in which all the objects need to be private and the object is not private anymore, the Lambda function makes a PutObjectAcl call to S3 to make the object private.

<https://aws.amazon.com/blogs/security/how-to-detect-and-automatically-remediate-unintendedpermissions-in-amazon-s3-bbiect-acls-with-cloudwatch-events/>

The following link also specifies that

Create a new Lambda function to examine an Amazon S3 buckets ACL and bucket policy. If the bucket ACL is found to al public access, the Lambda function overwrites it to be private. If a bucket policy is found, the Lambda function creatt an SNS message, puts the policy in the message body, and publishes it to the Amazon SNS topic we created. Bucket policies can be complex, and overwriting your policy may cause unexpected loss of access, so this Lambda function doesn't attempt to alter your policy in any way.

<https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-monitor-for-and-respond-toamazon-s3-buckets-allowinj>

Based on these facts Option D seems to be more appropriate then Option B.

For more information on implementation of this use case, please refer to the Link: <https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-monitor-for-and-respond-toamazon-s3-buckets-allowinj>

The correct answers are: Use AWS Config to monitor changes to the AWS Bucket Use AWS Lambda function to change the bucket ACL



**NEW QUESTION 172**

You have a set of 100 EC2 Instances in an AWS account. You need to ensure that all of these instances are patched and kept to date. All of the instances are in a private subnet. How can you achieve this. Choose 2 answers from the options given below

Please select:


- A. Ensure a NAT gateway is present to download the updates
- B. Use the Systems Manager to patch the instances
- C. Ensure an internet gateway is present to download the updates
- D. Use the AWS inspector to patch the updates

**Answer:** AB

**Explanation:**

Option C is invalid because the instances need to remain in the private: Option D is invalid because AWS inspector can only detect the patches

One of the AWS Blogs mentions how patching of Linux servers can be accomplished. Below is the diagram representation of the architecture setup



For more information on patching Linux workloads in AWS, please refer to the Lin. <https://aws.amazon.com/blogs/security/how-to-patch-linux-workloads-on-aws/>

The correct answers are: Ensure a NAT gateway is present to download the updates. Use the Systems Manager to patch the instances

Submit your Feedback/Queries to our Experts

**NEW QUESTION 177**

You currently operate a web application in the AWS US-East region. The application runs on an autoscaled layer of EC2 instances and an RDS Multi-AZ database. Your IT security compliance officer has

tasked you to develop a reliable and durable logging solution to track changes made to your EC2, IAM and RDS resources. The solution must ensure the integrity and confidentiality of your log data

- A. Which of these solutions would you recommend? Please select:
- B. Create a new CloudTrail trail with one new S3 bucket to store the logs and with the global services option selected
- C. Use IAM roles, S3 bucket policies and Multi Factor Authentication (MFA) Delete on the S3 bucket that stores your logs.
- D. Create a new CloudTrail with one new S3 bucket to store the log
- E. Configure SNS to send log file delivery notifications to your management system
- F. Use IAM roles and S3 bucket policies on the S3 bucket that stores your logs.
- G. Create a new CloudTrail trail with an existing S3 bucket to store the logs and with the global services option selected
- H. Use S3 ACLs and Multi Factor Authentication (MFA) Delete on the S3 bucket that stores your logs.
- I. Create three new CloudTrail trails with three new S3 buckets to store the logs one for the AWS Management console, one for AWS SDKs and one for command line tool
- J. Use IAM roles and S3 bucket policies on the S3 buckets that store your logs.

**Answer:** A

**Explanation:**

AWS Identity and Access Management (IAM) is integrated with AWS CloudTrail, a service that logs AWS events made by or on behalf of your AWS account.

CloudTrail logs authenticated AWS API calls and also AWS sign-in events, and collects this event information in files that are delivered to Amazon S3 buckets.

You need to ensure that all services are included. Hence option B is partially correct. Option B is invalid because you need to ensure that global services is selected

Option C is invalid because you should use bucket policies

Option D is invalid because you should ideally just create one S3 bucket For more information on Cloudtrail, please visit the below URL:

<http://docs.aws.amazon.com/IAM/latest/UserGuide/cloudtrail-integration.html>

The correct answer is: Create a new CloudTrail trail with one new S3 bucket to store the logs and with

the global services option selected. Use IAM roles, S3 bucket policies and Multi Factor Authentication (MFA) Delete on the S3 bucket that stores your logs

Submit your Feedback/Queries to our Experts

**NEW QUESTION 180**

You have an S3 bucket defined in AWS. You want to ensure that you encrypt the data before sending it across the wire. What is the best way to achieve this.

Please select:

- A. Enable server side encryption for the S3 bucket
- B. This request will ensure that the data is encrypted first.
- C. Use the AWS Encryption CLI to encrypt the data first
- D. Use a Lambda function to encrypt the data before sending it to the S3 bucket.
- E. Enable client encryption for the bucket

**Answer:** B

**Explanation:**

One can use the AWS Encryption CLI to encrypt the data before sending it across to the S3 bucket. Options A and C are invalid because this would still mean that data is transferred in plain text Option D is invalid because you cannot just enable client side encryption for the S3 bucket For more information on Encrypting and Decrypting data, please visit the below URL: <https://aws.amazon.com/blogs/security/how-to-encrypt-and-decrypt-your-data-with-the-aws-encryption-cli/>  
The correct answer is: Use the AWS Encryption CLI to encrypt the data first Submit your Feedback/Queries to our Experts

**NEW QUESTION 181**

Your company has just set up a new central server in a VPC. There is a requirement for other teams who have their servers located in different VPC's in the same region to connect to the central server. Which of the below options is best suited to achieve this requirement.  
Please select:

- A. Set up VPC peering between the central server VPC and each of the teams VPCs.
- B. Set up AWS DirectConnect between the central server VPC and each of the teams VPCs.
- C. Set up an IPSec Tunnel between the central server VPC and each of the teams VPCs.
- D. None of the above options will work.

**Answer:** A

**Explanation:**

A VPC peering connection is a networking connection between two VPCs that enables you to route traffic between them using private IPv4 addresses or IPv6 addresses. Instances in either VPC can communicate with each other as if they are within the same network. You can create a VPC peering connection between your own VPCs, or with a VPC in another AWS account within a single region. Options B and C are invalid because you need to use VPC Peering  
Option D is invalid because VPC Peering is available  
For more information on VPC Peering please see the below Link: <http://docs.aws.amazon.com/AmazonVPC/latest/UserGuide/vpc-peering.html>  
The correct answer is: Set up VPC peering between the central server VPC and each of the teams VPCs. Submit your Feedback/Queries to our Experts

**NEW QUESTION 183**

A company's AWS account consists of approximately 300 IAM users. Now there is a mandate that an access change is required for 100 IAM users to have unlimited privileges to S3.As a system administrator, how can you implement this effectively so that there is no need to apply the policy at the individual user level?  
Please select:

- A. Create a new role and add each user to the IAM role
- B. Use the IAM groups and add users, based upon their role, to different groups and apply the policy to group
- C. Create a policy and apply it to multiple users using a JSON script
- D. Create an S3 bucket policy with unlimited access which includes each user's AWS account ID

**Answer:** B

**Explanation:**

Option A is incorrect since you don't add a user to the 1AM Role Option C is incorrect since you don't assign multiple users to a policy Option D is incorrect since this is not an ideal approach  
An 1AM group is used to collectively manage users who need the same set of permissions. By having groups, it becomes easier to manage permissions. So if you change the permissions on the group scale, it will affect all the users in that group  
For more information on 1AM Groups, just browse to the below URL:  
[https://docs.aws.amazon.com/IAM/latest/UserGuide/id\\_groups.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/id_groups.html)  
The correct answer is: Use the 1AM groups and add users, based upon their role, to different groups and apply the policy to group  
Submit your Feedback/Queries to our Experts

**NEW QUESTION 186**

Your company uses AWS to host its resources. They have the following requirements

- 1) Record all API calls and Transitions
  - 2) Help in understanding what resources are there in the account
  - 3) Facility to allow auditing credentials and logins Which services would suffice the above requirements
- Please select:

- A. AWS Inspector, CloudTrail, IAM Credential Reports
- B. CloudTrail
- C. IAM Credential Reports, AWS SNS
- D. CloudTrail, AWS Config, IAM Credential Reports
- E. AWS SQS, IAM Credential Reports, CloudTrail

**Answer:** C

**Explanation:**

You can use AWS CloudTrail to get a history of AWS API calls and related events for your account. This history includes calls made with the AWS Management Console, AWS Command Line Interface, AWS SDKs, and other AWS services.  
Options A,B and D are invalid because you need to ensure that you use the services of CloudTrail, AWS Config, 1AM Credential Reports  
For more information on Cloudtrail, please visit the below URL: <http://docs.aws.amazon.com/awscloudtrail/latest/userguide/cloudtrail-user-guide.html>  
AWS Config is a service that enables you to assess, audit and evaluate the configurations of your AWS resources. Config continuously monitors and records your AWS resource configurations and allows you to automate the evaluation of recorded configurations against desired configurations. With Config, you can review changes in configurations and relationships between AWS resources, dive into detailed resource configuration histories, and determine your overall compliance against the configurations specified in your internal guidelines. This enables you to simplify compliance auditing, security analysis, char management and operational troubleshooting.  
For more information on the config service, please visit the below URL <https://aws.amazon.com/config/>  
You can generate and download a credential report that lists all users in your account and the status of their various credentials, including passwords, access keys, and MFA devices. You can get a credential report from the AWS Management Console, the AWS SDKs and Command Line Tools, or the 1AM API.  
For more information on Credentials Report, please visit the below URL: [http://docs.aws.amazon.com/IAM/latest/UserGuide/id\\_credentials\\_getting-report.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_getting-report.html)  
The correct answer is: CloudTrail, AWS Config, 1AM Credential Reports Submit your Feedback/Queries to our Experts

**NEW QUESTION 188**


Your CTO is very worried about the security of your AWS account. How best can you prevent hackers from completely hijacking your account?  
Please select:

- A. Use short but complex password on the root account and any administrators.
- B. Use AWS IAM Geo-Lock and disallow anyone from logging in except for in your city.
- C. Use MFA on all users and accounts, especially on the root account.
- D. Don't write down or remember the root account password after creating the AWS account

**Answer:** C

**Explanation:**

Multi-factor authentication can add one more layer of security to your AWS account Even when you go to your Security Credentials dashboard one of the items is to enable MFA on your root account



Option A is invalid because you need to have a good password policy Option B is invalid because there is no IAM Geo-Lock Option D is invalid because this is not a recommended practice For more information on MFA, please visit the below URL [http://docs.aws.amazon.com/IAM/latest/UserGuide/id\\_credentials\\_mfa.html](http://docs.aws.amazon.com/IAM/latest/UserGuide/id_credentials_mfa.html)  
The correct answer is: Use MFA on all users and accounts, especially on the root account. Submit your Feedback/Queries to our Experts

**NEW QUESTION 189**

You work at a company that makes use of AWS resources. One of the key security policies is to ensure that all data is encrypted both at rest and in transit. Which of the following is one of the right ways to implement this?  
Please select:

- A. Use S3 SSE and use SSL for data in transit
- B. SSL termination on the ELB
- C. Enabling Proxy Protocol
- D. Enabling sticky sessions on your load balancer

**Answer:** A

**Explanation:**

By disabling SSL termination, you are leaving an unsecure connection from the ELB to the back end instances. Hence this means that part of the data transit is not being encrypted.

Option B is incorrect because this would not guarantee complete encryption of data in transit Option C and D are incorrect because these would not guarantee encryption

For more information on SSL Listeners for your load balancer, please visit the below URL: <http://docs.aws.amazon.com/elasticloadbalancing/latest/classic/elb-https-load-balancers.html> The correct answer is: Use S3 SSE and use SSL for data in transit

Submit your Feedback/Queries to our Experts

**NEW QUESTION 191**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AWS-Certified-Security-Specialty Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AWS-Certified-Security-Specialty-dumps.html>