

Amazon-Web-Services

Exam Questions SAA-C03

AWS Certified Solutions Architect - Associate (SAA-C03)



NEW QUESTION 1

- (Exam Topic 1)

An application development team is designing a microservice that will convert large images to smaller, compressed images. When a user uploads an image through the web interface, the microservice should store the image in an Amazon S3 bucket, process and compress the image with an AWS Lambda function, and store the image in its compressed form in a different S3 bucket.

A solutions architect needs to design a solution that uses durable, stateless components to process the images automatically.

Which combination of actions will meet these requirements? (Choose two.)

- A. Create an Amazon Simple Queue Service (Amazon SQS) queue Configure the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket
- B. Configure the Lambda function to use the Amazon Simple Queue Service (Amazon SQS) queue as the invocation source When the SQS message is successfully processed, delete the message in the queue
- C. Configure the Lambda function to monitor the S3 bucket for new uploads When an uploaded image is detected write the file name to a text file in memory and use the text file to keep track of the images that were processed
- D. Launch an Amazon EC2 instance to monitor an Amazon Simple Queue Service (Amazon SQS) queue When items are added to the queue log the file name in a text file on the EC2 instance and invoke the Lambda function
- E. Configure an Amazon EventBridge (Amazon CloudWatch Events) event to monitor the S3 bucket When an image is uploaded
- F. Send an alert to an Amazon Simple Notification Service (Amazon SNS) topic with the application owner's email address for further processing

Answer: AB

Explanation:

➤ Creating an Amazon Simple Queue Service (SQS) queue and configuring the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket will ensure that the Lambda function is triggered in a stateless and durable manner.

➤ Configuring the Lambda function to use the SQS queue as the invocation source, and deleting the message in the queue after it is successfully processed will ensure that the Lambda function processes the image in a stateless and durable manner.

Amazon SQS is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications. SQS eliminates the complexity and overhead associated with managing and operating message-oriented middleware, and empowers developers to focus on differentiating work. When new images are uploaded to the S3 bucket, SQS will trigger the Lambda function to process the image and compress it. Once the image is processed, the SQS message is deleted, ensuring that the Lambda function is stateless and durable.

NEW QUESTION 2

- (Exam Topic 1)

A company has created an image analysis application in which users can upload photos and add photo frames to their images. The users upload images and metadata to indicate which photo frames they want to add to their images. The application uses a single Amazon EC2 instance and Amazon DynamoDB to store the metadata.

The application is becoming more popular, and the number of users is increasing. The company expects the number of concurrent users to vary significantly depending on the time of day and day of week. The company must ensure that the application can scale to meet the needs of the growing user base. Which solution meets these requirements?

- A. Use AWS Lambda to process the photo
- B. Store the photos and metadata in DynamoDB.
- C. Use Amazon Kinesis Data Firehose to process the photos and to store the photos and metadata.
- D. Use AWS Lambda to process the photo
- E. Store the photos in Amazon S3. Retain DynamoDB to store the metadata.
- F. Increase the number of EC2 instances to three
- G. Use Provisioned IOPS SSD (io2) Amazon Elastic Block Store (Amazon EBS) volumes to store the photos and metadata.

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon ROS for MySQL databases across multiple AWS Regions.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials as secrets in AWS Secrets Manager
- B. Use multi-Region secret replication for the required Regions Configure Secrets Manager to rotate the secrets on a schedule
- C. Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter Use multi-Region secret replication for the required Regions Configure Systems Manager to rotate the secrets on a schedule
- D. Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials
- E. Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys Store the secrets in an Amazon DynamoDB global table Use an AWS Lambda function to retrieve the secrets from DynamoDB Use the RDS API to rotate the secrets.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/security/how-to-replicate-secrets-aws-secrets-manager-multiple-regions/>

NEW QUESTION 4

- (Exam Topic 1)

A company is building an ecommerce web application on AWS. The application sends information about new orders to an Amazon API Gateway REST API to process. The company wants to ensure that orders are processed in the order that they are received.

Which solution will meet these requirements?

- A. Use an API Gateway integration to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic when the application receives an order

- B. Subscribe an AWS Lambda function to the topic to perform processing.
- C. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) FIFO queue when the application receives an order.
- D. Configure the SQS FIFO queue to invoke an AWS Lambda function for processing.
- E. Use an API Gateway authorizer to block any requests while the application processes an order.
- F. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) standard queue when the application receives an order.
- G. Configure the SQS standard queue to invoke an AWS Lambda function for processing.

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

A company is preparing to store confidential data in Amazon S3. For compliance reasons the data must be encrypted at rest. Encryption key usage must be logged for auditing purposes. Keys must be rotated every year.

Which solution meets these requirements and «the MOST operationally efficient?»

- A. Server-side encryption with customer-provided keys (SSE-C)
- B. Server-side encryption with Amazon S3 managed keys (SSE-S3)
- C. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with manual rotation
- D. Server-side encryption with AWS KMS (SSE-KMS) customer master keys (CMKs) with automatic rotation

Answer: D

Explanation:

<https://docs.aws.amazon.com/kms/latest/developerguide/rotate-keys.html>

When you enable automatic key rotation for a customer managed key, AWS KMS generates new cryptographic material for the KMS key every year. AWS KMS also saves the KMS key's older cryptographic material in perpetuity so it can be used to decrypt data that the KMS key encrypted.

Key rotation in AWS KMS is a cryptographic best practice that is designed to be transparent and easy to use. AWS KMS supports optional automatic key rotation only for customer managed CMKs. Enable and disable key rotation. Automatic key rotation is disabled by default on customer managed CMKs. When you enable (or re-enable) key rotation, AWS KMS automatically rotates the CMK 365 days after the enable date and every 365 days thereafter.

NEW QUESTION 6

- (Exam Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour.

What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recovery
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes
- H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

Answer: B

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

NEW QUESTION 7

- (Exam Topic 1)

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone, placing both behind an Application Load Balancer. After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time.

What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents
- C. Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS
- D. Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server.

Answer: A

Explanation:

Amazon EFS provides file storage in the AWS Cloud. With Amazon EFS, you can create a file system, mount the file system on an Amazon EC2 instance, and then read and write data to and from your file system. You can mount an Amazon EFS file system in your VPC, through the Network File System versions 4.0 and 4.1 (NFSv4) protocol. We recommend using a current generation Linux NFSv4.1 client, such as those found in the latest Amazon Linux, Redhat, and Ubuntu AMIs, in conjunction with the Amazon EFS Mount Helper. For instructions, see Using the amazon-efs-utils Tools.

For a list of Amazon EC2 Linux Amazon Machine Images (AMIs) that support this protocol, see NFS Support. For some AMIs, you'll need to install an NFS client to mount your file system on your Amazon EC2 instance. For instructions, see Installing the NFS Client.

You can access your Amazon EFS file system concurrently from multiple NFS clients, so applications that scale beyond a single connection can access a file system. Amazon EC2 instances running in multiple Availability Zones within the same AWS Region can access the file system, so that many users can access and share a common data source.

<https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html#how-it-works-ec2>

NEW QUESTION 8

- (Exam Topic 1)

A company is planning to use an Amazon DynamoDB table for data storage. The company is concerned about cost optimization. The table will not be used on most mornings. In the evenings, the read and write traffic will often be unpredictable. When traffic spikes occur, they will happen very quickly. What should a solutions architect recommend?

- A. Create a DynamoDB table in on-demand capacity mode.
- B. Create a DynamoDB table with a global secondary index.
- C. Create a DynamoDB table with provisioned capacity and auto scaling.
- D. Create a DynamoDB table in provisioned capacity mode, and configure it as a global table.

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

A company is implementing a shared storage solution for a media application that is hosted in the AWS Cloud. The company needs the ability to use SMB clients to access data. The solution must be fully managed. Which AWS solution meets these requirements?

- A. Create an AWS Storage Gateway volume gateway.
- B. Create a file share that uses the required client protocol. Connect the application server to the file share.
- C. Create an AWS Storage Gateway tape gateway. Configure it to use Amazon S3. Connect the application server to the tape gateway.
- D. Create an Amazon EC2 Windows instance. Install and configure a Windows file share role on the instance.
- E. Connect the application server to the file share.
- F. Create an Amazon FSx for Windows File Server file system. Attach the file system to the origin server. Connect the application server to the file system.

Answer: D

Explanation:

<https://aws.amazon.com/fsx/lustre/>

Amazon FSx has native support for Windows file system features and for the industry-standard Server Message Block (SMB) protocol to access file storage over a network. <https://docs.aws.amazon.com/fsx/latest/WindowsGuide/what-is.html>

NEW QUESTION 10

- (Exam Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources. What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls.
- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls.
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls.
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls.

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

A company recently launched a variety of new workloads on Amazon EC2 instances in its AWS account. The company needs to create a strategy to access and administer the instances remotely and securely. The company needs to implement a repeatable process that works with native AWS services and follows the AWS Well-Architected Framework. Which solution will meet these requirements with the LEAST operational overhead?

- A. Use the EC2 serial console to directly access the terminal interface of each instance for administration.
- B. Attach the appropriate IAM role to each existing instance and new instance.
- C. Use AWS Systems Manager Session Manager to establish a remote SSH session.
- D. Create an administrative SSH key pair.
- E. Load the public key into each EC2 instance.
- F. Deploy a bastion host in a public subnet to provide a tunnel for administration of each instance.
- G. Establish an AWS Site-to-Site VPN connection.
- H. Instruct administrators to use their local on-premises machines to connect directly to the instances by using SSH keys across the VPN tunnel.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/setup-launch-managed-instance.html>

NEW QUESTION 14

- (Exam Topic 1)

A company recently signed a contract with an AWS Managed Service Provider (MSP) Partner for help with an application migration initiative. A solutions architect needs to share an Amazon Machine Image (AMI) from an existing AWS account with the MSP Partner's AWS account. The AMI is backed by Amazon Elastic Block Store (Amazon EBS) and uses a customer managed customer master key (CMK) to encrypt EBS volume snapshots. What is the MOST secure way for the solutions architect to share the AMI with the MSP Partner's AWS account?

- A. Make the encrypted AMI and snapshots publicly available.
- B. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key.
- C. Modify the launchPermission property of the AMI.
- D. Share the AMI with the MSP Partner's AWS account only.
- E. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key.
- F. Modify the launchPermission property of the AMI. Share the AMI with the MSP Partner's AWS account only.

G. Modify the CMK's key policy to trust a new CMK that is owned by the MSP Partner for encryption.
H. Export the AMI from the source account to an Amazon S3 bucket in the MSP Partner's AWS account. Encrypt the S3 bucket with a CMK that is owned by the MSP Partner Copy and launch the AMI in the MSP Partner's AWS account.

Answer: B

Explanation:

Share the existing KMS key with the MSP external account because it has already been used to encrypt the AMI snapshot.
<https://docs.aws.amazon.com/kms/latest/developerguide/key-policy-modifying-external-accounts.html>

NEW QUESTION 19

- (Exam Topic 1)

A company's HTTP application is behind a Network Load Balancer (NLB). The NLB's target group is configured to use an Amazon EC2 Auto Scaling group with multiple EC2 instances that run the web service.

The company notices that the NLB is not detecting HTTP errors for the application. These errors require a manual restart of the EC2 instances that run the web service. The company needs to improve the application's availability without writing custom scripts or code.

What should a solutions architect do to meet these requirements?

- A. Enable HTTP health checks on the NL
- B. supplying the URL of the company's application.
- C. Add a cron job to the EC2 instances to check the local application's logs once each minut
- D. If HTTP errors are detected, the application will restart.
- E. Replace the NLB with an Application Load Balance
- F. Enable HTTP health checks by supplying the URL of the company's applicatio
- G. Configure an Auto Scaling action to replace unhealthy instances.
- H. Create an Amazon Cloud Watch alarm that monitors the UnhealthyHostCount metric for the NL
- I. Configure an Auto Scaling action to replace unhealthy instances when the alarm is in the ALARM state.

Answer: C

NEW QUESTION 22

- (Exam Topic 1)

A company runs its Infrastructure on AWS and has a registered base of 700.000 users for res document management application The company intends to create a product that converts large pdf files to jpg Imago files. The .pdf files average 5 MB in size. The company needs to store the original files and the converted files. A solutions architect must design a scalable solution to accommodate demand that will grow rapidly over lime.

Which solution meets these requirements MOST cost-effectively?

- A. Save the pdf files to Amazon S3 Configure an S3 PUT event to invoke an AWS Lambda function to convert the files to jpg format and store them back in Amazon S3
- B. Save the pdf files to Amazon DynamoD
- C. Use the DynamoDB Streams feature to invoke an AWS Lambda function to convert the files to jpg format and store them hack in DynamoDB
- D. Upload the pdf files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances. Amazon Elastic Block Store (Amazon EBS) storage and an Auto Scaling grou
- E. Use a program In the EC2 instances to convert the files to jpg format Save the .pdf files and the .jpg files In the EBS store.
- F. Upload the .pdf files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances, Amazon Elastic File System (Amazon EPS) storage, and an Auto Scaling grou
- G. Use a program in the EC2 instances to convert the file to jpg format Save the pdf files and the jpg files in the EBS store.

Answer: A

Explanation:

Elastic BeanStalk is expensive, and DocumentDB has a 400KB max to upload files. So Lambda and S3 should be the one.

NEW QUESTION 24

- (Exam Topic 1)

A company hosts an application on AWS Lambda functions mat are invoked by an Amazon API Gateway API The Lambda functions save customer data to an Amazon Aurora MySQL database Whenever the company upgrades the database, the Lambda functions fail to establish database connections until the upgrade is complete The result is that customer data Is not recorded for some of the event

A solutions architect needs to design a solution that stores customer data that is created during database upgrades

Which solution will meet these requirements?

- A. Provision an Amazon RDS proxy to sit between the Lambda functions and the database Configure the Lambda functions to connect to the RDS proxy
- B. Increase the run time of me Lambda functions to the maximum Create a retry mechanism in the code that stores the customer data in the database
- C. Persist the customer data to Lambda local storag
- D. Configure new Lambda functions to scan the local storage to save the customer data to the database.
- E. Store the customer data m an Amazon Simple Queue Service (Amazon SOS) FIFO queue Create a new Lambda function that polls the queue and stores the customer data in the database

Answer: D

Explanation:

<https://www.learnaws.org/2020/12/13/aws-rds-proxy-deep-dive/>

RDS proxy can improve application availability in such a situation by waiting for the new database instance to be functional and maintaining any requests received from the application during this time. The end result is that the application is more resilient to issues with the underlying database.

This will enable solution to hold data till the time DB comes back to normal. RDS proxy is to optimally utilize the connection between Lambda and DB. Lambda can open multiple connection concurrently which can be taxing on DB compute resources, hence RDS proxy was introduced to manage and leverage these connections efficiently.

NEW QUESTION 26

- (Exam Topic 1)

A company is using a SQL database to store movie data that is publicly accessible. The database runs on an Amazon RDS Single-AZ DB instance. A script runs queries at random intervals each day to record the number of new movies that have been added to the database. The script must report a final total during business hours. The company's development team notices that the database performance is inadequate for development tasks when the script is running. A solutions architect must recommend a solution to resolve this issue. Which solution will meet this requirement with the LEAST operational overhead?

- A. Modify the DB instance to be a Multi-AZ deployment
- B. Create a read replica of the database. Configure the script to query only the read replica
- C. Instruct the development team to manually export the entries in the database at the end of each day
- D. Use Amazon ElastiCache to cache the common queries that the script runs against the database

Answer: B

NEW QUESTION 28

- (Exam Topic 1)

A company recently migrated to AWS and wants to implement a solution to protect the traffic that flows in and out of the production VPC. The company had an inspection server in its on-premises data center. The inspection server performed specific operations such as traffic flow inspection and traffic filtering. The company wants to have the same functionalities in the AWS Cloud. Which solution will meet these requirements?

- A. Use Amazon GuardDuty for traffic inspection and traffic filtering in the production VPC
- B. Use Traffic Mirroring to mirror traffic from the production VPC for traffic inspection and filtering.
- C. Use AWS Network Firewall to create the required rules for traffic inspection and traffic filtering for the production VPC.
- D. Use AWS Firewall Manager to create the required rules for traffic inspection and traffic filtering for the production VPC.

Answer: C

Explanation:

AWS Network Firewall supports both inspection and filtering as required.

NEW QUESTION 33

- (Exam Topic 1)

A company needs to store its accounting records in Amazon S3. The records must be immediately accessible for 1 year and then must be archived for an additional 9 years. No one at the company, including administrative users and root users, can be able to delete the records during the entire 10-year period. The records must be stored with maximum resiliency. Which solution will meet these requirements?

- A. Store the records in S3 Glacier for the entire 10-year period
- B. Use an access control policy to deny deletion of the records for a period of 10 years.
- C. Store the records by using S3 Intelligent-Tiering
- D. Use an IAM policy to deny deletion of the records. After 10 years, change the IAM policy to allow deletion.
- E. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 Glacier Deep Archive after 1 year
- F. Use S3 Object Lock in compliance mode for a period of 10 years.
- G. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 1 year
- H. Use S3 Object Lock in governance mode for a period of 10 years.

Answer: C

NEW QUESTION 36

- (Exam Topic 1)

A company is developing a two-tier web application on AWS. The company's developers have deployed the application on an Amazon EC2 instance that connects directly to a backend Amazon RDS database. The company must not hardcode database credentials in the application. The company must also implement a solution to automatically rotate the database credentials on a regular basis. Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the database credentials in the instance metadata
- B. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and instance metadata at the same time.
- C. Store the database credentials in a configuration file in an encrypted Amazon S3 bucket
- D. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and the credentials in the configuration file at the same time
- E. Use S3 Versioning to ensure the ability to fall back to previous values.
- F. Store the database credentials as a secret in AWS Secrets Manager
- G. Turn on automatic rotation for the secret
- H. Attach the required permission to the EC2 role to grant access to the secret.
- I. Store the database credentials as encrypted parameters in AWS Systems Manager Parameter Store
- J. Turn on automatic rotation for the encrypted parameter
- K. Attach the required permission to the EC2 role to grant access to the encrypted parameters.

Answer: C

Explanation:

https://docs.aws.amazon.com/secretsmanager/latest/userguide/create_database_secret.html

NEW QUESTION 38

- (Exam Topic 1)

A company is migrating applications to AWS. The applications are deployed in different accounts. The company manages the accounts centrally by using AWS Organizations. The company's security team needs a single sign-on (SSO) solution across all the company's accounts. The company must continue managing the users and groups in its on-premises self-managed Microsoft Active Directory.

Which solution will meet these requirements?

- A. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console
- B. Create a one-way forest trust or a one-way domain trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.
- C. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console
- D. Create a two-way forest trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.
- E. Use AWS Directory Service
- F. Create a two-way trust relationship with the company's self-managed Microsoft Active Directory.
- G. Deploy an identity provider (IdP) on premise
- H. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console.

Answer: A

NEW QUESTION 41

- (Exam Topic 1)

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket. Queries will be simple and will run on-demand. A solutions architect needs to perform the analysis with minimal changes to the existing architecture. What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

- A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed
- B. Use Amazon CloudWatch Logs to store the logs. Run SQL queries as needed from the Amazon CloudWatch console.
- C. Use Amazon Athena directly with Amazon S3 to run the queries as needed
- D. Use AWS Glue to catalog the logs. Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed

Answer: C

Explanation:

Amazon Athena can be used to query JSON in S3.

NEW QUESTION 45

- (Exam Topic 1)

An Amazon EC2 administrator created the following policy associated with an IAM group containing several users:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ec2:TerminateInstances",
      "Resource": "*",
      "Condition": {
        "IpAddress": {
          "aws:SourceIp": "10.100.100.0/24"
        }
      }
    },
    {
      "Effect": "Deny",
      "Action": "ec2:*",
      "Resource": "*",
      "Condition": {
        "StringNotEquals": {
          "ec2:Region": "us-east-1"
        }
      }
    }
  ]
}
```

What is the effect of this policy?

- A. Users can terminate an EC2 instance in any AWS Region except us-east-1.
- B. Users can terminate an EC2 instance with the IP address 10.100.100.1 in the us-east-1 Region.
- C. Users can terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.
- D. Users cannot terminate an EC2 instance in the us-east-1 Region when the user's source IP is 10.100.100.254.

Answer: C

Explanation:

as the policy prevents anyone from doing any EC2 action on any region except us-east-1 and allows only users with source ip 10.100.100.0/24 to terminate instances. So user with source ip 10.100.100.254 can terminate instances in us-east-1 region.

NEW QUESTION 48

- (Exam Topic 1)

A company runs multiple Windows workloads on AWS. The company's employees use Windows file shares that are hosted on two Amazon EC2 instances. The file shares synchronize data between themselves and maintain duplicate copies. The company wants a highly available and durable storage solution that preserves how users currently access the files. What should a solutions architect do to meet these requirements?

- A. Migrate all the data to Amazon S3 Set up IAM authentication for users to access files
- B. Set up an Amazon S3 File Gateway
- C. Mount the S3 File Gateway on the existing EC2 Instances.
- D. Extend the file share environment to Amazon FSx for Windows File Server with a Multi-AZ configuratio
- E. Migrate all the data to FSx for Windows File Server.
- F. Extend the file share environment to Amazon Elastic File System (Amazon EFS) with a Multi-AZ configuratio
- G. Migrate all the data to Amazon EFS.

Answer: A

NEW QUESTION 51

- (Exam Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale ou
- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output dat
- E. Configure the S3 bucket as the rule's target
- F. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complet
- G. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- H. Create a Docker container to use instead of an EC2 instanc
- I. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

Answer: B

Explanation:

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.
<https://aws.amazon.com/appflow/>

NEW QUESTION 53

- (Exam Topic 1)

A company needs to configure a real-time data ingestion architecture for its application. The company needs an API, a process that transforms data as the data is streamed, and a storage solution for the data. Which solution will meet these requirements with the LEAST operational overhead?

- A. Deploy an Amazon EC2 instance to host an API that sends data to an Amazon Kinesis data stream. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data sourc
- B. Use AWS Lambda functions to transform the dat
- C. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- D. Deploy an Amazon EC2 instance to host an API that sends data to AWS Glu
- E. Stop source/destination checking on the EC2 instanc
- F. Use AWS Glue to transform the data and to send the data to Amazon S3.
- G. Configure an Amazon API Gateway API to send data to an Amazon Kinesis data strea
- H. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data sourc
- I. Use AWS Lambda functions to transform the dat
- J. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- K. Configure an Amazon API Gateway API to send data to AWS Glu
- L. Use AWS Lambda functions to transform the dat
- M. Use AWS Glue to send the data to Amazon S3.

Answer: C

NEW QUESTION 55

- (Exam Topic 1)

A company uses 50 TB of data for reporting. The company wants to move this data from on premises to AWS A custom application in the company's data center runs a weekly data transformation job. The company plans to pause the application until the data transfer is complete and needs to begin the transfer process as soon as possible.

The data center does not have any available network bandwidth for additional workloads A solutions architect must transfer the data and must configure the transformation job to continue to run in the AWS Cloud

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS DataSync to move the data Create a custom transformation job by using AWS Glue

- B. Order an AWS Snowcone device to move the data Deploy the transformation application to the device
- C. Order an AWS Snowball Edge Storage Optimized device
- D. Copy the data to the device
- E. Create a custom transformation job by using AWS Glue
- F. Order an AWS
- G. Snowball Edge Storage Optimized device that includes Amazon EC2 compute Copy the data to the device Create a new EC2 instance on AWS to run the transformation application

Answer: C

NEW QUESTION 60

- (Exam Topic 1)

A company runs a highly available image-processing application on Amazon EC2 instances in a single VPC. The EC2 instances run inside several subnets across multiple Availability Zones. The EC2 instances do not communicate with each other. However, the EC2 instances download images from Amazon S3 and upload images to Amazon S3 through a single NAT gateway. The company is concerned about data transfer charges. What is the MOST cost-effective way for the company to avoid Regional data transfer charges?

- A. Launch the NAT gateway in each Availability Zone
- B. Replace the NAT gateway with a NAT instance
- C. Deploy a gateway VPC endpoint for Amazon S3
- D. Provision an EC2 Dedicated Host to run the EC2 instances

Answer: A

NEW QUESTION 63

- (Exam Topic 1)

A company has applications that run on Amazon EC2 instances in a VPC. One of the applications needs to call the Amazon S3 API to store and read objects. According to the company's security regulations, no traffic from the applications is allowed to travel across the internet. Which solution will meet these requirements?

- A. Configure an S3 interface endpoint.
- B. Configure an S3 gateway endpoint.
- C. Create an S3 bucket in a private subnet.
- D. Create an S3 bucket in the same Region as the EC2 instance.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/privatelink-interface-endpoints.html#types-of-vpc-end>
<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-endpoints-s3.html>

NEW QUESTION 65

- (Exam Topic 1)

A company runs a photo processing application that needs to frequently upload and download pictures from Amazon S3 buckets that are located in the same AWS Region. A solutions architect has noticed an increased cost in data transfer fees and needs to implement a solution to reduce these costs. How can the solutions architect meet this requirement?

- A. Deploy Amazon API Gateway into a public subnet and adjust the route table to route S3 calls through it.
- B. Deploy a NAT gateway into a public subnet and attach an endpoint policy that allows access to the S3 buckets.
- C. Deploy the application into a public subnet and allow it to route through an internet gateway to access the S3 Buckets
- D. Deploy an S3 VPC gateway endpoint into the VPC and attach an endpoint policy that allows access to the S3 buckets.

Answer: D

NEW QUESTION 69

- (Exam Topic 1)

A company has a production web application in which users upload documents through a web interface or a mobile app. According to a new regulatory requirement, new documents cannot be modified or deleted after they are stored. What should a solutions architect do to meet this requirement?

- A. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning and S3 Object Lock enabled
- B. Store the uploaded documents in an Amazon S3 bucket
- C. Configure an S3 Lifecycle policy to archive the documents periodically.
- D. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning enabled. Configure an ACL to restrict all access to read-only.
- E. Store the uploaded documents on an Amazon Elastic File System (Amazon EFS) volume
- F. Access the data by mounting the volume in read-only mode.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/object-lock-overview.html>

NEW QUESTION 70

- (Exam Topic 1)

A company has a website hosted on AWS. The website is behind an Application Load Balancer (ALB) that is configured to handle HTTP and HTTPS separately. The company wants to forward all requests to the website so that the requests will use HTTPS. What should a solutions architect do to meet this requirement?

- A. Update the ALB's network ACL to accept only HTTPS traffic
- B. Create a rule that replaces the HTTP in the URL with HTTPS.
- C. Create a listener rule on the ALB to redirect HTTP traffic to HTTPS.
- D. Replace the ALB with a Network Load Balancer configured to use Server Name Indication (SNI).

Answer: C

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

How can I redirect HTTP requests to HTTPS using an Application Load Balancer? Last updated: 2020-10-30 I want to redirect HTTP requests to HTTPS using Application Load Balancer listener rules. How can I do this? Resolution Reference:

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

NEW QUESTION 73

- (Exam Topic 1)

A company runs an on-premises application that is powered by a MySQL database The company is migrating the application to AWS to Increase the application's elasticity and availability

The current architecture shows heavy read activity on the database during times of normal operation Every 4 hours the company's development team pulls a full export of the production database to populate a database in the staging environment During this period, users experience unacceptable application latency The development team is unable to use the staging environment until the procedure completes

A solutions architect must recommend replacement architecture that alleviates the application latency issue The replacement architecture also must give the development team the ability to continue using the staging environment without delay

Which solution meets these requirements?

- A. Use Amazon Aurora MySQL with Multi-AZ Aurora Replicas for productio
- B. Populate the staging database by implementing a backup and restore process that uses the mysqldump utility.
- C. Use Amazon Aurora MySQL with Multi-AZ Aurora Replicas for production Use database cloning to create the staging database on-demand
- D. Use Amazon RDS for MySQL with a Mufti AZ deployment and read replicas for production Use the standby instance tor the staging database.
- E. Use Amazon RDS for MySQL with a Multi-AZ deployment and read replicas for productio
- F. Populate the staging database by implementing a backup and restore process that uses the mysqldump utility.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/aws/amazon-aurora-fast-database-cloning/>

NEW QUESTION 76

- (Exam Topic 1)

A company receives 10 TB of instrumentation data each day from several machines located at a single factory. The data consists of JSON files stored on a storage area network (SAN) in an on-premises data center located within the factory. The company wants to send this data to Amazon S3 where it can be accessed by several additional systems that provide critical near-real-lime analytics. A secure transfer is important because the data is considered sensitive. Which solution offers the MOST reliable data transfer?

- A. AWS DataSync over public internet
- B. AWS DataSync over AWS Direct Connect
- C. AWS Database Migration Service (AWS DMS) over public internet
- D. AWS Database Migration Service (AWS DMS) over AWS Direct Connect

Answer: B

Explanation:

These are some of the main use cases for AWS DataSync: • Data migration – Move active datasets rapidly

over the network into Amazon S3, Amazon EFS, or FSx for Windows File Server. DataSync includes automatic encryption and data integrity validation to help make sure that your data arrives securely, intact, and ready to use.

"DataSync includes encryption and integrity validation to help make sure your data arrives securely, intact, and ready to use."

<https://aws.amazon.com/datasync/faqs/>

NEW QUESTION 80

- (Exam Topic 1)

A company has an application that runs on Amazon EC2 instances and uses an Amazon Aurora database. The EC2 instances connect to the database by using user names and passwords that are stored locally in a file. The company wants to minimize the operational overhead of credential management.

What should a solutions architect do to accomplish this goal?

- A. Use AWS Secrets Manage
- B. Turn on automatic rotation.
- C. Use AWS Systems Manager Parameter Stor
- D. Turn on automatic rotation.
- E. Create an Amazon S3 bucket lo store objects that are encrypted with an AWS Key
- F. Management Service (AWS KMS) encryption ke
- G. Migrate the credential file to the S3 bucke
- H. Point the application to the S3 bucket.
- I. Create an encrypted Amazon Elastic Block Store (Amazon EBS) volume (or each EC2 instanc
- J. Attach the new EBS volume to each EC2 instanc
- K. Migrate the credential file to the new EBS volum
- L. Point the application to the new EBS volume.

Answer: A

Explanation:

<https://aws.amazon.com/cn/blogs/security/how-to-connect-to-aws-secrets-manager-service-within-a-virtual-priv> <https://aws.amazon.com/blogs/security/rotate->

amazon-rds-database-credentials-automatically-with-aws-secrets

NEW QUESTION 83

- (Exam Topic 1)

A company is developing an application that provides order shipping statistics for retrieval by a REST API. The company wants to extract the shipping statistics, organize the data into an easy-to-read HTML format, and send the report to several email addresses at the same time every morning.

Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

- A. Configure the application to send the data to Amazon Kinesis Data Firehose.
- B. Use Amazon Simple Email Service (Amazon SES) to format the data and to send the report by email.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Glue job to query the application's API for the data.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) scheduled event that invokes an AWS Lambda function to query the application's API for the data.
- E. Store the application data in Amazon S3. Create an Amazon Simple Notification Service (Amazon SNS) topic as an S3 event destination to send the report by

Answer: DE

NEW QUESTION 84

- (Exam Topic 1)

A company has a data ingestion workflow that consists the following:

- An Amazon Simple Notification Service (Amazon SNS) topic for notifications about new data deliveries
- An AWS Lambda function to process the data and record metadata

The company observes that the ingestion workflow fails occasionally because of network connectivity issues. When such a failure occurs, the Lambda function does not ingest the corresponding data unless the company manually reruns the job.

Which combination of actions should a solutions architect take to ensure that the Lambda function ingests all data in the future? (Select TWO.)

- A. Configure the Lambda function in multiple Availability Zones.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue, and subscribe it to the SNS topic.
- C. Increase the CPU and memory that are allocated to the Lambda function.
- D. Increase provisioned throughput for the Lambda function.
- E. Modify the Lambda function to read from an Amazon Simple Queue Service (Amazon SQS) queue

Answer: BE

NEW QUESTION 88

- (Exam Topic 1)

A company uses AWS Organizations to manage multiple AWS accounts for different departments. The management account has an Amazon S3 bucket that contains project reports. The company wants to limit access to this S3 bucket to only users of accounts within the organization in AWS Organizations.

Which solution meets these requirements with the LEAST amount of operational overhead?

- A. Add the `aws:PrincipalOrgID` global condition key with a reference to the organization ID to the S3 bucket policy.
- B. Create an organizational unit (OU) for each department
- C. Add the `aws:PrincipalOrgPaths` global condition key to the S3 bucket policy.
- D. Use AWS CloudTrail to monitor the `CreateAccount`, `InviteAccountToOrganization`, `LeaveOrganization`, and `RemoveAccountFromOrganization` event
- E. Update the S3 bucket policy accordingly.
- F. Tag each user that needs access to the S3 bucket
- G. Add the `aws:PrincipalTag` global condition key to the S3 bucket policy.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/security/control-access-to-aws-resources-by-using-the-aws-organization-of-iam-p> The `aws:PrincipalOrgID` global key provides an alternative to listing all the account IDs for all AWS accounts in an organization. For example, the following Amazon S3 bucket policy allows members of any account in the XXX organization to add an object into the examtopics bucket.

```
{"Version": "2020-09-10",  
"Statement": {  
  "Sid": "AllowPutObject", "Effect": "Allow",  
  "Principal": "*", "Action": "s3:PutObject",  
  "Resource": "arn:aws:s3:::examtopics/*", "Condition": {"StringEquals":  
    {"aws:PrincipalOrgID": ["XXX"]}}}} https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_policies_condition-keys.html
```

NEW QUESTION 92

- (Exam Topic 1)

A company is deploying a new public web application to AWS. The application will run behind an Application Load Balancer (ALB). The application needs to be encrypted at the edge with an SSL/TLS certificate that is issued by an external certificate authority (CA). The certificate must be rotated each year before the certificate expires.

What should a solutions architect do to meet these requirements?

- A. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate
- B. Apply the certificate to the ALB
- C. Use the managed renewal feature to automatically rotate the certificate.
- D. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate
- E. Import the key material from the certificate
- F. Apply the certificate to the ALB
- G. Use the managed renewal feature to automatically rotate the certificate.
- H. Use AWS Certificate Manager (ACM) Private Certificate Authority to issue an SSL/TLS certificate from the root CA
- I. Apply the certificate to the ALB
- J. Use the managed renewal feature to automatically rotate the certificate.

- K. Use AWS Certificate Manager (ACM) to import an SSL/TLS certificat
- L. Apply the certificate to the AL
- M. Use Amazon EventBridge (Amazon CloudWatch Events) to send a notification when the certificate is nearing expiratio
- N. Rotate the certificate manually.

Answer: D

NEW QUESTION 97

- (Exam Topic 1)

A company wants to migrate its on-premises application to AWS. The application produces output files that vary in size from tens of gigabytes to hundreds of terabytes The application data must be stored in a standard file system structure The company wants a solution that scales automatically, is highly available, and requires minimum operational overhead.

Which solution will meet these requirements?

- A. Migrate the application to run as containers on Amazon Elastic Container Service (Amazon ECS) Use Amazon S3 for storage
- B. Migrate the application to run as containers on Amazon Elastic Kubernetes Service (Amazon EKS) Use Amazon Elastic Block Store (Amazon EBS) for storage
- C. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling grou
- D. Use Amazon Elastic File System (Amazon EFS) for storage.
- E. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling grou
- F. Use Amazon Elastic Block Store (Amazon EBS) for storage.

Answer: C

Explanation:

EFS is a standard file system, it scales automatically and is highly available.

NEW QUESTION 102

- (Exam Topic 1)

A company has several web servers that need to frequently access a common Amazon RDS MySQL Multi-AZ DB instance The company wants a secure method for the web servers to connect to the database while meeting a security requirement to rotate user credentials frequently.

Which solution meets these requirements?

- A. Store the database user credentials in AWS Secrets Manager Grant the necessary IAM permissions to allow the web servers to access AWS Secrets Manager
- B. Store the database user credentials in AWS Systems Manager OpsCenter Grant the necessary IAM permissions to allow the web servers to access OpsCenter
- C. Store the database user credentials in a secure Amazon S3 bucket Grant the necessary IAM permissions to allow the web servers to retrieve credentials and access the database.
- D. Store the database user credentials in files encrypted with AWS Key Management Service (AWS KMS) on the web server file syste
- E. The web server should be able to decrypt the files and access the database

Answer: A

Explanation:

AWS Secrets Manager helps you protect secrets needed to access your applications, services, and IT resources. The service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle.

<https://docs.aws.amazon.com/secretsmanager/latest/userguide/intro.html>

Secrets Manager enables you to replace hardcoded credentials in your code, including passwords, with an API call to Secrets Manager to retrieve the secret programmatically. This helps ensure the secret can't be compromised by someone examining your code, because the secret no longer exists in the code. Also, you can configure Secrets Manager to automatically rotate the secret for you according to a specified schedule. This enables you to replace long-term secrets with short-term ones, significantly reducing the risk of compromise.

NEW QUESTION 103

- (Exam Topic 1)

A company runs an ecommerce application on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. The Auto Scaling group scales based on CPU utilization metrics. The ecommerce application stores the transaction data in a MySQL 8.0 database that is hosted on a large EC2 instance.

The database's performance degrades quickly as application load increases. The application handles more read requests than write transactions. The company wants a solution that will automatically scale the database to meet the demand of unpredictable read workloads while maintaining high availability.

Which solution will meet these requirements?

- A. Use Amazon Redshift with a single node for leader and compute functionality.
- B. Use Amazon RDS with a Single-AZ deployment Configure Amazon RDS to add reader instances in a different Availability Zone.
- C. Use Amazon Aurora with a Multi-AZ deploymen
- D. Configure Aurora Auto Scaling with Aurora Replicas.
- E. Use Amazon ElastiCache for Memcached with EC2 Spot Instances.

Answer: C

Explanation:

AURORA is 5x performance improvement over MySQL on RDS and handles more read requests than write,; maintaining high availability = Multi-AZ deployment

NEW QUESTION 104

- (Exam Topic 2)

A large media company hosts a web application on AWS. The company wants to start caching confidential media files so that users around the world will have reliable access to the files. The content is stored in Amazon S3 buckets. The company must deliver the content quickly, regardless of where the requests originate geographically.

Which solution will meet these requirements?

- A. Use AWS DataSync to connect the S3 buckets to the web application.
- B. Deploy AWS Global Accelerator to connect the S3 buckets to the web application.

- C. Deploy Amazon CloudFront to connect the S3 buckets to CloudFront edge servers.
- D. Use Amazon Simple Queue Service (Amazon SQS) to connect the S3 buckets to the web application.

Answer: C

Explanation:

CloudFront uses a local cache to provide the response, AWS Global accelerator proxies requests and connects to the application all the time for the response.
<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

NEW QUESTION 107

- (Exam Topic 2)

A solutions architect needs to securely store a database user name and password that an application uses to access an Amazon RDS DB instance. The application that accesses the database runs on an Amazon EC2 instance. The solutions architect wants to create a secure parameter in AWS Systems Manager Parameter Store.

What should the solutions architect do to meet this requirement?

- A. Create an IAM role that has read access to the Parameter Store parameter
- B. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter
- C. Assign this IAM role to the EC2 instance.
- D. Create an IAM policy that allows read access to the Parameter Store parameter
- E. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter
- F. Assign this IAM policy to the EC2 instance.
- G. Create an IAM trust relationship between the Parameter Store parameter and the EC2 instance
- H. Specify Amazon RDS as a principal in the trust policy.
- I. Create an IAM trust relationship between the DB instance and the EC2 instance
- J. Specify Systems Manager as a principal in the trust policy.

Answer: B

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_aws-services-that-work-with-iam.html

NEW QUESTION 110

- (Exam Topic 2)

A company stores its application logs in an Amazon CloudWatch Logs log group. A new policy requires the company to store all application logs in Amazon OpenSearch Service (Amazon Elasticsearch Service) in near-real time.

Which solution will meet this requirement with the LEAST operational overhead?

- A. Configure a CloudWatch Logs subscription to stream the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- B. Create an AWS Lambda function
- C. Use the log group to invoke the function to write the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- D. Create an Amazon Kinesis Data Firehose delivery stream
- E. Configure the log group as the delivery stream's source
- F. Configure Amazon OpenSearch Service (Amazon Elasticsearch Service) as the delivery stream's destination.
- G. Install and configure Amazon Kinesis Agent on each application server to deliver the logs to Amazon Kinesis Data Stream
- H. Configure Kinesis Data Streams to deliver the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service)

Answer: B

Explanation:

<https://computingforgeeks.com/stream-logs-in-aws-from-cloudwatch-to-elasticsearch/>

NEW QUESTION 114

- (Exam Topic 2)

A gaming company hosts a browser-based application on AWS. The users of the application consume a large number of videos and images that are stored in Amazon S3. This content is the same for all users.

The application has increased in popularity, and millions of users worldwide are accessing these media files. The company wants to provide the files to the users while reducing the load on the origin.

Which solution meets these requirements MOST cost-effectively?

- A. Deploy an AWS Global Accelerator accelerator in front of the web servers.
- B. Deploy an Amazon CloudFront web distribution in front of the S3 bucket.
- C. Deploy an Amazon ElastiCache for Redis instance in front of the web servers.
- D. Deploy an Amazon ElastiCache for Memcached instance in front of the web servers.

Answer: B

NEW QUESTION 116

- (Exam Topic 2)

An online retail company has more than 50 million active customers and receives more than 25,000 orders each day. The company collects purchase data for customers and stores this data in Amazon S3. Additional customer data is stored in Amazon RDS.

The company wants to make all the data available to various teams so that the teams can perform analytics.

The solution must provide the ability to manage fine-grained permissions for the data and must minimize operational overhead.

Which solution will meet these requirements?

- A. Migrate the purchase data to write directly to Amazon RDS
- B. Use RDS access controls to limit access.
- C. Schedule an AWS Lambda function to periodically copy data from Amazon RDS to Amazon S3. Create an AWS Glue crawler
- D. Use Amazon Athena to query the data

- E. Use S3 policies to limit access.
- F. Create a data lake by using AWS Lake Formatio
- G. Create an AWS Glue JDBC connection to Amazon RD
- H. Register (he S3 bucket in Lake Formatio
- I. Use Lake Formation access controls to limit access.
- J. Create an Amazon Redshift cluste
- K. Schedule an AWS Lambda function to periodically copy data from Amazon S3 and Amazon RDS to Amazon Redshif
- L. Use Amazon Redshift access controls to limit access.

Answer: D

NEW QUESTION 120

- (Exam Topic 2)

A company wants to use the AWS Cloud to make an existing application highly available and resilient. The current version of the application resides in the company's data center. The application recently experienced data loss after a database server crashed because of an unexpected power outage. The company needs a solution that avoids any single points of failure. The solution must give the application the ability to scale to meet user demand. Which solution will meet these requirements?

- A. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zone
- B. Use an Amazon RDS DB instance in a Multi-AZ configuration.
- C. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group in a single Availability Zon
- D. Deploy the database on an EC2 instanc
- E. Enable EC2 Auto Recovery.
- F. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zone
- G. Use an Amazon RDS DB instance with a read replica in a single Availability Zon
- H. Promote the read replica to replace the primary DB instance if the primary DB instance fails.
- I. Deploy the application servers by using Amazon EC2 instances in an Auto Scaling group across multiple Availability Zones Deploy the primary and secondary database servers on EC2 instances across multiple Availability Zones Use Amazon Elastic Block Store (Amazon EBS) Multi-Attach to create shared storage between the instances.

Answer: A

NEW QUESTION 125

- (Exam Topic 2)

A company wants to direct its users to a backup static error page if the company's primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53. The domain is pointing to an Application Load Balancer (ALB). The company needs a solution that minimizes changes and infrastructure overhead. Which solution will meet these requirements?

- A. Update the Route 53 records to use a latency routing polic
- B. Add a static error page that is hosted in an Amazon S3 bucket to the records so that the traffic is sent to the most responsive endpoints.
- C. Set up a Route 53 active-passive failover configuratio
- D. Direct traffic to a static error page that is hosted in an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- E. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance that hosts a static error page as endpoint
- F. Configure Route 53 to send requests to the instance only if the health checks fail for the ALB.
- G. Update the Route 53 records to use a multivalue answer routing polic
- H. Create a health chec
- I. Direct traffic to the website if the health check passe
- J. Direct traffic to a static error page that is hosted in Amazon S3 if the health check does not pass.

Answer: B

NEW QUESTION 129

- (Exam Topic 2)

A company is building a web-based application running on Amazon EC2 instances in multiple Availability Zones. The web application will provide access to a repository of text documents totaling about 900 TB in size. The company anticipates that the web application will experience periods of high demand. A solutions architect must ensure that the storage component for the text documents can scale to meet the demand of the application at all times. The company is concerned about the overall cost of the solution. Which storage solution meets these requirements MOST cost-effectively?

- A. Amazon Elastic Block Store (Amazon EBS)
- B. Amazon Elastic File System (Amazon EFS)
- C. Amazon Elasticsearch Service (Amazon ES)
- D. Amazon S3

Answer: D

Explanation:

Amazon S3 is cheapest and can be accessed from anywhere.

NEW QUESTION 130

- (Exam Topic 2)

A company has an AWS account used for software engineering. The AWS account has access to the company's on-premises data center through a pair of AWS Direct Connect connections. All non-VPC traffic routes to the virtual private gateway.

A development team recently created an AWS Lambda function through the console. The development team needs to allow the function to access a database that runs in a private subnet in the company's data center. Which solution will meet these requirements?

- A. Configure the Lambda function to run in the VPC with the appropriate security group.

- B. Set up a VPN connection from AWS to the data center
- C. Route the traffic from the Lambda function through the VPN.
- D. Update the route tables in the VPC to allow the Lambda function to access the on-premises data center through Direct Connect.
- E. Create an Elastic IP address
- F. Configure the Lambda function to send traffic through the Elastic IP address without an elastic network interface.

Answer: A

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-vpc.html#vpc-managing-eni>

NEW QUESTION 133

- (Exam Topic 2)

A company runs its ecommerce application on AWS. Every new order is published as a message in a RabbitMQ queue that runs on an Amazon EC2 instance in a single Availability Zone. These messages are processed by a different application that runs on a separate EC2 instance. This application stores the details in a PostgreSQL database on another EC2 instance. All the EC2 instances are in the same Availability Zone.

The company needs to redesign its architecture to provide the highest availability with the least operational overhead.

What should a solutions architect do to meet these requirements?

- A. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- B. Create a Multi-AZ Auto Scaling group (or EC2 instances that host the applicatio
- C. Create another Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.
- D. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- E. Create a Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- F. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- G. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queu
- H. Create another Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- I. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- J. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queu
- K. Create another Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- L. Create a third Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.

Answer: B

NEW QUESTION 138

- (Exam Topic 2)

A company is concerned about the security of its public web application due to recent web attacks. The application uses an Application Load Balancer (ALB). A solutions architect must reduce the risk of DDoS attacks against the application.

What should the solutions architect do to meet this requirement?

- A. Add an Amazon Inspector agent to the ALB.
- B. Configure Amazon Macie to prevent attacks.
- C. Enable AWS Shield Advanced to prevent attacks.
- D. Configure Amazon GuardDuty to monitor the ALB.

Answer: C

NEW QUESTION 142

- (Exam Topic 2)

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Move the data to the S3 bucket
- B. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- C. Create an AWS Key Management Service (AWS KMS) customer managed key
- D. Enable automatic key rotation
- E. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- F. Move the data to the S3 bucket.
- G. Create an AWS Key Management Service (AWS KMS) customer managed key
- H. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- I. Move the data to the S3 bucket
- J. Manually rotate the KMS key every year.
- K. Encrypt the data with customer key material before moving the data to the S3 bucket
- L. Create an AWS Key Management Service (AWS KMS) key without key material
- M. Import the customer key material into the KMS key
- N. Enable automatic key rotation.

Answer: C

NEW QUESTION 147

- (Exam Topic 2)

A company runs a web-based portal that provides users with global breaking news, local alerts, and weather updates. The portal delivers each user a personalized view by using a mixture of static and dynamic content. Content is served over HTTPS through an API server running on an Amazon EC2 instance behind an Application Load Balancer (ALB). The company wants the portal to provide this content to its users across the world as quickly as possible.

How should a solutions architect design the application to ensure the LEAST amount of latency for all users?

- A. Deploy the application stack in a single AWS Region
- B. Use Amazon CloudFront to serve all static and dynamic content by specifying the ALB as an origin.

- C. Deploy the application stack in two AWS Region
- D. Use an Amazon Route 53 latency routing policy to serve all content from the ALB in the closest Region.
- E. Deploy the application stack in a single AWS Region
- F. Use Amazon CloudFront to serve the static content
- G. Serve the dynamic content directly from the ALB.
- H. Deploy the application stack in two AWS Region
- I. Use an Amazon Route 53 geolocation routing policy to serve all content from the ALB in the closest Region.

Answer: A

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/deliver-your-apps-dynamic-content-using-amaz>

NEW QUESTION 152

- (Exam Topic 2)

A company wants to build a scalable key management Infrastructure to support developers who need to encrypt data in their applications. What should a solutions architect do to reduce the operational burden?

- A. Use multifactor authentication (MFA) to protect the encryption keys.
- B. Use AWS Key Management Service (AWS KMS) to protect the encryption keys
- C. Use AWS Certificate Manager (ACM) to create, store, and assign the encryption keys
- D. Use an IAM policy to limit the scope of users who have access permissions to protect the encryption keys

Answer: B

Explanation:

<https://aws.amazon.com/kms/faqs/#:~:text=If%20you%20are%20a%20developer%20who%20needs%20to%20d>

NEW QUESTION 154

- (Exam Topic 2)

A solutions architect needs to help a company optimize the cost of running an application on AWS. The application will use Amazon EC2 instances, AWS Fargate, and AWS Lambda for compute within the architecture.

The EC2 instances will run the data ingestion layer of the application. EC2 usage will be sporadic and unpredictable. Workloads that run on EC2 instances can be interrupted at any time. The application front end will run on Fargate, and Lambda will serve the API layer. The front-end utilization and API layer utilization will be predictable over the course of the next year.

Which combination of purchasing options will provide the MOST cost-effective solution for hosting this application? (Choose two.)

- A. Use Spot Instances for the data ingestion layer
- B. Use On-Demand Instances for the data ingestion layer
- C. Purchase a 1-year Compute Savings Plan for the front end and API layer.
- D. Purchase 1-year All Upfront Reserved instances for the data ingestion layer.
- E. Purchase a 1-year EC2 instance Savings Plan for the front end and API layer.

Answer: AC

NEW QUESTION 155

- (Exam Topic 2)

A company is building a containerized application on premises and decides to move the application to AWS. The application will have thousands of users soon after it is deployed. The company is unsure how to manage the deployment of containers at scale. The company needs to deploy the containerized application in a highly available architecture that minimizes operational overhead.

Which solution will meet these requirements?

- A. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- B. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the AWS Fargate launch type to run the container
- C. Use target tracking to scale automatically based on demand.
- D. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- E. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the Amazon EC2 launch type to run the container
- F. Use target tracking to scale automatically based on demand.
- G. Store container images in a repository that runs on an Amazon EC2 instance
- H. Run the containers on EC2 instances that are spread across multiple Availability Zones
- I. Monitor the average CPU utilization in Amazon CloudWatch
- J. Launch new EC2 instances as needed
- K. Create an Amazon EC2 Amazon Machine Image (AMI) that contains the container image. Launch EC2 instances in an Auto Scaling group across multiple Availability Zones
- L. Use an Amazon CloudWatch alarm to scale out EC2 instances when the average CPU utilization threshold is breached.

Answer: A

NEW QUESTION 159

- (Exam Topic 2)

A company is running several business applications in three separate VPCs within the us-east-1 Region. The applications must be able to communicate between VPCs. The applications also must be able to consistently send hundreds to gigabytes of data each day to a latency-sensitive application that runs in a single on-premises data center.

A solutions architect needs to design a network connectivity solution that maximizes cost-effectiveness. Which solution meets those requirements?

- A. Configure three AWS Site-to-Site VPN connections from the data center to AWS. Establish connectivity by configuring one VPN connection for each VPC.
- B. Launch a third-party virtual network appliance in each VPC. Establish an IPsec VPN tunnel between the Data center and each virtual appliance.
- C. Set up three AWS Direct Connect connections from the data center to a Direct Connect gateway in us-east-1. Establish connectivity by configuring each VPC to use one of the Direct Connect connections.

- D. Set up one AWS Direct Connect connection from the data center to AW
- E. Create a transit gateway, and attach each VPC to the transit gatewa
- F. Establish connectivity between the Direct Connect connection and the transit gateway.

Answer: D

Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/aws-vpc-connectivity-options/aws-direct-connect-aws-transit-g>

NEW QUESTION 161

- (Exam Topic 2)

A company is running a multi-tier web application on premises. The web application is containerized and runs on a number of Linux hosts connected to a PostgreSQL database that contains user records. The operational overhead of maintaining the infrastructure and capacity planning is limiting the company's growth. A solutions architect must improve the application's infrastructure.

Which combination of actions should the solutions architect take to accomplish this? (Choose two.)

- A. Migrate the PostgreSQL database to Amazon Aurora
- B. Migrate the web application to be hosted on Amazon EC2 instances.
- C. Set up an Amazon CloudFront distribution for the web application content.
- D. Set up Amazon ElastiCache between the web application and the PostgreSQL database.
- E. Migrate the web application to be hosted on AWS Fargate with Amazon Elastic Container Service (Amazon ECS).

Answer: AE

NEW QUESTION 164

- (Exam Topic 2)

A company is developing a file-sharing application that will use an Amazon S3 bucket for storage. The company wants to serve all the files through an Amazon CloudFront distribution. The company does not want the files to be accessible through direct navigation to the S3 URL.

What should a solutions architect do to meet these requirements?

- A. Write individual policies for each S3 bucket to grant read permission for only CloudFront access.
- B. Create an IAM use
- C. Grant the user read permission to objects in the S3 bucke
- D. Assign the user to CloudFront.
- E. Write an S3 bucket policy that assigns the CloudFront distribution ID as the Principal and assigns the target S3 bucket as the Amazon Resource Name (ARN).
- F. Create an origin access identity (OAI). Assign the OAI to the CloudFront distributio
- G. Configure the S3 bucket permissions so that only the OAI has read permission.

Answer: D

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudfront-access-to-amazon-s3/>

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

NEW QUESTION 168

- (Exam Topic 2)

An ecommerce company hosts its analytics application in the AWS Cloud. The application generates about 300 MB of data each month. The data is stored in JSON format. The company is evaluating a disaster recovery solution to back up the data. The data must be accessible in milliseconds if it is needed, and the data must be kept for 30 days.

Which solution meets these requirements MOST cost-effectively?

- A. Amazon OpenSearch Service (Amazon Elasticsearch Service)
- B. Amazon S3 Glacier
- C. Amazon S3 Standard
- D. Amazon RDS for PostgreSQL

Answer: C

NEW QUESTION 171

- (Exam Topic 2)

A company's website provides users with downloadable historical performance reports. The website needs a solution that will scale to meet the company's website demands globally. The solution should be

cost-effective, limit the provisioning of infrastructure resources, and provide the fastest possible response time.

Which combination should a solutions architect recommend to meet these requirements?

- A. Amazon CloudFront and Amazon S3
- B. AWS Lambda and Amazon DynamoDB
- C. Application Load Balancer with Amazon EC2 Auto Scaling
- D. Amazon Route 53 with internal Application Load Balancers

Answer: A

Explanation:

Cloudfront for rapid response and s3 to minimize infrastructure.

NEW QUESTION 175

- (Exam Topic 2)

A company has an event-driven application that invokes AWS Lambda functions up to 800 times each minute with varying runtimes. The Lambda functions access

data that is stored in an Amazon Aurora MySQL OB cluster. The company is noticing connection timeouts as user activity increases. The database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low. Which solution will resolve this issue with the LEAST operational overhead?

- A. Adjust the size of the Aurora MySQL nodes to handle more connection
- B. Configure retry logic in the Lambda functions for attempts to connect to the database
- C. Set up Amazon ElastiCache for Redis to cache commonly read items from the database
- D. Configure the Lambda functions to connect to ElastiCache for reads.
- E. Add an Aurora Replica as a reader node
- F. Configure the Lambda functions to connect to the reader endpoint of the OB cluster rather than to the writer endpoint.
- G. Use Amazon ROS Proxy to create a proxy
- H. Set the DB cluster as the target database. Configure the Lambda functions to connect to the proxy rather than to the DB cluster.

Answer: D

NEW QUESTION 179

- (Exam Topic 2)

A business's backup data totals 700 terabytes (TB) and is kept in network attached storage (NAS) at its data center. This backup data must be available in the event of occasional regulatory inquiries and preserved for a period of seven years. The organization has chosen to relocate its backup data from its on-premises data center to Amazon Web Services (AWS). Within one month, the migration must be completed. The company's public internet connection provides 500 Mbps of dedicated capacity for data transport.

What should a solutions architect do to ensure that data is migrated and stored at the LOWEST possible cost?

- A. Order AWS Snowball devices to transfer the data
- B. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- C. Deploy a VPN connection between the data center and Amazon VPC
- D. Use the AWS CLI to copy the data from on-premises to Amazon S3 Glacier.
- E. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- F. Use AWS DataSync to transfer the data and deploy a DataSync agent on-premise
- G. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

Answer: A

Explanation:

<https://www.omnicalculator.com/other/data-transfer>

NEW QUESTION 182

- (Exam Topic 2)

A global company is using Amazon API Gateway to design REST APIs for its loyalty club users in the us-east-1 Region and the ap-southeast-2 Region. A solutions architect must design a solution to protect these API Gateway managed REST APIs across multiple accounts from SQL injection and cross-site scripting attacks.

Which solution will meet these requirements with the LEAST amount of administrative effort?

- A. Set up AWS WAF in both Regions
- B. Associate Regional web ACLs with an API stage.
- C. Set up AWS Firewall Manager in both Regions
- D. Centrally configure AWS WAF rules.
- E. Set up AWS Shield in both Regions
- F. Associate Regional web ACLs with an API stage.
- G. Set up AWS Shield in one of the Regions
- H. Associate Regional web ACLs with an API stage.

Answer: A

Explanation:

Using AWS WAF has several benefits. Additional protection against web attacks using criteria that you specify. You can define criteria using characteristics of web requests such as the following: Presence of SQL code that is likely to be malicious (known as SQL injection). Presence of a script that is likely to be malicious (known as cross-site scripting). AWS Firewall Manager simplifies your administration and maintenance tasks across multiple accounts and resources for a variety of protections. <https://docs.aws.amazon.com/waf/latest/developerguide/what-is-aws-waf.html>

NEW QUESTION 184

- (Exam Topic 2)

A company wants to move its application to a serverless solution. The serverless solution needs to analyze existing and new data by using SQL. The company stores the data in an Amazon S3 bucket. The data requires encryption and must be replicated to a different AWS Region.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a new S3 bucket
- B. Load the data into the new S3 bucket
- C. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- D. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon Athena to query the data.
- E. Create a new S3 bucket
- F. Load the data into the new S3 bucket
- G. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- H. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon RDS to query the data.
- I. Load the data into the existing S3 bucket
- J. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- K. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon Athena to query the data.
- L. Load the data into the existing S3 bucket
- M. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region

N. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon RDS to query the data.

Answer: A

NEW QUESTION 188

- (Exam Topic 2)

A company has a service that produces event data. The company wants to use AWS to process the event data as it is received. The data is written in a specific order that must be maintained throughout processing. The company wants to implement a solution that minimizes operational overhead. How should a solutions architect accomplish this?

- A. Create an Amazon Simple Queue Service (Amazon SQS) FIFO queue to hold messages. Set up an AWS Lambda function to process messages from the queue.
- B. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process. Configure an AWS Lambda function as a subscriber.
- C. Create an Amazon Simple Queue Service (Amazon SQS) standard queue to hold messages.
- D. Set up an AWS Lambda function to process messages from the queue independently.
- E. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process.
- F. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a subscriber.

Answer: A

Explanation:

The details are revealed in the below URL: <https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/FIFO-queues.html>

FIFO (First-In-First-Out) queues are designed to enhance messaging between applications when the order of operations and events is critical, or where duplicates can't be tolerated. Examples of situations where you might use FIFO queues include the following: To make sure that user-entered commands are run in the right order. To display the correct product price by sending price modifications in the right order. To prevent a student from enrolling in a course before registering for an account.

NEW QUESTION 191

- (Exam Topic 2)

A company wants to measure the effectiveness of its recent marketing campaigns. The company performs batch processing on CSV files of sales data and stores the results in an Amazon S3 bucket once every hour. The S3 bucket contains petabytes of objects. The company runs one-time queries in Amazon Athena to determine which products are most popular on a particular date for a particular region. Queries sometimes fail or take longer than expected to finish. Which actions should a solutions architect take to improve the query performance and reliability? (Select TWO.)

- A. Reduce the S3 object sizes to less than 126 MB.
- B. Partition the data by date and region in Amazon S3.
- C. Store the files as large, single objects in Amazon S3.
- D. Use Amazon Kinesis Data Analytics to run the queries as part of the batch processing operation.
- E. Use an AWS Data Pipeline extract, transform, and load (ETL) process to convert the CSV files into Apache Parquet format.

Answer: CE

NEW QUESTION 195

- (Exam Topic 2)

A corporation has recruited a new cloud engineer who should not have access to the CompanyConfidential Amazon S3 bucket. The cloud engineer must have read and write permissions on an S3 bucket named AdminTools.

Which IAM policy will satisfy these criteria?

- A. Text, letter Description automatically generated

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}
```

- B. Text Description automatically generated

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": [
        "arn:aws:s3:::AdminTools",
        "arn:aws:s3:::CompanyConfidential/*"
      ]
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": "arn:aws:s3:::CompanyConfidential"
    }
  ]
}
```

C. Text, application Description automatically generated

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}
```

D. Text, application Description automatically generated

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential",
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::AdminTools/*"
      ]
    }
  ]
}
```

Answer: A

Explanation:

https://docs.amazonaws.cn/en_us/IAM/latest/UserGuide/reference_policies_examples_s3_rw-bucket.html

NEW QUESTION 197

- (Exam Topic 2)

A company wants to manage Amazon Machine Images (AMIs). The company currently copies AMIs to the same AWS Region where the AMIs were created. The company needs to design an application that captures AWS API calls and sends alerts whenever the Amazon EC2 CreateImage API operation is called within the company's account.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an AWS Lambda function to query AWS CloudTrail logs and to send an alert when a CreateImage API call is detected.
- B. Configure AWS CloudTrail with an Amazon Simple Notification Service (Amazon SNS) notification that occurs when updated logs are sent to Amazon S3. Use Amazon Athena to create a new table and to query on CreateImage when an API call is detected.

- C. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for the CreateImage API call. Configure the target as an Amazon Simple Notification Service (Amazon SNS) topic to send an alert when a CreateImage API call is detected.
- D. Configure an Amazon Simple Queue Service (Amazon SQS) FIFO queue as a target for AWS CloudTrail log
- E. Create an AWS Lambda function to send an alert to an Amazon Simple Notification Service (Amazon SNS) topic when a CreateImage API call is detected.

Answer: B

NEW QUESTION 198

- (Exam Topic 2)

A company hosts a two-tier application on Amazon EC2 instances and Amazon RDS. The application's demand varies based on the time of day. The load is minimal after work hours and on weekends. The EC2 instances run in an EC2 Auto Scaling group that is configured with a minimum of two instances and a maximum of five instances. The application must be available at all times, but the company is concerned about overall cost.

Which solution meets the availability requirement MOST cost-effectively?

- A. Use all EC2 Spot Instance
- B. Stop the RDS database when it is not in use.
- C. Purchase EC2 Instance Savings Plans to cover five EC2 instance
- D. Purchase an RDS Reserved DB Instance
- E. Purchase two EC2 Reserved Instances Use up to three additional EC2 Spot Instances as needed
- F. Stop the RDS database when it is not in use.
- G. Purchase EC2 Instance Savings Plans to cover two EC2 instance
- H. Use up to three additional EC2 On-Demand Instances as needed
- I. Purchase an RDS Reserved DB Instance.

Answer: D

NEW QUESTION 202

- (Exam Topic 2)

A company sells ringtones created from clips of popular songs. The files containing the ringtones are stored in Amazon S3 Standard and are at least 128 KB in size. The company has millions of files, but downloads are infrequent for ringtones older than 90 days. The company needs to save money on storage while keeping the most accessed files readily available for its users.

Which action should the company take to meet these requirements MOST cost-effectively?

- A. Configure S3 Standard-Infrequent Access (S3 Standard-IA) storage for the initial storage tier of the objects.
- B. Move the files to S3 Intelligent-Tiering and configure it to move objects to a less expensive storage tier after 90 days.
- C. Configure S3 inventory to manage objects and move them to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.
- D. Implement an S3 Lifecycle policy that moves the objects from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-1A) after 90 days.

Answer: D

NEW QUESTION 204

- (Exam Topic 2)

A company has a multi-tier application that runs six front-end web servers in an Amazon EC2 Auto Scaling group in a single Availability Zone behind an Application Load Balancer (ALB). A solutions architect needs to modify the infrastructure to be highly available without modifying the application.

Which architecture should the solutions architect choose that provides high availability?

- A. Create an Auto Scaling group that uses three Instances across each of two Regions.
- B. Modify the Auto Scaling group to use three instances across each of two Availability Zones.
- C. Create an Auto Scaling template that can be used to quickly create more instances in another Region.
- D. Change the ALB in front of the Amazon EC2 instances in a round-robin configuration to balance traffic to the web tier.

Answer: B

Explanation:

High availability can be enabled for this architecture quite simply by modifying the existing Auto Scaling group to use multiple availability zones. The ASG will automatically balance the load so you don't actually need to specify the instances per AZ.

NEW QUESTION 209

- (Exam Topic 2)

A company runs a stateless web application in production on a group of Amazon EC2 On-Demand Instances behind an Application Load Balancer. The application experiences heavy usage during an 8-hour period each business day. Application usage is moderate and steady overnight. Application usage is low during weekends.

The company wants to minimize its EC2 costs without affecting the availability of the application. Which solution will meet these requirements?

- A. Use Spot Instances for the entire workload.
- B. Use Reserved instances for the baseline level of usage. Use Spot Instances for any additional capacity that the application needs.
- C. Use On-Demand Instances for the baseline level of usage
- D. Use Spot Instances for any additional capacity that the application needs
- E. Use Dedicated Instances for the baseline level of usage
- F. Use On-Demand Instances for any additional capacity that the application needs

Answer: B

NEW QUESTION 212

- (Exam Topic 3)

A company is migrating a Linux-based web server group to AWS. The web servers must access files in a shared file store for some content. The company must not make any changes to the application.

What should a solutions architect do to meet these requirements?

- A. Create an Amazon S3 Standard bucket with access to the web servers.
- B. Configure an Amazon CloudFront distribution with an Amazon S3 bucket as the origin.
- C. Create an Amazon Elastic File System (Amazon EFS) file system.
- D. Mount the EFS file system on all web servers.
- E. Configure a General Purpose SSD (gp3) Amazon Elastic Block Store (Amazon EBS) volume.
- F. Mount the EBS volume to all web servers.

Answer: C

NEW QUESTION 215

- (Exam Topic 3)

A company hosts a marketing website in an on-premises data center. The website consists of static documents and runs on a single server. An administrator updates the website content infrequently and uses an SFTP client to upload new documents.

The company decides to host its website on AWS and to use Amazon CloudFront. The company's solutions architect creates a CloudFront distribution. The solutions architect must design the most cost-effective and resilient architecture for website hosting to serve as the CloudFront origin.

Which solution will meet these requirements?

- A. Create a virtual server by using Amazon Lightsail.
- B. Configure the web server in the Lightsail instance. Upload website content by using an SFTP client.
- C. Create an AWS Auto Scaling group for Amazon EC2 instance.
- D. Use an Application Load Balancer. Upload website content by using an SFTP client.
- E. Create a private Amazon S3 bucket.
- F. Use an S3 bucket policy to allow access from a CloudFront origin access identity (OAI). Upload website content by using the AWS CLI.
- G. Create a public Amazon S3 bucket.
- H. Configure AWS Transfer for SFTP.
- I. Configure the S3 bucket for website hosting.
- J. Upload website content by using the SFTP client.

Answer: C

Explanation:

<https://docs.aws.amazon.com/cli/latest/reference/transfer/describe-server.html>

NEW QUESTION 217

- (Exam Topic 3)

A company needs to create an Amazon Elastic Kubernetes Service (Amazon EKS) cluster to host a digital media streaming application. The EKS cluster will use a managed node group that is backed by Amazon Elastic Block Store (Amazon EBS) volumes for storage. The company must encrypt all data at rest by using a customer managed key that is stored in AWS Key Management Service (AWS KMS).

Which combination of actions will meet this requirement with the LEAST operational overhead? (Select TWO.)

- A. Use a Kubernetes plugin that uses the customer managed key to perform data encryption.
- B. After creation of the EKS cluster, locate the EBS volume.
- C. Enable encryption by using the customer managed key.
- D. Enable EBS encryption by default in the AWS Region where the EKS cluster will be created.
- E. Select the customer managed key as the default key.
- F. Create the EKS cluster. Create an IAM role that has a policy that grants permission to the customer managed key.
- G. Associate the role with the EKS cluster.
- H. Store the customer managed key as a Kubernetes secret in the EKS cluster.
- I. Use the customer managed key to encrypt the EBS volumes.

Answer: AD

NEW QUESTION 219

- (Exam Topic 3)

A company wants to create an application to store employee data in a hierarchical structured relationship. The company needs a minimum-latency response to high-traffic queries for the employee data and must protect any sensitive data. The company also needs to receive monthly email messages if any financial information is present in the employee data.

Which combination of steps should a solutions architect take to meet these requirements? (Select TWO.)

- A. Use Amazon Redshift to store the employee data in a hierarchy.
- B. Unload the data to Amazon S3 every month.
- C. Use Amazon DynamoDB to store the employee data in a hierarchy. Export the data to Amazon S3 every month.
- D. Configure Amazon Macie for the AWS account. Integrate Macie with Amazon EventBridge to send monthly events to AWS Lambda.
- E. Use Amazon Athena to analyze the employee data in Amazon S3. Integrate Athena with Amazon QuickSight to publish analysis dashboards and share the dashboards with users.
- F. Configure Amazon Macie for the AWS account.
- G. Integrate Macie with Amazon EventBridge to send monthly notifications through an Amazon Simple Notification Service (Amazon SNS) subscription.

Answer: BE

NEW QUESTION 221

- (Exam Topic 3)

An e-commerce company has noticed performance degradation of its Amazon RDS-based web application. The performance degradation is attributed to an increase in the number of read-only SQL queries triggered by business analysts. A solutions architect needs to solve the problem with minimal changes to the existing web application.

What should the solutions architect recommend?

- A. Export the data to Amazon DynamoDB and have the business analysts run their queries.
- B. Load the data into Amazon ElastiCache and have the business analysts run their queries.

- C. Create a read replica of the primary database and have the business analysts run their queries.
- D. Copy the data into an Amazon Redshift cluster and have the business analysts run their queries

Answer: C

Explanation:

Creating a read replica of the primary RDS database will offload the read-only SQL queries from the primary database, which will help to improve the performance of the web application. Read replicas are exact copies of the primary database that can be used to handle read-only traffic, which will reduce the load on the primary database and improve the performance of the web application. This solution can be implemented with minimal changes to the existing web application, as the business analysts can continue to run their queries on the read replica without modifying the code.

NEW QUESTION 225

- (Exam Topic 3)

A company has deployed a Java Spring Boot application as a pod that runs on Amazon Elastic Kubernetes Service (Amazon EKS) in private subnets. The application needs to write data to an Amazon DynamoDB table. A solutions architect must ensure that the application can interact with the DynamoDB table without exposing traffic to the internet.

Which combination of steps should the solutions architect take to accomplish this goal? (Choose two.)

- A. Attach an IAM role that has sufficient privileges to the EKS pod.
- B. Attach an IAM user that has sufficient privileges to the EKS pod.
- C. Allow outbound connectivity to the DynamoDB table through the private subnets' network ACLs.
- D. Create a VPC endpoint for DynamoDB.
- E. Embed the access keys in the Java Spring Boot code.

Answer: AD

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/vpc-endpoints-dynamodb.html> <https://aws.amazon.com/about-aws/whats-new/2019/09/amazon-eks-adds-support-to-assign-iam-permissions-to->

NEW QUESTION 229

- (Exam Topic 3)

A company has an AWS Lambda function that needs read access to an Amazon S3 bucket that is located in the same AWS account. Which solution will meet these requirement in the MOST secure manner?

- A. Apply an S3 bucket policy that grants read access to the S3 bucket
- B. Apply an IAM role to the Lambda function Apply an IAM policy to the role to grant read access to the S3 bucket
- C. Embed an access key and a secret key in the Lambda function's code to grant the required IAM permissions for read access to the S3 bucket
- D. Apply an IAM role to the Lambda function
- E. Apply an IAM policy to the role to grant read access to all S3 buckets in the account

Answer: B

NEW QUESTION 230

- (Exam Topic 3)

A company uses a legacy application to produce data in CSV format. The legacy application stores the output data in Amazon S3. The company is deploying a new commercial off-the-shelf (COTS) application that can perform complex SQL queries to analyze data that is stored in Amazon Redshift and Amazon S3 only. However, the COTS application cannot process the CSV files that the legacy application produces. The company cannot update the legacy application to produce data in another format. The company needs to implement a solution so that the COTS application can use the data that the legacy application produces.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a AWS Glue extract, transform, and load (ETL) job that runs on a schedule.
- B. Configure the ETL job to process the .csv files and store the processed data in Amazon Redshift.
- C. Develop a Python script that runs on Amazon EC2 instances to convert the
- D. CSV files to SQL files. Invoke the Python script on a cron schedule to store the output files in Amazon S3.
- E. Create an AWS Lambda function and an Amazon DynamoDB table.
- F. Use an S3 event to invoke the Lambda function.
- G. Configure the Lambda function to perform an extract, transform, and load (ETL) job to process the .csv files and store the processed data in the DynamoDB table.
- H. Use Amazon EventBridge (Amazon CloudWatch Events) to launch an Amazon EMR cluster on a weekly schedule.
- I. Configure the EMR cluster to perform an extract, transform, and load (ETL) job to process the .csv files and store the processed data in an Amazon Redshift table.

Answer: C

Explanation:

According to the Amazon website, Amazon S3 Select is an Amazon S3 feature that enables applications to retrieve only a subset of data from an object. It offers an efficient way to access data stored in Amazon S3 and can significantly improve query performance, save money, and increase the scalability of applications that frequently access data in S3. S3 Select allows applications to retrieve only the data that is needed, instead of the entire object, and supports SQL expressions, CSV, and JSON. Additionally, S3 Select can be used to query objects stored in the S3 Glacier storage class. The exact text from the Amazon website about S3 Select is:

"Amazon S3 Select is an Amazon S3 feature that enables applications to retrieve only a subset of data from an object. It offers an efficient way to access data stored in Amazon S3 and can significantly improve query performance, save money, and increase the scalability of applications that frequently access data in S3. S3 Select allows applications to retrieve only the data that is needed, instead of the entire object, and supports SQL expressions, CSV, and JSON. Additionally, S3 Select can be used to query objects stored in the S3 Glacier storage class."

NEW QUESTION 232

- (Exam Topic 3)

A company recently deployed a new auditing system to centralize information about operating system versions, patching, and installed software for Amazon EC2

instances. A solutions architect must ensure all instances provisioned through EC2 Auto Scaling groups successfully send reports to the auditing system as soon as they are launched and terminated
Which solution achieves these goals MOST efficiently?

- A. Use a scheduled AWS Lambda function and run a script remotely on all EC2 instances to send data to the audit system.
- B. Use EC2 Auto Scaling lifecycle hooks to run a custom script to send data to the audit system when instances are launched and terminated
- C. Use an EC2 Auto Scaling launch configuration to run a custom script through user data to send data to the audit system when instances are launched and terminated
- D. Run a custom script on the instance operating system to send data to the audit system Configure the script to be invoked by the EC2 Auto Scaling group when the instance starts and is terminated

Answer: B

NEW QUESTION 235

- (Exam Topic 3)

A company runs a public three-Tier web application in a VPC The application runs on Amazon EC2 instances across multiple Availability Zones. The EC2 instances that run in private subnets need to communicate with a license server over the internet The company needs a managed solution that minimizes operational maintenance
Which solution meets these requirements"

- A. Provision a NAT instance in a public subnet Modify each private subnets route table with a default route that points to the NAT instance
- B. Provision a NAT instance in a private subnet Modify each private subnet's route table with a default route that points to the NAT instance
- C. Provision a NAT gateway in a public subnet Modify each private subnet's route table with a default route that points to the NAT gateway
- D. Provision a NAT gateway in a private subnet Modify each private subnet's route table with a default route that points to the NAT gateway .

Answer: C

NEW QUESTION 239

- (Exam Topic 3)

A company has a three-tier application for image sharing. The application uses an Amazon EC2 instance for the front-end layer, another EC2 instance for the application layer, and a third EC2 instance for a MySQL database. A solutions architect must design a scalable and highly available solution that requires the least amount of change to the application.
Which solution meets these requirements?

- A. Use Amazon S3 to host the front-end laye
- B. Use AWS Lambda functions for the application laye
- C. Move the database to an Amazon DynamoDB tabl
- D. Use Amazon S3 to store and serve users' images.
- E. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end layer and the application laye
- F. Move the database to an Amazon RDS DB instance with multiple read replicas to serve users' images.
- G. Use Amazon S3 to host the front-end laye
- H. Use a fleet of EC2 instances in an Auto Scaling group for the application laye
- I. Move the database to a memory optimized instance type to store and serve users' images.
- J. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end layer and the application laye
- K. Move the database to an Amazon RDS Multi-AZ DB instanc
- L. Use Amazon S3 to store and serve users' images.

Answer: D

Explanation:

for "Highly available": Multi-AZ & for "least amount of changes to the application": Elastic Beanstalk automatically handles the deployment, from capacity provisioning, load balancing, auto-scaling to application health monitoring

NEW QUESTION 242

- (Exam Topic 3)

A company has an API that receives real-time data from a fleet of monitoring devices. The API stores this data in an Amazon RDS DB instance for later analysis. The amount of data that the monitoring devices send to the API fluctuates. During periods of heavy traffic, the API often returns timeout errors. After an inspection of the logs, the company determines that the database is not capable of processing the volume of write traffic that comes from the API. A solutions architect must minimize the number of connections to the database and must ensure that data is not lost during periods of heavy traffic. Which solution will meet these requirements?

- A. Increase the size of the DB instance to an instance type that has more available memory.
- B. Modify the DB instance to be a Multi-AZ DB instanc
- C. Configure the application to write to all active RDS DB instances.
- D. Modify the API to write incoming data to an Amazon Simple Queue Service (Amazon SQS) queu
- E. Use an AWS Lambda function that Amazon SQS invokes to write data from the queue to the database.
- F. Modify the API to write incoming data to an Amazon Simple Notification Service (Amazon SNS) topic.Use an AWS Lambda function that Amazon SNS invokes to write data from the topic to the database.

Answer: C

Explanation:

Using Amazon SQS will help minimize the number of connections to the database, as the API will write data to a queue instead of directly to the database. Additionally, using an AWS Lambda function that Amazon SQS invokes to write data from the queue to the database will help ensure that data is not lost during periods of heavy traffic, as the queue will serve as a buffer between the API and the database.

NEW QUESTION 244

- (Exam Topic 3)

A company wants to migrate an Oracle database to AWS. The database consists of a single table that contains millions of geographic information systems (GIS)

images that are high resolution and are identified by a geographic code.

When a natural disaster occurs tens of thousands of images get updated every few minutes. Each geographic code has a single image or row that is associated with it. The company wants a solution that is highly available and scalable during such events

Which solution meets these requirements MOST cost-effectively?

- A. Store the images and geographic codes in a database table Use Oracle running on an Amazon RDS Multi-AZ DB instance
- B. Store the images in Amazon S3 buckets Use Amazon DynamoDB with the geographic code as the key and the image S3 URL as the value
- C. Store the images and geographic codes in an Amazon DynamoDB table Configure DynamoDB Accelerator (DAX) during times of high load
- D. Store the images in Amazon S3 buckets Store geographic codes and image S3 URLs in a database table Use Oracle running on an Amazon RDS Multi-AZ DB instance.

Answer: A

NEW QUESTION 249

- (Exam Topic 3)

A company hosts a three-tier ecommerce application on a fleet of Amazon EC2 instances. The instances run in an Auto Scaling group behind an Application Load Balancer (ALB) All ecommerce data is stored in an Amazon RDS for MySQL Multi-AZ DB instance

The company wants to optimize customer session management during transactions The application must store session data durably

Which solutions will meet these requirements? (Select TWO)

- A. Turn on the sticky sessions feature (session affinity) on the ALB
- B. Use an Amazon DynamoDB table to store customer session information
- C. Deploy an Amazon Cognito user pool to manage user session information
- D. Deploy an Amazon ElastiCache for Redis cluster to store customer session information
- E. Use AWS Systems Manager Application Manager in the application to manage user session information

Answer: AB

NEW QUESTION 252

- (Exam Topic 3)

A company has a web application that is based on Java and PHP The company plans to move the application from on premises to AWS The company needs the ability to test new site features frequently. The company also needs a highly available and managed solution that requires minimum operational overhead

Which solution will meet these requirements?

- A. Create an Amazon S3 bucket Enable static web hosting on the S3 bucket Upload the static content to the S3 bucket Use AWS Lambda to process all dynamic content
- B. Deploy the web application to an AWS Elastic Beanstalk environment Use URL swapping to switch between multiple Elastic Beanstalk environments for feature testing
- C. Deploy the web application to Amazon EC2 instances that are configured with Java and PHP Use Auto Scaling groups and an Application Load Balancer to manage the website's availability
- D. Containerize the web application Deploy the web application to Amazon EC2 instances Use the AWS Load Balancer Controller to dynamically route traffic between containers that contain the new site features for testing

Answer: B

NEW QUESTION 257

- (Exam Topic 3)

A company runs a containerized application on a Kubernetes cluster in an on-premises data center. The company is using a MongoDB database for data storage. The company wants to migrate some of these environments to AWS, but no code changes or deployment method changes are possible at this time. The company needs a solution that minimizes operational overhead.

Which solution meets these requirements?

- A. Use Amazon Elastic Container Service (Amazon ECS) with Amazon EC2 worker nodes for compute and MongoDB on EC2 for data storage.
- B. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate for compute and Amazon DynamoDB for data storage.
- C. Use Amazon Elastic Kubernetes Service (Amazon EKS) with Amazon EC2 worker nodes for compute and Amazon DynamoDB for data storage.
- D. Use Amazon Elastic Kubernetes Service (Amazon EKS) with AWS Fargate for compute and Amazon DocumentDB (with MongoDB compatibility) for data storage.

Answer: D

Explanation:

Amazon DocumentDB (with MongoDB compatibility) is a fast, reliable, and fully managed database service. Amazon DocumentDB makes it easy to set up, operate, and scale MongoDB-compatible databases in the cloud. With Amazon DocumentDB, you can run the same application code and use the same drivers and tools that you use with MongoDB.

<https://docs.aws.amazon.com/documentdb/latest/developerguide/what-is.html>

NEW QUESTION 262

- (Exam Topic 3)

A company wants to migrate a Windows-based application from on premises to the AWS Cloud. The application has three tiers, a business tier, and a database tier with Microsoft SQL Server. The company wants to use specific features of SQL Server such as native backups and Data Quality Services. The company also needs to share files for process between the tiers.

How should a solution architect design the architecture to meet these requirements?

- A. Host all three on Amazon instance
- B. Use Amazon FSx File Gateway for file sharing between tiers.
- C. Host all three on Amazon EC2 instance
- D. Use Amazon FSx for Windows file sharing between the tiers.
- E. Host the application tier and the business tier on Amazon EC2 instance
- F. Host the database tier on Amazon RDS

- G. Use Amazon Elastic File system (Amazon EFS) for file sharing between the tiers.
- H. Host the application tier and the business tier on Amazon EC2 instance
- I. Host the database tier on Amazon RD
- J. Use a Provisioned IOPS SSD (io2) Amazon Elastic Block Store (Amazon EBS) volume for file sharing between the tiers.

Answer: B

NEW QUESTION 266

- (Exam Topic 3)

A company is building a new web-based customer relationship management application. The application will use several Amazon EC2 instances that are backed by Amazon Elastic Block Store (Amazon EBS) volumes behind an Application Load Balancer (ALB). The application will also use an Amazon Aurora database. All data for the application must be encrypted at rest and in transit.

Which solution will meet these requirements?

- A. Use AWS Key Management Service (AWS KMS) certificates on the ALB to encrypt data in transi
- B. Use AWS Certificate Manager (ACM) to encrypt the EBS volumes and Aurora database storage at rest.
- C. Use the AWS root account to log in to the AWS Management Consol
- D. Upload the company's encryption certificate
- E. While in the root account, select the option to turn on encryption for all data at rest and in transit for the account.
- F. Use a AWS Key Management Service (AWS KMS) to encrypt the EBS volumes and Aurora database storage at res
- G. Attach an AWS Certificate Manager (ACM) certificate to the ALB to encrypt data in transit.
- H. Use BitLocker to encrypt all data at res
- I. Import the company's TLS certificate keys to AWS key Management Service (AWS KMS). Attach the KMS keys to the ALB to encrypt data in transit.

Answer: C

NEW QUESTION 270

- (Exam Topic 3)

A financial company hosts a web application on AWS. The application uses an Amazon API Gateway Regional API endpoint to give users the ability to retrieve current stock prices. The company's security team has noticed an increase in the number of API requests. The security team is concerned that HTTP flood attacks might take the application offline.

A solutions architect must design a solution to protect the application from this type of attack. Which solution meats these requirements with the LEAST operational overhead?

- A. Create an Amazon CloudFront distribution in front of the API Gateway Regional API endpoint with a maximum TTL of 24 hours
- B. Create a Regional AWS WAF web ACL with a rate-based rul
- C. Associate the web ACL with the API Gateway stage.
- D. Use Amazon CloudWatch metrics to monitor the Count metric and alert the security team when the predefined rate is reached
- E. Create an Amazon CloudFront distribution with Lambda@Edge in front of the API Gateway Regional API endpoint Create an AWS Lambda function to block requests from IP addresses that exceed the predefined rate.

Answer: B

NEW QUESTION 273

- (Exam Topic 3)

A data analytics company wants to migrate its batch processing system to AWS. The company receives thousands of small data files periodically during the day through FTP. A on-premises batch job processes the data files overnight. However, the batch job takes hours to finish running.

The company wants the AWS solution to process incoming data files are possible with minimal changes to the FTP clients that send the files. The solution must delete the incoming data files the files have been processed successfully. Processing for each file needs to take 3-8 minutes.

Which solution will meet these requirements in the MOST operationally efficient way?

- A. Use an Amazon EC2 instance that runs an FTP server to store incoming files as objects in Amazon S3 Glacier Flexible Retrieva
- B. Configure a job queue in AWS Batc
- C. Use Amazon EventBridge rules to invoke the job to process the objects nightly from S3 Glacier Flexible Retrieva
- D. Delete the objects after the job has processed the objects.
- E. Use an Amazon EC2 instance that runs an FTP server to store incoming files on an Amazon Elastic Block Store (Amazon EBS) volum
- F. Configure a job queue in AWS Batc
- G. Use Amazon EventBridge rules to invoke the process the files nightly from the EBS volum
- H. Delete the files after the job has processed the files.
- I. Use AWS Transfer Family to create an FTP server to store incoming files on an Amazon Elastic Block Store (Amazon EBS) volum
- J. Configure a job queue in AWS Batc
- K. Use an Amazon S3 event notification when each files arrives to invoke the job in AWS Batc
- L. Delete the files after the job has processed the files.
- M. Use AWS Transfer Family to create an FTP server to store incoming files in Amazon S3 Standard.Create an AWS Lambda function to process the files and to delete the files after they are proessed.yse an S3 event notification to invoke the lambda function when the fils arrive

Answer: C

NEW QUESTION 278

- (Exam Topic 3)

A solutions architect is designing the architecture for a software demonstration environment The environment will run on Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer (ALB) The system will experience significant increases in traffic during working hours but Is not required to operate on weekends.

Which combination of actions should the solutions architect take to ensure that the system can scale to meet demand? (Select TWO)

- A. Use AWS Auto Scaling to adjust the ALB capacity based on request rate
- B. Use AWS Auto Scaling to scale the capacity of the VPC internet gateway
- C. Launch the EC2 instances in multiple AWS Regions to distribute the load across Regions
- D. Use a target tracking scaling policy to scale the Auto Scaling group based on instance CPU utilization

E. Use scheduled scaling to change the Auto Scaling group minimum, maximum, and desired capacity to zero for weekends Revert to the default values at the start of the week

Answer: DE

NEW QUESTION 281

- (Exam Topic 3)

A company is designing a shared storage solution for a gaming application that is hosted in the AWS Cloud The company needs the ability to use SMB clients to access data solution must be fully managed.

Which AWS solution meets these requirements?

- A. Create an AWS DataSync task that shares the data as a mountable file system Mount the file system to the application server
- B. Create an Amazon EC2 Windows instance Install and configure a Windows file share role on the instance Connect the application server to the file share
- C. Create an Amazon FSx for Windows File Server file system Attach the file system to the origin server Connect the application server to the file system
- D. Create an Amazon S3 bucket Assign an IAM role to the application to grant access to the S3 bucket Mount the S3 bucket to the application server

Answer: C

NEW QUESTION 285

- (Exam Topic 3)

A media company hosts its website on AWS. The website application's architecture includes a fleet of Amazon EC2 instances behind an Application Load Balancer (ALB) and a database that is hosted on Amazon Aurora The company's cyber security team reports that the application is vulnerable to SOL injection.

How should the company resolve this issue?

- A. Use AWS WAF in front of the ALB Associate the appropriate web ACLs with AWS WAF.
- B. Create an ALB listener rule to reply to SQL injection with a fixed response
- C. Subscribe to AWS Shield Advanced to block all SQL injection attempts automatically.
- D. Set up Amazon Inspector to block all SOL injection attempts automatically

Answer: A

NEW QUESTION 289

- (Exam Topic 3)

A company has deployed a database in Amazon RDS for MySQL. Due to increased transactions, the database support team is reporting slow reads against the DB instance and recommends adding a read replica.

Which combination of actions should a solutions architect take before implementing this change? (Choose two.)

- A. Enable binlog replication on the RDS primary node.
- B. Choose a failover priority for the source DB instance.
- C. Allow long-running transactions to complete on the source DB instance.
- D. Create a global table and specify the AWS Regions where the table will be available.
- E. Enable automatic backups on the source instance by setting the backup retention period to a value other than 0.

Answer: CE

Explanation:

"An active, long-running transaction can slow the process of creating the read replica. We recommend that you wait for long-running transactions to complete before creating a read replica. If you create multiple read replicas in parallel from the same source DB instance, Amazon RDS takes only one snapshot at the start of the first create action. When creating a read replica, there are a few things to consider. First, you must enable automatic backups on the source DB instance by setting the backup retention period to a value other than 0. This requirement also applies to a read replica that is the source DB instance for another read replica" https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_ReadRepl.html

NEW QUESTION 292

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SAA-C03 Practice Exam Features:

- * SAA-C03 Questions and Answers Updated Frequently
- * SAA-C03 Practice Questions Verified by Expert Senior Certified Staff
- * SAA-C03 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * SAA-C03 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SAA-C03 Practice Test Here](#)