



Citrix

Exam Questions 1Y0-241

Deploy and Manage Citrix ADC with Traffic Management

NEW QUESTION 1

Which two steps are necessary to configure global server load balancing (GSLB) service selection using content switching (CS)? (Choose two.)

- A. Bind the domain to the CS vServer instead of the GSLB vServer.
- B. Configure CS policies that designate a load-balancing vServer as the target vServer.
- C. Configure a CS vServer of target type GSLB.
- D. Bind the GSLB domain to the GSLB vServer.

Answer: BC

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/global-server-load-balancing/how-to/configure-gslb-content-switch.html>

NEW QUESTION 2

Scenario: A Citrix Administrator needs to configure persistence on a global server load balancing (GSLB) vServer to which a service is bound. Service must continue to handle requests from the client even after it is disabled manually – accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all existing connections are closed. To achieve these requirements, which parameter can the administrator configure while disabling the service?

- A. Persistence threshold
- B. Persistence time-Out
- C. Wait time
- D. Request threshold

Answer: B

NEW QUESTION 3

Scenario: A Citrix Administrator configured a global server load balancing (GSLB) setup for internal and external users using the same host name. For internal users, cvad.citrite.net should go to the Citrix StoreFront site; for external users, it should connect to the Citrix ADC Gateway VPN site. Which feature should the administrator configure to accomplish this?

- A. DNS Preferred Location
- B. DNS Record
- C. DNS View
- D. DNS Proxy

Answer: C

Explanation:

Reference: <https://support.citrix.com/article/CTX130163>

NEW QUESTION 4

Scenario: A Citrix Administrator is managing a Citrix Gateway with a standard Platform license and remote employees in the environment. The administrator wants to increase access by 3,000 users through the Citrix Gateway using VPN access. Which license should the administrator recommend purchasing?

- A. Citrix ADC Burst Pack
- B. Citrix Gateway Express
- C. Citrix Gateway Universal
- D. Citrix ADC Upgrade

Answer: C

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-gateway/current-release/citrix-gateway-licensing.html>

NEW QUESTION 5

Scenario:

POLICY 1:

```
add rewrite action ACT_1 corrupt_http_header Accept-Encoding
```

```
add rewrite policy POL_1 HTTPS.REQ.IS_VALID ACT_1
```

POLICY 2:

```
add rewrite action ACT_2 insert_http_header Accept-Encoding "\"identity\""
```

```
add rewrite policy POL_2 "HTTP.REQ.IS_VALID " ACT_2
```

How can a Citrix Administrator successfully bind the above rewrite policies to the load-balancing vServer lb_vsrv so that POL_2 is evaluated after POL_1 is evaluated?

- A. bind lb vServer lb_vsrv –policyName POL_1 –priority 110 –gotoPriorityExpression NEXT –type REQUEST bind lb vServer lb_vsrv –policyName POL_2 –priority 100 –gotoPriorityExpression END –type REQUEST
- B. bind lb vServer lb_vsrv –policyName POL_1 –priority 90 –gotoPriorityExpression NEXT –type REQUEST bind lb vServer lb_vsrv –policyName POL_2 –priority 100 –gotoPriorityExpression END –type REQUEST
- C. bind lb vServer lb_vsrv –policyName POL_1 –priority 90 –gotoPriorityExpression END –type REQUEST bind lb vServer lb_vsrv –policyName POL_2 –priority 80 –gotoPriorityExpression NEXT –type REQUEST
- D. bind lb vServer lb_vsrv –policyName POL_1 –priority 90 –type REQUEST bind lb vServer lb_vsrv –policyName POL_2 –priority 100 –type REQUEST

Answer: A

NEW QUESTION 6

Scenario: A Citrix Administrator made changes to a Citrix ADC, deleting parts of the configuration and saving some new ones. The changes caused an outage that needs to be resolved as quickly as possible. There is no Citrix ADC backup. What does the administrator need to do to recover the configuration quickly?

- A. Restart the Citrix ADC.
- B. Restore from the revision history.
- C. Run saved versus running configuration.
- D. Run highly availability (HA) file synchronization.

Answer: B

NEW QUESTION 7

Scenario: A Citrix Administrator executed the following commands on the Citrix ADC:

```
> add policy dataset Admin_group ipv4
> bind policy dataset Admin_group 192.168.149.10 -index 11
> bind policy dataset Admin_group 192.168.149.39 -index 12
> bind policy Admin_group 192.168.149.49 -index 13
> add responder policy POL_1 "!(CLIENT.IP.SRC.Typecast_Text_T.Contains_Any(\"Admin_group\"))" RESET > bind lb vServer lb_vsrv_www
-policyName POL_1 -priority 100 -gotoPriorityExpression END -type REQUEST
```

What will be the effect of these commands?

- A. Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be allowed to connect to vServer lb_vsrv_www.
- B. Only users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked when attempting to connect to vServer lb_vsrv_www.
- C. Only users with a source IP address of 192.168.149.10 or 192.168.149.39 will be allowed to connect to vServer lb_vsrv_www.
- D. All traffic from users with a source IP address of 192.168.149.10, 192.168.149.39, or 192.168.149.49 will be blocked through the Citrix ADC.

Answer: A

NEW QUESTION 8

Scenario: A Citrix ADC MPX is using one of four available 10G ports. A Citrix Administrator discovers a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Purchase another Citrix ADC MPX appliance.
- B. Plug another 10G Citrix ADC port into the router.
- C. Add two more 10G Citrix ADC ports to the network and configure VLAN.
- D. Add another 10G Citrix ADC port to the switch, and configure Link Aggregation Control Protocol (LACP).

Answer: D

Explanation:

Reference: <https://developer-docs.citrix.com/projects/netScaler-snmp-oid-reference/en/12.0/>

NEW QUESTION 9

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

- A. A private key
- B. A certificate revocation list (CRL)
- C. A certificate signing request (CSR)
- D. A certificate key-pair

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

NEW QUESTION 10

Scenario: After deploying a Citrix ADC in production, a Citrix Administrator notices that client requests are NOT being evenly distributed among backend resources. The administrator wants to change from the default load-balancing method to one that will help distribute the load more evenly. Which load-balancing method would ensure that the server with the least amount of network utilization is receiving new connections?

- A. Least connection
- B. Least bandwidth
- C. Least response time
- D. Least packets

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/load-balancing.html>

NEW QUESTION 10

A Citrix Administrator needs to protect the HTTP backend server type without actually removing the header. Which rewrite action type can the administrator apply to the Citrix ADC configuration to accomplish this?

- A. REPLACE

- B. CORRUPT_HTTP_HEADER
- C. REPLACE_HTTP_REQ
- D. REPLACE_ALL

Answer: A

NEW QUESTION 13

The Citrix ADC SDX architecture allows instances to share _____ and _____. (Choose the two correct options to complete the sentence.)

- A. memory
- B. a CPU
- C. a physical interface
- D. the kernel

Answer: AB

Explanation:

Reference: https://www.citrix.com/content/dam/citrix/en_us/documents/reference-material/validated-reference-design-netscaler-sdx-platform.pdf

NEW QUESTION 18

Scenario: A Citrix Administrator manages an environment that has a Citrix ADC high availability (HA) pair running on two MPX appliances. The administrator notices that the state of the secondary Citrix ADC is 'Unknown'.

What is causing the secondary state to be 'Unknown'?

- A. The synchronization on the secondary appliance is disabled.
- B. TCP port 22 is disabled between the primary and secondary ADCs.
- C. The administrator made both Citrix ADCs primary.
- D. The remote procedure call (RPC) nodes are incorrectly configured.

Answer: D

NEW QUESTION 20

Scenario: A Citrix ADC receives packets destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 mode is enabled by default on the Citrix ADC. The Citrix ADC will _____ the packets in this scenario. (Choose the correct option to complete the sentence.)

- A. route
- B. process
- C. bridge
- D. drop

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/configure-system-settings/configure-modes-packet-forwarding.html>

NEW QUESTION 23

Which two protocols would provide end-to-end data encryption, while allowing a Citrix ADC to optimize the responses? (Choose two.)

- A. HTTP protocol for the services
- B. SSL bridge protocol for the vServer
- C. SSL bridge protocol for the services
- D. SSL protocol for the services
- E. HTTP protocol for the vServer
- F. SSL protocol for the vServer

Answer: DF

NEW QUESTION 25

Scenario: A Citrix Administrator needs to improve website loading speed. End users are reporting slow GIF image rendering speeds as they scroll down a website, which affects overall page load time. Which Citrix ADC feature can the administrator enable to improve website performance?

- A. Domain sharding
- B. Image lazy loading
- C. Image optimization
- D. Image shrink-to attributes

Answer: C

NEW QUESTION 28

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to- server connections. Which Citrix ADC mode can the administrator use to meet this requirement?

- A. USNIP
- B. Layer 2
- C. Layer 3

D. USIP

Answer: D

Explanation:

Reference: <https://support.citrix.com/article/CTX121974>

NEW QUESTION 29

A Citrix Network Engineer informs a Citrix Administrator that a data interface used by Citrix ADC SDX is being saturated. Which action could the administrator take to address this bandwidth concern?

- A. Add a second interface to each Citrix ADC VPX instance.
- B. Configure a failover interface set on each Citrix ADC VPX instance.
- C. Configure LACP on the SDX for the data interface.
- D. Configure LACP on the SDX for management interface.

Answer: C

Explanation:

Reference: https://training.citrix.com/public/Exam+Prep+Guides/241/1Y0-241_Exam_Preparation_Guide_v01.pdf

NEW QUESTION 31

Scenario: A Citrix Administrator needs to integrate LDAP for Citrix ADC system administration using current active directory (AD) groups. The administrator created the group on the Citrix ADC, exactly matching the group name in LDAP. What can the administrator bind to specify the permission level and complete the LDAP configuration?

- A. A command policy to the group
- B. A nested group to the new group
- C. Users to the group on the Citrix ADC
- D. An authentication, authorization, and auditing (AAA) action to the group

Answer: A

Explanation:

Reference: <https://support.citrix.com/article/CTX123782>

NEW QUESTION 35

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Y0-241 Practice Exam Features:

- * 1Y0-241 Questions and Answers Updated Frequently
- * 1Y0-241 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-241 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-241 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Y0-241 Practice Test Here](#)