



Microsoft

Exam Questions MS-203

Microsoft 365 Messaging

NEW QUESTION 1

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ From the Microsoft 365 admin center dashboard, go to Admin >Exchange.

➤ In the Exchange admin center, go to Roles >Admin roles, select the Recipient Management role group.

➤ In Assigned section, add Miriam Graham to the role group.

➤ When you're finished, click Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions-exo/role-groups> <https://docs.microsoft.com/en-us/exchange/permissions-exo/permissions-exo>

NEW QUESTION 2

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully.

Solution: You modify the properties of a mail flow rule

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 3

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
- B. From PowerShell, run the Get-Mailbox cmdlet.
- C. From the Exchange admin center
- D. run a per-mailbox Litigation Hold report.
- E. From PowerShell, run the Get-MailboxStatistics cmdlet.

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

NEW QUESTION 4

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email.

All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically. You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector. Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con>

NEW QUESTION 5

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > Go to the Microsoft 365 admin center and then click on Users
- > Select Pradeep Gupta.


>Active users.

- > On the properties flyout page, click the Mail hold.

tab, and then under the

More actions, click Manage litigation

Graphical user interface, application Description automatically generated



Abraham McMahon

Reset password Block sign-in Delete user

Change photo

Account Devices Licenses and apps **Mail** OneDrive

Mailbox permissions

Full control

Email apps

POP blocked

OWA blocked

IMAP blocked

Other email apps allowed

Manage email apps

Show in global address list

Yes

Manage global address list visibility

Email forwarding

None

Manage email forwarding

Automatic replies

On

Manage automatic replies

More actions

Convert to shared mailbox

Edit Exchange properties

Manage litigation hold

➤ On the Manage litigation hold flyout page, select the turn on litigation hold checkbox and then enter the following optional information:

Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.

Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.

Web page with more information for the user: Use this box to direct the user to a website for more information.

Click Save changes on the litigation hold flyout page to create the hold.

The system displays a banner saying it might take up to 240 minutes for the change to take effect. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-litigation-hold?view=o365-worldwide>

NEW QUESTION 6

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.

Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,bookinp*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy         : {/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfd211974ea68d22dae2c891db02-Managers}
RequestOutOfPolicy    : {}
RequestInPolicy       : {/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ec1a8f94-User2}
ResourceDelegates     : {User4}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.

Box 2: No

The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.

Box 3: No

The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-calendarprocessing?view=exchange-ps>

NEW QUESTION 7

- (Exam Topic 5)

You manage an Exchange Online tenant.

You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.

You need to grant the required permissions to the migration administrator account to complete the migration. The solution must use the principle of least privilege.

Which three permissions should you grant? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. the FullAccess permission on each on-premises mailbox and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- C. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization
- D. the FullAccess permission on each on-premises mailbox
- E. the Receive As permission on the on-premises mailbox database that stores the user mailboxes

Answer: CDE

Explanation:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration>

NEW QUESTION 8

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a mobile device. You need to enable Exchange ActiveSync logging for User1 and retrieve the log files.

Which two Exchange Online PowerShell cmdlets should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Get-ActiveSyncDevice
- B. Set-ActiveSyncMailboxPolicy
- C. Set-ClientAccessRule
- D. Get-MobileDeviceStatistics
- E. Set-CASMailbox

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/post-installation-tasks/change-oab-generation-sched>

NEW QUESTION 9

- (Exam Topic 5)

You are migrating mailboxes from a Microsoft Exchange Server 2016 organization to Exchange Online. The mailbox migrations are configured to suspend, and you plan to perform a coordinated cutover.

Which PowerShell command should you run to complete all the suspended mailbox migrations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

-MoveStatus Suspended |

Get-ADUser

Get-Mailbox

Get-MigrationUser

Get-MoveRequest

New-MoveRequest

Resume-MoveRequest

Set-MoveRequest

Start-MigrationUser

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Get-MoveRequest

The Get-MoveRequest cmdlet gets the status of an ongoing asynchronous mailbox move that was initiated by using the New-MoveRequest cmdlet.

Box 2: Resume-MoveRequest

The Resume-MoveRequest cmdlet is used to resume a move request that has been suspended or has failed.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/get-moverequest?view=exc> <https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/resume-moverequest?view=>

NEW QUESTION 10

- (Exam Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com.

Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum. What should you do for each company? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A.Datum:

Configure Microsoft Azure Active Directory Connect

Create a federation trust between Exchange and Microsoft Office 365

Establish identity federation by using Active Directory Federation Services

Create a sharing policy

Contoso:

Establish identity federation by using Active Directory Federation Services

Configure Microsoft Azure Active Directory Connect

Create an organization relationship

Create a federation trust between Exchange and Microsoft Office 365

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 10

- (Exam Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com. The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
<input type="text" value="Office 365"/>	
<input type="text" value="Your organization's email server"/>	To: <input type="text"/>
<input type="text" value="Partner organization"/>	From: <input type="text"/>
<input type="text" value="Internet"/>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 15

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com.

You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: BCF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 20

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA).

You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete https://mail.contoso.com from the ExternalUrl value.
- D. Modify the InternalUrl value to http://mail.contoso.com.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthent>

NEW QUESTION 23

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization. You plan to migrate all mailboxes to Exchange Online.

You need to provide a user with the ability to perform the mailbox migrations. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Recipient Management
- B. Server Management

- C. Help Desk
- D. Organization Management

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/permissions/feature-permissions/recipient-permissions?view=exchse>

NEW QUESTION 26

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress> Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 27

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

You create a partnership with two other companies named fabhkam.com and wingtiptoy.com. All the mailboxes of fabnkam.com are hosted in Microsoft 365. All the mailboxes of wingtiptoy.com are hosted in an on-premises Exchange Server 2019 organization.

You need to ensure that all the email messages sent from contoso.com to fabrikam.com and wingtiptoy.com is encrypted by using TLS.

What should you do?

- A. Configure one connector.
- B. Create an organizational relationship.
- C. Create two remote domains.
- D. Run the Office 365 Exchange Hybrid Configuration wizard.
- E. Configure two mail flow rules.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 28

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. You need to grant User1 the Send on Behalf permission for 20 mailboxes. Which PowerShell cmdlet should you use?

- A. Add-MailboxPermission
- B. Add-MailboxFolderPermission
- C. Set-Mailbox
- D. Add-RecipientPermission

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-permissions?view=exchserver-2019>

NEW QUESTION 33

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain. You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 portal, you set fabrikam.com as the default domain. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set

NEW QUESTION 37

- (Exam Topic 5)
You manage a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are located both on-premises and in the cloud. You need to configure the deployment so that the on-premises mailboxes can access the public folders. Which three commands should you run? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Sync-MailPublicFolders.ps1
- B. Set-OrganizationConfig –PublicFoldersEnabled Remote
- C. Import-PublicFolderMailboxes.ps1
- D. Sync-MailPublicFoldersCloudToOnprem.ps1
- E. Set-OrganizationConfig –PublicFoldersEnabled Local –RemotePublicFolderMailboxes PFMailbox1

Answer: BCD

Explanation:

Reference:
https://docs.microsoft.com/en-us/exchange/hybrid-deployment/set-up-exo-hybrid-public-folders

NEW QUESTION 39

- (Exam Topic 5)
You run the Get-WebServicesVirtualDirectory cmdlet as shown in the following exhibit.

PowerShell I-preview o(64)

```
PS C:\> Get-WebServicesVirtualDirectory | FOPMAT-Table
```

Identity	MRSProxyEnabled	InternalURL	ExternalURL
MBX1	False	https://mail.contoso.com/EWS/Exchange.asmx	https://mail.contoso.com/EWS/Exchange.asmx
MBX2	True	https://mail.contoso.com/EWS/Exchange.asmx	https://mail.contoso.com/EWS/Exchange.asmx
MBX3	False	https://mail.contoso.com/EWS/Exchange.asmx	https://mail.contoso.com/EWS/Exchange.asmx

```
PS C:\> Get-ExchangeCertificate | Format-Table
```

Thumbprint	RootCAType	ISSelfSigned	Services
A80VE8IE41OPCANGPTG14VPXYC51H9AGRN72KF2G6	None	True	SMTP
TTVQY2WYH851594CZ06ZNNWF5JK98I6N667RF9XK4	ThirdParty	False	IIS, IMAP, POP

```
PS C:\>
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

What should you do to ensure that all mailboxes can be synced successfully?

Enable the MRS proxy endpoint on all servers.

Disable the MRS proxy endpoint on all servers.

Update the external URL to outlook.office365.com.

What should you do to ensure that email can be delivered between on-premises users and Microsoft Exchange Online users?

Configure IMAP to use a self-signed certificate.

Configure SMTP to use a third-party certificate.

Disable the MRS proxy endpoint on all servers.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

The MRS proxy endpoint needs to be enabled on all mailbox servers.

Box 2:

SMTP is used to deliver email between on-premise users and Exchange Online users. This requires a third-party (public CA) certificate.

Reference:

<https://docs.microsoft.com/en-us/Exchange/architecture/mailbox-servers/mrs-proxy-endpoint?view=exchserver>

NEW QUESTION 43

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre

This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want. Reference:

<https://365tips.be/en/how-to-create-a-global-reader-account-for-your-it-supplier/>

NEW QUESTION 44

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

From Exchange Online, create the target public folder mailboxes.

From Exchange Online, run the Set-organizationConfig
-RemotePublicFolderMailboxes \$Null
-PublicFoldersEnabled Local command

From Exchange on-premises, run the
SetmailPublicFolderExternalAddress.ps1 script

From Exchange on-premises, run the Export-
ModernPublicFolderStatistics.ps1 script

From Exchange on-premises, run the Set-OrganizationConfig
-RemotePublicFolderMailboxes \$Null
-PublicFoldersEnabled Local command

From Exchange on-premises, run the
ModernPublicFolderToMailboxMapgenerator.ps1 script

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch> <https://docs.microsoft.com/en-us/Exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 45

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 49

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com. You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

- > All email messages received from the internet must be filtered for spam by Microsoft 365.
- > Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

Mail.contoso.com

Contoso-com.mail.protection.outlook.com

Outlook.office365.com

Firewall port to allow:

TCP 25

TCP 2525

TCP 587

TCP 993

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites>

NEW QUESTION 52

- (Exam Topic 5)
You have a hybrid deployment of Microsoft Exchange Server 2019. You need to configure modern attachments for Outlook on the web. From Exchange Management Shell, which cmdlet should you run? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Set-CASMailbox

Set-OutlookProvider

Set-ClientAccessRule

Set-OwaMailboxPolic /

-Name Default

-Identity

-internalSPMySiteHostURL

-WacExternalServicesEnabled

-ThirdPartyAttachmentsEnabled

Https://Contoso-

my.sharepoint.com -E ternalSPMySiteHostURL Https://Contoso-my.Contoso.com

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 56

- (Exam Topic 5)
SIMULATION
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ In the Exchange admin center, navigate to Recipients
>Resources.

➤ To create a room mailbox, click New +
>Room mailbox.

➤ Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

➤ When you're finished, click Save
to create the room mailbox.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/room-mailboxes?view=exchserver-2019>

NEW QUESTION 60

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions	Answer Area
Assign an Exchange Online license.	
Create a public folder mailbox.	
Create a public folder.	
Create a Microsoft 365 group.	
Create a shared mailbox.	
Mail-enable the public folder.	
Set an email address on a pubic folder.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/create-public-folder> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/enable-or-disable-mail-for-public-fo>

NEW QUESTION 63

- (Exam Topic 5)

You have a hybrid deployment that contains a Microsoft exchange Online tenant and anon premises Exchange Server 2019 server named Server1. Alt users use an email address suffix of @contoso.com.

On Server1, you create a new mailbox that uses an email address of user1@contoso.com

Users hosted in Exchange Online report that they receive a non-delivery report (NDR) When they attempt to send email messages to user1@contoso.com. The NDR contains the following text: "User1 wasn't found at contoso.com."

You verify that the Exchange Online users can send email successfully to the other mailboxes hosted on Server1. Users hosted on Server1 can send email to user1@contoso.com successfully.

You need to identify what causes the email delivery to fail. What should you use?

- A. the Azure Active Directory admin center
- B. the Exchange admin center
- C. Azure AD Connect Health
- D. the on-premises Exchange admin center

Answer: C

Explanation:

It's likely that the new user account hasn't replicated to Azure Active Directory. Azure AD Connect is responsible for account replication between on-prem AD and Azure AD.

NEW QUESTION 67

- (Exam Topic 4)

Lynne Robbins and the users in the sales department plan to collaborate on a project with a partner company named Contoso, Ltd. that has an email domain named contoso.com.

You need to ensure that only the sales department users can share all their calendar free/busy information with the users in contoso.com.

How should you configure the organization relationship?

- A. Select Calendar free/busy information with time only and enter Group1B Select Calendar free/busy information with time, subject, and location and enter Groups
- C Select Calendar free/busy information with time, subject, and location and enter Group3
- B. Select Calendar free/busy information with time only and enter Group3
- C. Select Calendar free/busy information with time only and enter Group2

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/create-an-organization-relationshi>

NEW QUESTION 69

- (Exam Topic 4)

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact1 only

- B. Contact2 only
- C. Contact1 and Contact3 only
- D. Contact2 and Contact3 only
- E. Contact1, Contact2. and Contact3

Answer: D

NEW QUESTION 73

- (Exam Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

0

1

2

3

4

RPTs:

0

1

2

3

4

5

6

7

Personal tags:

0

1

2

3

4

5

6

7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Table Description automatically generated

Box 1: 1

Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:

- Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2

Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:

- Automatically delete items in the Junk Email folder after 30 days.
- Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3

Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:

- Enable users to tag items for deletion after one year.
- Enable users to tag items for deletion after two years.
- Enable users to tag items to be archived after one year.

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 76

- (Exam Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 79

- (Exam Topic 2)

You need to implement a solution to meet the technical requirements for the SCL.

How should you complete the command? To answer, select the appropriate options in the answer area.

Set-ContentFilterConfig

Set-MailboxDatabase

Set-OrganizationConfig

Set-transportServer

-PoisonThreshold

-SCLJunkThreshold

-SCLRejectThreshold

-SCLQuarantineThreshold

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps>

NEW QUESTION 81

- (Exam Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 83

- (Exam Topic 2)

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:

1

2

3

14

30

Retention policies:

1

2

3

14

30

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Retention tags:

▼

1

2

3

14

30

Retention policies:

▼

1

2

3

14

30

NEW QUESTION 86

- (Exam Topic 2)
You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 91

- (Exam Topic 2)
Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers. How should you complete the PowerShell script? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

- A. Get-RoleGroup
- B. Get-ManagementRoleEntry
- C. Get-RoleGroupMember
- D. Get-ManagementRoleAssignment
- E. Get-ManagementRole

Answer: BD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/exchange/find-exchange-cmdlet-permissions?view=exchange-ps>

NEW QUESTION 106

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$true parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 110

- (Exam Topic 5)

You recently migrated all the on-premises mailboxes from Microsoft Exchange Server 2019 to Exchange Online.

You decommission the on-premises Exchange Server 2019 servers.

The finance department at your company reports that email delivery from several printers fails after Exchange Server 2019 is decommissioned.

You need to ensure that the printers can deliver email successfully to the users in the finance department. What should you do?

- A. Create a resource mailbox for each printer.
- B. Create an Inbound connector that has certificate validation disabled.
- C. Create an Inbound connector that is configured to allow SMTP relay.
- D. Create an Office 365 group for each printer.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use>

NEW QUESTION 113

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests.

A recent security breach at the company required that the passwords of all privileged accounts be changed. Since the password change, mailbox move requests are failing.

You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view>

NEW QUESTION 116

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Mobile device	Mail client
User1	iOS	Native mail client
User2	Android	Microsoft Outlook for Android

From the Exchange admin center, you issue a Wipe Data command for User1 and User2.
What occurs on the device of each user? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

User1:

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

User2:

All the data in the email client is wiped.

Only email messages and calendar items are wiped.

The mobile device is wiped.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 117

- (Exam Topic 5)
You have an on-premises Microsoft Exchange Server 2019 organization. You plan to configure the environment to support a hybrid deployment.
You need to ensure that you can migrate mailboxes from the on-premises organization to Exchange Online. Which two ports should be open between Exchange Online and the on-premises organization? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. 25
- B. 80
- C. 143
- D. 389
- E. 443
- F. 993

Answer: AE

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/hybrid-deployment-prerequisites#hybrid-deployment-protocolsports->

NEW QUESTION 120

- (Exam Topic 5)
You have a Microsoft Exchange Online tenant.
You need to create a report to display messages that have a delivery status of Quarantined. From the modern Exchange admin center, you create a new message trace.
How should you configure the message trace? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Time range:

Report type:

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-and-view-re> <https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-modern-eac>

NEW QUESTION 122

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 125

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format. Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 128

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer. The Outlook Web App policy has the following settings.

```
ClassicAttachmentsEnabled : True
ReferenceAttachmentsEnabled : True
SaveAttachmentsToCloudEnabled : True
MessagePreviewDisabled : False
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
ActionForUnknownFileAndMIMETypes : Block
OWALightEnabled : False
ForceSaveAttachmentFilteringEnabled : False
ConditionalAccessPolicy : ReadOnlyPlusAttachmentsBlocked
```

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default		
-ActionForUnknownFileAndMIMETypes		Allow
-ConditionalAccessPolicy		False
-ForceWebReadyDocumentViewingFirstOnPublicComputers		ForceSave
-MessagePreviewsDisabled		ReadOnly
-OWALightEnabled		True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 132

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all email communication between the organization and the Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization. What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchange-ps>

NEW QUESTION 137

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You use Advanced Threat Protection (ATP).

You have safe attachments policies configured as shown in the following table.

Name	Action	Action On Error	Enable redirect
Policy1	Dynamic Delivery	Enabled	Enabled
Policy2	Block	Enabled	Disabled

You have the users shown in the following table.

Name	Location	Safe attachments policy
User1	On-premises	Policy1
User2	Exchange Online	Policy2
User3	Exchange Online	None
User4	Exchange Online	Policy1

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User1 receives an email message that contains an attachment, the message will be delivered immediately with a placeholder file. The attachment will be reattached if no malware is detected.	<input type="radio"/>	<input type="radio"/>
If User2 receives an email message that has detected malware, the message will be placed in quarantine.	<input type="radio"/>	<input type="radio"/>
If User4 receives an email message that contains an attachment, and then forwards the message to User3 before attachment scanning is complete, User3 will receive the attachment after the initial attachment scanning is complete.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: No

Dynamic Delivery cannot make changes to on-premise mailboxes after the message has been delivered. Box 2: Yes

Policy2 applies to User2. Policy2 has a block action so the message will be placed in quarantine. Box 3: No

User3 does not have a policy assigned so the attachment will be forwarded without being scanned. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/atp-safe-attachments?view=o365-w>

NEW QUESTION 138

- (Exam Topic 5)

You have a Microsoft Exchange Server 2016 hybrid deployment.

You plan to migrate mailboxes from the on-premises Exchange organization to Exchange Online. You have the appropriate permissions to perform the mailbox migrations.

You need to prepare the environment for the planned migration. What should you do?

- A. Disable Microsoft Outlook for the web.
 B. Install the Hybrid Agent.
 C. Run Get-MigrationBatch -Identity "MyMigrationBatch".
 D. Enable the MRSPProxy service on an on-premises Exchange server.

Answer: D

Explanation:

Mailbox replication service (MRS) proxy is used for cross forest mailbox move and remote move migration between on premise exchange and exchange online (Office 365)

Reference:

<https://docs.microsoft.com/en-us/Exchange/hybrid-deployment/move-mailboxes>

NEW QUESTION 142

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a retention policy named Policy1 and a user named User1.

Policy1 is assigned to all users and contains the retention tags shown in the following table.

Name	Type	Retention period	Retention action
Tag1	Default mailbox	1826 days	Permanently Delete
Tag2	Default folder	365 days	Move to Archive
Tag3	Personal	730 days	Move to Archive

Tag3 is applied to an email message in the inbox of User1. You remove Tag3 from Policy1. What will occur to the message?

- A. The existing retention tag will be retained.
 B. The existing retention tag will be removed.
 C. The default mailbox retention tag will apply.
 D. The default folder retention tag will apply.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 144

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email gateway device. You discover that inbound email messages are delayed. The gateway device receives the following error message when sending email to the tenant.

* 4.7.500 Server busy, please try again later. You need to prevent inbound email delays. What should you configure?

- A. Organization Sharing
- B. an MX record for the domain
- C. a transport rule
- D. a connector

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/use>

NEW QUESTION 149

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam. Solution: You run the Install-AntispamAgents.ps1 PowerShell script on the MBX1 Mailbox server. Does this meet the goal?

- A. yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox>

NEW QUESTION 150

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user recently sent an email message that was never received by a recipient on the internet. From the Exchange admin center, you successfully run a message trace but cannot see the message in the trace.

What is the most likely reason why the message fails to appear in the message trace?

- A. The user addressed the message to multiple internal and external receipts
- B. The user encrypted the email message.
- C. Your administrative user account requires additional rights.
- D. The message is in the user's Outbox folder.

Answer: D

NEW QUESTION 153

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.

- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Admin5:

	▼
User Administrator	
Global Administrator	
Exchange Administrator	

Admin6:

	▼
User Administrator	
Global Administrator	
Exchange Administrator	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://www.withum.com/resources/a-breakdown-of-microsoft-365-admin-roles-responsibilities-previously-offic>

NEW QUESTION 158

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You need to configure Outlook on the web to meet the following requirements:

- Prevent users from requesting a remote wipe of their devices.
- Prevent users from accessing voice mails.

You create a new Outlook Web App mailbox policy named Policy1.

Policy1

Select the features that you want to enable for this Outlook Web App mailbox policy.

Communication management

<input checked="" type="checkbox"/>	Instant messaging
<input checked="" type="checkbox"/>	Text messaging
<input checked="" type="checkbox"/>	Unified Messaging

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Unified Messaging

NEW QUESTION 162

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-MigrationEndpoint -Name MEP1

-Autodiscover

-ExchangeRemoteMove

-SkipVerification

-TestMailbox

-DomainController

-RemoteServer

-RPCProxyServer

-SourceMailboxLegacyDN

server1.contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationendpoint?view=exchange-ps>

NEW QUESTION 164

- (Exam Topic 5)
You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings

On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

Outlook on the web only

Microsoft Outlook 2019 only

Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

modify Spam action

increase the value of Bulk threshold

decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o36> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=>

NEW QUESTION 165

- (Exam Topic 5)

You plan to migrate to Microsoft Exchange Online. The solution must meet the following requirements.

➤ Messages sent by the research & development department at your company must be routed to the internet through an on-premises data loss prevention (DLP) appliance.

➤ The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified.

What features should you use to meet the requirements? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Exchange Features	Answer Area
Conditional mail routing	Messages sent by the research & development department must be routed to the internet through an on-premises data loss prevention (DLP) appliance:
Directory Based Edge Blocking (DBEB)	
Enhanced Filtering	The actual source of the messages received by Exchange Online from a third-party cloud filtering service must be identified:
Remote domains	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con> <https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enha>

NEW QUESTION 166

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 171

- (Exam Topic 5)

You have a Microsoft 365 E5 tenant that contains the users shown in the following table.

Name	Member of
User1	Sales
User2	Managers

You have a connector for a remote domain named contoso.com as shown in the following exhibit.

Mail flow scenario

From: Office 365
To: Partner organization

Name

TLS to Contoso

Description

None

Status

Turn it on after saving

When to use the connector

Use only when I have a transport rule set up that redirects messages to this connector.

Routing method

Use the MX record associated with the partner's domain.

Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

You have a transport rule as shown in the following exhibit.
new rule

Name:
TLS to Contoso

* Apply this rule if...

* A recipient's domain is... 'Contoso.com'
and
* The subject or body includes... 'Confidential'
add condition

* Do the following...

Use the following connector... TLS to Contoso
add action

Except if...

* The sender is a member of... 'Managers'
add exception

Properties of this rule:
☒ Audit this rule with severity level:
Medium

User1 sends an email message to user3@contoso.com that has a subject line containing the word Confidential.
User2 sends an email message to user4@contoso.com that has a subject line of New report. The body of the message contains the word confidential.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
All email sent to contoso.com is TLS-encrypted.	<input type="radio"/>	<input type="radio"/>
The message sent by User1 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>
The message sent by User2 uses the TLS to Contoso connector.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/compliance/assurance/assurance-encryption-in-transit>

NEW QUESTION 174

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

A compliance manager plans to create retention policies for the mailboxes of executive users. The policies will move specific emails to an archive mailbox.

You need to create an archive mailbox for each executive user. What should you do?

- A. Run the New-Mailbox cmdlet
- B. Enable mailbox journaling.
- C. Enable In-Place Archiving for each mailbox.
- D. Run the set-Mailbox cmdlet.

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/in-place-archiving/in-place-archiving?view=>

NEW QUESTION 179

- (Exam Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365>

NEW QUESTION 181

- (Exam Topic 5)

Your company named ADatum Corporation has a Microsoft Exchange Online subscription that contains the sharing policies shown in the following table.

Name	Domain	Enabled	Default
Policy1	{Anonymous:CalendarSharingFreeBusySimple, fabrikam.com:CalendarSharingFreeBusyReviewer, ContactsSharing}	True	True
Policy2	{contoso.com:CalendarSharingFreeBusyDetail}	True	False
Policy3	{litware.com:CalendarSharingFreeBusyReviewer}	True	False

The subscription contains the mailboxes shown in the following table.

Name	Sharing policy
User1	Policy1
User2	Policy2
User3	Policy3

ADatum does business with the partner companies shown in the following table.

Name	SMTP domain	Email platform
Fabrikam, Inc.	Fabrikam.com	On-premises Exchange Server 2019
Contoso, Ltd.	Contoso.com	Third-party email server
Litware, Inc.	Litware.com	Exchange Online

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 184

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki-scenarios>

NEW QUESTION 188

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of User1.

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 190

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains the Mailbox servers shown in the following table.

Name	Member of	Database
EX1	Site1	Mail1
EX2	Site2	Mail2
EX3	Site3	Mail3

The organization contains the mailboxes shown in the following table.

Name	Database
User1	Mail1
User2	Mail2
User3	Mail3

You create the public folder mailboxes shown in the following table.

Mailbox	Database	Hierarchy
PF1	Mail1	Primary
PF2	Mail2	Secondary
PF3	Mail3	Secondary

You set the DefaultPublicFolderMailbox property of each user mailbox to the public folder mailbox closest to the user. For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
If User3 creates a public folder, the folder hierarchy will be updated first on EX3.	<input type="radio"/>	<input type="radio"/>
When User2 views the folder hierarchy, the user will use EX2.	<input type="radio"/>	<input type="radio"/>
If User3 accesses a public folder from PF1, and then EX1 goes offline, User3 can still access the content in the public folder.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/public-folders?view=exchserver-2019>

NEW QUESTION 193

- (Exam Topic 5)

You manage a Microsoft Exchange Server 2019 organization that contains several thousand users. All the users connect to their mailbox by using a mobile device and Exchange ActiveSync.

You need to prevent the users from syncing email messages that are older than 14 days to the mobile devices. What should you use?

- A. an Outlook Web App mailbox policy
- B. a mobile device mailbox policy
- C. an ActiveSync device access rule
- D. a conditional access policy

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=e>

NEW QUESTION 195

- (Exam Topic 5)

You plan to use the Hybrid Agent to integrate your Microsoft Exchange Server 2016 organization and Exchange Online. The installation of the Hybrid Agent fails.

You validate the following Exchange virtual directory settings.

```
Get-WebServicesVirtualDirectory | fl
```

```
ExternalAuthenticationMethods: {Ntlm, WindowsIntegrated, WSSecurity, OAuth}
InternalURL : https://mail.contoso.com/EWS/Exchange.asmx
ExternalURL: https://mail.contoso.com/EWS/Exchange.asmx
MRSProxyEnabled: False
Server : EX01
```

```
Get-MAPIVirtualDirectory | fl
```

```
InternalURL : https://autodiscover.contoso.com/mapi
ExternalURL: https://Autodiscover.contoso.com/mapid
Server: EX01
```

```
Get-OWAVirtualDirectory | fl
```

```
InternalURL : https://mail.contoso.com/owa
ExternalURL: https://mail.contoso.com/owa
Server: EX01
```

You need to install the Hybrid Agent successfully. What should you do first?

- A. Update the server parameter of WebServicesVirtualDirectory to the FQDN of Exchange instead of the host name.
- B. Set MRSProxyEnabled to True.
- C. Remove WindowsIntegrated from ExternalAuthenticationMethods.
- D. Change the ExternalURL parameter of MAPIVirtualDirectory to https://mail.contoso.com instead of https://autodiscover.contoso.com.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-agent#running-setup>

NEW QUESTION 200

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription.

You need to prevent all Android devices from using Exchange ActiveSync to sync email. Other devices must be allowed to sync email by using Exchange ActiveSync.

What should you use?

- A. data loss prevention (DLP) policies
- B. Exchange ActiveSync access settings
- C. device access rules
- D. mobile device mailbox policies

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-activesyncdeviceaccessrule?view=exchange>

NEW QUESTION 205

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter
- B. Create a batch migration and clear the Automatically complete the migration batch check box
- C. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter
- D. Create a batch migration and select the Automatically complete the migration batch check box

Answer: C

NEW QUESTION 209

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process. After the batch migration completes, additional public folders are created on-premises.

You need to migrate the new on-premises public folders to Exchange Online. What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 214

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 216

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. You need to prevent all users from performing the following tasks:

- > Sending out-of-office replies to an email domain named fabrikam.com.
- > Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You create two new remote domains. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 219

- (Exam Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment. What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A

NEW QUESTION 220

- (Exam Topic 5)

You run several PowerShell commands as shown in the following exhibit.

PS C:\> Get-AddressListPolicy | Format-Table

Name	GlobalAddressList	AddressLists	OfflineAddressBook	RoomList
Fabrikam-ABP	\Fabrikam	\Fabrikam	\Fabrikam-OAB	\All Rooms
Contoso-ABP	\Contoso	\Contoso-IT, \Contoso-Marketing	\Contoso-OAB	\All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name	RecipientFilter
Contoso	((Company -eq 'Contoso'))
Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name	DisplayName	RecipientFilter
Contoso-Marketing	Contoso-Marketing	((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam	Fabrikam	((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name	UserPrincipalName	Company	Department
James Smith	jsmith@contoso.com	Contoso	Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name	Alias	Office	Database
Executive Conference Room	executiveconferenceroom	Contoso	DB1

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 221

- (Exam Topic 5)
You have a Microsoft Exchange Online tenant.
You have an on-premises scanner that emails scanned documents by using SMTP.
You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.
How should you configure the connector? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼

Internet
Office 365
Partner organization
Your organization's email server

To:

▼

Internet
Office 365
Partner organization
Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-ap>

NEW QUESTION 224

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

Two users named Christie Cline and Irvyn Sayers leave your company.

You need to ensure that all email sent to the users at your company are forwarded automatically to the mailbox of Megan Bowen. The solution must NOT use mail flow rules.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- In the EAC, go to Recipients
- >Mailboxes.
- In the list of user mailboxes, click or tap the mailbox that you want to configure mail forwarding for, and then click or tap Edit
- On the mailbox properties page, click Mailbox Features.
- Under Mail Flow, select View details

to view or change the setting for forwarding email messages.

On this page, you can set the maximum number of recipients that the user can send a message to. For

on-premises Exchange organizations, the recipient limit is unlimited. For Exchange Online organizations, the limit is 500 recipients.

- Check the Enable forwarding
- check box, and then click or tap Browse.

- On the Select Recipient
- page, select a user you want to forward all email to. Select the deliver message to both forwarding address and mailbox check box if you want both the recipient and the forwarding email address to get copies of the emails sent. Click or tap OK, and then click or tap Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-user-mailboxes/configure-em>

NEW QUESTION 227

- (Exam Topic 5)

You have a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. All user mailboxes are in Microsoft 365.

A user named User1 leaves your company.

You delete the user account of User1 from the on-premises Active Directory domain. Two weeks later, User1 returns to the company.

You need to ensure that User1 can connect to his mailbox and access all his old email messages.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the on-premises Active Directory Recycle Bin, recover the user account	
Run the New-MailboxRestoreRequest cmdlet	
Assign a Microsoft 365 license to User1	
From the on-premises Active Directory domain, create a new user named User1	
Run the New-Mailbox -InactiveMailbox cmdlet	
Run the Restore-MsolUser cmdlet	
Force a synchronization from Azure AD Connect	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://techcommunity.microsoft.com/t5/exchange-team-blog/common-mailbox-recovery-scenarios-for-hybrid-e>

NEW QUESTION 231

- (Exam Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 235

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use

as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

➤ Click the Safe Links tab to examine all existing Safe Links policies:

➤ After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

➤ In Name enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

➤ Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

➤ The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

➤ Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

➤ Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

➤ Finally, we will select the scope for the rule under the Applied to

section.

➤ Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

➤ The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:

<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 236

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Use the EAC to create a public folder mailbox

➤ In the EAC, go to Public folders

> In the New public folder mailbox
 >Public folder mailboxes, and then click Add +. page that opens, enter the following information:
 - Name: Enter the name for the public folder mailbox.
 - Organizational unit: Click Browse created.
 - Mailbox database: Click Browse
 When you're finished, click Save.
 to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.
 Use the EAC to create a public folder
 When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

> Navigate to Public folders
 >Public folders.
 > If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.
 > Click Add +.
 > In Public Folder, type the name of the public folder.
 > In the Path
 box, verify the path to the public folder. If this isn't the desired path, clickCancel
 and
 follow Step 2 of this procedure.
 > Click Save.
 > Navigate back to Public folders
 >Public folders.
 > In the list view, select the public folder that you want to mail-enable or mail-disable.
 > In the details pane, under Mail settings, click Enable
 oDr isable.
 > A warning box displays asking if you're sure you want to enable or disable email for the public folder.
 Click Yes
 Reference:
 to continue.
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver>- <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 240

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization named contoso.com and an Exchange Online tenant.

You plan to implement a hybrid deployment.

You have the certificates shown in the following table.

Name	Source	Subject name
Cert1	Self-signed	server1.contoso.com
Cert2	Internal certification authority (CA)	*
Cert3	Internal certification authority (CA)	contoso.com and autodiscover.contoso.com
Cert4	Public certification authority (CA)	*
Cert5	Public certification authority (CA)	contoso.com and autodiscover.contoso.com

You need to identify which certificates can be assigned in the Microsoft Office 365 Exchange Hybrid Configuration wizard.

Which certificates should you identify?

- A. Cert4 and Cert5 only
- B. Cert2 and Cert3 only
- C. Cert1 only
- D. Cert3 and Cert5 only
- E. Cert2 and Cert4 only
- F. Cert2, Cert3, Cert4, and Cert5 only

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/certificate-requirements>

NEW QUESTION 245

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant. All users have Exchange Online mailboxes.

Your company has 10 projectors that are used by 30 managers.
You need to recommend a solution to manage the availability and scheduling of the projectors. The solution must NOT require additional Microsoft 365 licenses.
What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

Answer: D

Explanation:
Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license. Reference:
<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-wo>

NEW QUESTION 247

- (Exam Topic 5)
You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access mobile device mailbox policies



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.

new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- ☒ This is the default policy
- ☒ Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices
Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- ☒ Require a password
 - ☐ Allow simple passwords
 - ☒ Require an alphanumeric password
 - Password must include this many character sets:
2
 - ☐ Require encryption on device
 - ☒ Minimum password length:
6
 - ☐ Number of sign-in failures before device is wiped:
5
 - ☐ Require sign-in after the device has been inactive for (minutes):
 minutes
 - ☒ Enforce password lifetime (days):
30 days
 - Password recycle count:
10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/exchange/create-or-modify-a-mobile-device-mailbox-policy-exchange-2013-he>

NEW QUESTION 252
- (Exam Topic 5)
Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG). The customer service department at the company uses public folders to receive customer communications. Only users in the customer service department can read items in the folders.
For a new customer, you create a mail-enabled public folder that has the default settings. The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR).
You need to ensure that the public folder can receive email.
Which public permissions should you configure in Microsoft Outlook?

- A. Grant the Author permission to the Default group
- B. Grant the Author permission to the Anonymous group
- C. Grant the Create items permission to the Anonymous group
- D. Grant the Create items permission to the Default group

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 254

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019 and Microsoft 365 that contains three servers.

All email received from the Internet is sent directly to the servers. You run the following command.

Get-MalwareFilterPolicy | FL Name,BypassInboundMessages,BypassOutboundMessages,Action,IsDefault You receive the output shown in the following exhibit.

Name	: Default
BypassInboundMessages	: False
BypassOutboundMessages	: False
Action	: DeleteAttachmentAndUseDefaultAlertText
IsDeafault	: True
EnableInternalSenderNotifications	: True
EnableExternalSenderNotifications	: True

You run the Get-TransportAgent cmdlet and receive the output shown in the following exhibit.

Identity	Enabled	Priority
-----	-----	-----
Transport Rule Agent	True	1
DLP Policy Agent	True	2
Retention Policy Agent	True	3
Supervisory Review Agent	True	4
Malware Agent	False	5
Text Messaging Routing Agent	True	6
Text Messaging Delivery Agent	True	7
System Probe Drop Smtip Agent	True	8
System Probe Drop Routing Agent	True	9

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
If an email message sent from the Internet contains malware, the message will be delivered successfully to the recipient's mailbox	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the default antimalware policy must be modified	<input type="radio"/>	<input type="radio"/>
To prevent an email message from the Internet that contains malware from being delivered to an internal recipient, the priority of the malware agent must be modified	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

NEW QUESTION 255

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- Adatum.com
- Contoso.com
- Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You modify the properties of the fabrikam.com accepted domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-20>

NEW QUESTION 258

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

You need to prevent all users from performing the following tasks:

- Sending out-of-office replies to an email domain named fabrikam.com.
- Sending automatic replies to an email domain named adatum.com.

The solution must ensure that all the users can send out-of-office replies and automatic replies to other email domains on the internet.

Solution: You modify the default remote domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 263

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.
- E. Create a device access rule.

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-i>

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 265

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> From the Microsoft 365 compliance center, select Policies > Retention.

> Select New retention policy retention policy.

to start the create retention policy configuration, and name your new

> For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

> Depending on your selected scope:

- On the Choose locations

page, toggle on or off any of the locations except the locations for Teams and

Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

> Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

> For Decide if you want to retain content, delete it, or both retaining and deleting content.

page, specify the configuration options for

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

> Complete the configuration and save your settings. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide> <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies?view=o365-worldwide>

NEW QUESTION 269

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix>

NEW QUESTION 272

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Several users report that email messages sent to the users at another company named fabrikam.com contain a Winmail.dat attachment.

You need to prevent the fabrikam.com users from receiving Winmail.dat attachments. What should you do?

- A. Configure a remote domain that has the TNEFEnabled parameter set to \$False.
- B. Create an Outbound connector that has the validationRecipients parameter set to contoso.com.
- C. Create an Outbound connector that has the validationRecipients parameter set to fabrikam.com.
- D. Configure a remote domain that has the TrustedMailoutboundEnabled parameter set to \$False.

Answer: A

Explanation:

Reference:

<https://gcits.com/knowledge-base/how-to-fix-the-winmail-dat-attachment-issue/>

NEW QUESTION 276

- (Exam Topic 5)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-AddressList
New-AddressBookPolicy
New-DistributionList
New-GlobalAddressList

-Name "Directors"

-RecipientFilter
-SearchBase
-SearchScope
-Where-Object

{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-address>

NEW QUESTION 278

- (Exam Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100. The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company. What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 279

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization. Users report that email messages between the Exchange Server organization and the Exchange Online tenant are undelivered. You install and enable a new certificate from a different trusted certification authority (CA). You need to ensure that mail flow between Exchange Server and Exchange Online is restored. Which two PowerShell cmdlets should you run? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Set-SendConnector
- B. Set-IntraOrganizationConnector
- C. Update-Hybridconfiguration
- D. Set-ReceiveConnector

Answer: CD

NEW QUESTION 283

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You have the on-premises mailboxes shown in the following table.

Name	Forwarding address
User1	User6
User2	None
User3	None
User4	None
User5	None
User6	None

You add the mailbox permissions shown in the following table.

Mailbox	Permission
User2	Send As for User4
User4	Full Access for User3
User6	Send on Behalf for User5

You plan to migrate the mailboxes to Exchange Online by using remote mailbox move requests. The mailboxes will be migrated according to the schedule shown in the following table.

Week	Mailbox
1	User1, User2, User3, User6
2	User4, User5

Mailboxes migrated the same week will have their mailbox move requests included in the same batch and will be cut over simultaneously.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The mail forwarding settings of the User1 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User4 mailbox for the User2 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>
The permissions granted to the User3 mailbox for the User4 mailbox will be preserved automatically after the migration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/exchange-hybrid>

<https://practical365.com/exchange-online/configuring-exchange-hybrid-cross-forest-permissions/>

NEW QUESTION 284

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

The tenant uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.

Answer: BDE

NEW QUESTION 286

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment. What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 289

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type. You need to identify the sync status of each move request in the batch.

Which cmdlet should you run?

- A. Gec-PublicFolderMailboxMigracionRequest
- B. Get-PublicFolderMigrationReques
- C. Gec-PublicFolderMoveReques
- D. Gee-MoveRequest

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfoldermailboxmigrationrequest?view=>

NEW QUESTION 293

- (Exam Topic 5)

You have a Microsoft 365 subscription for a company named Fabrikam, Inc. The company uses an Exchange Online tenant that has an email domain named fabrikam.com.

Fabrikam works with a partner company Contoso, Ltd. that uses an email domain named contoso.com.

A new security policy at Contoso states that any email sent from partners to Contoso employees must use TLS encryption.

You need to ensure that email sent from Fabrikam to Contoso uses TLS. What should you create in the tenant?

- A. a new connector that specifies the contoso.com SMTP domain
- B. a remote domain named contoso.com
- C. a new connector that specifies the fabrikam.com SMTP domain
- D. a remote domain named fabrikam.com

Answer: A

Explanation:

Configure a Send connector in Fabrikam to point to Contoso.

NEW QUESTION 296

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowershellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

Answer: A

NEW QUESTION 298

- (Exam Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365. Which record should you create? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Record Type:

▼

Host(A)

Alias(CNAME)

Text(TXT)

Target:

▼

autodiscover.contoso.com

autodiscover.outlook.com

autodiscover.office365.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/external-domain-name-system-records?view=o365-w>

NEW QUESTION 303

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-203 Practice Test Here](#)