



Amazon-Web-Services

Exam Questions DBS-C01

AWS Certified Database - Specialty

NEW QUESTION 1

A company has deployed an e-commerce web application in a new AWS account. An Amazon RDS for MySQL Multi-AZ DB instance is part of this deployment with a database-1.xxxxxxxxxxx.us-east-1.rds.amazonaws.com endpoint listening on port 3306. The company's Database Specialist is able to log in to MySQL and run queries from the bastion host using these details. When users try to utilize the application hosted in the AWS account, they are presented with a generic error message. The application servers are logging a "could not connect to server: Connection times out" error message to Amazon CloudWatch Logs. What is the cause of this error?

- A. The user name and password the application is using are incorrect.
- B. The security group assigned to the application servers does not have the necessary rules to allow inbound connections from the DB instance.
- C. The security group assigned to the DB instance does not have the necessary rules to allow inbound connections from the application servers.
- D. The user name and password are correct, but the user is not authorized to use the DB instance.

Answer: C

NEW QUESTION 2

A company is writing a new survey application to be used with a weekly televised game show. The application will be available for 2 hours each week. The company expects to receive over 500,000 entries every week, with each survey asking 2-3 multiple choice questions of each user. A Database Specialist needs to select a platform that is highly scalable for a large number of concurrent writes to handle the anticipated volume. Which AWS services should the Database Specialist consider? (Choose two.)

- A. Amazon DynamoDB
- B. Amazon Redshift
- C. Amazon Neptune
- D. Amazon Elasticsearch Service
- E. Amazon ElastiCache

Answer: AE

NEW QUESTION 3

A company is building a new web platform where user requests trigger an AWS Lambda function that performs an insert into an Amazon Aurora MySQL DB cluster. Initial tests with less than 10 users on the new platform yielded successful execution and fast response times. However, upon more extensive tests with the actual target of 3,000 concurrent users, Lambda functions are unable to connect to the DB cluster and receive too many connections errors. Which of the following will resolve this issue?

- A. Edit the my.cnf file for the DB cluster to increase max_connections
- B. Increase the instance size of the DB cluster
- C. Change the DB cluster to Multi-AZ
- D. Increase the number of Aurora Replicas

Answer: B

NEW QUESTION 4

A Database Specialist is troubleshooting an application connection failure on an Amazon Aurora DB cluster with multiple Aurora Replicas that had been running with no issues for the past 2 months. The connection failure lasted for 5 minutes and corrected itself after that. The Database Specialist reviewed the Amazon RDS events and determined a failover event occurred at that time. The failover process took around 15 seconds to complete. What is the MOST likely cause of the 5-minute connection outage?

- A. After a database crash, Aurora needed to replay the redo log from the last database checkpoint
- B. The client-side application is caching the DNS data and its TTL is set too high
- C. After failover, the Aurora DB cluster needs time to warm up before accepting client connections
- D. There were no active Aurora Replicas in the Aurora DB cluster

Answer: C

NEW QUESTION 5

A company with branch offices in Portland, New York, and Singapore has a three-tier web application that leverages a shared database. The database runs on Amazon RDS for MySQL and is hosted in the us-west-2 Region. The application has a distributed front end deployed in the us-west-2, ap-southeast-1, and us-east-2 Regions.

This front end is used as a dashboard for Sales Managers in each branch office to see current sales statistics. There are complaints that the dashboard performs more slowly in the Singapore location than it does in Portland or New York. A solution is needed to provide consistent performance for all users in each location. Which set of actions will meet these requirements?

- A. Take a snapshot of the instance in the us-west-2 Region
- B. Create a new instance from the snapshot in the ap-southeast-1 Region
- C. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- D. Create an RDS read replica in the ap-southeast-1 Region from the primary RDS DB instance in the uswest- 2 Region
- E. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- F. Create a new RDS instance in the ap-southeast-1 Region
- G. Use AWS DMS and change data capture (CDC) to update the new instance in the ap-southeast-1 Region
- H. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.
- I. Create an RDS read replica in the us-west-2 Region where the primary instance reside
- J. Create a read replica in the ap-southeast-1 Region from the read replica located on the us-west-2 Region
- K. Reconfigure the ap-southeast-1 front-end dashboard to access this instance.

Answer: A

NEW QUESTION 6

A retail company is about to migrate its online and mobile store to AWS. The company's CEO has strategic plans to grow the brand globally. A Database Specialist has been challenged to provide predictable read and write database performance with minimal operational overhead. What should the Database Specialist do to meet these requirements?

- A. Use Amazon DynamoDB global tables to synchronize transactions
- B. Use Amazon EMR to copy the orders table data across Regions
- C. Use Amazon Aurora Global Database to synchronize all transactions
- D. Use Amazon DynamoDB Streams to replicate all DynamoDB transactions and sync them

Answer: A

NEW QUESTION 7

A Database Specialist is migrating a 2 TB Amazon RDS for Oracle DB instance to an RDS for PostgreSQL DB instance using AWS DMS. The source RDS Oracle DB instance is in a VPC in the us-east-1 Region. The target RDS for PostgreSQL DB instance is in a VPC in the use-west-2 Region. Where should the AWS DMS replication instance be placed for the MOST optimal performance?

- A. In the same Region and VPC of the source DB instance
- B. In the same Region and VPC as the target DB instance
- C. In the same VPC and Availability Zone as the target DB instance
- D. In the same VPC and Availability Zone as the source DB instance

Answer: D

NEW QUESTION 8

A company has a production Amazon Aurora Db cluster that serves both online transaction processing (OLTP) transactions and compute-intensive reports. The reports run for 10% of the total cluster uptime while the OLTP transactions run all the time. The company has benchmarked its workload and determined that a six-node Aurora DB cluster is appropriate for the peak workload. The company is now looking at cutting costs for this DB cluster, but needs to have a sufficient number of nodes in the cluster to support the workload at different times. The workload has not changed since the previous benchmarking exercise. How can a Database Specialist address these requirements with minimal user involvement?

- A. Split up the DB cluster into two different clusters: one for OLTP and the other for reportin
- B. Monitor and set up replication between the two clusters to keep data consistent.
- C. Review all evaluate the peak combined workloa
- D. Ensure that utilization of the DB cluster node is at an acceptable leve
- E. Adjust the number of instances, if necessary.
- F. Use the stop cluster functionality to stop all the nodes of the DB cluster during times of minimal workloa
- G. The cluster can be restarted again depending on the workload at the time.
- H. Set up automatic scaling on the DB cluste
- I. This will allow the number of reader nodes to adjust automatically to the reporting workload, when needed.

Answer: D

NEW QUESTION 9

An online gaming company is planning to launch a new game with Amazon DynamoDB as its data store. The database should be designated to support the following use cases:

- Update scores in real time whenever a player is playing the game.
- Retrieve a player's score details for a specific game session.

A Database Specialist decides to implement a DynamoDB table. Each player has a unique user_id and each game has a unique game_id. Which choice of keys is recommended for the DynamoDB table?

- A. Create a global secondary index with game_id as the partition key
- B. Create a global secondary index with user_id as the partition key
- C. Create a composite primary key with game_id as the partition key and user_id as the sort key
- D. Create a composite primary key with user_id as the partition key and game_id as the sort key

Answer: B

NEW QUESTION 10

A company just migrated to Amazon Aurora PostgreSQL from an on-premises Oracle database. After the migration, the company discovered there is a period of time every day around 3:00 PM where the response time of the application is noticeably slower. The company has narrowed down the cause of this issue to the database and not the application.

Which set of steps should the Database Specialist take to most efficiently find the problematic PostgreSQL query?

- A. Create an Amazon CloudWatch dashboard to show the number of connections, CPU usage, and disk space consumptio
- B. Watch these dashboards during the next slow period.
- C. Launch an Amazon EC2 instance, and install and configure an open-source PostgreSQL monitoring tool that will run reports based on the output error logs.
- D. Modify the logging database parameter to log all the queries related to locking in the database and then check the logs after the next slow period for this information.
- E. Enable Amazon RDS Performance Insights on the PostgreSQL databas
- F. Use the metrics to identify any queries that are related to spikes in the graph during the next slow period.

Answer: D

NEW QUESTION 10

A marketing company is using Amazon DocumentDB and requires that database audit logs be enabled. A Database Specialist needs to configure monitoring so that all data definition language (DDL) statements performed are visible to the Administrator. The Database Specialist has set the audit_logs parameter to enabled in the cluster parameter group.

What should the Database Specialist do to automatically collect the database logs for the Administrator?

- A. Enable DocumentDB to export the logs to Amazon CloudWatch Logs
- B. Enable DocumentDB to export the logs to AWS CloudTrail
- C. Enable DocumentDB Events to export the logs to Amazon CloudWatch Logs
- D. Configure an AWS Lambda function to download the logs using the download-db-log-file-portion operation and store the logs in Amazon S3

Answer: A

NEW QUESTION 14

A company is closing one of its remote data centers. This site runs a 100 TB on-premises data warehouse solution. The company plans to use the AWS Schema Conversion Tool (AWS SCT) and AWS DMS for the migration to AWS. The site network bandwidth is 500 Mbps. A Database Specialist wants to migrate the on-premises data using Amazon S3 as the data lake and Amazon Redshift as the data warehouse. This move must take place during a 2-week period when source systems are shut down for maintenance. The data should stay encrypted at rest and in transit.

Which approach has the least risk and the highest likelihood of a successful data transfer?

- A. Set up a VPN tunnel for encrypting data over the network from the data center to AW
- B. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- C. Once complete, start an AWS DMS task to move the data from the source to Amazon S3. Use AWS Glue to load the data from Amazon S3 to Amazon Redshift.
- D. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- E. Start an AWS DMS task with two AWS Snowball Edge devices to copy data from on-premises to Amazon S3 with AWS KMS encryption. Use AWS DMS to finish copying data to Amazon Redshift.
- F. Leverage AWS SCT and apply the converted schema to Amazon Redshift
- G. Once complete, use a fleet of 10 TB dedicated encrypted drives using the AWS Import/Export feature to copy data from on-premises to Amazon S3 with AWS KMS encryption
- H. Use AWS Glue to load the data to Amazon Redshift.
- I. Set up a VPN tunnel for encrypting data over the network from the data center to AW
- J. Leverage a native database export feature to export the data and compress the file
- K. Use the aws S3 cp multi-port upload command to upload these files to Amazon S3 with AWS KMS encryption
- L. Once complete, load the data to Amazon Redshift using AWS Glue.

Answer: C

NEW QUESTION 18

A company has an on-premises system that tracks various database operations that occur over the lifetime of a database, including database shutdown, deletion, creation, and backup.

The company recently moved two databases to Amazon RDS and is looking at a solution that would satisfy these requirements. The data could be used by other systems within the company.

Which solution will meet these requirements with minimal effort?

- A. Create an Amazon CloudWatch Events rule with the operations that need to be tracked on Amazon RDS
- B. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.
- C. Create an AWS Lambda function to trigger on AWS CloudTrail API call
- D. Filter on specific RDS API calls and write the output to the tracking systems.
- E. Create RDS event subscription
- F. Have the tracking systems subscribe to specific RDS event system notifications.
- G. Write RDS logs to Amazon Kinesis Data Firehose
- H. Create an AWS Lambda function to act on these rules and write the output to the tracking systems.

Answer: C

NEW QUESTION 19

A global digital advertising company captures browsing metadata to contextually display relevant images, pages, and links to targeted users. A single page load can generate multiple events that need to be stored individually. The maximum size of an event is 200 KB and the average size is 10 KB. Each page load must query the user's browsing history to provide targeting recommendations. The advertising company expects over 1 billion page visits per day from users in the United States, Europe, Hong Kong, and India. The structure of the metadata varies depending on the event. Additionally, the browsing metadata must be written and read with very low latency to ensure a good viewing experience for the users.

Which database solution meets these requirements?

- A. Amazon DocumentDB
- B. Amazon RDS Multi-AZ deployment
- C. Amazon DynamoDB global table
- D. Amazon Aurora Global Database

Answer: C

NEW QUESTION 22

A company is looking to move an on-premises IBM Db2 database running AIX on an IBM POWER7 server. Due to escalating support and maintenance costs, the company is exploring the option of moving the workload to an Amazon Aurora PostgreSQL DB cluster.

What is the quickest way for the company to gather data on the migration compatibility?

- A. Perform a logical dump from the Db2 database and restore it to an Aurora DB cluster
- B. Identify the gaps and compatibility of the objects migrated by comparing row counts from source and target tables.
- C. Run AWS DMS from the Db2 database to an Aurora DB cluster
- D. Identify the gaps and compatibility of the objects migrated by comparing the row counts from source and target tables.
- E. Run native PostgreSQL logical replication from the Db2 database to an Aurora DB cluster to evaluate the migration compatibility.

F. Run the AWS Schema Conversion Tool (AWS SCT) from the Db2 database to an Aurora DB cluster. Create a migration assessment report to evaluate the migration compatibility.

Answer: D

NEW QUESTION 23

A large ecommerce company uses Amazon DynamoDB to handle the transactions on its web portal. Traffic patterns throughout the year are usually stable; however, a large event is planned. The company knows that traffic will increase by up to 10 times the normal load over the 3-day event. When sale prices are published during the event, traffic will spike rapidly.

How should a Database Specialist ensure DynamoDB can handle the increased traffic?

- A. Ensure the table is always provisioned to meet peak needs
- B. Allow burst capacity to handle the additional load
- C. Set an AWS Application Auto Scaling policy for the table to handle the increase in traffic
- D. Preprovision additional capacity for the known peaks and then reduce the capacity after the event

Answer: B

NEW QUESTION 27

A media company is using Amazon RDS for PostgreSQL to store user data. The RDS DB instance currently has a publicly accessible setting enabled and is hosted in a public subnet. Following a recent AWS Well-Architected Framework review, a Database Specialist was given new security requirements.

Only certain on-premises corporate network IPs should connect to the DB instance.

Connectivity is allowed from the corporate network only. Which combination of steps does the Database Specialist need to take to meet these new requirements? (Choose three.)

- A. Modify the pg_hba.conf file
- B. Add the required corporate network IPs and remove the unwanted IPs.
- C. Modify the associated security group
- D. Add the required corporate network IPs and remove the unwanted IPs.
- E. Move the DB instance to a private subnet using AWS DMS.
- F. Enable VPC peering between the application host running on the corporate network and the VPC associated with the DB instance.
- G. Disable the publicly accessible setting.
- H. Connect to the DB instance using private IPs and a VPN.

Answer: DEF

NEW QUESTION 31

A company is deploying a solution in Amazon Aurora by migrating from an on-premises system. The IT department has established an AWS Direct Connect link from the company's data center. The company's Database Specialist has selected the option to require SSL/TLS for connectivity to prevent plaintext data from being sent over the network. The migration appears to be working successfully, and the data can be queried from a desktop machine.

Two Data Analysts have been asked to query and validate the data in the new Aurora DB cluster. Both Analysts are unable to connect to Aurora. Their user names and passwords have been verified as valid and

the Database Specialist can connect to the DB cluster using their accounts. The Database Specialist also verified that the security group configuration allows network from all corporate IP addresses.

What should the Database Specialist do to correct the Data Analysts' inability to connect?

- A. Restart the DB cluster to apply the SSL change.
- B. Instruct the Data Analysts to download the root certificate and use the SSL certificate on the connection string to connect.
- C. Add explicit mappings between the Data Analysts' IP addresses and the instance in the security group assigned to the DB cluster.
- D. Modify the Data Analysts' local client firewall to allow network traffic to AWS.

Answer: D

NEW QUESTION 33

A retail company with its main office in New York and another office in Tokyo plans to build a database solution on AWS. The company's main workload consists of a mission-critical application that updates its application data in a data store. The team at the Tokyo office is building dashboards with complex analytical queries using the application data. The dashboards will be used to make buying decisions, so they need to have access to the application data in less than 1 second.

Which solution meets these requirements?

- A. Use an Amazon RDS DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- B. Create an Amazon ElastiCache cluster in the ap-northeast-1 Region to cache application data from the replica to generate the dashboards.
- C. Use an Amazon DynamoDB global table in the us-east-1 Region with replication into the ap-northeast-1 Region
- D. Use Amazon QuickSight for displaying dashboard results.
- E. Use an Amazon RDS for MySQL DB instance deployed in the us-east-1 Region with a read replica instance in the ap-northeast-1 Region
- F. Have the dashboard application read from the read replica.
- G. Use an Amazon Aurora global database
- H. Deploy the writer instance in the us-east-1 Region and the replica in the ap-northeast-1 Region
- I. Have the dashboard application read from the replica in the ap-northeast-1 Region.

Answer: D

NEW QUESTION 35

A company is developing a multi-tier web application hosted on AWS using Amazon Aurora as the database.

The application needs to be deployed to production and other non-production environments. A Database Specialist needs to specify different MasterUsername and MasterUserPassword properties in the AWS CloudFormation templates used for automated deployment. The CloudFormation templates are version controlled in the company's code repository. The company also needs to meet compliance requirement by routinely rotating its database master password for production.

What is the most secure solution to store the master password?

- A. Store the master password in a parameter file in each environmen
- B. Reference the environment-specific parameter file in the CloudFormation template.
- C. Encrypt the master password using an AWS KMS ke
- D. Store the encrypted master password in theCloudFormation template.
- E. Use the secretsmanager dynamic reference to retrieve the master password stored in AWS SecretsManager and enable automatic rotation.
- F. Use the ssm dynamic reference to retrieve the master password stored in the AWS Systems ManagerParameterStore and enable automatic rotation.

Answer: C

NEW QUESTION 39

The Security team for a finance company was notified of an internal security breach that happened 3 weeks ago. A Database Specialist must start producing audit logs out of the production Amazon Aurora PostgreSQL cluster for the Security team to use for monitoring and alerting. The Security team is required to perform real-time alerting and monitoring outside the Aurora DB cluster and wants to have the cluster push encrypted files to the chosen solution. Which approach will meet these requirements?

- A. Use pg_audit to generate audit logs and send the logs to the Security team.
- B. Use AWS CloudTrail to audit the DB cluster and the Security team will get data from Amazon S3.
- C. Set up database activity streams and connect the data stream from Amazon Kinesis to consumer applications.
- D. Turn on verbose logging and set up a schedule for the logs to be dumped out for the Security team.

Answer: B

NEW QUESTION 44

A company wants to migrate its existing on-premises Oracle database to Amazon Aurora PostgreSQL. The migration must be completed with minimal downtime using AWS DMS. A Database Specialist must validate that the data was migrated accurately from the source to the target before the cutover. The migration must have minimal impact on the performance of the source database. Which approach will MOST effectively meet these requirements?

- A. Use the AWS Schema Conversion Tool (AWS SCT) to convert source Oracle database schemas to the target Aurora DB cluste
- B. Verify the datatype of the columns.
- C. Use the table metrics of the AWS DMS task created for migrating the data to verify the statistics for the tables being migrated and to verify that the data definition language (DDL) statements are completed.
- D. Enable the AWS Schema Conversion Tool (AWS SCT) premigration validation and review the premigrationchecklist to make sure there are no issues with the conversion.
- E. Enable AWS DMS data validation on the task so the AWS DMS task compares the source and targetrecords, and reports any mismatches.

Answer: D

NEW QUESTION 45

A user has a non-relational key-value database. The user is looking for a fully managed AWS service that will offload the administrative burdens of operating and scaling distributed databases. The solution must be cost-effective and able to handle unpredictable application traffic. What should a Database Specialist recommend for this user?

- A. Create an Amazon DynamoDB table with provisioned capacity mode
- B. Create an Amazon DocumentDB cluster
- C. Create an Amazon DynamoDB table with on-demand capacity mode
- D. Create an Amazon Aurora Serverless DB cluster

Answer: C

NEW QUESTION 50

A company is going to use an Amazon Aurora PostgreSQL DB cluster for an application backend. The DB cluster contains some tables with sensitive data. A Database Specialist needs to control the access privileges at the table level. How can the Database Specialist meet these requirements?

- A. Use AWS IAM database authentication and restrict access to the tables using an IAM policy.
- B. Configure the rules in a NACL to restrict outbound traffic from the Aurora DB cluster.
- C. Execute GRANT and REVOKE commands that restrict access to the tables containing sensitive data.
- D. Define access privileges to the tables containing sensitive data in the pg_hba.conf file.

Answer: C

NEW QUESTION 53

A Database Specialist must create a read replica to isolate read-only queries for an Amazon RDS for MySQLDB instance. Immediately after creating the read replica, users that query it report slow response times. What could be causing these slow response times?

- A. New volumes created from snapshots load lazily in the background
- B. Long-running statements on the master
- C. Insufficient resources on the master
- D. Overload of a single replication thread by excessive writes on the master

Answer: B

NEW QUESTION 55

A company is about to launch a new product, and test databases must be re-created from production data. The company runs its production databases on an Amazon Aurora MySQL DB cluster. A Database Specialist needs to deploy a solution to create these test databases as quickly as possible with the least amount

of administrative effort.

What should the Database Specialist do to meet these requirements?

- A. Restore a snapshot from the production cluster into test clusters
- B. Create logical dumps of the production cluster and restore them into new test clusters
- C. Use database cloning to create clones of the production cluster
- D. Add an additional read replica to the production cluster and use that node for testing

Answer: D

NEW QUESTION 57

An ecommerce company is using Amazon DynamoDB as the backend for its order-processing application. The steady increase in the number of orders is resulting in increased DynamoDB costs. Order verification and reporting perform many repeated GetItem functions that pull similar datasets, and this read activity is contributing to the increased costs. The company wants to control these costs without significant development efforts.

How should a Database Specialist address these requirements?

- A. Use AWS DMS to migrate data from DynamoDB to Amazon DocumentDB
- B. Use Amazon DynamoDB Streams and Amazon Kinesis Data Firehose to push the data into AmazonRedshift
- C. Use an Amazon ElastiCache for Redis in front of DynamoDB to boost read performance
- D. Use DynamoDB Accelerator to offload the reads

Answer: B

NEW QUESTION 59

A Database Specialist needs to speed up any failover that might occur on an Amazon Aurora PostgreSQL DB cluster. The Aurora DB cluster currently includes the primary instance and three Aurora Replicas.

How can the Database Specialist ensure that failovers occur with the least amount of downtime for the application?

- A. Set the TCP keepalive parameters low
- B. Call the AWS CLI failover-db-cluster command
- C. Enable Enhanced Monitoring on the DB cluster
- D. Start a database activity stream on the DB cluster

Answer: B

NEW QUESTION 63

A company needs a data warehouse solution that keeps data in a consistent, highly structured format. The company requires fast responses for end-user queries when looking at data from the current year, and users must have access to the full 15-year dataset, when needed. This solution also needs to handle a fluctuating number incoming queries. Storage costs for the 100 TB of data must be kept low. Which solution meets these requirements?

- A. Leverage an Amazon Redshift data warehouse solution using a dense storage instance type while keeping all the data on local Amazon Redshift storage
- B. Provision enough instances to support high demand.
- C. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- D. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- E. Provision enough instances to support high demand.
- F. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- G. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- H. Enable Amazon Redshift Concurrency Scaling.
- I. Leverage an Amazon Redshift data warehouse solution using a dense storage instance to store the most recent data
- J. Keep historical data on Amazon S3 and access it using the Amazon Redshift Spectrum layer
- K. Leverage Amazon Redshift elastic resize.

Answer: C

NEW QUESTION 68

A gaming company has implemented a leaderboard in AWS using a Sorted Set data structure within Amazon ElastiCache for Redis. The ElastiCache cluster has been deployed with cluster mode disabled and has a replication group deployed with two additional replicas. The company is planning for a worldwide gaming event and is anticipating a higher write load than what the current cluster can handle.

Which method should a Database Specialist use to scale the ElastiCache cluster ahead of the upcoming event?

- A. Enable cluster mode on the existing ElastiCache cluster and configure separate shards for the Sorted Set across all nodes in the cluster.
- B. Increase the size of the ElastiCache cluster nodes to a larger instance size.
- C. Create an additional ElastiCache cluster and load-balance traffic between the two clusters.
- D. Use the EXPIRE command and set a higher time to live (TTL) after each call to increment a given key.

Answer: B

NEW QUESTION 71

A manufacturing company's website uses an Amazon Aurora PostgreSQL DB cluster.

Which configurations will result in the LEAST application downtime during a failover? (Choose three.)

- A. Use the provided read and write Aurora endpoints to establish a connection to the Aurora DB cluster.
- B. Create an Amazon CloudWatch alert triggering a restore in another Availability Zone when the primary Aurora DB cluster is unreachable.
- C. Edit and enable Aurora DB cluster cache management in parameter groups.
- D. Set TCP keepalive parameters to a high value.
- E. Set JDBC connection string timeout variables to a low value.
- F. Set Java DNS caching timeouts to a high value.

Answer: ABC

NEW QUESTION 72

An Amazon RDS EBS-optimized instance with Provisioned IOPS (PIOPS) storage is using less than half of its allocated IOPS over the course of several hours under constant load. The RDS instance exhibits multi-second read and write latency, and uses all of its maximum bandwidth for read throughput, yet the instance uses less than half of its CPU and RAM resources.

What should a Database Specialist do in this situation to increase performance and return latency to sub-second levels?

- A. Increase the size of the DB instance storage
- B. Change the underlying EBS storage type to General Purpose SSD (gp2)
- C. Disable EBS optimization on the DB instance
- D. Change the DB instance to an instance class with a higher maximum bandwidth

Answer: B

NEW QUESTION 74

A company's Security department established new requirements that state internal users must connect to an existing Amazon RDS for SQL Server DB instance using their corporate Active Directory (AD) credentials. A Database Specialist must make the modifications needed to fulfill this requirement.

Which combination of actions should the Database Specialist take? (Choose three.)

- A. Disable Transparent Data Encryption (TDE) on the RDS SQL Server DB instance.
- B. Modify the RDS SQL Server DB instance to use the directory for Windows authentication. Create appropriate new logins.
- C. Use the AWS Management Console to create an AWS Managed Microsoft A
- D. Create a trust relationship with the corporate AD.
- E. Stop the RDS SQL Server DB instance, modify it to use the directory for Windows authentication, and start it again.
- F. Create appropriate new logins.
- G. Use the AWS Management Console to create an AD Connect
- H. Create a trust relationship with the corporate AD.
- I. Configure the AWS Managed Microsoft AD domain controller Security Group.

Answer: CDF

NEW QUESTION 78

A company is load testing its three-tier production web application deployed with an AWS CloudFormation template on AWS. The Application team is making changes to deploy additional Amazon EC2 and AWS Lambda resources to expand the load testing capacity. A Database Specialist wants to ensure that the changes made by the Application team will not change the Amazon RDS database resources already deployed.

Which combination of steps would allow the Database Specialist to accomplish this? (Choose two.)

- A. Review the stack drift before modifying the template
- B. Create and review a change set before applying it
- C. Export the database resources as stack outputs
- D. Define the database resources in a nested stack
- E. Set a stack policy for the database resources

Answer: AD

NEW QUESTION 82

A Database Specialist is creating Amazon DynamoDB tables, Amazon CloudWatch alarms, and associated infrastructure for an Application team using a development AWS account. The team wants a deployment method that will standardize the core solution components while managing environment-specific settings separately, and wants to minimize rework due to configuration errors.

Which process should the Database Specialist recommend to meet these requirements?

- A. Organize common and environmental-specific parameters hierarchically in the AWS Systems Manager Parameter Store, then reference the parameters dynamically from an AWS CloudFormation template. Deploy the CloudFormation stack using the environment name as a parameter.
- B. Create a parameterized AWS CloudFormation template that builds the required object
- C. Keep separate environment parameter files in separate Amazon S3 buckets
- D. Provide an AWS CLI command that deploys the CloudFormation stack directly referencing the appropriate parameter bucket.
- E. Create a parameterized AWS CloudFormation template that builds the required object
- F. Import the template into the CloudFormation interface in the AWS Management Console
- G. Make the required changes to the parameters and deploy the CloudFormation stack.
- H. Create an AWS Lambda function that builds the required objects using an AWS SDK
- I. Set the required parameter values in a test event in the Lambda console for each environment that the Application team can modify, as needed
- J. Deploy the infrastructure by triggering the test event in the console.

Answer: C

NEW QUESTION 83

A company has a web-based survey application that uses Amazon DynamoDB. During peak usage, when survey responses are being collected, a Database Specialist sees the ProvisionedThroughputExceededException error.

What can the Database Specialist do to resolve this error? (Choose two.)

- A. Change the table to use Amazon DynamoDB Streams
- B. Purchase DynamoDB reserved capacity in the affected Region
- C. Increase the write capacity units for the specific table
- D. Change the table capacity mode to on-demand
- E. Change the table type to throughput optimized

Answer: CE

NEW QUESTION 85

A company runs online transaction processing (OLTP) workloads on an Amazon RDS for PostgreSQL

Multi-AZ DB instance. Tests were run on the database after work hours, which generated additional database logs. The free storage of the RDS DB instance is low due to these additional logs.

What should the company do to address this space constraint issue?

- A. Log in to the host and run the `rm $PGDATA/pg_logs/*` command
- B. Modify the `rds.log_retention_period` parameter to 1440 and wait up to 24 hours for database logs to be deleted
- C. Create a ticket with AWS Support to have the logs deleted
- D. Run the `SELECT rds_rotate_error_log()` stored procedure to rotate the logs

Answer: B

NEW QUESTION 90

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

DBS-C01 Practice Exam Features:

- * DBS-C01 Questions and Answers Updated Frequently
- * DBS-C01 Practice Questions Verified by Expert Senior Certified Staff
- * DBS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DBS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The DBS-C01 Practice Test Here](#)