

# LPI

## Exam Questions 102-500

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0



#### NEW QUESTION 1

- (Exam Topic 1)

Which of the following words is used to restrict the records that are returned from a SELECT query based on a supplied criteria for the values in the records?

- A. LIMIT
- B. FROM
- C. WHERE
- D. IF

**Answer:** C

#### NEW QUESTION 2

- (Exam Topic 1)

Which of the following commands lists all defined variables and functions within Bash?

- A. env
- B. set
- C. env -a
- D. echo \$ENV

**Answer:** B

#### NEW QUESTION 3

- (Exam Topic 1)

Which of the following is the best way to list all defined shell variables?

- A. env
- B. set
- C. env -a
- D. echo \$ENV

**Answer:** B

#### NEW QUESTION 4

- (Exam Topic 1)

What output will the command `seq 10` produce?

- A. A continuous stream of numbers increasing in increments of 10 until stopped.
- B. The numbers 1 through 10 with one number per line.
- C. The numbers 0 through 9 with one number per line.
- D. The number 10 to standard output.

**Answer:** B

#### NEW QUESTION 5

- (Exam Topic 1)

What word is missing from the following SQL statement?

\_\_\_\_\_ count(\*) from tablename;

(Please specify the missing word using lower-case letters only.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

select

#### NEW QUESTION 6

- (Exam Topic 1)

Which of the following SQL statements will select the fields name and address from the contacts table?

- A. SELECT (name, address) FROM contacts;
- B. SELECT (name address) FROM contacts;
- C. SELECT name, address FROM contacts;
- D. SELECT name address FROM contacts;

**Answer:** C

#### NEW QUESTION 7

- (Exam Topic 1)

Which command makes the shell variable named VARIABLE visible to subshells?

- A. export \$VARIABLE

- B. export VARIABLE
- C. set \$VARIABLE
- D. set VARIABLE
- E. env VARIABLE

**Answer:** B

#### NEW QUESTION 8

- (Exam Topic 1)

Which of the following SQL queries counts the number of occurrences for each value of the field order\_type in the table orders?

- A. SELECT order\_type,COUNT(\*) FROM orders WHERE order\_type=order\_type;
- B. SELECT order\_type,COUNT(\*) FROM orders GROUP BY order\_type;
- C. COUNT(SELECT order\_type FROM orders);
- D. SELECT COUNT(\*) FROM orders ORDER BY order\_type;
- E. SELECT AUTO\_COUNT FROM orders COUNT order\_type;

**Answer:** B

#### NEW QUESTION 9

- (Exam Topic 1)

By default, the contents of which directory will be copied to a new user's home directory when the account is created by passing the -m option to the useradd command? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/etc/skel

#### NEW QUESTION 10

- (Exam Topic 1)

When the command echo \$\$ outputs 12942, what is the meaning of 12942?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the process ID of the last command executed.
- D. It is the process ID of the last command which has been placed in the background.

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 1)

Which of the following are requirements in order to run a shell script like a regular command from anywhere in the filesystem? (Choose THREE correct answers.)

- A. The user issuing the command must be in the group script.
- B. The script file must be found in the \$PATH.
- C. The script file must have the executable permission bit set.
- D. The script must begin with a shebang-line (!) that points to the correct interpreter.
- E. The file system on which the script resides must be mounted with the option scripts.

**Answer:** BCD

#### NEW QUESTION 14

- (Exam Topic 2)

On a system running the KDE Display Manager, when is the /etc/kde4/kdm/Xreset script automatically executed?

- A. When KDM starts
- B. When a user's X session exits
- C. When KDM crashes
- D. When X is restarted
- E. When X crashes

**Answer:** B

#### NEW QUESTION 18

- (Exam Topic 2)

X is running okay but you're concerned that you may not have the right color depth set. What single command will show you the running color depth while in X?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

Answer: C

**NEW QUESTION 20**

- (Exam Topic 2)

Which of the following commands shows the current color depth of the X Server?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

Answer: C

**NEW QUESTION 24**

- (Exam Topic 2)

Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

/usr/bin/xwininfo, xwininfo

**NEW QUESTION 27**

- (Exam Topic 2)

What is the name of the simple graphical login manager that comes with a vanilla X11 installation? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

xdm

**NEW QUESTION 32**

- (Exam Topic 2)

How is a display manager started?

- A. It is started by a user using the command startx.
- B. It is started like any other system service by the init system.
- C. It is started by inetd when a remote hosts connects to the X11 port.
- D. It is started automatically when a X11 user logs in to the system console.

Answer: B

**NEW QUESTION 33**

- (Exam Topic 3)

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

Answer: A

**NEW QUESTION 38**

- (Exam Topic 3)

On a system using shadowed passwords, the most correct permissions for /etc/passwd are \_\_\_\_\_ and the most correct permissions for /etc/shadow are \_\_\_\_\_.

- A. -rw-r-----, -r-----
- B. -rw-r--r--, -r--r--r--
- C. -rw-r--r--, -r-----
- D. -rw-r--rw-, -r-----r--
- E. -rw-----, -r-----

Answer: C

**NEW QUESTION 39**

- (Exam Topic 3)

Which of the following commands can be used to convert text files in one character encoding to another character encoding?

- A. cat
- B. convert
- C. dd
- D. iconv
- E. utf2utf

**Answer: D**

#### NEW QUESTION 41

- (Exam Topic 3)

Which TWO statements about crontab are true?

- A. Every user may have their own crontab.
- B. Changing a crontab requires a reload/restart of the cron daemon.
- C. The cron daemon reloads crontab files automatically when necessary.
- D. hourly is the same as "0 \* \* \* \*".
- E. A cron daemon must run for each existing crontab.

**Answer: AC**

#### NEW QUESTION 43

- (Exam Topic 3)

Of the ways listed, which is the best method to temporarily suspend a user's ability to interactively login?

- A. Use passwd -d username to give the user an empty password.
- B. Use chage to expire the user account.
- C. Change the user's password.
- D. Add the command exit to the user's .login file.

**Answer: B**

#### NEW QUESTION 46

- (Exam Topic 3)

Which of the following can the chage command NOT change?

- A. The number of days since January 1, 1970 after which the user's account will no longer be accessible.
- B. The number of days since January 1, 1970 after which the password can change.
- C. The number of days since January 1, 1970 since the password was last changed.
- D. The maximum number of days during which a password is valid.
- E. The number of days of inactivity after a password has expired before the account is locked.

**Answer: B**

#### NEW QUESTION 51

- (Exam Topic 3)

Which command can be used to delete a group from a Linux system?

- A. groupdel
- B. groupmod
- C. groups
- D. groupedit

**Answer: A**

#### NEW QUESTION 56

- (Exam Topic 3)

What is true regarding the command userdel --force --remove bob? (Choose TWO correct answers.)

- A. The user bob is removed from the system's user database.
- B. The user bob's home directory is removed.
- C. The locate database is updated to drop files owned by bob.
- D. All files owned by bob are removed from all mounted filesystems.
- E. In case bob was the last member of a group, that group is deleted.

**Answer: AB**

#### NEW QUESTION 59

- (Exam Topic 3)

Which commands can be used to change a user's account aging information? (Choose THREE correct answers.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

Answer: ABD

#### NEW QUESTION 64

- (Exam Topic 3)

What is true about the file /etc/localtime?

- A. It is a plain text file containing a string such as Europe/Berlin.
- B. It is created and maintained by the NTP service based on the geolocation of the system's IP address.
- C. It is a symlink to /sys/device/clock/ltime and always contains the current local time.
- D. It is either a symlink to or a copy of a timezone information file such as /usr/share/zoneinfo/Europe/Berlin.

Answer: D

#### NEW QUESTION 65

- (Exam Topic 3)

Which commands can you use to change a user's account aging information? (Choose THREE correct answers.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

Answer: ABD

#### NEW QUESTION 69

- (Exam Topic 3)

Which crontab entry could be used to set the system time at regular intervals?

- A. 1 0 \* \* \* date \$d \$t \$24
- B. 1 0 \* \* \* ntpdate ntp1.digex.net
- C. 1 0 \* \* \* date ntp1.digex.net
- D. 1 0 \* \* \* runcron date ntp1.digex.net
- E. 1 0 \* \* \* settime \$d \$t \$24

Answer: B

#### NEW QUESTION 71

- (Exam Topic 4)

Which of the following is observed and corrected by a NTP client?

- A. The skew in time between the system clock and the hardware clock.
- B. The skew in time between the system clock and the reference clock.
- C. Changes in the time zone of the current computer's location.
- D. Adjustments needed to support Daylight Saving Time.

Answer: B

#### NEW QUESTION 73

- (Exam Topic 4)

Why is the correct configuration of a system's time zone important?

- A. Because the conversion of Unix timestamps to local time relies on the time zone configuration.
- B. Because the time zone is saved as part of the modification times of files and cannot be changed after a file is created.
- C. Because the environment variables LANG and LC\_MESSAGES are, by default, set according to the time zone.
- D. Because NTP chooses servers nearby based on the configured time zone.

Answer: A

#### NEW QUESTION 77

- (Exam Topic 4)

What is the purpose of the command mailq?

- A. It fetches new emails from a remote server using POP3 or IMAP.
- B. It is a multi-user mailing list manager.
- C. It is a proprietary tool contained only in the qmail MTA.
- D. It queries the mail queue of the local MTA.
- E. It is a command-line based tool for reading and writing emails.

Answer: D

#### NEW QUESTION 78

- (Exam Topic 4)

After adding a new email alias to the configuration, which command must be run in order to ensure the MTA knows about it? (Specify the command without any path but including all required parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

newaliases, sendmail -bi

**NEW QUESTION 81**

- (Exam Topic 4)

What command should be used to print a listing of email in the system's mail queue?

- A. lpq
- B. mailq
- C. mlq
- D. sendmail -l

**Answer:** B

**NEW QUESTION 84**

- (Exam Topic 4)

What command can be used to generate syslog entries of any facility and priority? (supply just the command name without a path)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

logger

**NEW QUESTION 87**

- (Exam Topic 4)

What is pool.ntp.org?

- A. A deprecated feature for maintaining system time in the Linux kernel
- B. A website which provides binary and source packages for the OpenNTPD project
- C. A virtual cluster of various timeservers
- D. A community website used to discuss the localization of Linux

**Answer:** C

**NEW QUESTION 92**

- (Exam Topic 4)

Which file inside the CUPS configuration directory contains the definition of the printers?

- A. cups-devices.conf
- B. snmp.conf
- C. printcap.conf
- D. printers.conf
- E. cupsd.conf

**Answer:** D

**NEW QUESTION 97**

- (Exam Topic 4)

On a dual boot system, every time the system is booted back into Linux the time has been set backward by one day. Which of the following commands will correct the problem?

- A. date -d '+ 1 day'
- B. hwclock --systohc --localtime
- C. ntpdate pool.ntp.org
- D. time hwclock

**Answer:** B

**NEW QUESTION 99**

- (Exam Topic 4)

Which file, when using Sendmail or a similar MTA system, will allow a user to redirect all their mail to another address and is configurable by the user themselves?

- A. /etc/alias
- B. ~/.alias
- C. /etc/mail/forwarders
- D. ~/.forward
- E. ~/.vacation

Answer: D

**NEW QUESTION 100**

- (Exam Topic 4)

What entry can you add to syslog.conf file to have all syslog messages generated by your system go to virtual console 12?

- A. \*.\* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.\* /dev/tty12

Answer: A

**NEW QUESTION 101**

- (Exam Topic 5)

Which of the following may occur as a consequence of using the command ifconfig? (Choose THREE correct answers.)

- A. New name servers may be added to the resolver configuration.
- B. Network interfaces may become active or inactive.
- C. The routing table may change.
- D. IP addresses may change.
- E. The system's host name may change.

Answer: BCD

**NEW QUESTION 102**

- (Exam Topic 5)

Given the following routing table:

Kernel IP routing table						
Destination	Gateway	Genmask	Flags	Metric	Ref	Use Iface
0.0.0.0	192.168.178.1	0.0.0.0	UG	0	0	0 wlan0
192.168.1.0	0.0.0.0	255.255.255.0	U	0	0	0 eth0
192.168.2.0	192.168.1.1	255.255.255.0	U	0	0	0 eth0
192.168.178.0	0.0.0.0	255.255.255.0	U	9	0	0 wlan0

How would an outgoing packet to the destination 192.168.2.150 be handled?

- A. It would be passed to the default router 192.168.178.1 on wlan0.
- B. It would be directly transmitted on the device eth0.
- C. It would be passed to the default router 255.255.255.0 on eth0.
- D. It would be directly transmitted on the device wlan0.
- E. It would be passed to the router 192.168.1.1 on eth0.

Answer: E

**NEW QUESTION 107**

- (Exam Topic 5)

Which command, depending on its options, can display the open network connections, the routing tables, as well as network interface statistics. (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

netstat, /bin/netstat, ss, /usr/bin/ss

**NEW QUESTION 108**

- (Exam Topic 5)

Which of the following is a valid IPv6 address?

- A. 2001:db8:3241::1
- B. 2001::db8:4581::1
- C. 2001:db8:0g41::1
- D. 2001%db8%9990%%1
- E. 2001.db8.819f..1

Answer: A

**NEW QUESTION 112**

- (Exam Topic 5)

Which keyword must be listed in the hosts option of the Name Service Switch configuration file in order to make host lookups consult the /etc/hosts file?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
files

**NEW QUESTION 113**

- (Exam Topic 5)

Which of the following commands will help identify a broken router between the local and the remote machine?

- A. ps
- B. netstat
- C. nslookup
- D. ifconfig
- E. traceroute

**Answer:** E

**NEW QUESTION 114**

- (Exam Topic 5)

With IPv6, how many bits have been used for the interface identifier of an unicast address? (Specify the number using digits only.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
64

**NEW QUESTION 115**

- (Exam Topic 6)

What argument to the -type option of find will match files that are symbolic links? (Specify only the argument and no other options or words.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
l

**NEW QUESTION 116**

- (Exam Topic 6)

Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?

- A. sshd
- B. ssh-agent
- C. ssh-keygen
- D. ssh-add

**Answer:** B

**NEW QUESTION 120**

- (Exam Topic 6)

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
bind, interface

**NEW QUESTION 124**

- (Exam Topic 6)

Which directory holds the files that configure the xinetd service when using several configuration files instead of an integrated configuration file? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
/etc/xinetd.d/, /etc/xinetd.d

**NEW QUESTION 126**

- (Exam Topic 6)

The presence of what file will temporarily prevent all users except root from logging into the system? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/nologin

**NEW QUESTION 127**

- (Exam Topic 6)

Which of the following commands connects to the remote host example.com which has OpenSSH listening on TCP port 2222? (Choose TWO correct answers.)

- A. ssh --port 2222 example.com
- B. ssh -p 2222 example.com
- C. ssh -o Port=2222 example.com
- D. ssh -o GatewayPort=2222 example.com
- E. ssh example.com:2222

**Answer:** BC

**NEW QUESTION 129**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **102-500 Practice Exam Features:**

- \* 102-500 Questions and Answers Updated Frequently
- \* 102-500 Practice Questions Verified by Expert Senior Certified Staff
- \* 102-500 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 102-500 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 102-500 Practice Test Here](#)**