



Microsoft

Exam Questions MS-203

Microsoft 365 Messaging

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email. All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically. You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector. Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/con>

NEW QUESTION 2

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX


You need to ensure that all email messages in the mailbox of a user named Pradeep Gupta are retained for 90 days. To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > Go to the Microsoft 365 admin center and then click Users
 - > Select Pradeep Gupta.
 - > Active users.
 - > On the properties flyout page, click the Mail hold tab, and then under More actions, click Manage litigation hold.
- Graphical user interface, application Description automatically generated



- > On the Manage litigation hold flyout page, select the Turn on litigation hold checkbox and then enter the following optional information:
 - Hold duration (days): Use this box to create a time-based hold and specify how long mailbox items are held when the mailbox is placed on Litigation hold. The duration is calculated from the date a mailbox item is received or created. When the hold duration expires for a specific item, that item will no longer be preserved. If you leave this box blank, items are preserved indefinitely or until the hold is removed. Configure 90 days.
 - Note visible to the user: Use this box to inform the user their mailbox is on Litigation hold. The note will appear on the Account Information page in the user's mailbox if they're using Outlook 2010 or later. To access this page, users can click File in Outlook.
 - Web page with more information for the user: Use this box to direct the user to a website for more information.
- they are using Outlook 2010 or later. To access this page, users can click File in Outlook.
- Click Save changes on the litigation hold flyout page to create the hold.
- The system displays a banner saying it might take up to 240 minutes for the change to take effect. Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-a-litigation-hold?view=o365-worldwide>

NEW QUESTION 3

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization. A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email. You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 4

- (Exam Topic 5)

HOTSPOT

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription that uses a domain named contoso.com. Contoso works with a partner company named A.Datum Corporation. A.Datum has an Exchange Server 2016 organization that uses a domain named adatum.com.

You need to ensure that users at Contoso can share their free/busy information with the users at A.Datum. What should you do for each company? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A.Datum:	<input type="text"/> <div style="border: 1px solid black; padding: 2px;"> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Create a sharing policy</p> </div>
Contoso:	<input type="text"/> <div style="border: 1px solid black; padding: 2px;"> <p>Establish identity federation by using Active Directory Federation Services</p> <p>Configure Microsoft Azure Active Directory Connect</p> <p>Create an organization relationship</p> <p>Create a federation trust between Exchange and Microsoft Office 365</p> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 5

- (Exam Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com. The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
Office 365	To: <input type="text"/> From: <input type="text"/>
Your organization's email server	
Partner organization	
Internet	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 6

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains two SMTP domains named contoso.com and litwareinc.com. You need to ensure that users who have a contoso.com email address are prevented from seeing users who have a litwareinc.com email address in the global address list (GAL). The litwareinc.com users must be able to see the contoso.com users in the GAL. Which three actions should you perform? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Modify the Default Address book policy to exclude the litwareinc.com users
- B. Create an offline address book (OAB) that contains the contoso.com users
- C. Create a separate GAL that contains the contoso.com users
- D. Modify the default GAL to exclude the litwareinc.com users
- E. Create a new email address policy for the contoso.com users
- F. Create a new address book policy (ABP) and assign the ABP to the contoso.com mailboxes

Answer: BCF

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 7

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA). You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete https://mail.contoso.com from the ExternalUrl value.
- D. Modify the InternalUrl value to http://mail.contoso.com.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentic>

NEW QUESTION 8

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress> Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 9

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

A user attempts to send an email message to an external recipient and receives the following error message: "Your message couldn't be delivered because you weren't recognized as a valid sender. The most common reason for this is that your email address is suspected of sending spam and it's no longer allowed to send messages outside of your organization. Contact your mail admin for assistance. Remote Server returned '550 5.1.8 Access denied, bad outbound sender'."

You need to ensure that the user send email to external recipients. What should you do?

- A. compliance management in the Exchange admin center
- B. Data loss prevention in the Security & Compliance admin center
- C. Threat management in the Security & Compliance admin center
- D. action center in the Exchange admin center

Answer: C

Explanation:

<http://automatica.com.au/2020/01/office-365-single-users-unable-to-send-email-access-denied-bad-outbound-sender-er>

NEW QUESTION 10

- (Exam Topic 5)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:

▼
Create a mobile device access rule
Create and assign a mobile device policy
Create a client access rule scoped to the users

For the marketing department users:

▼
Run the Set-Mailbox cmdlet
Run the Set-CasMailbox cmdlet
Run the Set-ActiveSyncDeviceAccessRule cmdlet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the sales department users:

▼
Create a mobile device access rule
Create and assign a mobile device policy!
Create a client access rule scoped to the users

For the marketing department users:

▼
Run the Set-Mailbox cmdlet
Run the Set-CasMailbox cmdlet
Run the Set-ActiveSyncDeviceAccessRule cmdlet!

NEW QUESTION 10

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- > Adatum.com
- > Contoso.com
- > Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 portal, you set fabrikam.com as the default domain. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set>

NEW QUESTION 11

- (Exam Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 15

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre

This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want. Reference:

<https://365tips.be/en/how-to-create-a-global-reader-account-for-your-it-supplier/>

NEW QUESTION 18

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-safe-links-policies?view=o3>

NEW QUESTION 20

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to provide a user named User1 with the ability to create and manage transport rules. To which management role group should you add User1?

A. Compliance Management

B. Server Management

C. Records Management

D. Hygiene Management

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/records-management-exchange-2013-help>

NEW QUESTION 21

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has anti-spam policies configured.

You need to identify any anti-spam policy settings that were changed during the last three months and review recommendations for increase Microsoft Standard or Stria configurations for Exchange Online anti-spam policies.

What should you use?

A. Configuration analyzer in Microsoft 365 Defender

B. Compliance Manager

C. Microsoft Defender for Cloud Apps

D. the Insights dashboard in the Exchange admin center

Answer: A

NEW QUESTION 23

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains a Microsoft Exchange Online tenant.

An named App1 emails files to a group named App1support. The files are sent in a file that has the jar extension.

You have tie anti-malware policy shown in following exhibit.



To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy**

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy
- select a different quarantine policy for the default anti-malware policy**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

To enable only the members of the App1support group to receive the JAR files, you must [answer choice].

- add a new file entry to the Tenant Allow/Block List
- create a new anti-malware policy**
- customize the file types for the default anti-malware policy
- disable the common attachments filter for the default anti-malware policy

To periodically rescan previously delivered email messages in all mailboxes, you must [answer choice].

- create a new anti-malware policy
- enable zero-hour auto purge (ZAP) for malware in the default anti-malware policy**
- select a different quarantine policy for the default anti-malware policy

NEW QUESTION 26

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam. You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 30

- (Exam Topic 5)

You have a Microsoft 365 subscription.

A safe attachments policy that uses Dynamic Delivery is applied to all recipients who match your SMTP domains.

You need to prevent attachments from being scanned when internal users send email to one another. What should you do?

- A. From the Security & and Compliance admin center, modify the safe attachments policy.
- B. From the Security & and Compliance admin center, modify the Service assurance settings.
- C. From the Exchange admin center, create a transport rule.
- D. From the Exchange admin center, modify the malware filter.

Answer: C

Explanation:

Create a transport rule (or mail flow rule as they are called nowadays) to configure the message header: X-MS-Exchange-Organization-SkipSafeAttachmentProcessing.

Reference:

<https://docs.microsoft.com/en-gb/archive/blogs/office365labs/eo-atp-considerations-reports-demonstrations>

NEW QUESTION 34

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

The mail exchanger (MX) record of your company points to a third-party message hygiene provider that forwards email messages to the tenant.

You need to ensure that Exchange Online can filter the email by using the original IP address of the sender's company.

What should you do?

- A. Modify the Inbound connector to use the -EFSkipIPs parameter.
- B. Modify the Receive connector to use the -EFSkipIPs parameter.
- C. Enable DMARC.
- D. Create a remote domain.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/enha>

NEW QUESTION 37

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your company can schedule a conference room named Room1 in the company's office by using Microsoft Outlook.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the Exchange admin center, navigate to Recipients

>Resources.

> To create a room mailbox, click New +

>Room mailbox.

➤ Use the options on the page to specify the settings for the new resource mailbox.

- Room name: Use this box to type a name for the room mailbox. This is the name that's listed in the resource mailbox list in the Exchange admin center and in your organization's address book. This name is required and it can't exceed 64 characters.

- Alias: A room mailbox has an email address so it can receive booking requests. The email address consists of an alias on the left side of the @ symbol, which must be unique in the forest, and your domain name on the right. The alias is required.

- Location, Phone, Capacity: You can use these fields to enter details about the room. However, as explained earlier, you can include some or all of this information in the room name so users can see it.

➤ When you're finished, click Save

to create the room mailbox.

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients/room-mailboxes?view=exchserver-2019>

NEW QUESTION 42

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that does NOT contain any public folders.

You need to create a new public folder. The solution must ensure that users can create a post by sending an email to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions		Answer Area
Assign an Exchange Online license.		
Create a public folder mailbox.		
Create a public folder.	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;">➤</div> <div style="margin-bottom: 10px;">➤</div> </div>	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;">⬆</div> <div style="margin-bottom: 10px;">⬇</div> </div>
Create a Microsoft 365 group.		
Create a shared mailbox.		
Mail-enable the public folder.		
Set an email address on a public folder.		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/create-public-folder> <https://docs.microsoft.com/en-us/exchange/collaboration-exo/public-folders/enable-or-disable-mail-for-public-f>

NEW QUESTION 45

- (Exam Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector. Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 50

- (Exam Topic 4)

Allan Deyoung must perform a message trace of the email messages sent by Isaiah Langer and provide a report that contains all the messages sent during the last 30 days.

You need to ensure that Allan Deyoung can perform the message trace. What should you do?

- A. Add Allan Deyoung to the Organization Management role group
- B. Add Allan Deyoung to the Security Administrator role group
- C. For Allan Deyoung
- D. set ElcProcessingDisabled to true

- E. For Isaiah Lange
- F. set ElcProcessingDisabled to true

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/exchange/permissions-exo/feature-permissions>

NEW QUESTION 54

- (Exam Topic 3)

You need to identify the contents of the FabrikamProject public folder to meet the technical requirements. Which PowerShell cmdlet should you run?

- A. Get-PublicFolderScaciscics
- B. Get-PublicFolderItemStatistics
- C. Get-PublicFolderMailboxDiagnoscics
- D. Get-PublicFolder

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powershell/module/exchange/get-publicfolderitemstatistics?view=exchange-ps>

NEW QUESTION 59

- (Exam Topic 3)

How many default policy tags (DPTs), retention policy tags (RPTs), and personal tags should you create to meet the retention requirements? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

DPTs:

▼
0
1
2
3
4

RPTs:

▼
0
1
2
3
4
5
6
7

Personal tags:

▼
0
1
2
3
4
5
6
7

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated
Table Description automatically generated

Box 1: 1
Default Policy Tags apply to any item that doesn't have another tag applied to it. We need one to meet the following requirement:
➤ Ensure that any items without a retention tag are moved to the Archive mailbox two years after they were created and permanently deleted seven years after they were created.

Box 2: 2
Retention Policy Tags apply to default mailbox folders (Inbox, Sent Items etc). We need two to meet the following requirements:
➤ Automatically delete items in the Junk Email folder after 30 days.
➤ Automatically delete items in the Sent Items folder after 300 days.

Box 3: 3
Personal tags can be applied by users to custom folders or individual emails. We need three to meet the following requirements:
➤ Enable users to tag items for deletion after one year.
➤ Enable users to tag items for deletion after two years.
➤ Enable users to tag items to be archived after one year.

Reference:
<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/retention-t>

NEW QUESTION 62

- (Exam Topic 3)
You need to configure the new smartboard to support the planned changes.
Which three settings should you configure? To answer, select the appropriate settings in the answer area.
NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

- Allow repeating meetings
- Allow scheduling only during work hours
- Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

- Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/recipients-in-exchange-online/manage-resource-mailboxes>

NEW QUESTION 63

- (Exam Topic 3)
User3 leaves the company.
You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.
What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.

- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

➤ When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o3>

NEW QUESTION 68

- (Exam Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼

```
-id FilesPolicy -BlockedFileTypes
```

▼

Set-SafeLinksPolicy

Set-OwaMailboxPolicy

Set-ActiveSyncMailboxPolicy

Set-HostedContentFilterPolicy

.aspx

*.aspx

@{Add = ".aspx"}

@{Remove = ".aspx"}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 71

- (Exam Topic 2)

You need to implement a solution to support the planned changes for the branch office administrators. What should you do?

- A. Assign the Mail Recipients role to the branch office administrators and use a default management scope.
- B. Assign the Mail Recipients role to the branch office administrators and create a custom management scope.
- C. Assign the Recipient Policies role to the branch office administrators and use a default management scope.
- D. Assign the Recipient Policies role to the branch office administrators and create a custom management scope.

Answer: B

Explanation:

Ensure that the branch office administrators can configure the properties of the mailboxes in their respective offices only.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-recipients-role-exchange-2013-help>

NEW QUESTION 76

- (Exam Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 77

- (Exam Topic 2)

You need to recommend a procedure for closing the Brussels office that meets the technical requirements. What should you recommend?

- A. In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- B. Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019

server in the main office.

C. Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.

D. Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/architecture/mailbox-servers/manage-mailbox-moves?view=exchserver-2019>

<https://theitbros.com/move-exchange-mailboxes-to-another-database/>

NEW QUESTION 80

- (Exam Topic 2)

You need to resolve the issue for the customer service department users. What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

NEW QUESTION 82

- (Exam Topic 2)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers.

How should you complete the PowerShell script? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can share free/busy hours, subject, and location with the users at Contoso.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can share calendars with the users at Litware.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 84

- (Exam Topic 1)

You need to recommend a solution for the public folders that supports the planned changes and meets the technical requirements. What should you recommend?

- A. Microsoft SharePoint site mailboxes
- B. Office 365 groups
- C. Resource mailboxes
- D. Public folder replicas

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-office-365-groups?view=exchserver-2019>

NEW QUESTION 89

- (Exam Topic 1)

You need to configure the environment to support the planned changes for email addresses.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```

-Name 'UserMailboxes'
Set-Mailbox
Set-MailboxPlan
Update-EmailAddressPolicy
New-EmailAddressPolicy

-RecipientFilter {(RecipientType -eq 'UserMailbox')}
-EnabledEmailAddressesTemplates ''
SMTP.%s%2g@contoso.com
SMTP.%g%2s@contoso.com
SMTP.%d%2g@contoso.com
SMTP.%2d%s@contoso.com
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-emailad> <https://docs.microsoft.com/en-us/Exchange/email-addresses-and-address-books/email-address-policies/email-ad>

NEW QUESTION 90

- (Exam Topic 1)

You need to recommend an Office 365 solution that meets the technical requirements for email from adatum.com.

Which two components should you recommend configuring from the Exchange admin center in Exchange Online? Each correct presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. DKIM signatures
- B. a spam filter

- C. a malware filter
- D. data loss prevention (DLP) policies
- E. a connection filter

Answer: BE

NEW QUESTION 91

- (Exam Topic 1)

Use the drop-down menus to select the answer choice that complete each statement based on the information presented in the Exchange Online Connector exhibit.

NOTE: Each correct selection is worth one point.

To meet the security requirements for the email messages received from fabrikam.com, set (answer choice) to *, fabrikam.com.

	▼
AssociatedAcceptedDomains	
ConnectorSource	
SenderDomains	

When an email message is sent from fabrikam.com to an on-premises mailbox, the message will be sent (answer choice).

	▼
back to a sender in fabrikam.com	
to the Edge Transport server encrypted	
to the Edge Transport server unencrypted	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SenderDomains
to the Edge Transport server encrypted

NEW QUESTION 96

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests.

A recent security breach at the company required that the passwords of all privileged accounts be changed. Since the password change, mailbox move requests are failing.

You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view=>

NEW QUESTION 100

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

You recently hired two new administrators named Admin5 and Admin6. You need to grant the following permissions to the new administrators:

- Admin5 must be able to assign licenses to users.
- Admin6 must be able to modify the email SPAM settings of all users.
- Admin5 must be able to configure the email forwarding settings of all users.
- Admin5 and Admin6 must be able to manage the mailbox permissions of all users. The solution must use the principle of least privilege.

Which role should you assign to each user? To answer, select the appropriate options NOTE: Each correct selection is worth one point.

Admin5:

User Administrator
Global Administrator
Exchange Administrator


Admin6:

User Administrator
Global Administrator
Exchange Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 103

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance. The solution must ensure that only the members of a group named Finance Team can send email messages to the Finance folder.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

> In the EAC, go to Public folders
> In the New public folder mailbox
> Public folder mailboxes, and then click Add +. page that opens, enter the following information:
- Name: Enter the name for the public folder mailbox.
- Organizational unit: Click Browse created.
- Mailbox database: Click Browse
When you're finished, click Save.
to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.
Use the EAC to create a public folder
When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.
> Navigate to Public folders
> Public folders.
> If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.
> Click Add +.
> In Public Folder, type the name of the public folder.
> In the Path
box, verify the path to the public folder. If this isn't the desired path, clickCancel and follow Step 2 of this procedure.
> Click Save.
> Navigate back to Public folders
> Public folders.
> In the list view, select the public folder that you want to mail-enable or mail-disable.
> In the details pane, under Mail settings, click Enable
oDr isable.
> A warning box displays asking if you're sure you want to enable or disable email for the public folder.
Click Yes
to continue.
You can then run the Set-MailPublicFolder PowerShell cmdlet, and include the AcceptMessagesOnlyFromDLMembers parameter to specify who is allowed to send messages to this recipient.
Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver>- <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve> <https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailpublicfolder?view=exchange-ps>

NEW QUESTION 104

- (Exam Topic 5)


You manage a Microsoft Exchange Online subscription. You use Advanced Threat Protection (ATP).

A partner company sends daily invoices to your company. The invoices are always named AdatumInvoice.xlsx.

Some users report that sometimes they cannot find the invoices in their Inbox folder. You need to identify whether the invoices are identified as malicious by Microsoft 365.

Which two blades should you use? To answer, select the appropriate blades in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 106
- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME).

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

> In the Microsoft 365 admin center, choose Admin centers > Exchange.

> In the EAC, go to Mail flow

> Rules

and select New +

> Create a new rule.

> In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

> In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

- In Apply this rule if, select the recipient is.

OK.

- To select an existing name, select it from the list and then click OK.

- To enter a new name, type an email address in the check names

box and then select check names

> OK.

> To add more conditions, choose More options

and then choose add condition

and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition

and then

select The recipient is external/internal

> Outside the organization

> OK.

➤ To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.
 Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/define-mail-flow-rules-to-encrypt-email?view=o365>

NEW QUESTION 109

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1. User1 has a retention policy to delete Inbox messages after 30 days. User1 is going on extended leave and requires that the Inbox messages be retained during the user's absence. You need to temporarily suspend the processing of the Inbox messages for User1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	"User1"	
<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <ul style="list-style-type: none"> Set-CASMailbox Set-Mailbox Set-OutlookProtectionRule Set-RetentionPolicy </div>		<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <ul style="list-style-type: none"> -ECPEnabled \$true -ElcProcessingDisabled \$true -RetentionEnabled \$true -RetentionHoldEnabled \$true </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application, Word Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/messaging-records-management/mailbox-re>

NEW QUESTION 113

- (Exam Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy :
MailTipsGroupMetricsEnabled : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink :
DefaultGroupAccessType : Private
IsMIPLabelForGroupsEnabled : False
OcmGroupId :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

▼

- Only administrators
- Only administrators and group owners
- All users

[Answer choice] can view the contents of a group mailbox

▼

- Only administrators
- Only administrators and group owners
- All users

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 116

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy for each department. You need to assign the address book policies to the users. Which cmdlet should you run?

- A. Set-Mailbox
- B. Set-AddressList
- C. Set-MailboxDatabase
- D. Sec-AddressBookPolicy

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/assign-an-address-book-policy>

NEW QUESTION 121

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace. Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 125

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You create an email address policy that uses the %1s%g@fabrikam.com email address format. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-add>

NEW QUESTION 129

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You run the Get-HybridConfiguration cmdlet and receive the output shown in the following exhibit.

```
ClientAccessServers      : {}
EdgeTransportServers    : {}
ReceivingtransportServers : {EX01, EX02}
SendingTransportServers  : {EX01, EX02}
OnPremisesSmartHost     : mail.litware.com
Domains                 : {litware.com}
Features                : {FreeBusy, MoveMailbox, Moiltips, MessageTracking, SecureMail, Photos}
ExternalIPAddresses     : {}
TlsCertificateName      : <I>CN=CA, O=SSLCert Inc, C=US<S>CN=mail.litware.com, OU=IT, O=User1,
                        L=Redmond, S=Washington, C=US
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

To enable users who have on-premises mailboxes to access their archive mailbox in Exchange online, you must modify the [answer choice] property.

ClientAccessServers
Domains
Features
ExternalIPAddresses

Depending on where the user mailbox is located, to enable automatic Microsoft Outlook on the web redirection to either the on-premises organization or Exchange Online, you must modify the [answer choice] property.

ClientAccessServers
Domains
Features
ExternalIPAddresses

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/federation-and-hybrid/set-hybridconfiguration?vi>

NEW QUESTION 131

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer. The Outlook Web App policy has the following settings.

```
ClassicAttachmentsEnabled      : True
ReferenceAttachmentsEnabled     : True
SaveAttachmentsToCloudEnabled   : True
MessagePreviewDisabled         : False
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
ActionForUnknownFileAndMIMETypes : Block
OWALightEnabled                : False
ForceSaveAttachmentFilteringEnabled : False
ConditionalAccessPolicy         : ReadOnlyPlusAttachmentsBlocked
```

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default
```

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>

NEW QUESTION 136

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all email communication between the organization and the Internet. The smart host performs email hygiene and alerts message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization. What should you do first?

- A. Create a Receive connector that allows anonymous authentication.
- B. Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- C. Modify the Send connector to use DNS delivery.
- D. Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportconfig?view=exchange-ps>

NEW QUESTION 137

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 organization that contains several thousand users. Most users connect to their mailbox by using a mobile device.

A new corporate security policy requires that when connecting from a mobile device, all users on devices that run iOS must use the Outlook mobile app only.

You need to modify the organization to meet the security requirement.

What should you do?

- A. From the Exchange Management Shell, run the New-DeviceConditionalAccessPolicy cmdlet.
- B. From the Exchange admin center, create a mobile device access rule.
- C. From the Exchange Management Shell, run the New-DeviceConfigurationRule cmdlet.
- D. From the Exchange admin center, modify the default mobile device mailbox policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/mobile-device-mailbox-policies?view=e>

NEW QUESTION 140

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365. You have the policies shown in the following table.

Name	Type
Standard Preset Security Policy	Preset security policy
Policy1	Anti-malware

You need to track any modifications made to Policy1 by the identifying following:

- The name of the user that modified the policy
 - The old and new values of settings modified in Policy1
 - How the modifications compare to the baseline settings of Standard Preset Security Policy
- What should you use in the Microsoft 365 Defender portal?

- A. Threat tracker
- B. Threat analytics
- C. Audit
- D. Configuration analyzer

Answer: D

NEW QUESTION 143

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and on-premises Exchange Server 2019 organization. The on-premises organization contains several Exchange Server 2019 servers.

You discover that delivery fails for all email messages sent from the on-premises organization to Microsoft 365.

You discover that the certificate for an on-premises Exchange server expired.

You need to resolve the issue as quickly as possible. The solution must minimize administrative effort. What should you do on the on-premises Exchange server?

- A. Create a new self-signed certificate.
- B. Generate a certificate renewal request.
- C. Generate a certificate request.
- D. Add the certificate for a new root certification authority (CA).

Answer: B

Explanation:

Reference:

<https://practical365.com/exchange-server/how-to-generate-ssl-certificate-request-exchange-2016/>

NEW QUESTION 146

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option. Which three configurations will be transferred automatically from the on-premises organization to Exchange

Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: ACE

Explanation:

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 148

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the users shown in the following table.

Name	Mailbox location
User1	Exchange Online
User2	Exchange on-premises

You need to provide each user with an archive mailbox that is stored in Exchange Online.

Which admin center should you use to perform the configuration for each user? To answer, drag the appropriate admin centers to the correct users. Each admin center may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Admin Centers

- The Exchange admin center from an on-premises server
- The Exchange admin center from Exchange Online
- The Microsoft 265 admin center
- The Security and Compliance admin center

Answer Area

User1: Admin Center

User2: Admin Center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/enable-archive-mailboxes> <https://docs.microsoft.com/en-us/exchange/hybrid-deployment/create-cloud-based-archive>

NEW QUESTION 150

- (Exam Topic 5)

All the users in your company have Microsoft 365 mailboxes.

Each user connects to Microsoft Exchange Online and OneDrive for Business from a personal computer that runs Windows 10.

You need to ensure that the users can save attachments to OneDrive for Business only when they connect to their mailbox from Outlook on the web.

What should you create?

- A. an app protection policy in Microsoft Endpoint Manager
- B. a device compliance policy in Microsoft Endpoint Manager
- C. an Outlook Web App policy in Exchange Online
- D. an Exchange ActiveSync device access rule

Answer: C

Explanation:

<https://www.pelegit.co.il/prevent-downloading-attachments-through-owa/>

NEW QUESTION 155

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwid>

NEW QUESTION 157

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365.

You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

`New-MigrationEndpoint -Name MEP1`

▼
-Autodiscover
-ExchangeRemoteMove
-SkipVerification
-TestMailbox

`server1.contoso.com`

▼
-DomainController
-RemoteServer
-RPCProxyServer
-SourceMailboxLegacyDN

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationendpoint?view=exchange-ps>

NEW QUESTION 160

- (Exam Topic 5)

You have an Exchange Online tenant that has the anti-spam settings configured as shown in the following exhibit.

Standard settings On

Standard

Spam action	Move message to Junk Email folder
Mark bulk email as spam	On
Bulk threshold	7
Mark NDR backscatter as spam	Off
Safety Tips	On
Bulk email	Move message to Junk Email folder
Phishing email	Quarantine message

To change these settings or add new ones, switch to custom settings

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Users will see safety tips when they access their mailbox from [answer choice].

▼

Outlook on the web only
 Microsoft Outlook 2019 only
 Microsoft Outlook 2019 and Outlook on the web

To reduce the amount of bulk email delivered to the Inbox folders of users, you must [answer choice].

▼

modify Spam action
 increase the value of Bulk threshold
 decrease the value of Bulk threshold

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/safety-tips-in-office-365?view=o36> <https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/bulk-complaint-level-values?view=>

NEW QUESTION 165

- (Exam Topic 5)

You have distribution group named Car Parking Distribution Group that is configured as shown in the following exhibit.

```
Machine: EX01.Contoso.com
[PS] C:\>Get-DistributionGroup carparking |FL
PSComputerName           : ex01, contoso.com
RunSpaceId                : a23089ce-ce35-4f3c-b1cc-fbb8c3cc44Ba
PSShowComputerName       : False
GroupType                 : Universal
SamAccountName            : Car Parking Distribution Group-11504232075
BypassNestedModerationEnabled : False
IsDirSynced              : False
ManagedBy                : (Contoso.com/Users/chrisadmin)
MemberJoinRestriction     : Closed
MemberDepartRestriction  : Closed
MigrationToUnifiedGroupInProgress : False
ExpansionServer           :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Answer Area

Users [answer choice].

can add their own user account to Car Parking Distribution Group
 can only be added to Car Parking Distribution Group by a group owner
 are added automatically to Car Parking Distribution Group when they sign in to their mailbox

The members of Car Parking Distribution Group [answer choice].

can remove their own user account from the group
 can only be removed from the group by a group owner
 can only be removed from the group by an Exchange administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/users-and-groups/set-distributiongroup?view=ex>

NEW QUESTION 166

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

Answer: CD

Explanation:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 167

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. All Mailbox servers and domain controllers are in the same site. You deploy an Edge Transport server.

You need to ensure that all SMTP traffic between the on-premises organization and Exchange Online is routed through the Edge Transport server.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- On a Mailbox server, modify the accepted domains.
- Copy the Edge Subscription file to a Mailbox server.
- On the Edge Transport server, run New-EdgeSubscription.
- On a Mailbox server, run New-EdgeSubscription.
- Run the Microsoft Office 365 Hybrid Configuration wizard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-EdgeSubscription -FileName "c:\EdgeServerSubscription.xml" This example creates the Edge Subscription file. It should be run on your Edge Transport server. New-EdgeSubscription -FileData

([byte[]](Get-Content -Path "C:\EdgeServerSubscription.xml" -Encoding Byte -ReadCount 0)) -Site

"Default-First-Site-Name" This example also imports the Edge Subscription file generated in Example 1 to the Active Directory site Default-First-Site-Name;

however, the end result is accomplished using one command. You must run this command on the Mailbox server. ref.

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/new-edgesubscription?view=exchange>

NEW QUESTION 170

- (Exam Topic 5)

You have a Microsoft Exchange Online subscription.

You need to generate a CSV file containing all the email messages that failed to send from the user1@contoso.com email address during the last 30 days.

What are two possible ways to achieve the goal? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Exchange Online PowerShell, run the Get-MessageTrace cmdlet.
- B. From the Exchange admin center, run a message trace.
- C. From the Security & Compliance admin center, export the mailbox audit logs.
- D. From Exchange Online PowerShell, run the Get-MessagetraceDetail cmdlet.
- E. From the Security & Compliance admin center, run a message trace.

Answer: BD

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re> <https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetracedetail?view=exchang>

NEW QUESTION 174

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Reports reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 179

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 hybrid deployment. A partner company named Fabrikam, Inc. uses an Exchange Online subscription for email.

You need to ensure that all the users at Fabrikam can view the free/busy information of the users at Contoso.

What should you configure? To answer, drag the appropriate components to the correct companies. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area
A connector	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="margin-right: 20px;">For Fabrikam:</div> <div style="border: 1px solid gray; padding: 5px; width: 150px; text-align: center;">Component</div> </div> <div style="display: flex; justify-content: space-between; align-items: flex-start; margin-top: 20px;"> <div style="margin-right: 20px;">For Contoso:</div> <div style="border: 1px solid gray; padding: 5px; width: 150px; text-align: center;">Component</div> </div>
A sharing policy	
A remote domain	
A federation trust	
An organization relationship	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing-exchange-2013-help>

<https://docs.microsoft.com/en-us/exchange/sharing/organization-relationships/organization-relationships>

NEW QUESTION 184

- (Exam Topic 5)

Your company has a Microsoft 365 subscription for a domain named contoso.com.

The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.

You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrating-imap-mailb>

NEW QUESTION 189

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com. Your company has a partnership with another company named fabrikam.com.

You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setu>

NEW QUESTION 193

- (Exam Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
- B. the Organization Management role in Office 365
- C. the Mailbox Import Export role in Office 365
- D. the Global reader role in Azure Active Directory (Azure AD)
- E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365>

NEW QUESTION 195

- (Exam Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has a finance department.

You need to move all the on-premises mailboxes of the finance department to Exchange Online. The bulk of the move operation must occur during a weekend when the company's Internet traffic is lowest. The move must then be finalized the following Monday. The solution must minimize disruption to end users.

What should you do first?

- A. Schedule a task that runs the New-MoveRequest cmdlet and specifies the Remote parameter.
- B. Run the New-MigrationBatch cmdlet and specify the MoveOptions parameter.
- C. Run the New-MigrationBatch cmdlet and specify the CompleteAfter parameter.
- D. Create a script that moves most of the mailboxes on Friday at 22:00 and the remaining mailboxes on Monday at 09:00.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-migrationbatch?view=exchange-ps>

NEW QUESTION 200


- (Exam Topic 5)

You have a Microsoft Exchange Online tenant. You enable hierarchical address books (HABs).

You create a new distribution group named Contoso.

You need to configure the Contoso group as the root of the hierarchy. The members of the group must appear in the hierarchy.

How should you complete the PowerShell commands?



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Set-OrganizationConfig Set-Group

<https://docs.microsoft.com/en-us/exchange/address-books/hierarchical-address-books/enable-or-disable-hierarch>

NEW QUESTION 202

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 mailboxes.

All the users in the sales department at your company are in a group named Sales.

The company is implementing a new policy to restrict the use of email attachments for the users in the Sales group.

You need to prevent all email messages that contain attachments from being delivered to the users in the Sales group.

Solution: You configure a mailbox quota. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Create a mail flow rule. Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/common-attachmentblocki-scenarios>

NEW QUESTION 204

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and undEemr ail & collaboration policy.

> An alert policy consists of the following settings and conditions.

select policies & rules

>Alert

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

> You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

> If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For

auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

➤ When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.
- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide#how-alert-pol>

NEW QUESTION 206

- (Exam Topic 5)

Your company has a Microsoft 365 subscription. All users are assigned Microsoft 365 E5 licenses. The users receive email messages that appear to come from managers at the company. However, the messages are not from the managers and often include links to malicious websites. You need to provide a solution to protect the mailboxes of the managers and to inform the users when phishing occurs. Which two settings should you modify in the anti-phishing policy? To answer, select the appropriate settings in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Priority	1	
Status	On	
Last modified	December 10, 2018	
Policy setting	Policy name Description Applied to	Test If the recipient domain is: M365x051451.onmicrosoft.com
Impersonation	Users to protect	<input type="text" value="Off"/>
	Protect all domains I own	<input type="text" value="Off"/>
	Protect specific domains	<input type="text" value="Off"/>
	Action > User impersonation	<input type="text" value="Don't apply any action"/>
	Action > Domain impersonation	<input type="text" value="Don't apply any action"/>
	Safety tips > User impersonation	<input type="text" value="Off"/>
	Safety tips > Domain impersonation	<input type="text" value="Off"/>
	Safety tips > Unusual characters	<input type="text" value="Off"/>
Mailbox intelligence	<input type="text" value="On"/>	
Spoof	Enable antispoofting protection	<input type="text" value="On"/>
	Action	<input type="text" value="Move message to the recipients' Junk Email folders"/>
Advanced settings	Advanced phishing thresholds	1 - Standard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-anti-phishing-policies?view=>

NEW QUESTION 209

- (Exam Topic 5)

You have an address book policy named Contoso-US that contains an address list named Contoso-Finance. You need to add an address list named Contoso-Marketing to Contoso-US without removing Contoso-Finance. How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

	-Identity	
<ul style="list-style-type: none"> New-AddressList Set-AddressList New-AddressBookPolicy Set-AddressBookPolicy 		<ul style="list-style-type: none"> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US"

-AddressLists	
	<ul style="list-style-type: none"> "Contoso-Marketing" "Contoso-Marketing", "Contoso-Finance" "Contoso-Finance" "Contoso-US"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/change-the-settings-of-an-addr>

NEW QUESTION 213

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the users in your tenant can only share calendar availability information with the other users in the tenant.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- > From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
- > Go to organization > sharing.
- > Under Individual Sharing, select a sharing a policy. In the On column, clear the check box for the sharing policy you want to disable.

Reference:

<https://docs.microsoft.com/en-us/exchange/sharing/sharing-policies/modify-a-sharing-policy>

NEW QUESTION 215

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows.

User1 receives the following error message: "Encrypted connection to your mail server is not available." You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 219

- (Exam Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You migrate public folders from on-premises to Exchange Online by using the batch migration process. After the batch migration completes, additional public folders are created on-premises.

You need to migrate the new on-premises public folders to Exchange Online. What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exch>

NEW QUESTION 220

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all email sent or received by a user named Diego Siciliani is preserved in Exchange Online. The solution must prevent Diego Siciliani from permanently deleting any email messages for 180 days.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need configure a Retention Policy. You could also use a Litigation Hold but Retention Policies are replacing Litigation Holds in future, so a Retention Policy is the way to go.

- In the Microsoft 365 Compliance Center, go to the Policies section and click Retention.
- Click the New retention policy link.
- Enter a name for the policy (such as "Diego Siciliani Email Retention") and click Next.
- In the retention period, enter 180 days and click Next.
- Ensure that only Exchange email is selected. SharePoint sites, OneDrive accounts and Office 365 groups are also selected by default so you may need to deselect them.
- Click the Choose recipients link for Exchange email.
- Click the Choose recipients button to open a list of recipients.
- Select Admin1 and click the Choose button then click the Done button.
- Click Next.
- Click the Create this policy button.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention-policies>

NEW QUESTION 224

- (Exam Topic 5)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. the SMTP protocol logs
- B. a URL trace
- C. the transport server logs
- D. a message trace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 227

- (Exam Topic 5)

You run several PowerShell commands as shown in the following exhibit.

```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB           \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB            \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing   Contoso-Marketing        ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam            Fabrikam                  ((Company -eq 'Fabrikam'))

PS C:\>
PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith         jsmith@contoso.com     Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                    Office      Database
-----                -
Executive Conference Room executiveconferenceroom  Contoso    DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT
Contoso-Marketing
Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only
Fabrikam-ABP only
Contoso-ABP and Fabrikam-ABP
none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/address-books/address-book-policies/address-book-policies>

NEW QUESTION 229

- (Exam Topic 5)

Your company has an Exchange Online tenant.

A partner company named Fourth Coffee also uses Exchange Online.

You need to ensure that the users at your company share free busy information with the users at Fourth Coffee. The solution must ensure that the meeting details included in the calendars of your company users remain hidden from the Fourth Coffee users.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

-Name "Fourth Coffee" -DomainNames "fourthcoffee.com"
New-SharingPolicy
New-AvailabilityConfig
New-OrganizationRelationship
-FreeBusyAccessEnabled $true -FreeBusyAccessLevel
-None
-LimitedDetails
-AvailabilityOnly
-FreeBusyAccessScope "Executives"
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/new-organizationrelationship?view=exchange-ps>

NEW QUESTION 231

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to reduce the likelihood that malicious links contained in emails received by mailboxes in @lab.CloudCredential(1).TenantName are opened.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

➤ Navigate to the Exchange Admin Center, and then choose the Advanced Threats section of the EAC.

➤ Click the Safe Links tab to examine all existing Safe Links policies:

➤ After navigating to the Safe Links policy page, choose the Add button (+) to create a new policy. The New Safe Links Policy window opens.

- In the resulting window we'll be presented with the options available for creating our new Safe Links policy.

➤ In Name

enter an appropriate, unique, name that describes this policy. In the description enter some text that provides a little more detail for anyone trying to make sense of the options selected here.

➤ Next we'll choose the action to take for URLs. We can leave this Off, if for example we are creating a policy to exclude a group of users that would otherwise be affected by another Safe Links policy.

➤ The checkbox Do not track user click can be selected if you do not wish to use the reporting functionality available at a later date. This is a key feature when understanding which users clicked a link that was later found to be a threat, so be careful about choosing to disable user click tracking.

➤ Our final check box provides options for click-through is a link is found to be dangerous. In some circumstances you may trust users to click-through links, or they may request the ability to do so. In most circumstances you will not want a user to click-through the malicious link.

➤ Some URLs, such as those for internal addresses or even trusted partners, may not require re-writing. Enter these URLs here.

➤ Finally, we will select the scope for the rule under the Applied to section.

➤ Using similar conditions to transport rules we can select who this rule applies to including:

- Individual recipients
- Recipient domains
- Members of distribution groups

➤ The same conditions can be used for exceptions. When you have configured your rule, choose Save.

After saving the new Safe Links rule it will be shown in the EAC list. Just like Transport Rules, you can use the Enabled column to enable or disable the Safe Links policy.

Reference:

<https://techgenix.com/implementing-exchange-online-advanced-threat-protection-part2/>

NEW QUESTION 232

- (Exam Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to create a public folder named Finance in your Microsoft 365 tenant. Users must be able to send emails to Finance by using an email address of finance@lab.CloudCredential(1).TenantName.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Use the EAC to create a public folder mailbox

> In the EAC, go to Public folders

> In the New public folder mailbox

>Public folder mailboxes, and then click Add +. page that opens, enter the following information:

- Name: Enter the name for the public folder mailbox.

- Organizational unit: Click Browse created.

- Mailbox database: Click Browse

When you're finished, click Save.

to select the location in Active Directory where the mailbox object is to select the mailbox database where the mailbox is created.

Use the EAC to create a public folder

When using the EAC to create a public folder, you'll only be able to set the name and the path of the public folder. To configure additional settings, you'll need to edit the public folder after it's created.

> Navigate to Public folders

>Public folders.

> If you want to create this public folder as a child of an existing public folder, click the existing public folder in the list view. If you want to create a top-level public folder, skip this step.

> Click Add +.

> In Public Folder, type the name of the public folder.

> In the Path

box, verify the path to the public folder. If this isn't the desired path, clickCancel and

follow Step 2 of this procedure.

> Click Save.

> Navigate back to Public folders

>Public folders.

> In the list view, select the public folder that you want to mail-enable or mail-disable.

> In the details pane, under Mail settings, click Enable

oDr isable.

> A warning box displays asking if you're sure you want to enable or disable email for the public folder.

Click Yes

Reference:

to continue.

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folder-mailboxes?view=ex> <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/create-public-folders?view=exchserver>- <https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserve>

NEW QUESTION 234

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant.

A user named User1 has an Exchange Online mailbox. User1 leaves your company.

You need to configure the user account of User1 to meet the following requirements:

> The Microsoft 365 license assigned to User1 must be available for another user.

> Manager1 must be able to manage all the contents in the mailbox of User1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	
From the Azure Active Directory admin center, disable the account of User1.	
From the Microsoft 365 admin center, remove the license from User1.	
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
From the Azure Active Directory admin center, delete the account of User1.	From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.
From the Azure Active Directory admin center, disable the account of User1.	From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.
From the Microsoft 365 admin center, remove the license from User1.	From the Microsoft 365 admin center, remove the license from User1.
From the Security & Compliance admin center, place the mailbox of User1 on In-Place Hold.	
From the Exchange admin center, delete the mailbox of User1.	
From the Exchange admin center, grant Manager1 the Full Access permission to the mailbox of User1.	
From the Exchange admin center, convert the mailbox of User1 into a shared mailbox.	

NEW QUESTION 235

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global settings Safe Links policy. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-li>

NEW QUESTION 240

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3. Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access [mobile device mailbox policies](#)



NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.

new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

- This is the default policy
- Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

- Require a password
 - Allow simple passwords
 - Require an alphanumeric password
 - Password must include this many character sets:
 - 2
 - Require encryption on device
 - Minimum password length:
 - 6
 - Number of sign-in failures before device is wiped:
 - 5
 - Require sign-in after the device has been inactive for (minutes):
 - minutes
 - Enforce password lifetime (days):
 - 30 days
- Password recycle count:
 - 10

Save Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input type="radio"/>	<input type="radio"/>
A new user can use a password of 135753.	<input type="radio"/>	<input type="radio"/>
Mobile Tablet Policy will be assigned to new users.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/create-or-modify-a-mobile-device-mailbox-policy-exchange-2013-he>

NEW QUESTION 245

- (Exam Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.

E. Create a device access rule.

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-i>
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 250

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

Email messages from a remote domain named fabrikam.com are received from a server that uses a wildcard certificate for fabrikam.com and are encrypted by using TLS.

Fabrikam.com is switching to a third-party cloud filtering service for inbound and outbound email. The IP address used by the third-party service is 131.107.200.10.

You need to reconfigure the connector to only accept messages from fabrikam.com that are encrypted and received from the third-party service.

Which two settings should you modify for the connector? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Edit Connector

What security restrictions do you want to apply?

Reject email messages if they aren't sent over TLS.

And require that the subject name on the certificate that the partner uses to authenticate with Office 365 matches this domain name

*.fabrikam.com

Reject email messages if they aren't sent from within this IP address range

+

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set>

NEW QUESTION 253

- (Exam Topic 5)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

▼

New-AddressList

New-AddressBookPolicy

New-DistributionList

New-GlobalAddressList

-Name "Directors"

▼

-RecipientFilter

-SearchBase

-SearchScope

-Where-Object

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/email-addresses-and-address-books/new-address>

NEW QUESTION 255

- (Exam Topic 5)

You recently implemented a hybrid deployment that contains a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 server named Server1. The public IP address of Server1 is 131.107.1.100. The deployment is configured as shown in the following table.

Object type	Configuration	Location
Accepted domain	Contoso.com	Microsoft 365
Remote domain	*	Microsoft 365
Outbound connector	Use DNS routing	Microsoft 365
Inbound connector	Default settings	Microsoft 365
Mail exchanger (MX) record	Contoso-com.mail.protection.outlook.com	Public DNS
Send connector	Use DNS routing	Exchange Server 2019

Users hosted in Microsoft 365 report that they receive non-delivery reports (NDRs) when they attempt to send email messages to mailboxes hosted in Exchange Server 2019.

You need to ensure that the email is delivered successfully. The solution must ensure that email delivery is successful for all the users at your company. What should you do?

- A. Configure the remote domain to use a value of contoso.com.
- B. Modify the MX record to point to the internal Exchange servers.
- C. Configure the Outbound connector to use a smart host of 131.107.1.100.
- D. Configure the accepted domain to use a value of *.

Answer: C

NEW QUESTION 260

- (Exam Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that when emails containing an attachment that uses an .ace extension is sent to your company, the email is blocked. Each time an email is blocked, a notification must be sent to security@contoso.com.

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

or select Delete the message without notifying anyone.

If it's required, add a statement to inform users who will receive the non-delivery report (NDR) of the reason that mail delivery failed, and then select OK.

> Specify any additional options such as rule auditing and rule activation or deactivation time, and then select Save.

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/email-delivery/how-to-block-message-from-being-sent>

NEW QUESTION 263

- (Exam Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization.

The tenant uses an email domain named @contoso.com.

You recently purchased an email domain named fabrikam.com.

You need to ensure that all the users in the tenant can receive email messages by using the @fabrikam.com email domain. The solution must ensure that the users can continue to receive email by using the @contoso.com email domain.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE; Each correct selection is worth one point.

- A. From Azure AD Connect add a domain for fabrikam.com.
- B. From the on-premises Exchange admin center, add an accepted domain for fabrikam.com.
- C. From the Exchange Management Shell, create a script that runs the
- D. From the Microsoft 365 admin center, verify the fabrikam.com email domain
- E. From the on-premises Exchange admin center, modify the email address policy
- F. From the Microsoft 365 admin center, add the fabrikam.com email domain.

Answer: BDE

NEW QUESTION 267

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment. What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 271

- (Exam Topic 5)

You have a Microsoft Exchange Online tenant that has Office 365 Advanced Threat Protection (ATP) enabled.

The tenant contains a user named Ben Smith who has a UPN of ben.smith@fabrikam.com. Ben Smith is protected by using an ATP anti-phishing policy.

Ben Smith reports that emails sent from his personal account of ben.smith@relecloud.com are not delivered to his work email account.

You need to ensure that personal emails are delivered to the ben.smith@fabrikam.com. What should you do?

- A. Create a transport rule to assign the MS-Exchange-Organization-PhishThresholdLevel header a value of 2 for the message received from ben.smith@relecloud.com
- B. Add ben.smith@fabrikam.com as a trusted sender to the ATP anti-phishing policy.
- C. Add ben.smith@relecloud.com as a trusted sender to the ATP anti-phishing.
- D. Add relecloud.com to the ATP anti-phishing list of mistyped domains.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-atp-anti-phishing-policies>

NEW QUESTION 272

.....

Relate Links

100% Pass Your MS-203 Exam with ExamBible Prep Materials

<https://www.exambible.com/MS-203-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>