

Exam Questions 300-815

Implementing Cisco Advanced Call Control and Mobility Services (CLACCM)

<https://www.2passeasy.com/dumps/300-815/>



NEW QUESTION 1

```
SIP/2.0 200 OK
[...truncated...]
v=0
o=UAC 6107 7816 IN IP4 10.10.10.11
s=SIP Call
c=IN IP4 10.10.10.11
t=0 0
m=audio 8190 RTP/AVP 18 110
c=-IN IP4 10.10.10.11
a=rtpmap: 18 G729/8000
a=fmtp: 18 annexb=no
a=rtpmap:110 telephone-event/8000
a=fmtp: 110 0-16
a=ptime: 20

ACK sip:+123456789@10.10.20.20:5060 SIP/2.0
[...truncated...]
v=0
o=UAS 4692 9609 IN IP4 10.10.10.10
s=SIP Call
c=IN IP4 10.10.10.10
t=0 0
m=audio 8056 RTP/AVP 18
c=IN IP4 10.10.10.10
a=rtpmap: 18 G729/8000
a=fmtp: 18 annexb=no
a=ptime:20
```

Refer to the exhibit. Users report that when they dial to Cisco Unity Connection from an external network, they cannot enter any digits. Assuming only in-band DTMF is supported, what is a reason for this malfunction?

- A. The negotiated RTP port is outside of the range described by RFC, so inband DTMFs do not work.
- B. There is SIP Delayed Offer
- C. DTMF is supported only in Early Offer.
- D. The rtpmap:0 value for the negotiated codec is marking DTMF as inactive.
- E. No DTMF is negotiated.

Answer: D

NEW QUESTION 2

When you troubleshoot H.323 call setup, which message informs you that the called party is being notified about the call?

- A. ALERTING
- B. PROCEEDING
- C. CONNECT
- D. RINGING

Answer: C

NEW QUESTION 3

An administrator is troubleshooting call failures on an H.323 gateway via the CLI. To see signaling for media and call setup, which debug must the Administrator turn on?

- A. debug H.323 messages
- B. debug H.225 asn1
- C. debug H.246 asn 1
- D. debug H.225 media
- E. debug H.323 asn 1

Answer: B

NEW QUESTION 4

Cisco SIP IP telephony is implemented on two floors of your company. Afterward, users report intermittent voice issues in calls established between floors. All calls are established, and sometimes they work well, but sometimes there is oneway audio or no audio. You determine that there is a firewall between the floors, and the administrator reports that it is allowing SIP signaling and UDP ports from 20000 to 22000 bidirectionally. What are two possible solutions? (Choose two.)

- A. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 16384-32767
- B. Ask the firewall administrator to change the ports to TCP.
- C. Ask the firewall administrator to change the range of UDP ports to 16384-32767.
- D. Go to the SIP profile assigned to these IP phones in Cisco Unified CM and change the range of media ports to 20000-22000.
- E. Go to System Parameters in Cisco Unified Communications Manager and change the range of media ports to 20000-22000.

Answer: AC

NEW QUESTION 5

```
voice translation-profile incoming
  translate called 999
!
voice translation-rule 999
  rule 1 /\ (^[1-2] [1-2] [1-2]\ ) 333\ ([4-5] [4-5] .\ ) $ / / \2333\1/
!
dial-peer voice 999 voip
  translation-profile outgoing incoming
  session protocol sipv2
  incoming called-number
  dtmf-relay rtp-nte
  codec transparent
  destination dpg 888
  no vad
!
voice class dpg 888
  dial-peer 888
!
dial-peer voice 888 voip
  destination-pattern 888
  session protocol sipv2
  session target ipv4:192.168.0.1
  codec transparent
  dtmf-relay rtp-nte
  no vad
```

Refer to the exhibit. Calls incoming from the provider are not working through newly set up Cisco Unified Border Element. Provider engineers get the 404 Not Found SIP message. Incoming calls are coming from the provider with called number “222333444” and Cisco Unified Communications Manager is expecting the called number to be delivered as “444333222”. The administrator already verified that the IP address of the Cisco Unified CM is set up correctly and there are no dial peers configured other than those shown in the exhibit. Which action must the administrator take to fix the issue?

- A. Change the destination-pattern on the outgoing dial peer to match “444333222”.
- B. Set up translation-profile on the incoming dial peer to match incoming traffic.
- C. Create specific matching for “222333444” on the incoming dial peer.
- D. Fix the voice translation-rule to match specifically number “222333444” and change it to “444333222”.

Answer: B

NEW QUESTION 6

```
voice translation-rule 84
  rule 1 /\ ([2-9]..[2-9].....$)/ \2/
```

Refer to the exhibit. Users report that outbound PSTN calls from phones registered to Cisco Unified Communications Manager are not completing. The local service provider in North America has a requirement to receive calls in 10-digit format. The Cisco Unified CM sends the calls to the Cisco Unified Border Element router in a globalized E.164 format. There is an outbound dial peer on Cisco Unified Border Element configured to send the calls to the provider. The dial peer has a voice translation profile applied in the correct direction but an incorrect voice translation rule applied, which is shown in the exhibit. Which rule modified DNIS in the format that the provider is expecting?

- A. rule 1 /\+([1].*)/ /011\1/
- B. rule 1 /\+1\([2-9]..[2-9].....\$)/ \1/
- C. rule 1 /\([2-9]..[2-9].....\$)/ \1/
- D. rule 1 /\+1\([2-9]..[2-9].....\$)/ \0/

Answer: B

NEW QUESTION 7

Which IOS command creates a SIP- enabled dial peer?

- A. voice dial-peer 20 sip
- B. dial-peer voice 20 voip
- C. dial-peer voice 20 pots
- D. dial peer voice 20 sip

Answer: B

NEW QUESTION 8

An engineer must route all SIP calls in the form of <user>@example.com to the SIP trunk gateway corporate local. Which two SIP route patterns can be used to accomplish this task? (Choose two.)

- A. example.com@gateway.corporate.local
- B. *@example.com
- C. gateway.corporate.local
- D. example.com
- E. *.*

Answer: BE

NEW QUESTION 9

If all patterns below are configured in Cisco Unified Communications Manager which would be used when dialing the pattern “123”?

- A. 12!

- B. 12X (urgent priority set)
- C. 1XX (urgent Priority Set)
- D. 12[2-5]

Answer: B

NEW QUESTION 10

Which configuration must an administrator perform to display Translation Pattern operations in Cisco Unified Communications Manager SDL traces?

- A. Enable the Detailed Call Analysis option under Enterprise Parameters for Unified CM.
- B. Set up the Digit Analysis Complexity in Service Parameters for Cisco Unified CM to TranslationAndAlternatePatternAnalysis.
- C. Check the Translation Patterns Analysis check box in Micro Traces on the Cisco Unified CM Serviceability page.
- D. By default, the Translation Patterns operations are printed in SDL traces, so no additional configuration is necessary.

Answer: A

NEW QUESTION 10

Where on Cisco Unified Communications Manager do you configure the standard local route group for a group of devices?

- A. System > Location Info
- B. Call Routing > Route/Hunt > Local Route Group Names
- C. System > Device Pool
- D. Call Routing > Emergency Location > Emergency Location (ELIN) Groups

Answer: B

NEW QUESTION 15

How does an engineer globalize routing for ingress calls coming from the PSTN to internal DNs?

- A. At the PSTN gateway, put the calling number in PSTN format and the called number in DN format.
- B. At Cisco Unified CM, put the calling number in E.164 format and the called number in PSTN format.
- C. At the PSTN gateway, put the calling number in E.164 format and the called number in localized (DN) format.
- D. At Cisco Unified Communications Manager, put the calling number in E.164 format and the called number in E.164 format.

Answer: B

NEW QUESTION 19

Which two types of distribution algorithm are within a line group? (Choose two.)

- A. random
- B. circular
- C. highest preference
- D. top down
- E. bottom up

Answer: BD

NEW QUESTION 20

What are the elements for Device Mobility configuration?

- A. physical location, device pool, and Device Mobility group
- B. device pool, Device Mobility group, and region
- C. physical locatio
- D. Device Mobility group, and region
- E. device pool, Device Mobility group, and Cisco IP phone

Answer: A

NEW QUESTION 22

Which services are needed to successfully implement Cisco Extension Mobility in a standalone Cisco Unified Communications Manager server?

- A. Cisco Extended Functions, Cisco Extension Mobility, and Cisco AXL Web Service
- B. Cisco CallManager, Cisco TFTP, and Cisco CallManager SNMP Service
- C. Cisco CallManager, Cisco TFTP, and Cisco Extension Mobility
- D. Cisco TAPS Service, Cisco TFTP, and Cisco Extension Mobility

Answer: C

NEW QUESTION 25

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-815 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-815 Product From:

<https://www.2passeasy.com/dumps/300-815/>

Money Back Guarantee

300-815 Practice Exam Features:

- * 300-815 Questions and Answers Updated Frequently
- * 300-815 Practice Questions Verified by Expert Senior Certified Staff
- * 300-815 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-815 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year