

HP

Exam Questions HPE0-S60

Delta - HPE Compute Solutions



NEW QUESTION 1

Your customer manages an HPE Synergy platform using HPE OneView 5.6. To leverage new functionalities, the customer wants to update HPE OneView to version 6.1

Which statement about this update process is true?

- A. To update to 6.1, the customer has to first update to 6.0, which is a milestone edition.
- B. The customer can update directly to 6.1, but HPE OneView downtime will be longer.
- C. Before updating to 6.1, customer should increase memory size on the HPE Composer.
- D. The customer must check the HPE Composer version, as 6.1 is supported only with HPE Composer2.

Answer: D

NEW QUESTION 2

Which statement about HPE Apollo 2000 Gen10 Plus platform is true?

- A. It is equipped with HPE Persistent memory by default
- B. It can support a single processor only and up to 4 per chassis
- C. It is fully managed using HPE OneView including all connections
- D. It offers servers with AMD EPYC and Intel Xeon Scalable CPUs

Answer: B

NEW QUESTION 3

Your customer has experience with utilization sampling for HPE Virtual Connect SE 100 Gb F32 Module for HPE Synergy. They have recently purchased HPE VC FC modules.

What must you be aware of regarding utilization sampling for the new modules?

- A. Utilization sampling for HPE VC FC modules must be enabled manually using CLI.
- B. For HPE VC FC modules, utilization sampling is always enabled and cannot be disabled
- C. For HPE VC FC modules, utilization sampling can be enabled once appropriate license is applied
- D. Utilization sampling works the same way for any type of HPE Synergy interconnect modules

Answer: D

NEW QUESTION 4

You plan to configure a Link Aggregation Group (LAG) for two connections within a server profile for a compute node running an ESXi system.

What is required from the VMware side to enable LAG?

- A. Virtual Distributed Switch
- B. vSphere Standard license
- C. Load balancing cluster
- D. Dedicated VMKernel port

Answer: D

NEW QUESTION 5

A logical interconnect group can span on multiple HPE Synergy frames for which interconnect type?

- A. Brocade 32GB Fibre Channel Switch Module for HPE Synergy
- B. HPE virtual Connect SE 32 Gb FC Module for Synergy
- C. HPE Virtual Connect SE 100 Gb F32 Module for Synergy
- D. HPE Synergy 12 Gb SAS Connection Module

Answer: C

NEW QUESTION 6

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

LIG-FC

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 32Gb FC Module for Synergy

Enclosure count

1

Interconnect bay set

1

Redundancy

Redundant

Select interconnects

Changed: Interconnect type f...

Create

Create +

Cancel

Which statement about this logical interconnect group is true?

- A. Both modules are located in different frames for redundancy
B. For an uplink set, ports from different modules can be selected
C. interconnect modules are installed in interconnect bays 1 and 4
D. An additional license is required to change the enclosure count

Answer: D

NEW QUESTION 7

Which HPE Virtual Connect feature allows an administrator to suppress excessive inbound multicast broadcast and destination lookup failure (OLF) packets?

- A. Pause flood protection
- B. Loop protection
- C. LLDP tagging
- D. Storm control

Answer: D

NEW QUESTION 8

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession. Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Pause flood protection
- B. sFlow
- C. Storm control
- D. Port flap protection

Answer: B

NEW QUESTION 9

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules.

Which statement about mixing different FLM modules is true?


- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
B. A management ring can contain mixed frame link module configurations
C. A management ring with mixed FLM modules cannot have more than 12 frames
D. Mixing different FLM modules is allowed if all of them have the same firmware version

Answer: C

NEW QUESTION 10

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.


Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

Refer to the exhibit.

Create Logical Interconnect Group

General

?

General

Name

LIG-ETH

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 100Gb F32 Module for Synergy

Enclosure count

3

Interconnect bay set

3

Redundancy

Redundant

Downlink speed

25 Gb/s

Select interconnects

2

Changed: Name to "LIG-ETH"

Create

Create +

Cancel

Which statement about this logical interconnect group is true?

- A. The master modules are located in the interconnect bays 2 and 5
- B. For the given downlink speed, the maximum number of frames is reached
- C. Both master modules are located in the same HPE Synergy frame
- D. To use interconnect bay set 3, all compute nodes must be half-height

Answer: C

NEW QUESTION 11

Your customer plans to deploy ESXi systems to HPE Synergy and HPE ProLiant servers using HPE OneView for VMware vCenter Server. Which statement about HPE OneView for VMware vCenter Server functionality is true for this environment?

- A. HPE ProLiant servers need an HPE OneView for VMware vCenter Server license for full functionality
- B. Individual systems can be added to HPE OneView for VMware vCenter Server through an ILO management processor
- C. HPE Synergy requires HPE Composer 2 for full functionality of HPE OneView for VMware vCenter Server
- D. Only systems managed using HPE Oneview can use HPE Oneview for VMware vCenter Server functionalities

Answer: A

NEW QUESTION 14

Your customer plans to deploy VMware ESXi 7.0 U2 and they are looking for a hardware platform that will allow them to use up to 24 TB of physical memory. Which HPE compute system meets this customer's requirements?

- A. HPE ProLiant DL380 Gen10 Plus
- B. HPE Synergy 480 Gen10 Plus
- C. HPE ProLiant DL560 Gen10
- D. HPE Superdome Flex 280

Answer: A

NEW QUESTION 16

Your customer plans to deploy HPE OneView for VMware vCenter Server together with HPE Storage Integration Pack for VMware vCenter. The customer wants to use them to manage HPE Synergy Gen10 compute modules, HPE ProLiant Gen10 servers and an MSA array. Which statement about compatibility of the existing environment with the planned software components is true?

- A. Both HPE Synergy Gen10 full-height compute module plugins will require a license
- B. HPE OneView for VMware vCenter Server does not support standalone HPE ProLiant servers
- C. To use the required plugins HPE ProLiant Gen10 systems must be managed using HPE OneView
- D. HPE Storage integration Pack for VMware vCenter does not support MSA arrays

Answer: B

NEW QUESTION 19

Your customer plans to deploy a VMware ESXi with HPE Synergy platform. They also plan a vSAN deployment leveraging HPE D3940 Storage Modules and SSD drives

The customer requested the following components:

- HPE Synergy frame with ten HPE Synergy 480 Gen10 Plus compute modules
- Two HPE Virtual Connect SE 100Gb F32 Modules for Synergy
- An appropriate number of vSAN Standard licenses for each compute node
- One HPE O3940 Storage Module with 40 SSDs - All required cables and options Which statement about this request is true?

- A. vSphere licenses should be added, as vSAN licenses do not replace vSphere licenses
- B. vSphere Standard licenses should be replaced with Enterprise Plus licenses to enable vSAN
- C. One HPE Virtual Connect SE 100Gb F32 Module for Synergy should be replaced with 50GD/S ILM
- D. 20 SSD drives should be removed from this setup, as D3940 supports only 20 SSD or SAS drives.

Answer: B

NEW QUESTION 23

Your customer is implementing an HPE Synergy solution based on three frames. Click each of the ports that can be used to connect satellite modules.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 27

Your customer wants to add a second HPE Synergy frame to an existing logical enclosure Based on a single HPE Synergy frame. The customer wants to use a highly available master setup.

Which procedures should be performed during the expansion process? (Select two.)

- A. Create a new logical interconnect group and enclosure group for two frames setup
- B. Create a new logical enclosure based on both HPE Synergy frames.
- C. Re-parent an existing enclosure group to the new logical interconnect group.
- D. Modify an existing logical interconnect to include second HPE Synergy frame.
- E. Move one of the master modules to the appropriate interconnect bay in the second frame.

Answer: BD

NEW QUESTION 30

Your customer has 6 logical enclosures spanning 18 HPE Synergy frames. The customer needs to add one more logical enclosure based on 5 HPE Synergy frames

How will this change impact the customer environment?

- A. The customer can add a new logical enclosure to the existing setup because the maximum number of logical enclosures in a single management ring is not reached.
- B. The customer has to expand the management ring capacity either by adding HPE Composer 2 modules or adding memory to reach 128GB per module.
- C. The customer has to create a new management ring for new logical enclosure because the maximum number of frames in a single management ring is reached.
- D. The customer can add a new logical enclosure to an existing setup once all required licenses are added to HPE OneView and associated with the new frames.

Answer: A

NEW QUESTION 34

Your customer plans to expand an existing nPar based on a single HPE Superdome Flex chassis. Which statement about workload availability during expansion is

true?

- A. Powered nPar can be expanded only if HPE Superdome Flex 280 is used
- B. Online expansion is available only if RMC is used for management.
- C. HPE Superdome Flex does not support expansion of powered on nPars
- D. Powered nPar can be expanded if it does not use HPE Persistent Memory

Answer: C

NEW QUESTION 37

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex components. Put the steps on the left into the coned order on the right to perform this task.

Enter show health command	1
Confirm health status	2
Open SSH client	3
Open session to RMC	4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Enter show health command.	1	Open SSH client
Confirm health status.	2	Open session to RMC.
Open SSH client.	3	Enter show health command.
Open session to RMC.	4	Confirm health status.

NEW QUESTION 40

Your customer added a new Ethernet network in HPE Oneview mat is used to manage their HPE Synergy platform. When the customer tries to connect one of the compute nodes to this network through the server profile, this network is not available. What must be done to fix this issue?

- A. Check the Logical Enclosure settings and verify if the maximum number of networks allowed for this LE is reached.
- B. To make this network available to use in the server profile, the customer must enable the Smart Link feature within network definition.
- C. The newly created network must be added to the uplink set within the LIG, and Logical interconnect configuration must be updated from the LIG.
- D. Check within the server profile which server hardware is used and perform the Refresh operation on this compute node to get the latest adapter information.

Answer: C

NEW QUESTION 44

Your customer is trying to grow a VMware duster using HPE OneView for VMware vCenter Server. They get an error and cannot proceed Which tool should you use to troubleshoot the problem?

- A. HPE One View for VMware vCenter Server to verify if server profile template s property imported and registered
- B. vCenter Server to verify if an OS Bund Plans property defined and has ESXi image uploaded
- C. HPE OneView interface to import an existing cluster using the hypervisor cluster profile functionality.
- D. ILO interlace of a given HPE Synergy compute node to verify whether this node is registered within HPE Oneview.

Answer: A

NEW QUESTION 48

Your customer has an HPE Synergy platform deployed and managed using HPE OneView. The customer also has HPE Superdome Flex with RMC deployed They plan to deploy a second nPar and HPE Superdome Flex 280 They plan to manage new components using HPE OneView What must be done to achieve this goal?

- A. The customer must use IL05 to add HPE Superdome Flex systems to HPE OneView
- B. The customer should deploy an HPE OneView appliance for HPE Superdome Flex management
- C. The customer must add a second Rack Management Controller for HPE Superdome Flex 280
- D. The customer has to add HPE Superdome Flex to the HPE OneView used to manage HPE Synergy

Answer: C

NEW QUESTION 51

Which statement about the HPE D3940 storage module is true?

- A. SATA drives requires redundant 10 adapters to be installed in this module
- B. Up to five modules can be installed in a single frame with Gen10 servers
- C. it is configured through CLI available from HPE Synergy console
- D. Only one type of drives (SATA, SAS, SSD) can be installed in each module

Answer: C

NEW QUESTION 52

What is a limitation when creating a server profile?

- A. BIOS settings can be changed only when UEFI optimized is selected as boot mode
- B. ILO management is limited to the integration with Active Directory or LDAP
- C. Administrator cannot define more than 8 connections within a server profile
- D. It is not possible to create shared volumes on demand through a server profile

Answer: B

NEW QUESTION 57

Which statement about login redistribution is true?

- A. Login redistribution is available only If HPE Primera or HPE Alletra is connected directly to the HPE Synergy frame
- B. Login redistribution is a licensed feature and the number of licenses required depends on the number of active ports
- C. Login redistribution is supported only on the HPE Synergy Virtual Connect SE 32Gb FC Modules
- D. Login redistribution is used for login balancing when they are not distributed evenly over the FC links

Answer: C

NEW QUESTION 58

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE0-S60 Practice Exam Features:

- * HPE0-S60 Questions and Answers Updated Frequently
- * HPE0-S60 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-S60 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-S60 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-S60 Practice Test Here](#)