



# Amazon-Web-Services

## Exam Questions DOP-C02

AWS Certified DevOps Engineer - Professional

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

A company is examining its disaster recovery capability and wants the ability to switch over its daily operations to a secondary AWS Region. The company uses AWS CodeCommit as a source control tool in the primary Region.

A DevOps engineer must provide the capability for the company to develop code in the secondary Region. If the company needs to use the secondary Region, developers can add an additional remote URL to their local Git configuration.

Which solution will meet these requirements?

- A. Create a CodeCommit repository in the secondary Region
- B. Create an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's CodeCommit repository
- C. Create an AWS Lambda function that invokes the CodeBuild project
- D. Create an Amazon EventBridge rule that reacts to merge events in the primary Region's CodeCommit repository
- E. Configure the EventBridge rule to invoke the Lambda function.
- F. Create an Amazon S3 bucket in the secondary Region
- G. Create an AWS Fargate task to perform a Git mirror operation of the primary Region's CodeCommit repository and copy the result to the S3 bucket
- H. Create an AWS Lambda function that initiates the Fargate task
- I. Create an Amazon EventBridge rule that reacts to merge events in the CodeCommit repository
- J. Configure the EventBridge rule to invoke the Lambda function.
- K. Create an AWS CodeArtifact repository in the secondary Region
- L. Create an AWS CodePipeline pipeline that uses the primary Region's CodeCommit repository for the source action
- M. Create a Cross-Region stage in the pipeline that packages the CodeCommit repository contents and stores the contents in the CodeArtifact repository when a pull request is merged into the CodeCommit repository.
- N. Create an AWS Cloud9 environment and a CodeCommit repository in the secondary Region
- O. Configure the primary Region's CodeCommit repository as a remote repository in the AWS Cloud9 environment
- P. Connect the secondary Region's CodeCommit repository to the AWS Cloud9 environment.

**Answer:** A

#### Explanation:

The best solution to meet the disaster recovery capability and allow developers to switch over to a secondary AWS Region for code development is option A. This involves creating a CodeCommit repository in the secondary Region and setting up an AWS CodeBuild project to perform a Git mirror operation of the primary Region's CodeCommit repository to the secondary Region's repository. An AWS Lambda function is then created to invoke the CodeBuild project. Additionally, an Amazon EventBridge rule is configured to react to merge events in the primary Region's CodeCommit repository and invoke the Lambda function. This setup ensures that the secondary Region's repository is always up-to-date with the primary repository, allowing for a seamless transition in case of a disaster recovery event.

References:

? AWS CodeCommit User Guide on resilience and disaster recovery<sup>1</sup>.

? AWS Documentation on monitoring CodeCommit events in Amazon EventBridge and Amazon CloudWatch Events<sup>2</sup>.

### NEW QUESTION 2

An application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). A DevOps engineer is using AWS CodeDeploy to release a new version. The deployment fails during the AllowTraffic lifecycle event, but a cause for the failure is not indicated in the deployment logs.

What would cause this?

- A. The appspec
- B. yaml file contains an invalid script that runs in the AllowTraffic lifecycle hook.
- C. The user who initiated the deployment does not have the necessary permissions to interact with the ALB.
- D. The health checks specified for the ALB target group are misconfigured.
- E. The CodeDeploy agent was not installed in the EC2 instances that are part of the ALB target group.

**Answer:** C

#### Explanation:

This failure is typically due to incorrectly configured health checks in Elastic Load Balancing for the Classic Load Balancer, Application Load Balancer, or Network Load Balancer used to manage traffic for the deployment group. To resolve the issue, review and correct any errors in the health check configuration for the load balancer. <https://docs.aws.amazon.com/codedeploy/latest/userguide/troubleshooting-deployments.html#troubleshooting-deployments-allowtraffic-no-logs>

### NEW QUESTION 3

A company runs an application on one Amazon EC2 instance. Application metadata is stored in Amazon S3 and must be retrieved if the instance is restarted. The instance must restart or relaunch automatically if the instance becomes unresponsive.

Which solution will meet these requirements?

- A. Create an Amazon CloudWatch alarm for the StatusCheckFailed metric
- B. Use the recover action to stop and start the instance
- C. Use an S3 event notification to push the metadata to the instance when the instance is back up and running.
- D. Configure AWS OpsWorks, and use the auto healing feature to stop and start the instance
- E. Use a lifecycle event in OpsWorks to pull the metadata from Amazon S3 and update it on the instance.
- F. Use EC2 Auto Recovery to automatically stop and start the instance in case of a failure
- G. Use an S3 event notification to push the metadata to the instance when the instance is back up and running.
- H. Use AWS CloudFormation to create an EC2 instance that includes the UserData property for the EC2 resource
- I. Add a command in UserData to retrieve the application metadata from Amazon S3.

**Answer:** B

#### Explanation:

<https://aws.amazon.com/blogs/mt/how-to-set-up-aws-opsworks-stacks-auto-healing-notifications-in-amazon-cloudwatch-events/>

### NEW QUESTION 4

A company has an application that runs on AWS Lambda and sends logs to Amazon CloudWatch Logs. An Amazon Kinesis data stream is subscribed to the log groups in CloudWatch Logs. A single consumer Lambda function processes the logs from the data stream and stores the logs in an Amazon S3 bucket. The company's DevOps team has noticed high latency during the processing and ingestion of some logs. Which combination of steps will reduce the latency? (Select THREE.)

- A. Create a data stream consumer with enhanced fan-out.
- B. Set the Lambda function that processes the logs as the consumer.
- C. Increase the ParallelizationFactor setting in the Lambda event source mapping.
- D. Configure reserved concurrency for the Lambda function that processes the logs.
- E. Increase the batch size in the Kinesis data stream.
- F. Turn off the ReportBatchItemFailures setting in the Lambda event source mapping.
- G. Increase the number of shards in the Kinesis data stream.

**Answer:** ABC

**Explanation:**

The latency in processing and ingesting logs can be caused by several factors, such as the throughput of the Kinesis data stream, the concurrency of the Lambda function, and the configuration of the event source mapping. To reduce the latency, the following steps can be taken:

? Create a data stream consumer with enhanced fan-out. Set the Lambda function that processes the logs as the consumer. This will allow the Lambda function to receive records from the data stream with dedicated throughput of up to 2 MB per second per shard, independent of other consumers<sup>1</sup>. This will reduce the contention and delay in accessing the data stream.

? Increase the ParallelizationFactor setting in the Lambda event source mapping. This will allow the Lambda service to invoke more instances of the function concurrently to process the records from the data stream<sup>2</sup>. This will increase the processing capacity and reduce the backlog of records in the data stream.

? Configure reserved concurrency for the Lambda function that processes the logs. This will ensure that the function has enough concurrency available to handle the increased load from the data stream<sup>3</sup>. This will prevent the function from being throttled by the account-level concurrency limit.

The other options are not effective or may have negative impacts on the latency. Option D is not suitable because increasing the batch size in the Kinesis data stream will increase the amount of data that the Lambda function has to process in each invocation, which may increase the execution time and latency<sup>4</sup>. Option E is not advisable because turning off the ReportBatchItemFailures setting in the Lambda event source mapping will prevent the Lambda service from retrying the failed records, which may result in data loss. Option F is not necessary because increasing the number of shards in the Kinesis data stream will increase the throughput of the data stream, but it will not affect the processing speed of the Lambda function, which is the bottleneck in this scenario.

References:

- ? 1: Using AWS Lambda with Amazon Kinesis Data Streams - AWS Lambda
- ? 2: AWS Lambda event source mappings - AWS Lambda
- ? 3: Managing concurrency for a Lambda function - AWS Lambda
- ? 4: AWS Lambda function scaling - AWS Lambda
- ? : AWS Lambda event source mappings - AWS Lambda
- ? : Scaling Amazon Kinesis Data Streams with AWS CloudFormation - Amazon Kinesis Data Streams

**NEW QUESTION 5**

A company deploys a web application on Amazon EC2 instances that are behind an Application Load Balancer (ALB). The company stores the application code in an AWS CodeCommit repository. When code is merged to the main branch, an AWS Lambda function invokes an AWS CodeBuild project. The CodeBuild project packages the code, stores the packaged code in AWS CodeArtifact, and invokes AWS Systems Manager Run Command to deploy the packaged code to the EC2 instances.

Previous deployments have resulted in defects, EC2 instances that are not running the latest version of the packaged code, and inconsistencies between instances.

Which combination of actions should a DevOps engineer take to implement a more reliable deployment solution? (Select TWO.)

- A. Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider.
- B. Configure pipeline stages that run the CodeBuild project in parallel to build and test the application.
- C. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action.
- D. Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider.
- E. Create separate pipeline stages that run a CodeBuild project to build and then test the application.
- F. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action.
- G. Create an AWS CodeDeploy application and a deployment group to deploy the packaged code to the EC2 instances.
- H. Configure the ALB for the deployment group.
- I. Create individual Lambda functions that use AWS CodeDeploy instead of Systems Manager to run build, test, and deploy actions.
- J. Create an Amazon S3 bucket.
- K. Modify the CodeBuild project to store the packages in the S3 bucket instead of in CodeArtifact.
- L. Use deploy actions in CodeDeploy to deploy the artifact to the EC2 instances.

**Answer:** AC

**Explanation:**

To implement a more reliable deployment solution, a DevOps engineer should take the following actions:

? Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider. Configure pipeline stages that run the CodeBuild project in parallel to build and test the application. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action. This action will improve the deployment reliability by automating the entire process from code commit to deployment, reducing human errors and inconsistencies. By running the build and test stages in parallel, the pipeline can also speed up the delivery time and provide faster feedback. By using CodeDeploy as the deployment action, the pipeline can leverage the features of CodeDeploy, such as traffic shifting, health checks, rollback, and deployment configuration<sup>123</sup>.

? Create an AWS CodeDeploy application and a deployment group to deploy the packaged code to the EC2 instances. Configure the ALB for the deployment group. This action will improve the deployment reliability by using CodeDeploy to orchestrate the deployment across multiple EC2 instances behind an ALB. CodeDeploy can perform blue/green deployments or in-place deployments with traffic shifting, which can minimize downtime and reduce risks. CodeDeploy can also monitor the health of the instances during and after the deployment, and automatically roll back if any issues are detected. By configuring the ALB for the deployment group, CodeDeploy can register and deregister instances from the load balancer as needed, ensuring that only healthy instances receive traffic<sup>45</sup>. The other options are not correct because they do not improve the deployment reliability or follow best practices. Creating separate pipeline stages that run a CodeBuild project to build and then test the application is not a good option because it will increase the pipeline execution time and delay the feedback loop. Creating individual Lambda functions that use CodeDeploy instead of Systems Manager to run build, test, and deploy actions is not a valid option because it will add unnecessary complexity and cost to the solution. Lambda functions are not designed for long-running tasks such as building or deploying applications. Creating an Amazon S3 bucket and modifying the CodeBuild project to store the packages in the S3 bucket instead of in CodeArtifact is not a necessary option because it will not affect the deployment reliability. CodeArtifact is a secure, scalable, and cost-effective package management service that can store and share software packages for application development<sup>67</sup>.

References:



- ? 1: What is AWS CodePipeline? - AWS CodePipeline
- ? 2: Create a pipeline in AWS CodePipeline - AWS CodePipeline
- ? 3: Deploy an application with AWS CodeDeploy - AWS CodePipeline
- ? 4: What is AWS CodeDeploy? - AWS CodeDeploy
- ? 5: Configure an Application Load Balancer for your blue/green deployments - AWS CodeDeploy
- ? 6: What is AWS Lambda? - AWS Lambda
- ? 7: What is AWS CodeArtifact? - AWS CodeArtifact

#### NEW QUESTION 6

A DevOps engineer is building an application that uses an AWS Lambda function to query an Amazon Aurora MySQL DB cluster. The Lambda function performs only read queries. Amazon EventBridge events invoke the Lambda function.

As more events invoke the Lambda function each second, the database's latency increases and the database's throughput decreases. The DevOps engineer needs to improve the performance of the application.

Which combination of steps will meet these requirements? (Select THREE.)

- A. Use Amazon RDS Proxy to create a prox
- B. Connect the proxy to the Aurora cluster reader endpoint
- C. Set a maximum connections percentage on the proxy.
- D. Implement database connection pooling inside the Lambda cod
- E. Set a maximum number of connections on the database connection pool.
- F. Implement the database connection opening outside the Lambda event handler code.
- G. Implement the database connection opening and closing inside the Lambda event handler code.
- H. Connect to the proxy endpoint from the Lambda function.
- I. Connect to the Aurora cluster endpoint from the Lambda function.

**Answer:** ACE

#### Explanation:

To improve the performance of the application, the DevOps engineer should use Amazon RDS Proxy, implement the database connection opening outside the Lambda event handler code, and connect to the proxy endpoint from the Lambda function. References:

? Amazon RDS Proxy is a fully managed, highly available database proxy for Amazon Relational Database Service (RDS) that makes applications more scalable, more resilient to database failures, and more secure<sup>1</sup>. By using Amazon RDS Proxy, the DevOps engineer can reduce the overhead of opening and closing connections to the database, which can improve latency and throughput<sup>2</sup>.

? The DevOps engineer should connect the proxy to the Aurora cluster reader endpoint, which allows read-only connections to one of the Aurora Replicas in the DB cluster<sup>3</sup>. This can help balance the load across multiple read replicas and improve performance for read-intensive workloads<sup>4</sup>.

? The DevOps engineer should implement the database connection opening outside the Lambda event handler code, which means using a global variable to store the database connection object<sup>5</sup>. This can enable connection reuse across multiple invocations of the Lambda function, which can reduce latency and improve performance.

? The DevOps engineer should connect to the proxy endpoint from the Lambda function, which is a unique URL that represents the proxy. This can allow the Lambda function to access the database through the proxy, which can provide benefits such as connection pooling, load balancing, failover handling, and enhanced security.

? The other options are incorrect because:

#### NEW QUESTION 7

A company wants to set up a continuous delivery pipeline. The company stores application code in a private GitHub repository. The company needs to deploy the application components to Amazon Elastic Container Service (Amazon ECS). Amazon EC2, and AWS Lambda. The pipeline must support manual approval actions.

Which solution will meet these requirements?

- A. Use AWS CodePipeline with Amazon EC
- B. Amazon EC2, and Lambda as deploy providers.
- C. Use AWS CodePipeline with AWS CodeDeploy as the deploy provider.
- D. Use AWS CodePipeline with AWS Elastic Beanstalk as the deploy provider.
- E. Use AWS CodeDeploy with GitHub integration to deploy the application.

**Answer:** B

#### Explanation:

<https://docs.aws.amazon.com/codedeploy/latest/userguide/deployment-steps.html>

#### NEW QUESTION 8

A company has a new AWS account that teams will use to deploy various applications. The teams will create many Amazon S3 buckets for application-specific purposes and to store AWS CloudTrail logs. The company has enabled Amazon Macie for the account.

A DevOps engineer needs to optimize the Macie costs for the account without compromising the account's functionality.

Which solutions will meet these requirements? (Select TWO.)

- A. Exclude S3 buckets that contain CloudTrail logs from automated discovery.
- B. Exclude S3 buckets that have public read access from automated discovery.
- C. Configure scheduled daily discovery jobs for all S3 buckets in the account.
- D. Configure discovery jobs to include S3 objects based on the last modified criterion.
- E. Configure discovery jobs to include S3 objects that are tagged as production only.

**Answer:** AD

#### Explanation:

To optimize the Macie costs for the account without compromising the account's functionality, the DevOps engineer needs to exclude S3 buckets that do not contain sensitive data from automated discovery. S3 buckets that contain CloudTrail logs are unlikely to have sensitive data, and Macie charges for scanning and monitoring data in S3 buckets. Therefore, excluding S3 buckets that contain CloudTrail logs from automated discovery can reduce Macie costs. Similarly, configuring discovery jobs to include S3 objects based on the last modified criterion can also reduce Macie costs, as it will only scan and monitor new or updated

objects, rather than all objects in the bucket.

#### NEW QUESTION 9

A company uses AWS Organizations and AWS Control Tower to manage all the company's AWS accounts. The company uses the Enterprise Support plan. A DevOps engineer is using Account Factory for Terraform (AFT) to provision new accounts. When new accounts are provisioned, the DevOps engineer notices that the support plan for the new accounts is set to the Basic Support plan. The DevOps engineer needs to implement a solution to provision the new accounts with the Enterprise Support plan. Which solution will meet these requirements?

- A. Use an AWS Config conformance pack to deploy the account-part-of-organizations AWS Config rule and to automatically remediate any noncompliant accounts.
- B. Create an AWS Lambda function to create a ticket for AWS Support to add the account to the Enterprise Support plan.
- C. Grant the Lambda function the support:ResolveCase permission.
- D. Add an additional value to the control\_tower\_parameters input to set the AWSEnterpriseSupport parameter as the organization's management account number.
- E. Set the aft\_feature\_enterprise\_support feature flag to True in the AFT deployment input configuration.
- F. Redeploy AFT and apply the changes.

**Answer: D**

#### Explanation:

AWS Organizations is a service that helps to manage multiple AWS accounts. AWS Control Tower is a service that makes it easy to set up and govern secure, compliant multi-account AWS environments. Account Factory for Terraform (AFT) is an AWS Control Tower feature that provisions new accounts using Terraform templates. To provision new accounts with the Enterprise Support plan, the DevOps engineer can set the aft\_feature\_enterprise\_support feature flag to True in the AFT deployment input configuration. This flag enables the Enterprise Support plan for newly provisioned accounts.

<https://docs.aws.amazon.com/controltower/latest/userguide/aft-feature-options.html>

#### NEW QUESTION 10

A growing company manages more than 50 accounts in an organization in AWS Organizations. The company has configured its applications to send logs to Amazon CloudWatch Logs.

A DevOps engineer needs to aggregate logs so that the company can quickly search the logs to respond to future security incidents. The DevOps engineer has created a new AWS account for centralized monitoring.

Which combination of steps should the DevOps engineer take to make the application logs searchable from the monitoring account? (Select THREE.)

- A. In the monitoring account, download an AWS CloudFormation template from CloudWatch to use in Organization
- B. Use CloudFormation StackSets in the organization's management account to deploy the CloudFormation template to the entire organization.
- C. Create an AWS CloudFormation template that defines an IAM role
- D. Configure the role to allow logs-amazonaws.com to perform the logs:Link action if the aws:ResourceAccount property is equal to the monitoring account ID
- E. Use CloudFormation StackSets in the organization's management account to deploy the CloudFormation template to the entire organization.
- F. Create an IAM role in the monitoring account
- G. Attach a trust policy that allows logs.amazonaws.com to perform the iam:CreateSink action if the aws:PrincipalOrgId property is equal to the organization ID.
- H. In the organization's management account, enable the logging policies for the organization.
- I. Use CloudWatch Observability Access Manager in the monitoring account to create a sink
- J. Allow logs to be shared with the monitoring account
- K. Configure the monitoring account data selection to view the Observability data from the organization ID.
- L. In the monitoring account, attach the CloudWatchLogsReadOnlyAccess AWS managed policy to an IAM role that can be assumed to search the logs.

**Answer: BCF**

#### Explanation:

? To aggregate logs from multiple accounts in an organization, the DevOps engineer needs to create a cross-account subscription1 that allows the monitoring account to receive log events from the sharing accounts.

? To enable cross-account subscription, the DevOps engineer needs to create an IAM role in each sharing account that grants permission to CloudWatch Logs to link the log groups to the destination in the monitoring account2. This can be done using a CloudFormation template and StackSets3 to deploy the role to all accounts in the organization.

? The DevOps engineer also needs to create an IAM role in the monitoring account that allows CloudWatch Logs to create a sink for receiving log events from other accounts4. The role must have a trust policy that specifies the organization ID as a condition.

? Finally, the DevOps engineer needs to attach the CloudWatchLogsReadOnlyAccess policy5 to an IAM role in the monitoring account that can be used to search the logs from the cross-account subscription.

References: 1: Cross-account log data sharing with subscriptions 2: Create an IAM role for CloudWatch Logs in each sharing account 3: AWS CloudFormation StackSets 4: Create an IAM role for CloudWatch Logs in your monitoring account 5: CloudWatchLogsReadOnlyAccess policy

#### NEW QUESTION 10

A company has an application and a CI/CD pipeline. The CI/CD pipeline consists of an AWS CodePipeline pipeline and an AWS CodeBuild project. The CodeBuild project runs tests against the application as part of the build process and outputs a test report. The company must keep the test reports for 90 days.

Which solution will meet these requirements?

- A. Add a new stage in the CodePipeline pipeline after the stage that contains the CodeBuild project
- B. Create an Amazon S3 bucket to store the report
- C. Configure an S3 deploy action type in the new CodePipeline stage with the appropriate path and format for the reports.
- D. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- E. Create an Amazon S3 bucket to store the report
- F. Configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is complete
- G. Create an S3 Lifecycle rule to expire the objects after 90 days.
- H. Add a new stage in the CodePipeline pipeline
- I. Configure a test action type with the appropriate path and format for the report
- J. Configure the report expiration time to be 90 days in the CodeBuild project buildspec file.
- K. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- L. Create an Amazon S3 bucket to store the report
- M. Configure the report group as an artifact in the CodeBuild project buildspec file

- N. Configure the S3 bucket as the artifact destination
- O. Set the object expiration to 90 days.

**Answer:** B

**Explanation:**

The correct solution is to add a report group in the AWS CodeBuild project buildspec file with the appropriate path and format for the reports. Then, create an Amazon S3 bucket to store the reports. You should configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is completed. Finally, create an S3 Lifecycle rule to expire the objects after 90 days. This approach allows for the automated transfer of reports to long-term storage and ensures

they are retained for the required duration without manual intervention<sup>1</sup>. References:

? AWS CodeBuild User Guide on test reporting<sup>1</sup>.

? AWS CodeBuild User Guide on working with report groups<sup>2</sup>.

? AWS Documentation on using AWS CodePipeline with AWS CodeBuild<sup>3</sup>.

**NEW QUESTION 13**

A company uses AWS CodePipeline pipelines to automate releases of its application. A typical pipeline consists of three stages: build, test, and deployment. The company has been using a separate AWS CodeBuild project to run scripts for each stage. However, the company now wants to use AWS CodeDeploy to handle the deployment stage of the pipelines.

The company has packaged the application as an RPM package and must deploy the application to a fleet of Amazon EC2 instances. The EC2 instances are in an EC2 Auto Scaling group and are launched from a common AMI.

Which combination of steps should a DevOps engineer perform to meet these requirements? (Choose two.)

- A. Create a new version of the common AMI with the CodeDeploy agent installed
- B. Update the IAM role of the EC2 instances to allow access to CodeDeploy.
- C. Create a new version of the common AMI with the CodeDeploy agent installed
- D. Create an AppSpec file that contains application deployment scripts and grants access to CodeDeploy.
- E. Create an application in CodeDeploy
- F. Configure an in-place deployment type
- G. Specify the Auto Scaling group as the deployment target
- H. Add a step to the CodePipeline pipeline to use EC2 Image Builder to create a new AMI
- I. Configure CodeDeploy to deploy the newly created AMI.
- J. Create an application in CodeDeploy
- K. Configure an in-place deployment type
- L. Specify the Auto Scaling group as the deployment target
- M. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.
- N. Create an application in CodeDeploy
- O. Configure an in-place deployment type
- P. Specify the EC2 instances that are launched from the common AMI as the deployment target
- Q. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.

**Answer:** AD

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/integrations-aws-auto-scaling.html>

**NEW QUESTION 17**

A large enterprise is deploying a web application on AWS. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Auto Scaling group across multiple Availability Zones. The application stores data in an Amazon RDS for Oracle DB instance and Amazon DynamoDB. There are separate environments for development, testing, and production.

What is the MOST secure and flexible way to obtain password credentials during deployment?

- A. Retrieve an access key from an AWS Systems Manager SecureString parameter to access AWS services
- B. Retrieve the database credentials from a Systems Manager SecureString parameter.
- C. Launch the EC2 instances with an EC2 IAM role to access AWS services. Retrieve the database credentials from AWS Secrets Manager.
- D. Retrieve an access key from an AWS Systems Manager plaintext parameter to access AWS services
- E. Retrieve the database credentials from a Systems Manager SecureString parameter.
- F. Launch the EC2 instances with an EC2 IAM role to access AWS services. Store the database passwords in an encrypted config file with the application artifacts.

**Answer:** B

**Explanation:**

AWS Secrets Manager is a secrets management service that helps you protect access to your applications, services, and IT resources. This service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle. Using Secrets Manager, you can secure and manage secrets used to access resources in the AWS Cloud, on third-party services, and on-premises. SSM parameter store and AWS Secret manager are both a secure option. However, Secrets manager is more flexible and has more options like password generation. Reference:

<https://www.1strategy.com/blog/2019/02/28/aws-parameter-store-vs-aws-secrets-manager/>

**NEW QUESTION 18**

A company recently launched multiple applications that use Application Load Balancers. Application response time often slows down when the applications experience problems. A DevOps engineer needs to implement a monitoring solution that alerts the company when the applications begin to perform slowly. The DevOps engineer creates an Amazon Simple Notification Service (Amazon SNS) topic and subscribes the company's email address to the topic.

What should the DevOps engineer do next to meet the requirements?

- A. Create an Amazon EventBridge rule that invokes an AWS Lambda function to query the applications on a 5-minute interval. Configure the Lambda function to publish a notification to the SNS topic when the applications return errors.
- B. Create an Amazon CloudWatch Synthetic canary that runs a custom script to query the applications on a 5-minute interval.
- C. Configure the canary to use the SNS topic when the applications return errors.
- D. Create an Amazon CloudWatch alarm that uses the AWS/ApplicationELB namespace RequestCountPerTarget metric. Configure the CloudWatch alarm to send a notification when the number of connections becomes greater than the configured number of threads that the application supports. Configure the CloudWatch



alarm to use the SNS topic.

E. Create an Amazon CloudWatch alarm that uses the AWS/ApplicationELB namespace RequestCountPerTarget metric Configure the CloudWatch alarm to send a notification when the average response time becomes greater than the longest response time that the application supports Configure the CloudWatch alarm to use the SNS topic

**Answer: B**

**Explanation:**

? Option A is incorrect because creating an Amazon EventBridge rule that invokes an AWS Lambda function to query the applications on a 5-minute interval is not a valid solution. EventBridge rules can only trigger Lambda functions based on events, not on time intervals. Moreover, querying the applications on a 5-minute interval might incur unnecessary costs and network overhead, and might not detect performance issues in real time.

? Option B is correct because creating an Amazon CloudWatch Synthetics canary that runs a custom script to query the applications on a 5-minute interval is a valid solution. CloudWatch Synthetics canaries are configurable scripts that monitor endpoints and APIs by simulating customer behavior. Canaries can run as often as once per minute, and can measure the latency and availability of the applications. Canaries can also send notifications to an Amazon SNS topic when they detect errors or performance issues<sup>1</sup>.

? Option C is incorrect because creating an Amazon CloudWatch alarm that uses the AWS/ApplicationELB namespace RequestCountPerTarget metric is not a valid solution. The RequestCountPerTarget metric measures the number of requests completed or connections made per target in a target group<sup>2</sup>. This metric does not reflect the application response time, which is the requirement. Moreover, configuring the CloudWatch alarm to send a notification when the number of connections becomes greater than the configured number of threads that the application supports is not a valid way to measure the application performance, as it depends on the application design and implementation.

? Option D is incorrect because creating an Amazon CloudWatch alarm that uses the AWS/ApplicationELB namespace RequestCountPerTarget metric is not a valid solution, for the same reason as option C. The RequestCountPerTarget metric does not reflect the application response time, which is the requirement. Moreover, configuring the CloudWatch alarm to send a notification when the average response time becomes greater than the longest response time that the application supports is not a valid way to measure the application performance, as it does not account for variability or outliers in the response time distribution.

References:

? 1: Using synthetic monitoring

? 2: Application Load Balancer metrics

**NEW QUESTION 22**

A company has multiple member accounts that are part of an organization in AWS Organizations. The security team needs to review every Amazon EC2 security group and their inbound and outbound rules. The security team wants to programmatically retrieve this information from the member accounts using an AWS Lambda function in the management account of the organization.

Which combination of access changes will meet these requirements? (Choose three.)

- A. Create a trust relationship that allows users in the member accounts to assume the management account IAM role.
- B. Create a trust relationship that allows users in the management account to assume the IAM roles of the member accounts.
- C. Create an IAM role in each member account that has access to the AmazonEC2ReadOnlyAccess managed policy.
- D. Create an IAM role in each member account to allow the sts:AssumeRole action against the management account IAM role's ARN.
- E. Create an IAM role in the management account that allows the sts:AssumeRole action against the member account IAM role's ARN.
- F. Create an IAM role in the management account that has access to the AmazonEC2ReadOnlyAccess managed policy.

**Answer: BCE**

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/lambda-function-assume-iam-role/> <https://kreuzwerker.de/post/aws-multi-account-setups-reloaded>

**NEW QUESTION 27**

A company is launching an application. The application must use only approved AWS services. The account that runs the application was created less than 1 year ago and is assigned to an AWS Organizations OU.

The company needs to create a new Organizations account structure. The account structure must have an appropriate SCP that supports the use of only services that are currently active in the AWS account.

The company will use AWS Identity and Access Management (IAM) Access Analyzer in the solution.

Which solution will meet these requirements?

- A. Create an SCP that allows the services that IAM Access Analyzer identifies
- B. Create an OU for the account
- C. Move the account into the new OU
- D. Attach the new SCP to the new OU
- E. Detach the default FullAWSAccess SCP from the new OU.
- F. Create an SCP that denies the services that IAM Access Analyzer identifies
- G. Create an OU for the account
- H. Move the account into the new OU
- I. Attach the new SCP to the new OU.
- J. Create an SCP that allows the services that IAM Access Analyzer identifies
- K. Attach the new SCP to the organization's root.
- L. Create an SCP that allows the services that IAM Access Analyzer identifies
- M. Create an OU for the account
- N. Move the account into the new OU
- O. Attach the new SCP to the management account
- P. Detach the default FullAWSAccess SCP from the new OU.

**Answer: A**

**Explanation:**

To meet the requirements of creating a new Organizations account structure with an appropriate SCP that supports the use of only services that are currently active in the AWS account, the company should use the following solution:

? Create an SCP that allows the services that IAM Access Analyzer identifies. IAM Access Analyzer is a service that helps identify potential resource-access risks by analyzing resource-based policies in the AWS environment. IAM Access Analyzer can also generate IAM policies based on access activity in the AWS CloudTrail logs. By using IAM Access Analyzer, the company can create an SCP that grants only the permissions that are required for the application to run, and denies all other services. This way, the company can enforce the use of only approved AWS services and reduce the risk of unauthorized access<sup>12</sup>

? Create an OU for the account. Move the account into the new OU. An OU is a container for accounts within an organization that enables you to group accounts



that have similar business or security requirements. By creating an OU for the account, the company can apply policies and manage settings for the account as a group. The company should move the account into the new OU to make it subject to the policies attached to the OU3

? Attach the new SCP to the new OU. Detach the default FullAWSAccess SCP from the new OU. An SCP is a type of policy that specifies the maximum permissions for an organization or organizational unit (OU). By attaching the new SCP to the new OU, the company can restrict the services that are available to all accounts in that OU, including the account that runs the application. The company should also detach the default FullAWSAccess SCP from the new OU, because this policy allows all actions on all AWS services and might override or conflict with the new SCP45

The other options are not correct because they do not meet the requirements or follow best practices. Creating an SCP that denies the services that IAM Access Analyzer identifies is not a good option because it might not cover all possible services that are not approved or required for the application. A deny policy is also more difficult to maintain and update than an allow policy. Creating an SCP that allows the services that IAM Access Analyzer identifies and attaching it to the organization's root is not a good option because it might affect other accounts and OUs in the organization that have different service requirements or approvals. Creating an SCP that allows the services that IAM Access Analyzer identifies and attaching it to the management account is not a valid option because SCPs cannot be attached directly to accounts, only to OUs or roots.

References:

- ? 1: Using AWS Identity and Access Management Access Analyzer - AWS Identity and Access Management
- ? 2: Generate a policy based on access activity - AWS Identity and Access Management
- ? 3: Organizing your accounts into OUs - AWS Organizations
- ? 4: Service control policies - AWS Organizations
- ? 5: How SCPs work - AWS Organizations

### NEW QUESTION 32

A company uses an Amazon API Gateway regional REST API to host its application API. The REST API has a custom domain. The REST API's default endpoint is deactivated.

The company's internal teams consume the API. The company wants to use mutual TLS between the API and the internal teams as an additional layer of authentication.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Use AWS Certificate Manager (ACM) to create a private certificate authority (CA). Provision a client certificate that is signed by the private CA.
- B. Provision a client certificate that is signed by a public certificate authority (CA). Import the certificate into AWS Certificate Manager (ACM).
- C. Upload the provisioned client certificate to an Amazon S3 bucket
- D. Configure the API Gateway mutual TLS to use the client certificate that is stored in the S3 bucket as the trust store.
- E. Upload the provisioned client certificate private key to an Amazon S3 bucket
- F. Configure the API Gateway mutual TLS to use the private key that is stored in the S3 bucket as the trust store.
- G. Upload the root private certificate authority (CA) certificate to an Amazon S3 bucket
- H. Configure the API Gateway mutual TLS to use the private CA certificate that is stored in the S3 bucket as the trust store.

**Answer:** AE

#### Explanation:

Mutual TLS (mTLS) authentication requires two-way authentication between the client and the server. For Amazon API Gateway, you can enable mTLS for a custom domain name, which requires clients to present X.509 certificates to verify their identity to access your API. To set up mTLS, you would typically use AWS Certificate Manager (ACM) to create a private certificate authority (CA) and provision a client certificate signed by this private CA. The root CA certificate is then uploaded to an Amazon S3 bucket and configured in API Gateway as the trust store12.

References:

- ? Introducing mutual TLS authentication for Amazon API Gateway1.
- ? Configuring mutual TLS authentication for a REST API2.
- ? AWS Private Certificate Authority details3.
- ? AWS Certificate Manager Private Certificate Authority updates4.

### NEW QUESTION 35

A DevOps engineer is creating an AWS CloudFormation template to deploy a web service. The web service will run on Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). The DevOps engineer must ensure that the service can accept requests from clients that have IPv6 addresses.

What should the DevOps engineer do with the CloudFormation template so that IPv6 clients can access the web service?

- A. Add an IPv6 CIDR block to the VPC and the private subnet for the EC2 instance
- B. Create route table entries for the IPv6 network, use EC2 instance types that support IPv6, and assign IPv6 addresses to each EC2 instance.
- C. Assign each EC2 instance an IPv6 Elastic IP address
- D. Create a target group, and add the EC2 instances as target
- E. Create a listener on port 443 of the ALB, and associate the target group with the ALB.
- F. Replace the ALB with a Network Load Balancer (NLB). Add an IPv6 CIDR block to the VPC and subnets for the NLB, and assign the NLB an IPv6 Elastic IP address.
- G. Add an IPv6 CIDR block to the VPC and subnets for the AL
- H. Create a listener on port 443. and specify the dualstack IP address type on the AL
- I. Create a target group, and add the EC2 instances as target
- J. Associate the target group with the ALB.

**Answer:** D

#### Explanation:

it involves adding an IPv6 CIDR block to the VPC and subnets for the ALB and specifying the dualstack IP address type on the ALB listener. This allows the ALB to listen on both IPv4 and IPv6 addresses, and forward requests to the EC2 instances that are added as targets to the target group associated with the ALB.

### NEW QUESTION 37

A company's application is currently deployed to a single AWS Region. Recently, the company opened a new office on a different continent. The users in the new office are experiencing high latency. The company's application runs on Amazon EC2 instances behind an Application Load Balancer (ALB) and uses Amazon DynamoDB as the database layer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones. A DevOps engineer is tasked with minimizing application response times and improving availability for users in both Regions.

Which combination of actions should be taken to address the latency issues? (Choose three.)

- A. Create a new DynamoDB table in the new Region with cross-Region replication enabled.
- B. Create new ALB and Auto Scaling group global resources and configure the new ALB to direct traffic to the new Auto Scaling group.

- C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group.
- D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB.
- E. Create Amazon Route 53 aliases, health checks, and failover routing policies to route to the ALB.
- F. Convert the DynamoDB table to a global table.

**Answer:** CDF

**Explanation:**

C. Create new ALB and Auto Scaling group resources in the new Region and configure the new ALB to direct traffic to the new Auto Scaling group. This will allow users in the new Region to access the application with lower latency by reducing the network hops between the user and the application servers.

\* D. Create Amazon Route 53 records, health checks, and latency-based routing policies to route to the ALB. This will enable Route 53 to route user traffic to the nearest healthy ALB, based on the latency between the user and the ALBs.

\* F. Convert the DynamoDB table to a global table. This will enable reads and writes to the table in both Regions with low latency, improving the overall response time of the application

**NEW QUESTION 41**

A company deploys its corporate infrastructure on AWS across multiple AWS Regions and Availability Zones. The infrastructure is deployed on Amazon EC2 instances and connects with AWS IoT Greengrass devices. The company deploys additional resources on on- premises servers that are located in the corporate headquarters.

The company wants to reduce the overhead involved in maintaining and updating its resources. The company's DevOps team plans to use AWS Systems Manager to implement automated management and application of patches. The DevOps team confirms that Systems Manager is available in the Regions that the resources are deployed m Systems Manager also is available in a Region near the corporate headquarters.

Which combination of steps must the DevOps team take to implement automated patch and configuration management across the company's EC2 instances IoT devices and on- premises infrastructure? (Select THREE.)

- A. Apply tags to all the EC2 instance
- B. AWS IoT Greengrass devices, and on-premises server
- C. Use Systems Manager Session Manager to push patches to all the tagged devices.
- D. Use Systems Manager Run Command to schedule patching for the EC2 instances AWS IoT Greengrass devices and on-premises servers.
- E. Use Systems Manager Patch Manager to schedule patching IoT the EC2 instances AWS IoT Greengrass devices and on-premises servers as a Systems Manager maintenance window task.
- F. Configure Amazon EventBridge to monitor Systems Manager Patch Manager for updates to patch baseline
- G. Associate Systems Manager Run Command with the event to initiate a patch action for all EC2 instances AWS IoT Greengrass devices and on-premises servers.
- H. Create an IAM instance profile for Systems Manager Attach the instance profile to all the EC2 instances in the AWS account
- I. For the AWS IoT Greengrass devices and on-premises servers create an IAM service role for Systems Manager.
- J. Generate a managed-instance activation Use the Activation Code and Activation ID to install Systems Manager Agent (SSM Agent) on each server in the on-premises environment Update the AWS IoT Greengrass IAM token exchange role Use the role to deploy SSM Agent on all the IoT devices.

**Answer:** CEF

**Explanation:**

[https://aws.amazon.com/blogs/mt/how-to-centrally-manage-aws-iot-greengrass-devices-using-aws-systems-manager/?force\\_isolation=true](https://aws.amazon.com/blogs/mt/how-to-centrally-manage-aws-iot-greengrass-devices-using-aws-systems-manager/?force_isolation=true)

**NEW QUESTION 44**

An Amazon EC2 instance is running in a VPC and needs to download an object from a restricted Amazon S3 bucket. When the DevOps engineer tries to download the object, an AccessDenied error is received, What are the possible causes for this error? (Select TWO,)

- A. The S3 bucket default encryption is enabled.
- B. There is an error in the S3 bucket policy.
- C. The object has been moved to S3 Glacier.
- D. There is an error in the IAM role configuration.
- E. S3 Versioning is enabled.

**Answer:** BD

**Explanation:**

These are the possible causes for the AccessDenied error because they affect the permissions to access the S3 object from the EC2 instance. An S3 bucket policy is a resource-based policy that defines who can access the bucket and its objects, and what actions they can perform. An IAM role is an identity that can be assumed by an EC2 instance to grant it permissions to access AWS services and resources. If there is an error in the S3 bucket policy or the IAM role configuration, such as a missing or incorrect statement, condition, or principal, then the EC2 instance may not have the necessary permissions to download the object from the S3 bucket . <https://docs.aws.amazon.com/AmazonS3/latest/userguide/example-bucket-policies.html>

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/iam-roles-for-amazon-ec2.html>

**NEW QUESTION 45**

A company has multiple AWS accounts. The company uses AWS IAM Identity Center (AWS Single Sign-On) that is integrated with AWS Toolkit for Microsoft Azure DevOps. The attributes for access control feature is enabled in IAM Identity Center.

The attribute mapping list contains two entries. The department key is mapped to

`${path:enterprise.department}`. The costCenter key is mapped to

`${path:enterprise.costCenter}`.

All existing Amazon EC2 instances have a department tag that corresponds to three company departments (d1, d2, d3). A DevOps engineer must create policies based on the matching attributes. The policies must minimize administrative effort and must grant each Azure AD user access to only the EC2 instances that are tagged with the user's respective department name.

Which condition key should the DevOps engineer include in the custom permissions policies to meet these requirements?

A.

```
"Condition": {
  "ForAllValues:StringEquals": {
    "aws:TagKeys": ["department"]
  }
}
```

B.

```
"Condition": {
  "StringEquals": {
    "aws:PrincipalTag/department": "${aws:ResourceTag/department}"
  }
}
```

C.

```
"Condition": {
  "StringEquals": {
    "ec2:ResourceTag/department": "${aws:PrincipalTag/department}"
  }
}
```

D.

```
"Condition": {
  "ForAllValues:StringEquals": {
    "ec2:ResourceTag/department": ["d1", "d2", "d3"]
  }
}
```

A.

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/singlesignon/latest/userguide/configure-abac.html>

#### NEW QUESTION 46

A company has multiple development groups working in a single shared AWS account. The Senior Manager of the groups wants to be alerted via a third-party API call when the creation of resources approaches the service limits for the account.

Which solution will accomplish this with the LEAST amount of development effort?

- A. Create an Amazon CloudWatch Event rule that runs periodically and targets an AWS Lambda function
- B. Within the Lambda function, evaluate the current state of the AWS environment and compare deployed resource values to resource limits on the account
- C. Notify the Senior Manager if the account is approaching a service limit.
- D. Deploy an AWS Lambda function that refreshes AWS Trusted Advisor checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically
- E. Create another CloudWatch Events rule with an event pattern matching Trusted Advisor events and a target Lambda function
- F. In the target Lambda function, notify the Senior Manager.
- G. Deploy an AWS Lambda function that refreshes AWS Personal Health Dashboard checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically
- H. Create another CloudWatch Events rule with an event pattern matching Personal Health Dashboard events and a target Lambda function
- I. In the target Lambda function, notify the Senior Manager.
- J. Add an AWS Config custom rule that runs periodically, checks the AWS service limit status, and streams notifications to an Amazon SNS topic
- K. Deploy an AWS Lambda function that notifies the Senior Manager, and subscribe the Lambda function to the SNS topic.

**Answer: B**

**Explanation:**

To meet the requirements, the company needs to create a solution that alerts the Senior Manager when the creation of resources approaches the service limits for the account with the least amount of development effort. The company can use AWS Trusted Advisor, which is a service that provides best practice recommendations for cost optimization, performance, security, and service limits. The company can deploy an AWS Lambda function that refreshes Trusted Advisor checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically. This will ensure that Trusted Advisor checks are up to date and reflect the current state of the account. The company can then create another CloudWatch Events rule with an event pattern matching Trusted Advisor events and a target Lambda function. The event pattern can filter for events related to service limit checks and their status. The target Lambda function can notify the Senior Manager via a third-party API call if the event indicates that the account is approaching or exceeding a service limit.

#### NEW QUESTION 49

A company has many applications. Different teams in the company developed the applications by using multiple languages and frameworks. The applications run



on premises and on different servers with different operating systems. Each team has its own release protocol and process. The company wants to reduce the complexity of the release and maintenance of these applications.

The company is migrating its technology stacks, including these applications, to AWS. The

company wants centralized control of source code, a consistent and automatic delivery pipeline, and as few maintenance tasks as possible on the underlying infrastructure.

What should a DevOps engineer do to meet these requirements?

- A. Create one AWS CodeCommit repository for all application
- B. Put each application's code in a different branch
- C. Merge the branches, and use AWS CodeBuild to build the application
- D. Use AWS CodeDeploy to deploy the applications to one centralized application server.
- E. Create one AWS CodeCommit repository for each of the application
- F. Use AWS CodeBuild to build the applications one at a time
- G. Use AWS CodeDeploy to deploy the applications to one centralized application server.
- H. Create one AWS CodeCommit repository for each of the application
- I. Use AWS CodeBuild to build the applications one at a time and to create one AMI for each server
- J. Use AWS CloudFormation StackSets to automatically provision and decommission Amazon EC2 fleets by using these AMIs.
- K. Create one AWS CodeCommit repository for each of the application
- L. Use AWS CodeBuild to build one Docker image for each application in Amazon Elastic Container Registry (Amazon ECR). Use AWS CodeDeploy to deploy the applications to Amazon Elastic Container Service (Amazon ECS) on infrastructure that AWS Fargate manages.

**Answer:** D

**Explanation:**

because of "as few maintenance tasks as possible on the underlying infrastructure". Fargate does that better than "one centralized application server"

#### NEW QUESTION 50

A company provides an application to customers. The application has an Amazon API Gateway REST API that invokes an AWS Lambda function. On initialization, the Lambda function loads a large amount of data from an Amazon DynamoDB table. The data load process results in long cold-start times of 8-10 seconds. The DynamoDB table has DynamoDB Accelerator (DAX) configured.

Customers report that the application intermittently takes a long time to respond to requests. The application receives thousands of requests throughout the day. In the middle of the day, the application experiences 10 times more requests than at any other time of the day. Near the end of the day, the application's request volume decreases to 10% of its normal total.

A DevOps engineer needs to reduce the latency of the Lambda function at all times of the day.

Which solution will meet these requirements?

- A. Configure provisioned concurrency on the Lambda function with a concurrency value of 1. Delete the DAX cluster for the DynamoDB table.
- B. Configure reserved concurrency on the Lambda function with a concurrency value of 0.
- C. Configure provisioned concurrency on the Lambda function
- D. Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.
- E. Configure reserved concurrency on the Lambda function
- F. Configure AWS Application Auto Scaling on the API Gateway API with a reserved concurrency maximum value of 100.

**Answer:** C

**Explanation:**

The following are the steps that the DevOps engineer should take to reduce the latency of the Lambda function at all times of the day:

? Configure provisioned concurrency on the Lambda function.

? Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.

The provisioned concurrency setting ensures that there is always a minimum number of Lambda function instances available to handle requests. The Application Auto Scaling setting will automatically scale the number of Lambda function instances up or down based on the demand for the application.

This solution will ensure that the Lambda function is able to handle the increased load during the middle of the day, while also keeping the cold-start latency low.

The following are the reasons why the other options are not correct:

? Option A is incorrect because it will not reduce the cold-start latency of the Lambda function.

? Option B is incorrect because it will not scale the number of Lambda function instances up or down based on demand.

? Option D is incorrect because it will only configure reserved concurrency on the API Gateway API, which will not affect the Lambda function.

#### NEW QUESTION 55

A media company has several thousand Amazon EC2 instances in an AWS account. The company is using Slack and a shared email inbox for team communications and important updates. A DevOps engineer needs to send all AWS-scheduled EC2 maintenance notifications to the Slack channel and the shared inbox. The solution must include the instances' Name and Owner tags.

Which solution will meet these requirements?

- A. Integrate AWS Trusted Advisor with AWS Config Configure a custom AWS Config rule to invoke an AWS Lambda function to publish notifications to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe a Slack channel endpoint and the shared inbox to the topic.
- B. Use Amazon EventBridge to monitor for AWS Health Events Configure the maintenance events to target an Amazon Simple Notification Service (Amazon SNS) topic Subscribe an AWS Lambda function to the SNS topic to send notifications to the Slack channel and the shared inbox.
- C. Create an AWS Lambda function that sends EC2 maintenance notifications to the Slack channel and the shared inbox Monitor EC2 health events by using Amazon CloudWatch metrics Configure a CloudWatch alarm that invokes the Lambda function when a maintenance notification is received.
- D. Configure AWS Support integration with AWS CloudTrail Create a CloudTrail lookup event to invoke an AWS Lambda function to pass EC2 maintenance notifications to Amazon Simple Notification Service (Amazon SNS) Configure Amazon SNS to target the Slack channel and the shared inbox.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/health/latest/ug/cloudwatch-events-health.html>

#### NEW QUESTION 59

An ecommerce company is receiving reports that its order history page is experiencing delays in reflecting the processing status of orders. The order processing system consists of an AWS Lambda function that uses reserved concurrency. The Lambda function processes order messages from an Amazon Simple Queue



Service (Amazon SQS) queue and inserts processed orders into an Amazon DynamoDB table. The DynamoDB table has auto scaling enabled for read and write capacity.

Which actions should a DevOps engineer take to resolve this delay? (Choose two.)

- A. Check the ApproximateAgeOfOldestMessage metric for the SQS queue
- B. Increase the Lambda function concurrency limit.
- C. Check the ApproximateAgeOfOldestMessage metric for the SQS queue. Configure a redrive policy on the SQS queue.
- D. Check the NumberOfMessagesSent metric for the SQS queue
- E. Increase the SQS queue visibility timeout.
- F. Check the WriteThrottleEvents metric for the DynamoDB table
- G. Increase the maximum write capacity units (WCUs) for the table's scaling policy.
- H. Check the Throttles metric for the Lambda function
- I. Increase the Lambda function timeout.

**Answer:** AD

**Explanation:**

A: If the ApproximateAgeOfOldestMessages indicate that orders are remaining in the SQS queue for longer than expected, the reserved concurrency limit may be set too small to keep up with the number of orders entering the queue and is being throttled. D: The DynamoDB table is using Auto Scaling. With Auto Scaling, you create a scaling policy that specifies whether you want to scale read capacity or write capacity (or both), and the minimum and maximum provisioned capacity unit settings for the table. The ThrottledWriteRequests metric will indicate if there is a throttling issue on the DynamoDB table, which can be resolved by increasing the maximum write capacity units for the table's Auto Scaling policy. <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/AutoScaling.html>

**NEW QUESTION 63**

A DevOps engineer needs to configure a blue green deployment for an existing three-tier application. The application runs on Amazon EC2 instances and uses an Amazon RDS database. The EC2 instances run behind an Application Load Balancer (ALB) and are in an Auto Scaling group.

The DevOps engineer has created a launch template and an Auto Scaling group for the blue environment. The DevOps engineer also has created a launch template and an Auto Scaling group for the green environment. Each Auto Scaling group deploys to a matching blue or green target group. The target group also specifies which software blue or green gets loaded on the EC2 instances. The ALB can be configured to send traffic to the blue environment's target group or the green environment's target group. An Amazon Route 53 record for www.example.com points to the ALB.

The deployment must move traffic all at once between the software on the blue environment's EC2 instances to the newly deployed software on the green environment's EC2 instances.

What should the DevOps engineer do to meet these requirements?

- A. Start a rolling restart to the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- B. Use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- C. Then start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances.
- D. Update the launch template to deploy the green environment's software on the blue environment's EC2 instances. Keep the target groups and Auto Scaling groups unchanged in both environments. Perform a rolling restart of the blue environment's EC2 instances.
- E. Start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, update the Route 53 DNS to point to the green environment's endpoint on the ALB.

**Answer:** A

**Explanation:**

This solution will meet the requirements because it will use a rolling restart to gradually replace the EC2 instances in the green environment with new instances that have the new software version installed. A rolling restart is a process that terminates and launches instances in batches, ensuring that there is always a minimum number of healthy instances in service. This way, the green environment can be updated without affecting the availability or performance of the application. When the rolling restart is complete, the DevOps engineer can use an AWS CLI command to modify the listener rules of the ALB and change the default action to forward traffic to the green environment's target group. This will switch the traffic from the blue environment to the green environment all at once, as required by the question.

**NEW QUESTION 64**

A company that runs many workloads on AWS has an Amazon EBS spend that has increased over time. The DevOps team notices there are many unattached EBS volumes. Although there are workloads where volumes are detached, volumes over 14 days old are stale and no longer needed. A DevOps engineer has been tasked with creating automation that deletes unattached EBS volumes that have been unattached for 14 days.

Which solution will accomplish this?

- A. Configure the AWS Config ec2-volume-in-use-check managed rule with a configuration changes trigger type and an Amazon EC2 volume resource target.
- B. Create a new Amazon CloudWatch Events rule scheduled to execute an AWS Lambda function in 14 days to delete the specified EBS volume.
- C. Use Amazon EC2 and Amazon Data Lifecycle Manager to configure a volume lifecycle policy.
- D. Set the interval period for unattached EBS volumes to 14 days and set the retention rule to delete.
- E. Set the policy target volumes as \*.
- F. Create an Amazon CloudWatch Events rule to execute an AWS Lambda function daily.
- G. The Lambda function should find unattached EBS volumes and tag them with the current date, and delete unattached volumes that have tags with dates that are more than 14 days old.
- H. Use AWS Trusted Advisor to detect EBS volumes that have been detached for more than 14 days.
- I. Execute an AWS Lambda function that creates a snapshot and then deletes the EBS volume.

**Answer:** C

**Explanation:**

The requirement is to create automation that deletes unattached EBS volumes that have been unattached for 14 days. To do this, the DevOps engineer needs to use the following steps:

? Create an Amazon CloudWatch Events rule to execute an AWS Lambda function

daily. CloudWatch Events is a service that enables event-driven architectures by delivering events from various sources to targets. Lambda is a service that lets you

run code without provisioning or managing servers. By creating a CloudWatch Events rule that executes a Lambda function daily, the DevOps engineer can schedule a recurring task to check and delete unattached EBS volumes.

? The Lambda function should find unattached EBS volumes and tag them with the

current date, and delete unattached volumes that have tags with dates that are more than 14 days old. The Lambda function can use the EC2 API to list and filter unattached EBS volumes based on their state and tags. The function can then tag each unattached volume with the current date using the create-tags command. The function can also compare the tag value with the current date and delete any unattached volume that has been tagged more than 14 days ago using the delete-volume command.

#### NEW QUESTION 68

A company has its AWS accounts in an organization in AWS Organizations. AWS Config is manually configured in each AWS account. The company needs to implement a solution to centrally configure AWS Config for all accounts in the organization. The solution also must record resource changes to a central account. Which combination of actions should a DevOps engineer perform to meet these requirements? (Choose two.)

- A. Configure a delegated administrator account for AWS Config
- B. Enable trusted access for AWS Config in the organization.
- C. Configure a delegated administrator account for AWS Config
- D. Create a service-linked role for AWS Config in the organization's management account.
- E. Create an AWS CloudFormation template to create an AWS Config aggregator
- F. Configure a CloudFormation stack set to deploy the template to all accounts in the organization.
- G. Create an AWS Config organization aggregator in the organization's management account
- H. Configure data collection from all AWS accounts in the organization and from all AWS Regions.
- I. Create an AWS Config organization aggregator in the delegated administrator account
- J. Configure data collection from all AWS accounts in the organization and from all AWS Regions.

**Answer:** AE

#### Explanation:

<https://aws.amazon.com/blogs/mt/org-aggregator-delegated-admin/> <https://docs.aws.amazon.com/organizations/latest/userguide/services-that-can-integrate-config.html>

#### NEW QUESTION 73

A company needs to ensure that flow logs remain configured for all existing and new VPCs in its AWS account. The company uses an AWS CloudFormation stack to manage its VPCs. The company needs a solution that will work for any VPCs that any IAM user creates. Which solution will meet these requirements?

- A. Add the resource to the CloudFormation stack that creates the VPCs.
- B. Create an organization in AWS Organization
- C. Add the company's AWS account to the organization
- D. Create an SCP to prevent users from modifying VPC flow logs.
- E. Turn on AWS Config
- F. Create an AWS Config rule to check whether VPC flow logs are turned on
- G. Configure automatic remediation to turn on VPC flow logs.
- H. Create an IAM policy to deny the use of API calls for VPC flow log
- I. Attach the IAM policy to all IAM users.

**Answer:** C

#### Explanation:

To meet the requirements of ensuring that flow logs remain configured for all existing and new VPCs in the AWS account, the company should use AWS Config and automatic remediation. AWS Config is a service that enables customers to assess, audit, and evaluate the configurations of their AWS resources. AWS Config continuously monitors and records the configuration changes of the AWS resources and evaluates them against desired configurations. Customers can use AWS Config rules to define the desired configuration state of their AWS resources and trigger actions when a resource configuration violates a rule.

One of the AWS Config rules that customers can use is vpc-flow-logs-enabled, which checks whether VPC flow logs are enabled for all VPCs in an AWS account. Customers can also configure automatic remediation for this rule, which means that AWS Config will automatically enable VPC flow logs for any VPCs that do not have them enabled. Customers can specify the destination (CloudWatch Logs or S3) and the traffic type (all, accept, or reject) for the flow logs as remediation parameters. By using AWS Config and automatic remediation, the company can ensure that flow logs remain configured for all existing and new VPCs in its AWS account, regardless of who creates them or how they are created.

The other options are not correct because they do not meet the requirements or follow best practices. Adding the resource to the CloudFormation stack that creates the VPCs is not a sufficient solution because it will only work for VPCs that are created by using the CloudFormation stack. It will not work for VPCs that are created by using other methods, such as the console or the API. Creating an organization in AWS Organizations and creating an SCP to prevent users from modifying VPC flow logs is not a good solution because it will not ensure that flow logs are enabled for all VPCs in the first place. It will only prevent users from disabling or changing flow logs after they are enabled. Creating an IAM policy to deny the use of API calls for VPC flow logs and attaching it to all IAM users is not a valid solution because it will prevent users from enabling or disabling flow logs at all.

It will also not work for VPCs that are created by using other methods, such as the console or CloudFormation.

References:

- ? 1: AWS::EC2::FlowLog - AWS CloudFormation
- ? 2: Amazon VPC Flow Logs extends CloudFormation Support to custom format subscriptions, 1-minute aggregation intervals and tagging
- ? 3: Logging IP traffic using VPC Flow Logs - Amazon Virtual Private Cloud
- ? : About AWS Config - AWS Config
- ? : vpc-flow-logs-enabled - AWS Config
- ? : Remediate Noncompliant Resources with AWS Config Rules - AWS Config

#### NEW QUESTION 75

A company has a guideline that every Amazon EC2 instance must be launched from an AMI that the company's security team produces. Every month the security team sends an email message with the latest approved AMIs to all the development teams.

The development teams use AWS CloudFormation to deploy their applications. When developers launch a new service they have to search their email for the latest AMIs that the security department sent. A DevOps engineer wants to automate the process that the security team uses to provide the AMI IDs to the development teams.

What is the MOST scalable solution that meets these requirements?

- A. Direct the security team to use CloudFormation to create new versions of the AMIs and to list the AMI ARNs in an encrypted Amazon S3 object as part of the stack's Outputs Section. Instruct the developers to use a cross-stack reference to load the encrypted S3 object and obtain the most recent AMI ARNs.
- B. Direct the security team to use a CloudFormation stack to create an AWS CodePipeline pipeline that builds new AMIs and places the latest AMI ARNs in an

encrypted Amazon S3 object as part of the pipeline output Instruct the developers to use a cross-stack reference within their own CloudFormation template to obtain the S3 object location and the most recent AMI ARNs.

C. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to place the AMI ARNs as parameters in AWS Systems Manager Parameter Store Instruct the developers to specify a parameter of type SSM in their CloudFormation stack to obtain the most recent AMI ARNs from Parameter Store.

D. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to create an Amazon Simple Notification Service (Amazon SNS) topic so that every development team can receive notification

E. When the development teams receive a notification instruct them to write an AWS Lambda function that will update their CloudFormation stack with the most recent AMI ARNs.

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html>

#### NEW QUESTION 77

A company uses an organization in AWS Organizations that has all features enabled. The company uses AWS Backup in a primary account and uses an AWS Key Management Service (AWS KMS) key to encrypt the backups.

The company needs to automate a cross-account backup of the resources that AWS Backup backs up in the primary account. The company configures cross-account backup in the Organizations management account. The company creates a new AWS account in the organization and configures an AWS Backup backup vault in the new account. The company creates a KMS key in the new account to encrypt the backups. Finally, the company configures a new backup plan in the primary account. The destination for the new backup plan is the backup vault in the new account.

When the AWS Backup job in the primary account is invoked, the job creates backups in the primary account. However, the backups are not copied to the new account's backup vault.

Which combination of steps must the company take so that backups can be copied to the new account's backup vault? (Select TWO.)

- A. Edit the backup vault access policy in the new account to allow access to the primary account.
- B. Edit the backup vault access policy in the primary account to allow access to the new account.
- C. Edit the backup vault access policy in the primary account to allow access to the KMS key in the new account.
- D. Edit the key policy of the KMS key in the primary account to share the key with the new account.
- E. Edit the key policy of the KMS key in the new account to share the key with the primary account.

**Answer: AE**

**Explanation:**

To enable cross-account backup, the company needs to grant permissions to both the backup vault and the KMS key in the destination account. The backup vault access policy in the destination account must allow the primary account to copy backups into the vault. The key policy of the KMS key in the destination account must allow the primary account to use the key to encrypt and decrypt the backups. These steps are described in the AWS documentation<sup>12</sup>. Therefore, the correct answer is A and E.

References:

? 1: Creating backup copies across AWS accounts - AWS Backup

? 2: Using AWS Backup with AWS Organizations - AWS Backup

#### NEW QUESTION 80

A highly regulated company has a policy that DevOps engineers should not log in to their Amazon EC2 instances except in emergencies. If a DevOps engineer does log in the security team must be notified within 15 minutes of the occurrence.

Which solution will meet these requirements?

- A. Install the Amazon Inspector agent on each EC2 instance Subscribe to Amazon EventBridge notifications Invoke an AWS Lambda function to check if a message is about user logins If it is send a notification to the security team using Amazon SNS.
- B. Install the Amazon CloudWatch agent on each EC2 instance Configure the agent to push all logs to Amazon CloudWatch Logs and set up a CloudWatch metric filter that searches for user login
- C. If a login is found send a notification to the security team using Amazon SNS.
- D. Set up AWS CloudTrail with Amazon CloudWatch Log
- E. Subscribe CloudWatch Logs to Amazon Kinesis Attach AWS Lambda to Kinesis to parse and determine if a log contains a user login If it does, send a notification to the security team using Amazon SNS.
- F. Set up a script on each Amazon EC2 instance to push all logs to Amazon S3 Set up an S3 event to invoke an AWS Lambda function which invokes an Amazon Athena query to ru
- G. The Athena query checks tor logins and sends the output to the security team using Amazon SNS.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-monitor-and-visualize-failed-ssh-access-attempts-to-amazon-ec2-linux-instances/>

#### NEW QUESTION 83

An ecommerce company has chosen AWS to host its new platform. The company's DevOps team has started building an AWS Control Tower landing zone. The DevOps team has set the identity store within AWS IAM Identity Center (AWS Single Sign-On) to external identity provider (IdP) and has configured SAML 2.0. The DevOps team wants a robust permission model that applies the principle of least privilege. The model must allow the team to build and manage only the team's own resources.

Which combination of steps will meet these requirements? (Choose three.)

- A. Create IAM policies that include the required permission
- B. Include the aws:PrincipalTag condition key.
- C. Create permission set
- D. Attach an inline policy that includes the required permissions and uses the aws:PrincipalTag condition key to scope the permissions.
- E. Create a group in the Id
- F. Place users in the grou
- G. Assign the group to accounts and the permission sets in IAM Identity Center.
- H. Create a group in the Id



- I. Place users in the group
- J. Assign the group to OUs and IAM policies.
- K. Enable attributes for access control in IAM Identity Center
- L. Apply tags to user
- M. Map the tags as key-value pairs.
- N. Enable attributes for access control in IAM Identity Center
- O. Map attributes from the IdP as key-value pairs.

**Answer:** BCF

**Explanation:**

Using the principalTag in the Permission Set inline policy a logged in user belonging to a specific AD group in the IDP can be permitted access to perform operations on certain resources if their group matches the group used in the PrincipleTag. Basically you are narrowing the scope of privileges assigned via Permission policies conditionally based on whether the logged in user belongs to a specific AD Group in IDP. The mapping of the AD group to the request attributes can be done using SSO attributes where we can pass other attributes like the SAML token as well.

<https://docs.aws.amazon.com/singlesignon/latest/userguide/abac.html>

**NEW QUESTION 84**

A company manages an application that stores logs in Amazon CloudWatch Logs. The company wants to archive the logs to an Amazon S3 bucket. Logs are rarely accessed after 90 days and must be retained for 10 years.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select TWO.)

- A. Configure a CloudWatch Logs subscription filter to use AWS Glue to transfer all logs to an S3 bucket.
- B. Configure a CloudWatch Logs subscription filter to use Amazon Kinesis Data Firehose to stream all logs to an S3 bucket.
- C. Configure a CloudWatch Logs subscription filter to stream all logs to an S3 bucket.
- D. Configure the S3 bucket lifecycle policy to transition logs to S3 Glacier after 90 days and to expire logs after 3,650 days.
- E. Configure the S3 bucket lifecycle policy to transition logs to Reduced Redundancy after 90 days and to expire logs after 3,650 days.

**Answer:** BD

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

**NEW QUESTION 89**

An application running on a set of Amazon EC2 instances in an Auto Scaling group requires a configuration file to operate. The instances are created and maintained with AWS CloudFormation. A DevOps engineer wants the instances to have the latest configuration file when launched and wants changes to the configuration file to be reflected on all the instances with a minimal delay when the CloudFormation template is updated. Company policy requires that application configuration files be maintained along with AWS infrastructure configuration files in source control.

Which solution will accomplish this?

- A. In the CloudFormation template add an AWS Config rule
- B. Place the configuration file content in the rule's InputParameters property and set the Scope property to the EC2 Auto Scaling group
- C. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- D. In the CloudFormation template add an EC2 launch template resource
- E. Place the configuration file content in the launch template
- F. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.
- G. In the CloudFormation template add an EC2 launch template resource
- H. Place the configuration file content in the launch template
- I. Add an AWS Systems Manager Resource Data Sync resource to the template to poll for updates to the configuration.
- J. In the CloudFormation template add CloudFormation intrinsic metadata
- K. Place the configuration file content in the metadata
- L. Configure the cfn-init script to run when the instance is launched and configure the cfn-hup script to poll for updates to the configuration.

**Answer:** D

**Explanation:**

Use the AWS::CloudFormation::Init type to include metadata on an Amazon EC2 instance for the cfn-init helper script. If your template calls the cfn-init script, the script looks for resource metadata rooted in the AWS::CloudFormation::Init metadata key. Reference:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-init.html>

**NEW QUESTION 94**

A development team wants to use AWS CloudFormation stacks to deploy an application. However, the developer IAM role does not have the required permissions to provision the resources that are specified in the AWS CloudFormation template. A DevOps engineer needs to implement a solution that allows the developers to deploy the stacks. The solution must follow the principle of least privilege.

Which solution will meet these requirements?

- A. Create an IAM policy that allows the developers to provision the required resource
- B. Attach the policy to the developer IAM role.
- C. Create an IAM policy that allows full access to AWS CloudFormation
- D. Attach the policy to the developer IAM role.
- E. Create an AWS CloudFormation service role that has the required permission
- F. Grant the developer IAM role a cloudformation:\* action
- G. Use the new service role during stack deployments.
- H. Create an AWS CloudFormation service role that has the required permission
- I. Grant the developer IAM role the iam:PassRole permission
- J. Use the new service role during stack deployments.

**Answer:** D

**Explanation:**



<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/using-iam-servicerole.html>

#### NEW QUESTION 96

A company must encrypt all AMIs that the company shares across accounts. A DevOps engineer has access to a source account where an unencrypted custom AMI has been built. The DevOps engineer also has access to a target account where an Amazon EC2 Auto Scaling group will launch EC2 instances from the AMI. The DevOps engineer must share the AMI with the target account.

The company has created an AWS Key Management Service (AWS KMS) key in the source account.

Which additional steps should the DevOps engineer perform to meet the requirements? (Choose three.)

- A. In the source account, copy the unencrypted AMI to an encrypted AM
- B. Specify the KMS key in the copy action.
- C. In the source account, copy the unencrypted AMI to an encrypted AM
- D. Specify the default Amazon Elastic Block Store (Amazon EBS) encryption key in the copy action.
- E. In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.
- F. In the source account, modify the key policy to give the target account permissions to create a gran
- G. In the target account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role.
- H. In the source account, share the unencrypted AMI with the target account.
- I. In the source account, share the encrypted AMI with the target account.

**Answer:** ADF

#### Explanation:

The Auto Scaling group service-linked role must have a specific grant in the source account in order to decrypt the encrypted AMI. This is because the service-linked role does not have permissions to assume the default IAM role in the source account. The following steps are required to meet the requirements:

? In the source account, copy the unencrypted AMI to an encrypted AMI. Specify the KMS key in the copy action.

? In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.

? In the source account, share the encrypted AMI with the target account.

? In the target account, attach the KMS grant to the Auto Scaling group service-linked role.

The first three steps are the same as the steps that I described earlier. The fourth step is required to grant the Auto Scaling group service-linked role permissions to decrypt the AMI

in the target account.

#### NEW QUESTION 101

A company updated the AWS Cloud Formation template for a critical business application. The stack update process failed due to an error in the updated template and AWS CloudFormation automatically began the stack rollback process. Later a DevOps engineer discovered that the application was still unavailable and that the stack was in the UPDATE\_ROLLBACK\_FAILED state.

Which combination of actions should the DevOps engineer perform so that the stack rollback can complete successfully? (Select TWO.)

- A. Attach the AWS CloudFormation FullAccess IAM policy to the AWS CloudFormation role.
- B. Automatically recover the stack resources by using AWS CloudFormation drift detection.
- C. Issue a ContinueUpdateRollback command from the AWS CloudFormation console or the AWS CLI.
- D. Manually adjust the resources to match the expectations of the stack.
- E. Update the existing AWS CloudFormation stack by using the original template.

**Answer:** CD

#### Explanation:

<https://docs.aws.amazon.com/cli/latest/reference/cloudformation/continue-update-rollback.html> For a specified stack that is in the UPDATE\_ROLLBACK\_FAILED state, continues rolling it back to the UPDATE\_ROLLBACK\_COMPLETE state. Depending on the cause of the failure, you can manually fix the error and continue the rollback. By continuing the rollback, you can return your stack to a working state (the UPDATE\_ROLLBACK\_COMPLETE state), and then try to update the stack again.

#### NEW QUESTION 104

A DevOps engineer manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group across multiple Availability Zones. The engineer needs to implement a deployment strategy that:

Launches a second fleet of instances with the same capacity as the original fleet. Maintains the original fleet unchanged while the second fleet is launched.

Transitions traffic to the second fleet when the second fleet is fully deployed. Terminates the original fleet automatically 1 hour after transition.

Which solution will satisfy these requirements?

- A. Use an AWS CloudFormation template with a retention policy for the ALB set to 1 hour
- B. Update the Amazon Route 53 record to reflect the new ALB.
- C. Use two AWS Elastic Beanstalk environments to perform a blue/green deployment from the original environment to the new one
- D. Create an application version lifecycle policy to terminate the original environment in 1 hour.
- E. Use AWS CodeDeploy with a deployment group configured with a blue/green deployment configuration. Select the option Terminate the original instances in the deployment group with a waiting period of 1 hour.
- F. Use AWS Elastic Beanstalk with the configuration set to Immutable
- G. Create an Elastic Beanstalk extension using the Resources key that sets the deletion policy of the ALB to 1 hour, and deploy the application.

**Answer:** C

#### Explanation:

[https://docs.aws.amazon.com/codedeploy/latest/APIReference/API\\_BlueInstanceTerminationOption.html](https://docs.aws.amazon.com/codedeploy/latest/APIReference/API_BlueInstanceTerminationOption.html)

The original revision termination settings are configured to wait 1 hour after traffic has been rerouted before terminating the blue task set.

<https://docs.aws.amazon.com/AmazonECS/latest/developerguide/deployment-type-bluegreen.html>

#### NEW QUESTION 105

The security team depends on AWS CloudTrail to detect sensitive security issues in the company's AWS account. The DevOps engineer needs a solution to automatically remediate CloudTrail being turned off in an AWS account.

What solution ensures the LEAST amount of downtime for the CloudTrail log deliveries?

- A. Create an Amazon EventBridge rule for the CloudTrail StopLogging even
- B. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- C. Add the Lambda function ARN as a target to the EventBridge rule.
- D. Deploy the AWS-managed CloudTrail-enabled AWS Config rule set with a periodic interval to 1 hour
- E. Create an Amazon EventBridge rule for AWS Config rules compliance changes
- F. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on the ARN of the resource in which StopLogging was called
- G. Add the Lambda function ARN as a target to the EventBridge rule.
- H. Create an Amazon EventBridge rule for a scheduled event every 5 minutes
- I. Create an AWS Lambda function that uses the AWS SDK to call StartLogging on a CloudTrail trail in the AWS account
- J. Add the Lambda function ARN as a target to the EventBridge rule.
- K. Launch a t2 nano instance with a script running every 5 minutes that uses the AWS SDK to query CloudTrail in the current account
- L. If the CloudTrail trail is disabled have the script re-enable the trail.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/blogs/mt/monitor-changes-and-auto-enable-logging-in-aws-cloudtrail/>

**NEW QUESTION 106**

A company is divided into teams. Each team has an AWS account and all the accounts are in an organization in AWS Organizations. Each team must retain full administrative rights to its AWS account. Each team also must be allowed to access only AWS services that the company approves for use. AWS services must gain approval through a request and approval process.

How should a DevOps engineer configure the accounts to meet these requirements?

- A. Use AWS CloudFormation StackSets to provision IAM policies in each account to deny access to restricted AWS services
- B. In each account, configure AWS Config rules that ensure that the policies are attached to IAM principals in the account.
- C. Use AWS Control Tower to provision the accounts into OUs within the organization. Configure AWS Control Tower to enable AWS IAM Identity Center (AWS Single Sign-On). Configure IAM Identity Center to provide administrative access. Include deny policies on user roles for restricted AWS services.
- D. Place all the accounts under a new top-level OU within the organization. Create an SCP that denies access to restricted AWS services. Attach the SCP to the OU.
- E. Create an SCP that allows access to only approved AWS services
- F. Attach the SCP to the root OU of the organization
- G. Remove the FullAWSAccess SCP from the root OU of the organization.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html> A managed prefix list is a set of one or more CIDR blocks. You can use prefix lists to make it easier to configure and maintain your security groups and route tables. <https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html> With AWS Resource Access Manager (AWS RAM), the owner of a prefix list can share a prefix list with the following: Specific AWS accounts inside or outside of its organization in AWS Organizations An organizational unit inside its organization in AWS Organizations An entire organization in AWS Organizations

**NEW QUESTION 111**

A company uses AWS Storage Gateway in file gateway mode in front of an Amazon S3 bucket that is used by multiple resources. In the morning when business begins, users do not see the objects processed by a third party the previous evening. When a DevOps engineer looks directly at the S3 bucket, the data is there, but it is missing in Storage Gateway.

Which solution ensures that all the updated third-party files are available in the morning?

- A. Configure a nightly Amazon EventBridge event to invoke an AWS Lambda function to run the RefreshCache command for Storage Gateway.
- B. Instruct the third party to put data into the S3 bucket using AWS Transfer for SFTP.
- C. Modify Storage Gateway to run in volume gateway mode.
- D. Use S3 Same-Region Replication to replicate any changes made directly in the S3 bucket to Storage Gateway.

**Answer:** A

**Explanation:**

[https://docs.aws.amazon.com/storagegateway/latest/APIReference/API\\_RefreshCache.html](https://docs.aws.amazon.com/storagegateway/latest/APIReference/API_RefreshCache.html) "It only updates the cached inventory to reflect changes in the inventory of the objects in the S3 bucket. This operation is only supported in the S3 File Gateway types."

**NEW QUESTION 115**

A company needs to implement failover for its application. The application includes an Amazon CloudFront distribution and a public Application Load Balancer (ALB) in an AWS Region. The company has configured the ALB as the default origin for the distribution.

After some recent application outages, the company wants a zero-second RTO. The company deploys the application to a secondary Region in a warm standby configuration. A DevOps engineer needs to automate the failover of the application to the secondary Region so that HTTP GET requests meet the desired RTO. Which solution will meet these requirements?

- A. Create a second CloudFront distribution that has the secondary ALB as the default origin
- B. Create Amazon Route 53 alias records that have a failover policy and Evaluate Target Health set to Yes for both CloudFront distributions
- C. Update the application to use the new record set.
- D. Create a new origin on the distribution for the secondary ALB
- E. Create a new origin group
- F. Set the original ALB as the primary origin
- G. Configure the origin group to fail over for HTTP 5xx status code
- H. Update the default behavior to use the origin group.
- I. Create Amazon Route 53 alias records that have a failover policy and Evaluate Target Health set to Yes for both ALBs
- J. Set the TTL of both records to 0. Update the distribution's origin to use the new record set.
- K. Create a CloudFront function that detects HTTP 5xx status code
- L. Configure the function to return a 307 Temporary Redirect error response to the secondary ALB if the function detects 5xx status code
- M. Update the distribution's default behavior to send origin responses to the function.

**Answer:** B

**Explanation:**

The best solution to implement failover for the application is to use CloudFront origin groups. Origin groups allow CloudFront to automatically switch to a secondary origin when the primary origin is unavailable or returns specific HTTP status codes that indicate a failure<sup>1</sup>. This way, CloudFront can serve the requests from the secondary ALB in the secondary Region without any delay or redirection. To set up origin groups, the DevOps engineer needs to create a new origin on the distribution for the secondary ALB, create a new origin group with the original ALB as the primary origin and the secondary ALB as the secondary origin, and configure the origin group to fail over for HTTP 5xx status

codes. Then, the DevOps engineer needs to update the default behavior to use the origin group instead of the single origin<sup>2</sup>.

The other options are not as effective or efficient as the solution in option B. Option A is not suitable because creating a second CloudFront distribution will increase the complexity and cost of the application. Moreover, using Route 53 alias records with a failover policy will introduce some delay in detecting and switching to the secondary CloudFront distribution, which may not meet the zero-second RTO requirement. Option C is not feasible because CloudFront does not support using Route 53 alias records as origins<sup>3</sup>. Option D is not advisable because using a CloudFront function to redirect the requests to the secondary ALB will add an extra round-trip and latency to the failover process, which may also not meet the zero-second RTO requirement.

References:

? 1: Optimizing high availability with CloudFront origin failover - Amazon CloudFront

? 2: Creating an origin group - Amazon CloudFront

? 3: Values That You Specify When You Create or Update a Web Distribution - Amazon CloudFront

**NEW QUESTION 120**

A company builds an application that uses an Application Load Balancer in front of Amazon EC2 instances that are in an Auto Scaling group. The application is stateless. The Auto Scaling group uses a custom AMI that is fully prebuilt. The EC2 instances do not have a custom bootstrapping process.

The AMI that the Auto Scaling group uses was recently deleted. The Auto Scaling group's scaling activities show failures because the AMI ID does not exist.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select THREE.)

- A. Create a new launch template that uses the new AMI.
- B. Update the Auto Scaling group to use the new launch template.
- C. Reduce the Auto Scaling group's desired capacity to 0.
- D. Increase the Auto Scaling group's desired capacity by 1.
- E. Create a new AMI from a running EC2 instance in the Auto Scaling group.
- F. Create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use.

**Answer:** ABF

**Explanation:**

To restore the functionality of the Auto Scaling group after the AMI was deleted, the DevOps engineer needs to create a new AMI and update the Auto Scaling group to use it. The DevOps engineer can create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use. This will ensure that the new AMI has the same operating system as the custom AMI that was deleted. The DevOps engineer can then create a new launch template that uses the new AMI and update the Auto Scaling group to use the new launch template. This will allow the Auto Scaling group to launch new instances with the new AMI.

**NEW QUESTION 123**

A company's security team requires that all external Application Load Balancers (ALBs) and Amazon API Gateway APIs are associated with AWS WAF web ACLs. The company

has hundreds of AWS accounts, all of which are included in a single organization in AWS Organizations. The company has configured AWS Config for the organization. During an audit, the company finds some externally facing ALBs that are not associated with AWS WAF web ACLs.

Which combination of steps should a DevOps engineer take to prevent future violations? (Choose two.)

- A. Delegate AWS Firewall Manager to a security account.
- B. Delegate Amazon GuardDuty to a security account.
- C. Create an AWS Firewall Manager policy to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.
- D. Create an Amazon GuardDuty policy to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.
- E. Configure an AWS Config managed rule to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.

**Answer:** AC

**Explanation:**

If instead you want to automatically apply the policy to existing in-scope resources, choose Auto remediate any noncompliant resources. This option creates a web ACL in each applicable account within the AWS organization and associates the web ACL with the resources in the accounts. When you choose Auto remediate any noncompliant resources, you can also choose to remove existing web ACL associations from in-scope resources, for the web ACLs that aren't managed by another active Firewall Manager policy. If you choose this option, Firewall Manager first associates the policy's web ACL with the resources, and then removes the prior associations. If a resource has an association with another web ACL that's managed by a different active Firewall Manager policy, this choice doesn't affect that association.

**NEW QUESTION 128**

A company is using AWS CodePipeline to automate its release pipeline. AWS CodeDeploy is being used in the pipeline to deploy an application to Amazon Elastic Container Service (Amazon ECS) using the blue/green deployment model. The company wants to implement scripts to test the green version of the application before shifting traffic. These scripts will complete in 5 minutes or less. If errors are discovered during these tests, the application must be rolled back.

Which strategy will meet these requirements?

- A. Add a stage to the CodePipeline pipeline between the source and deploy stage
- B. Use AWS CodeBuild to create a runtime environment and build commands in the buildspec file to invoke test script
- C. If errors are found, use the aws deploy stop-deployment command to stop the deployment.
- D. Add a stage to the CodePipeline pipeline between the source and deploy stage
- E. Use this stage to invoke an AWS Lambda function that will run the test script
- F. If errors are found, use the aws deploy stop-deployment command to stop the deployment.
- G. Add a hooks section to the CodeDeploy AppSpec file
- H. Use the AfterAllowTestTraffic lifecycle event to invoke an AWS Lambda function to run the test script
- I. If errors are found, exit the Lambda function with an error to initiate rollback.
- J. Add a hooks section to the CodeDeploy AppSpec file



- K. Use the AfterAllowTraffic lifecycle event to invoke the test script
- L. If errors are found, use the aws deploy stop-deployment CLI command to stop the deployment.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html>

**NEW QUESTION 131**

A company is using an AWS CodeBuild project to build and package an application. The packages are copied to a shared Amazon S3 bucket before being deployed across multiple AWS accounts.

The buildspec.yml file contains the following:

```
version: 0.2
phases:
  build:
    commands:
      - go build -o myapp
  post_build:
    commands:
      - aws s3 cp --acl authenticated-read myapp s3://artifacts/
```

The DevOps engineer has noticed that anybody with an AWS account is able to download the artifacts.

What steps should the DevOps engineer take to stop this?

- A. Modify the post\_build command to use --acl public-read and configure a bucket policy that grants read access to the relevant AWS accounts only.
- B. Configure a default ACL for the S3 bucket that defines the set of authenticated users as the relevant AWS accounts only and grants read-only access.
- C. Create an S3 bucket policy that grants read access to the relevant AWS accounts and denies read access to the principal “\*”.
- D. Modify the post\_build command to remove --acl authenticated-read and configure a bucket policy that allows read access to the relevant AWS accounts only.

**Answer:** D

**Explanation:**

When setting the flag authenticated-read in the command line, the owner gets FULL\_CONTROL. The AuthenticatedUsers group (Anyone with an AWS account) gets READ access. Reference: <https://docs.aws.amazon.com/AmazonS3/latest/userguide/acl-overview.html>

**NEW QUESTION 132**

A DevOps engineer manages a large commercial website that runs on Amazon EC2. The website uses Amazon Kinesis Data Streams to collect and process web logs. The DevOps engineer manages the Kinesis consumer application, which also runs on Amazon EC2.

Sudden increases of data cause the Kinesis consumer application to fall behind and the Kinesis data streams drop records before the records can be processed.

The DevOps engineer must implement a solution to improve stream handling.

Which solution meets these requirements with the MOST operational efficiency?

- A. Modify the Kinesis consumer application to store the logs durably in Amazon S3. Use Amazon EMR to process the data directly on Amazon S3 to derive customer insights. Store the results in Amazon S3.
- B. Horizontally scale the Kinesis consumer application by adding more EC2 instances based on the Amazon CloudWatch GetRecords.IteratorAge.Milliseconds metric. Increase the retention period of the Kinesis data streams.
- C. Convert the Kinesis consumer application to run as an AWS Lambda function.
- D. Configure the Kinesis data streams as the event source for the Lambda function to process the data streams.
- E. Increase the number of shards in the Kinesis data streams to increase the overall throughput so that the consumer application processes the data faster.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/streams/latest/dev/monitoring-with-cloudwatch.html>

GetRecords.IteratorAge.Milliseconds - The age of the last record in all GetRecords calls made against a Kinesis stream, measured over the specified time period. Age is the difference between the current time and when the last record of the GetRecords call was written to the stream. The Minimum and Maximum statistics can be used to track the progress of Kinesis consumer applications. A value of zero indicates that the records being read are completely caught up.

**NEW QUESTION 136**

An AWS CodePipeline pipeline has implemented a code release process. The pipeline is integrated with AWS CodeDeploy to deploy versions of an application to multiple Amazon EC2 instances for each CodePipeline stage.

During a recent deployment the pipeline failed due to a CodeDeploy issue. The DevOps team wants to improve monitoring and notifications during deployment to decrease resolution times.

What should the DevOps engineer do to create notifications when issues are discovered?

- A. Implement Amazon CloudWatch Logs for CodePipeline and CodeDeploy. Create an AWS Config rule to evaluate code deployment issues, and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- B. Implement Amazon EventBridge for CodePipeline and CodeDeploy. Create an AWS Lambda function to evaluate code deployment issues, and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- C. Implement AWS CloudTrail to record CodePipeline and CodeDeploy API call information. Create an AWS Lambda function to evaluate code deployment issues and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- D. Implement Amazon EventBridge for CodePipeline and CodeDeploy. Create an Amazon Inspector assessment target to evaluate code deployment issues and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- E. Implement Amazon EventBridge for CodePipeline and CodeDeploy. Create an Amazon Inspector assessment target to evaluate code deployment issues and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- F. Implement Amazon EventBridge for CodePipeline and CodeDeploy. Create an Amazon Inspector assessment target to evaluate code deployment issues and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.

**Answer:** B



**Explanation:**

AWS CloudWatch Events can be used to monitor events across different AWS resources, and a CloudWatch Event Rule can be created to trigger an AWS Lambda function when a deployment issue is detected in the pipeline. The Lambda function can then evaluate the issue and send a notification to the appropriate stakeholders through an Amazon SNS topic. This approach allows for real-time notifications and faster resolution times.

**NEW QUESTION 141**

A company has developed a serverless web application that is hosted on AWS. The application consists of Amazon S3, Amazon API Gateway, several AWS Lambda functions, and an Amazon RDS for MySQL database. The company is using AWS CodeCommit to store the source code. The source code is a combination of AWS Serverless Application Model (AWS SAM) templates and Python code.

A security audit and penetration test reveal that user names and passwords for authentication to the database are hardcoded within CodeCommit repositories. A DevOps engineer must implement a solution to automatically detect and prevent hardcoded secrets.

What is the MOST secure solution that meets these requirements?

- A. Enable Amazon CodeGuru Profile
- B. Decorate the handler function with `@with_lambda_profiler()`. Manually review the recommendation report
- C. Write the secret to AWS Systems Manager Parameter Store as a secure string
- D. Update the SAM templates and the Python code to pull the secret from Parameter Store.
- E. Associate the CodeCommit repository with Amazon CodeGuru Reviewer
- F. Manually check the code review for any recommendation
- G. Choose the option to protect the secret
- H. Update the SAM templates and the Python code to pull the secret from AWS Secrets Manager.
- I. Enable Amazon CodeGuru Profile
- J. Decorate the handler function with `@with_lambda_profiler()`. Manually review the recommendation report
- K. Choose the option to protect the secret
- L. Update the SAM templates and the Python code to pull the secret from AWS Secrets Manager.
- M. Associate the CodeCommit repository with Amazon CodeGuru Reviewer
- N. Manually check the code review for any recommendation
- O. Write the secret to AWS Systems Manager Parameter Store as a string
- P. Update the SAM templates and the Python code to pull the secret from Parameter Store.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/codecommit/latest/userguide/how-to-amazon-codeguru-reviewer.html>

**NEW QUESTION 143**

A company has configured an Amazon S3 event source on an AWS Lambda function. The company needs the Lambda function to run when a new object is created or an existing object is modified in a particular S3 bucket. The Lambda function will use the S3 bucket name and the S3 object key of the incoming event to read the contents of the created or modified S3 object. The Lambda function will parse the contents and save the parsed contents to an Amazon DynamoDB table.

The Lambda function's execution role has permissions to read from the S3 bucket and to write to the DynamoDB table. During testing, a DevOps engineer discovers that the Lambda

function does not run when objects are added to the S3 bucket or when existing objects are modified.

Which solution will resolve this problem?

- A. Increase the memory of the Lambda function to give the function the ability to process large files from the S3 bucket.
- B. Create a resource policy on the Lambda function to grant Amazon S3 the permission to invoke the Lambda function for the S3 bucket
- C. Configure an Amazon Simple Queue Service (Amazon SQS) queue as an OnFailure destination for the Lambda function
- D. Provision space in the `/tmp` folder of the Lambda function to give the function the ability to process large files from the S3 bucket

**Answer:** B

**Explanation:**

? Option A is incorrect because increasing the memory of the Lambda function does not address the root cause of the problem, which is that the Lambda function is not triggered by the S3 event source. Increasing the memory of the Lambda function might improve its performance or reduce its execution time, but it does not affect its invocation. Moreover, increasing the memory of the Lambda function might incur higher costs, as Lambda charges based on the amount of memory allocated to the function.

? Option B is correct because creating a resource policy on the Lambda function to grant Amazon S3 the permission to invoke the Lambda function for the S3 bucket is a necessary step to configure an S3 event source. A resource policy is a JSON document that defines who can access a Lambda resource and under what conditions. By granting Amazon S3 permission to invoke the Lambda function, the company ensures that the Lambda function runs when a new object is created or an existing object is modified in the S3 bucket.

? Option C is incorrect because configuring an Amazon Simple Queue Service (Amazon SQS) queue as an On-Failure destination for the Lambda function does not help with triggering the Lambda function. An On-Failure destination is a feature that allows Lambda to send events to another service, such as SQS or Amazon Simple Notification Service (Amazon SNS), when a function invocation fails. However, this feature only applies to asynchronous invocations, and S3 event sources use synchronous invocations. Therefore, configuring an SQS queue as an On-Failure destination would have no effect on the problem.

? Option D is incorrect because provisioning space in the `/tmp` folder of the Lambda function does not address the root cause of the problem, which is that the Lambda function is not triggered by the S3 event source. Provisioning space in the `/tmp` folder of the Lambda function might help with processing large files from the S3 bucket, as it provides temporary storage for up to 512 MB of data. However, it does not affect the invocation of the Lambda function.

References:

- ? Using AWS Lambda with Amazon S3
- ? Lambda resource access permissions
- ? AWS Lambda destinations
- ? [AWS Lambda file system]

**NEW QUESTION 146**

A DevOps engineer is planning to deploy a Ruby-based application to production. The application needs to interact with an Amazon RDS for MySQL database and should have automatic scaling and high availability. The stored data in the database is critical and should persist regardless of the state of the application stack.

The DevOps engineer needs to set up an automated deployment strategy for the application with automatic rollbacks. The solution also must alert the application team when a deployment fails.

Which combination of steps will meet these requirements? (Select THREE.)

- A. Deploy the application on AWS Elastic Beanstalk
- B. Deploy an Amazon RDS for MySQL DB instance as part of the Elastic Beanstalk configuration.
- C. Deploy the application on AWS Elastic Beanstalk
- D. Deploy a separate Amazon RDS for MySQL DB instance outside of Elastic Beanstalk.
- E. Configure a notification email address that alerts the application team in the AWS Elastic Beanstalk configuration.
- F. Configure an Amazon EventBridge rule to monitor AWS Health event
- G. Use an Amazon Simple Notification Service (Amazon SNS) topic as a target to alert the application team.
- H. Use the immutable deployment method to deploy new application versions.
- I. Use the rolling deployment method to deploy new application versions.

**Answer:** BDE

**Explanation:**

For deploying a Ruby-based application with requirements for interaction with an Amazon RDS for MySQL database, automatic scaling, high availability, and data persistence, the following steps will meet the requirements:

? B. Deploy the application on AWS Elastic Beanstalk. Deploy a separate Amazon

RDS for MySQL DB instance outside of Elastic Beanstalk. This approach ensures that the database persists independently of the Elastic Beanstalk environment, which can be torn down and recreated without affecting the database<sup>123</sup>.

? E. Use the immutable deployment method to deploy new application

versions. Immutable deployments provide a zero-downtime deployment method that ensures that if any part of the deployment process fails, the environment is rolled back to the original state automatically<sup>4</sup>.

? D. Configure an Amazon EventBridge rule to monitor AWS Health events. Use an

Amazon Simple Notification Service (Amazon SNS) topic as a target to alert the application team. This setup allows for automated monitoring and alerting of the application team in case of deployment failures or other health events<sup>56</sup>.

References:

? AWS Elastic Beanstalk documentation on deploying Ruby applications<sup>1</sup>.

? AWS documentation on application auto-scaling<sup>7</sup>.

? AWS documentation on automated deployment strategies with automatic rollbacks and alerts<sup>456</sup>.

**NEW QUESTION 147**

A development team uses AWS CodeCommit for version control for applications. The development team uses AWS CodePipeline, AWS CodeBuild, and AWS CodeDeploy for CI/CD infrastructure. In CodeCommit, the development team recently merged pull requests that did not pass long-running tests in the code base. The development team needed to perform rollbacks to branches in the codebase, resulting in lost time and wasted effort.

A DevOps engineer must automate testing of pull requests in CodeCommit to ensure that reviewers more easily see the results of automated tests as part of the pull request review.

What should the DevOps engineer do to meet this requirement?

- A. Create an Amazon EventBridge rule that reacts to the pullRequestStatusChanged event
- B. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the application
- C. Program the Lambda function to post the CodeBuild badge as a comment on the pull request so that developers will see the badge in their code review.
- D. Create an Amazon EventBridge rule that reacts to the pullRequestCreated event
- E. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the application
- F. Program the Lambda function to post the CodeBuild test results as a comment on the pull request when the test results are complete.
- G. Create an Amazon EventBridge rule that reacts to pullRequestCreated and pullRequestSourceBranchUpdated event
- H. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the application
- I. Program the Lambda function to post the CodeBuild badge as a comment on the pull request so that developers will see the badge in their code review.
- J. Create an Amazon EventBridge rule that reacts to the pullRequestStatusChanged event
- K. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the application
- L. Program the Lambda function to post the CodeBuild test results as a comment on the pull request when the test results are complete.

**Answer:** C

**Explanation:**

<https://aws.amazon.com/es/blogs/devops/complete-ci-cd-with-aws-codecommit-aws-codebuild-aws-codedeploy-and-aws-codepipeline/>

**NEW QUESTION 151**

A company has a legacy application. A DevOps engineer needs to automate the process of building the deployable artifact for the legacy application. The solution must store the deployable artifact in an existing Amazon S3 bucket for future deployments to reference.

Which solution will meet these requirements in the MOST operationally efficient way?

- A. Create a custom Docker image that contains all the dependencies for the legacy application. Store the custom Docker image in a new Amazon Elastic Container Registry (Amazon ECR) repository. Configure a new AWS CodeBuild project to use the custom Docker image to build the deployable artifact and to save the artifact to the S3 bucket.
- B. Launch a new Amazon EC2 instance. Install all the dependencies (or the legacy application) on the EC2 instance. Use the EC2 instance to build the deployable artifact and to save the artifact to the S3 bucket.
- C. Create a custom EC2 Image Builder image. Install all the dependencies for the legacy application on the image. Launch a new Amazon EC2 instance from the image. Use the new EC2 instance to build the deployable artifact and to save the artifact to the S3 bucket.
- D. Create an Amazon Elastic Kubernetes Service (Amazon EKS) cluster with an AWS Fargate profile that runs in multiple Availability Zones. Create a custom Docker image that contains all the dependencies for the legacy application. Store the custom Docker image in a new Amazon Elastic Container Registry (Amazon ECR) repository. Use the custom Docker image inside the EKS cluster to build the deployable artifact and to save the artifact to the S3 bucket.

**Answer:** A

**Explanation:**

This approach is the most operationally efficient because it leverages the benefits of containerization, such as isolation and reproducibility, as well as AWS managed services. AWS CodeBuild is a fully managed build service that can compile your source code, run tests, and produce deployable software packages. By using a custom Docker image that includes all dependencies, you can ensure that the environment in which your code is built is consistent. Using Amazon ECR to store Docker images lets you easily deploy the images to any environment. Also, you can directly upload the build artifacts to Amazon S3 from AWS CodeBuild, which is beneficial for version control and archival purposes.

#### NEW QUESTION 154

A DevOps engineer used an AWS Cloud Formation custom resource to set up AD Connector. The AWS Lambda function ran and created AD Connector, but Cloud Formation is not transitioning from CREATE\_IN\_PROGRESS to CREATE\_COMPLETE.

Which action should the engineer take to resolve this issue?

- A. Ensure the Lambda function code has exited successfully.
- B. Ensure the Lambda function code returns a response to the pre-signed URL.
- C. Ensure the Lambda function IAM role has cloudformation UpdateStack permissions for the stack ARN.
- D. Ensure the Lambda function IAM role has ds ConnectDirectory permissions for the AWS account.

**Answer: B**

**Explanation:**

Reference: <https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/crpg-ref-responses.html>

#### NEW QUESTION 156

A company uses a series of individual Amazon Cloud Formation templates to deploy its multi-Region Applications. These templates must be deployed in a specific order. The company is making more changes to the templates than previously expected and wants to deploy new templates more efficiently. Additionally, the data engineering team must be notified of all changes to the templates.

What should the company do to accomplish these goals?

- A. Create an AWS Lambda function to deploy the Cloud Formation templates in the required order. Use stack policies to alert the data engineering team.
- B. Host the Cloud Formation templates in Amazon S3. Use Amazon S3 events to directly trigger CloudFormation updates and Amazon SNS notifications.
- C. Implement CloudFormation StackSets and use drift detection to trigger update alerts to the data engineering team.
- D. Leverage CloudFormation nested stacks and stack sets (or deployments). Use Amazon SNS to notify the data engineering team.

**Answer: D**

**Explanation:**

This solution will meet the requirements because it will use CloudFormation nested stacks and stack sets to deploy the templates more efficiently and consistently across multiple regions. Nested stacks allow the company to separate out common components and reuse templates, while stack sets allow the company to create stacks in multiple accounts and regions with a single template. The company can also use Amazon SNS to send notifications to the data engineering team whenever a change is made to the templates or the stacks. Amazon SNS is a service that allows you to publish messages to subscribers, such as email addresses, phone numbers, or other AWS services. By using Amazon SNS, the company can ensure that the data engineering team is aware of all changes to the templates and can take appropriate actions if needed. What is Amazon SNS? - Amazon Simple Notification Service

#### NEW QUESTION 158

.....

## Relate Links

**100% Pass Your DOP-C02 Exam with ExamBible Prep Materials**

<https://www.exambible.com/DOP-C02-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>