

Exam Questions H19-301

Huawei Certified Pre-sales Specialist - IP Network (Datacom)

<https://www.2passeasy.com/dumps/H19-301/>



NEW QUESTION 1

For device-level protection, NE routers provide redundancy backup for key components, these key components are: (Multiple Choice)

- A. MPU
- B. switch board
- C. power module
- D. fan

Answer: ABCD

NEW QUESTION 2

Please select several Cloud Platform that is compatible Huawei datacenter Agile controller in Huawei datacenter resource-management solution. (Multiple Choice)

- A. FusionSphere
- B. Microsoft
- C. vmware
- D. openstack

Answer: ABCD

NEW QUESTION 3

When 36*100GE line card is used in CE12800, which type SFU is suggested()?

- A. SFUA
- B. SFUC
- C. SFCF
- D. SFUG

Answer: D

NEW QUESTION 4

S7703 supports stacking

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 5

In Huawei's metro Wi-Fi solution, all vehicle-mounted AP9130DN and trackside AP8130DN are centralized managed by AC

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 6

Which VPN is recommended for dynamic branch tunnel?

- A. MPLS
- B. DSVPN
- C. L2TP
- D. PWE3

Answer: B

NEW QUESTION 7

Which of the following switches can provide agile features such as native AC, wired and wireless SVF, and free mobility?

- A. S5720-EI
- B. S5720-HI
- C. S5730-SI
- D. S6720-EI

Answer: B

NEW QUESTION 8

Which type subcard does the CE8860 support? (Multiple Choice)

- A. 10GE
- B. 25GE
- C. 40GE
- D. 100GE

Answer: ABCD

NEW QUESTION 9

Which scenarios can IoT Gateway apply? (Multiple Choice)

- A. Street lighting
- B. Elevator Monitoring
- C. Smart Meter Reading
- D. Smart Building Terminal Control

Answer: ABCD

NEW QUESTION 10

Which WAN interface can AR support? (Multiple Choice)

- A. EPON/GPON
- B. SA/AS
- C. FDDLTE
- D. E1

Answer: ACD

NEW QUESTION 10

How many APs and users can be managed by ACU2?

- A. 1k APs, 16k users
- B. 1k APs, 32k users
- C. 2k APs, 16k users
- D. 2k AP, 32k users

Answer: D

NEW QUESTION 11

What is the key message of CloudEngine () (Multiple Choice)

- A. Elastic
- B. Virtualized
- C. Agile
- D. High Quality

Answer: ABCD

NEW QUESTION 15

Which are main differences between CE12800S and CE12800?() (Multiple Choice)

- A. demension size
- B. the number of switching fabric
- C. no orthogonal architecture
- D. new line card only for CE128S

Answer: AB

NEW QUESTION 19

ASR 9000 series cannot support VLL FRR/LDP FRR.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 23

Huawei BFD detection is based on hardware detection.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 28

Which cards are ENP line cards that agile switch support? (Multiple Choice)

- A. 48-Port 10/100/1000BASE-T Interface Card (X1E, RJ45)
- B. 48-Port 100/1000BASE-X Interface Card (X1E, SFP)
- C. 4-Port 10GBASE-X and 24-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+) 8-Port 10GBASE-X and

8-Port 100/1000BASE-X and 8-Port 10/100/1000BASE-T Combo Interface Card (X1E, RJ45/SFP/SFP+)
D. 48-Port 10GBASE-X Interface Card(EC, SFP+)

Answer: ABCD

NEW QUESTION 29

Which of the following switches does not support OSPF?

- A. S5720-SI
- B. S1720X-E
- C. S5720-EI
- D. S5720-LI

Answer: B

NEW QUESTION 34

ARG3 supports 3G/LTE

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 38

Which are the highlights of the Huawei IP hard pipe solution?

- A. No jitter
- B. High reliability
- C. Low latency
- D. No packet loss

Answer: BCD

NEW QUESTION 39

Which switch does NOT support PoE?

- A. S2700-26TP-PWR-EI
- B. S2700-9TP-PWR-EI
- C. S3700-52P-PWR-EI
- D. S3700-52P-EI

Answer: D

NEW QUESTION 40

Which xDSL can AR support? (Multiple Choice)

- A. G.SHDSL
- B. ADSL2+
- C. VDSL2
- D. VDSL

Answer: ABC

NEW QUESTION 42

FIT AP offers the functions of ()? (Multiple Choice)

- A. radio antennas
- B. 802.11a/b/g/n/ac
- C. data encryption
- D. 802.1x
- E. L2 roaming

Answer: ABC

NEW QUESTION 47

AC6605 can manage up to 1024 Aps

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 49

Which cloud platforms AC-DCN can be interconnected with in data center network scenario? (Multiple Choice)

- A. Huawei FusionSphere
- B. openstack
- C. Vmware
- D. Microsoft System Center

Answer: ABCD

NEW QUESTION 51

Agile Controller can be used as the management platform in EC-IoT scenarios.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 52

What type of switch is S3700?

- A. L2 100M switch
- B. L2 gigabit switch
- C. L3 100M switch
- D. L3 gigabit switch

Answer: C

NEW QUESTION 55

By the end of 2018, the number of Huawei SDN cases reached 650+.

- A. True
- B. False

Answer: A

NEW QUESTION 58

Which of the following switches supports downlink optical ports?

- A. S6720-26Q-SI-24S-AC
- B. S5720-16X-PWH-LI-AC
- C. S5730-48C-SI-AC
- D. S2720-52TP-EI-AC

Answer: BD

NEW QUESTION 59

HUAWEI CE datacenter Switch implement full orthogonal hardware architecture to improve the device capacity.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 64

S5720EI integrates ENP chip inside.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 67

Nowadays the utilization efficiency of network resources is highly valued to achieve low capex and opex. And also the DCI network configuration should be more and more flexible to support the rapid emerging new service. Huawei provide SDN based Agile TE/GRE DCI solution to confront such challenges.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 72

Which of the following switches has no fan?

- A. S5700-52X-LI

- B. S5700-28P-LI
- C. S5700-52P-LI
- D. S5700-28X-PWR-LI

Answer: B

NEW QUESTION 75

Cisco's C2960S can support G.8032 either.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 80

Both N7K and N9K of Cisco support ACI solution.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 85

IP FPM is abbreviation for IP Flow Performance Measurement.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 89

CE6860 has 25GE downlink and 100GE uplink.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 92

How much service slots that NE40E-X16 could support?

- A. 8
- B. 20
- C. 22
- D. 16

Answer: D

NEW QUESTION 94

Which of the following are typical Huawei AntiDDoS cases outside China?

- A. KIO in Mexico
- B. Netherlands NBIP
- C. Netherlands Equinix
- D. Netherlands Serverius

Answer: BD

NEW QUESTION 98

CE12800S have two different module, one is () another is () (Multiple Choice)

- A. CE12804S
- B. CE12808S
- C. CE12812S
- D. CE12816S

Answer: AB

NEW QUESTION 103

Huawei CE switch covers a whole series of product from high end high density 100GE core switch to low end GE downlink box switch .Huawei CE has () type of Line card, (Multiple Choice)

- A. GE
- B. 10GE

- C. 40GE
- D. 100GE

Answer: ABCD

NEW QUESTION 104

Which of the following are 100 GE switches with fixed interfaces?

- A. CE6865
- B. CE8861
- C. CE8850-32CQ-EI
- D. CE8850-64CQ-EI
- E. CE8860

Answer: CDE

NEW QUESTION 108

Huawei released industry-first IT routing line card. It is using Solar 5.0 chipset of Huawei.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 110

How many spatial streams do AP8050DN and AP8150DN have at 5Ghz?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

NEW QUESTION 111

Cisco's C2960S can support G.8032.

- A. True
- B. False

Answer: B

NEW QUESTION 116

What is the minimum interval of hardware-based BFD supported by the CE8861?

- A. 15 ms
- B. 3.3 ms
- C. 5 ms
- D. 10 ms

Answer: B

NEW QUESTION 121

Huawei partners should establish a cyber security assurance system to ensure the cyber security of customers.

- A. True
- B. False

Answer: A

NEW QUESTION 123

The NE series router 1588v2 solution could support frequency and phase synchronization.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 125

Which features are not advantages of S12700 compared with Cisco?

- A. CSS2
- B. H-QOS
- C. SVF

- D. Native AC
- E. PVST+

Answer: E

NEW QUESTION 126

When CloudEngine virtualized as Core of DC and Core of Campus using only one physical device, the service should separate with each other. So () is just the features

- A. CSS
- B. VS
- C. Trill
- D. SVF

Answer: B

NEW QUESTION 127

In datacenter solution, high reliability performance is required due to the importance of service. Which module(component) can support hot backup by Huawei CE device? (Multiple Choice)

- A. FAN
- B. POWER
- C. Fabric card
- D. Main process unit

Answer: ABCD

NEW QUESTION 132

Huawei's metro Wi-Fi solution offers following features? (Multiple Choice)

- A. max vehicle speed 120km/h
- B. handover delay 30ms
- C. 802.11ac
- D. IEC61373 anti-vibration standards
- E. max,vehicle-to-ground throughput 300Mbps

Answer: ABCD

NEW QUESTION 136

AR161FG-L can support LTE TDD

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 138

which of following is correct? (Multiple Choice)

- A. AR G3 supports SIC Interface Card, WSIC Interface Card and XSIC Interface Card
- B. 2 SIC Slots can be combined into one double-wide WSIC slot by removing the guide rail.
- C. 2 WSIC slots can be combined into one double-height XSIC slot by removing the guide rail
- D. AR161 supports 2 SIC slots

Answer: ABC

NEW QUESTION 141

which NE support MPU 1:1 redundancy? (Multiple Choice)

- A. NE20E-S16
- B. NE20E-S8
- C. NE20E-S4
- D. NE20E-SF

Answer: ABC

NEW QUESTION 142

AR503EQGW-L can support GPS

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 143

Which O&M are AR G3 support? (Multiple Choice)

- A. Batch Deployment Using USB Flash Drive
- B. SNMP management
- C. web GUI
- D. CLJ(Command Line Inteface)

Answer: ABCD

NEW QUESTION 145

NE08E routers support STM-4 cards.

- A. True
- B. False

Answer: B

NEW QUESTION 147

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual H19-301 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the H19-301 Product From:

<https://www.2passeasy.com/dumps/H19-301/>

Money Back Guarantee

H19-301 Practice Exam Features:

- * H19-301 Questions and Answers Updated Frequently
- * H19-301 Practice Questions Verified by Expert Senior Certified Staff
- * H19-301 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * H19-301 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year